INDUSTRIAL PRODUCTS
for WAREHOUSES
OFFICES • STORES
FACTORIES • INSTITUTIONS

C&H SINCE 1937

BUYERS GUIDE

BEAT INFLATION-BUY AT WHOLESALE FROM C & H

SEE OUR Factory-Direct AIR COMPRESSOR CATALOG Pages 251-278

FOR PHONE ORDERS CALL

TOLL FREE **800-558-9966**

IN WISCONSIN and FOR CUSTOMER SERVICE DIAL (414) 271-2250.

INDEX, TERMS 149-150
STORAGE SHELVING 14-31
SHOP FURNITURE 32-49
PARTS BINS 50-91
DOCK EQUIPMENT 92-177
HOISTS, WINCHES 141-157
DRUM HANDLERS 104-117
HAND TRUCKS 120-127
STOOLS, CHAIRS 204-211
DESKS, FILES 212-220
SAFETY AIDS 192-199
VACS AND TOOLS 226-227
MOTORS, PUMPS 233-250
HYDRAULIC EQUIPMENT 125-140
AIR TOOLS 248-249
AIR COMPRESSORS 251-278

As Low As $66.52 42" High

3 Heights:
78-inch
72-inch
42-inch

Strong Supply-Storage Cabinets of Heavy Steel

IN STOCK IMMEDIATE SHIPPING

HEAVY-DUTY. Huge 78" high, 36" wide, 18" deep. Industrial quality with 16-ga. frame, 22-ga. doors, 22-ga. shelves. Our finest—your best buy. All parts phosphatized prior to enameling; no exposed bolt heads to rust! Three point closing doors with nylon silencers; lock is built in. Dust-proof! Gray finish. Shipped KD. Wt. 146 lbs.

41-168/6A—List $193.13. Each **$129.88.** Each (lots/12) **$118.77.** Each (lots/20) ... **$111.67**

BIGGER! HEAVY-DUTY steel cabinet is 24" deep, 36" wide, 78" high. Shpg. wt. 174 lbs.

41-169/4A—List $215.91. Each **$145.88.** Each (lots/12) **$132.90.** Each (lots/20) ... **$123.70**

INDUSTRIAL QUALITY lockable cabinets can take the abuse of daily use! The rigid heavy-gauge steel frame is finished in non-rusting phosphatized gray enamel. Two swing-out doors have locking handles. Shelves adjust on 1½" increments. Two heights—both 36" wide, 18" deep. Shpd. KD.

41-627/1A—42"H. 75 lbs.
List $111.31. Each **$75.47.**
Each (lots/10) **$70.07.** Each (lots/20) **$66.52**

41-094/4A—72"H. 110 lbs.
List $142.71. Each **$86.77.**
Each (lots/10) **$79.90.** Each (lots/20) **$75.88**

EXTRA SHELF FOR CABINETS ABOVE

Stock No.	Fits Nos.	Wt.	Net Ea.
41-095/1A	41-094/4A & 41-627/1A	5 lbs.	$7.26
41-170/2A	41-168/6A	8 lbs.	9.99
41-171/0A	41-169/4A	11 lbs.	11.99

Exclusive! Biggest Savings on Commercial Steel Shelving

Only C&H, America's largest shelving wholesaler, can offer prices so low! Shelves are 22-ga. steel—holds up to 400 lbs. per shelf. These free-standing units are side-braced for extra strength—finished in bonderized gray enamel to resist rust. Rigid box-formed shelves adjust on 1" centers without disturbing shelves in adjoining units. Uprights and side braces are 16-ga. steel; back braces are 13-ga. Kwik-Klip set-up—no bolts, nuts or special tools needed. All hardware plus 5 shelves, 4 corner posts, back, side sway braces. Laboratory tested!

5-SHELF UNIT—36" Wide, 75" High

Stock Number	D	Wt. (lbs.)	List Price	Each (1-9)	Each (10-24)	Each (25+)
51-013/1A	12"	47	$38.02	$29.58	$27.03	$24.45
51-014/9A	15"	54	42.62	30.95	29.53	26.54
51-015/6A	18"	60	48.50	35.42	34.00	31.26
51-016/4A	24"	66	61.33	44.83	42.56	39.21

EXTRA SHELVES with Kwik-Klips

Stock No.	W x D	Wt.	Net Each
51-017/2A	36"x12"	6 lbs.	$3.99
51-018/0A	36"x15"	7 lbs.	4.48
51-019/8A	36"x18"	8 lbs.	5.50
51-020/6A	36"x24"	9 lbs.	7.35

*Based on a 36"x12" shelf, evenly distributed load.

PANEL KIT (For Above) Incl. 1 Back & 2 Side Panels

Stock No.	W x D	Wt.	Net Each
51-560/1A	12"x75"	35 lbs.	$23.07
51-561/9A	18"x75"	45 lbs.	27.45
51-562/7A	24"x75"	60 lbs.	31.54

Double-Wall Steel Safety Cabinet Meets All Codes

In case of fire—door closes automatically! Fused link holds door open but melts in a fire so door closes even if you're not there! Fire-baffled upper and lower vents have 2" pipe fitting for external exhaust. Four adjustable levelers and 3-point plated lock. Base is 2" lower than door to catch spills! Made of strong 18-ga. sheet metal with 1½" air space between double walls. Each shelf is 14¾" deep. Cabinet complies with Natl. Fire Protection Assoc.'s Flammable and Combustible Liquid Code #30. Two sizes in safety yellow; both 43" wide, 18" deep. FM approved.

30-GALLON CAPACITY CABINET, 44" high.
46-913/0D—List $470.00 Wt. 240 lbs.
Ea. **$352.50.** Each (lots/3) **$334.88**

45-GALLON CAPACITY CABINET, 65" high.
46-914/8D—List $580.00. Wt. 340 lbs.
Each **$434.90.** Each (lots/3) **$413.15**

2 Door Standard—Manual Close

Stock Number	Cap. (gal.)	Wt. (lbs.)	Net Each	Each (lots/3)
46-915/5D	30	230	$329.90	$314.41
46-916/3D	45	330	412.50	391.88

EXTRA SHELF to fit all cabinets.
46-917/1D—List $24.00. 10 lbs. Each **$19.80**

OTHER CABINETS AVAILABLE, SEE INDEX

WHOLESALE CATALOG NO. **801**

C&H DISTRIBUTORS, INCORPORATED
484-9 SO. FIFTH ST., MILWAUKEE, WIS. 53204 (414) 271-2250
TELEX 26-697

BEAT INFLATION! BUY AT WHOLESALE FROM C•H

Strong Steel Folding Chairs Priced Low To Save You Money

As Low As **$5.87**

Only at C&H! Big savings on sturdy ⅞" tubular frame chairs of proven strength and durability. Built with riveted tubular "U" braces, wall-saver legs, contoured 16"x16" seat and form-fitting back. All edges are rolled for safety. In rust-resistant beige. Sold only in lots of 6. FOB Tenn.

42-399/6DL—9 lbs. List $11.35.
Ea. (lots/6) **$7.27**, (lots/48) **$6.93**
Ea. (lots/96) **$6.54**,
(lots/250) ea. **$5.87**

IN STOCK IMMEDIATE SHIPPING

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

As Low As **$52.50**

SAVE as much as $28.05

FOR A WIDE SELECTION OF SIZES SEE PAGE 207

Save on Our Strongest, Top Quality Folding Table

Don't pass this up. ...ut woodgrain 30"x96" solid co... top has high pressure laminated plastic surface . . . meets or exceeds NEMA standards. Apron is 16-ga. steel channel, pedestal legs are 16-ga. and 18-ga. steel tubing. 29" high. Sold only in multiples of 2. Shpg. wt. 87 lbs.

42-798/9AL—List $80.55
Each (lots/2) **$58.82**
Each (lots/12) **$55.79**
Each (lots/30) **$52.50**

As Low As **$46.52**

Locking Welded Steel Wall Cabinet Takes No Floor Space

Provides out-of-the way pilferproof storage for power and hand tools, supplies and parts . . . hangs on wall, right at site of work area! Steel 30"x12"x30" cabinet has three full width shelves, pegboard panels in doors (complete with 24 hooks and 4 springs) and doors with hasps for padlocks. 37 lbs. Shpd. Mtr. Frt.

47-503/8A—Ea. **$49.97**.
Ea. (lots/3) **$47.96**. Ea. (lots/6) **$46.52**

Versatile Drum Cradle for One-Man Loading

IN STOCK IMMEDIATE SHIPPING

- **One man loads drums without help!**
- **One man moves drums weighing 800 lbs.**

As Low As **$49.95**

Patented loading bar allows one man to safely load and unload drums . . . even positioning in cabinets!

Formed steel cradle, on four sturdy steel wheels makes moving and loading 800-lb. drums a simple single-man job! Patented loading bar engages drum chime, holds drum while operator eases cradle onto curved section and then onto wheels. Now, drum is ready to roll . . . and be placed right inside safety cabinet. Has 19" faucet drain. 20½" wide to outside of wheels. Wt. 28 lbs. **Shipped KD in a box to save freight.**

74-510/9A—Net each **$52.95**
Each (lots/6) **$49.95**

Special Purchase! Maintenance-Free Emergency Lighting

Fully automatic emergency lighting . . . solid state electronic circuitry is your assurance of light when you need it. Solid state charger recharges batteries in 12 hours, solid state transfer circuit eliminates mechanical relays. Low voltage cutout prevents deep battery discharge. Battery life expectancy is 10 years. Unit is UL listed and complies with NEC Life Safety Code and OSHA; dual transformer for either 120 or 277 volt installation. 1.5 hrs. illumination from two 8-watt lampheads before recharging.

46-021/2A—List $95.50.
Ea. **$79.95**. Ea. (lots/4) **$75.95**
Each (lots of 8) **$69.95**

As Low As **$69.95**



Commercial Wall Clocks

AC 115V ELECTRIC CLOCK

As Low As **$15.99**

Three-wire cord set has transparent plug for easy checking — no danger of electric shock. Meets OSHA requirements. Easy view white dial, black numerals, red sweep second hand. UL listed. Accuracy +3 sec./day. Wts.: 2, 3 lbs.

Stock Number	Dial (in.)	Overall (in.)	Net Each	Each (lots/3)	Each (lots/6)
43-936/4A	8½	10½	$17.87	$16.98	$15.99
43-937/2A	12	14⅓	19.92	18.92	17.98

NOTE: More Indoor/Outdoor Clocks on Page 222

EXTREMELY ACCURATE QUARTZ CLOCKS

Battery-operated clock has red sweep second hand, exceptional ±2 min./yr. accuracy performance thanks to Quartz crystal movement. Wt. 2, 3 lbs.

Stock Number	Dial (in.)	Overall (in.)	Net Each	Each (lots/3)	Each (lots/6)
43-938/0A	8½	10	$25.99	$24.70	$23.47
43-939/8A	12	14	27.97	26.57	25.25

Copyright 1980—C&H Distributors Inc.

Edsal Precision Engineered "Silent" Flush Front Steel Lockers

IN STOCK IMMEDIATE SHIPPING

Outstanding Quality at a Special Saving Low Price





As Low As $53.01 STARTER

As Low As $50.55 STARTER

Full length locker has hanger rod and hook. Double tier locker has hooks.

HI-FASHION LOCKERS look as neat as they are. Completely soundless because friction catches and bumper-stops cushion the metal-to-metal contact. Reinforced hinges on double-wall doors are recessed back from face of the door. Steel hasps are recessed, too. The look is sleek and modern . . . with no danger of catching or snagging clothing. Lockers fit flush to floor or all sides—no problem of dust and dirt collecting underneath. All steel construction finished in long-lasting enamels. Start each row with a starter unit—then order add-ons to meeting your needs now, and later as space and occupancy requirements vary.



Double wall doors are rigid —won't twist or bend

Recessed hasps and hinges for beauty and safety

Hidden vents insure a neat look and mildew and odor prevention

SINGLE-TIER LOCKERS—12" wide x 18" deep x 72" high
Shpg. wts.: starter units, 59 lbs., add-on units, 50 lbs.

Stock Number	Type	Color	List Price	Each	Each (lots/13-24)	Each (lots/25+)
57-641/3A	Starter	Gray	$82.98	$59.77	$54.46	$50.55
57-642/1A	Add-On	Gray	73.60	51.40	48.49	45.03
57-653/8A	Starter	Tan	$82.98	$59.77	$54.46	$50.55
57-654/6A	Add-On	Tan	73.60	51.40	48.49	45.03

DOUBLE-TIER LOCKERS—12" wide x 18" deep x 36" high
Shpg. wts.: starter units, 62 lbs., add-on units, 53 lbs.

57-643/9A	Starter	Gray	$88.11	$62.83	$57.72	$53.01
57-644/7A	Add-On	Gray	78.92	56.14	51.32	47.73
57-655/3A	Starter	Tan	$88.11	$62.83	$57.72	$53.01
57-656/1A	Add-On	Tan	78.92	56.14	51.32	47.73

CYLINDER LOCK for locker doors. Wt. ½ lb.
57-645/4A—Net each **$3.95.**
Each (lots/13-24) **$3.47** Each (lots/25+) **$3.24**

HOW TO ORDER

Make rows as long as you like with add-ons—begin with a STARTER and then order ADD-ONS to fill your needs. Mix and match single and double tier units . . . all are 12" wide, 18" deep.

As Low As $75.88

IN STOCK IMMEDIATE SHIPPING

Industrial Quality Cabinet Meets Most Storage Needs

Five shelf spaces and locking handle doors answer many storage needs . . . in shop, office, or anywhere. Tough all-steel construction, finished in lifetime enamel. 36" wide, 18" deep, 72" high with shelves that adjust every inch. 110 lbs. Shipped K.D. to save freight.

Stock Number	Color	List Price	Each (1.5)	Each (6-12)	Each (13+)
41-030/8A	Gray	$142.70	$86.77	$79.90	$75.88
41-071/2A	Tan	142.70	86.77	79.90	75.88

41-072/0A—Shelf, gray. List $9.58. Ea. **$7.26.**
41-073/8A—Shelf, tan. List $9.58. Ea. **$7.26**

As Low As $91.47

IN STOCK IMMEDIATE SHIPPING

Combination Clothes-Supplies Cabinet for Small Offices

Store office supplies along with employee-guest wraps in this strong industrial-duty cabinet. Clothing compartment has 18" coat rod plus full-width top utility shelf . . . storage section has four shelves that adjust on 2" centers. All steel, finished in gray or tan baked enamel. 18" deep, 36" wide, 72" high. Shipped KD—you save freight! 115 lbs.

41-694/1A GRAY—List $151.88. Ea. **$103.55.**
Ea. (lots/6-11) **$96.72.** Ea. (lots/12+) **$91.47**
41-791/5A TAN—List $151.88. Ea. **$103.55.**
Ea. (lots/6-11) **$96.72.** Lots/12 ..... **$91.47**

PENCO

Brighter Colors, Quieter Locks

Heavy-Duty All-Steel Lockers
Van-Guard Handles Resist Vandals

Smooth electrostatic painted finishes won't rust. Colors: 02 Swedish red, 11 spray green, 23 pebble tan, 28 gray. Specify color number-name. FOB Penn. Prices per opening except where listed.

A

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

B


C

D

E

F

Penco Helps You Build Your Own Benches

SMOOTH BENCH TOPS are extra-strong selected hardwoods — to mount on steel pedestals (order at right). 9½" wide, 1½" thick. Lacquered surface won't be damaged by wet, damp suits or trunks. FOB Pa.

Stock Number	Lgth.	Wt. Lbs.	Net Each	Each (lots/3)
53-066/7D	4'	17	$37.49	$35.62
53-067/5D	6'	25	55.93	53.25
53-068/3D	8'	34	74.74	70.98
53-069/1D	10'	42	96.13	91.34
53-070/9D	12'	50	114.62	108.94

STABLE PEDESTALS of tough steel, each 17½" high. Order two for 4' and 6' tops; three for 8', 10' and 12' tops. Order tops from chart at left. Wt. 7 lbs. FOB Pa.

53-071/7D—Net ea $13.10

PENCO Lockers for Strength, Security, Thrift

ALL LOCKERS SHIPPED K.D. TO SAVE FREIGHT

VANGUARD HANDLES on A, B, C—withstands kicks, heavy blows and rough treatment. Nylon latches for noiseless opening and closing!

EXTRA-STRONG DOOR FRAMES, electrically welded for more strength—no twisting out of shape. Lockers come with 6" high legs.

DOUBLE-STRENGTH HINGES (double loop) are projection welded to frame, securely fastened to door—doors always hang straight! Strong tier heads!

A 2-COMPARTMENT LOCKER FOR CLOTHES, EXTRAS

The ultimate in privacy—clothes hang full length in one compartment, books, etc. store in the other. One lock can control both. 3-locker-wide unit has 6 openings, 15"x18"x72" high. One-locker-wide unit has two private lockers in one compact frame. Full length with single prong coat hooks, shelf for hats and books. Hanger rod in 18" deep lockers. Specify color number-and-name.

3 LOCKERS WIDE (6 OPENINGS) FOR 6 PERSONS (Prices per locker)

Stock No.	W x D x H	Lbs.	Net Ea.	Ea. (lots/6)
57-040/8DAL	15"x18"x72"	90	$122.67	$116.78

1 LOCKER WIDE (2 OPENINGS) FOR 2 PERSONS (Prices per locker)

57-041/6DAL	15"x18"x72"	91	$146.98	$139.56

B SPACIOUS SINGLE-TIER LOCKERS

Clothes hang full length, without crowding. Interior is outfitted with hat shelf, coat hooks, coat hanger rod on 18" models—plus six ventilating louvers top and bottom. With 6" high legs. Specify color.

3 LOCKERS WIDE (Prices are per opening)

Stock Number	Size (in.) W	D	H	Wt. Lbs.	Net Ea.	Net Ea. (lts/12)	Net Ea. (lts/24)
57-002/8DAL	12	12	60	42	$54.48	$51.26	$48.72
57-003/6DAL	12	15	60	45	56.97	53.56	50.27
57-004/4DAL	12	18	60	47	60.32	56.60	53.14
57-005/1DAL	12	12	72	50	61.46	57.74	54.37
57-006/9DAL	12	15	72	52	62.87	58.65	55.23
57-007/7DAL	12	18	72	55	66.24	62.39	58.28
57-008/5DAL	15	18	72	73	69.98	67.74	63.67
57-009/3DAL	18	18	72	73	77.26	72.59	68.34
1 LOCKER WIDE (Prices are per opening)						(lts/3)	(lts/6)
57-010/1DA	12	12	60	50	$65.41	$62.15	$58.39
57-011/9DA	12	15	60	53	67.82	63.38	59.88
57-012/7DA	12	18	60	57	72.36	68.00	64.29
57-013/5DA	12	12	72	58	73.69	69.30	65.26
57-014/3DA	12	15	72	60	74.81	70.39	66.29
57-015/0DA	12	18	72	67	79.17	74.30	69.90
57-016/8DA	15	18	72	75	86.32	81.29	76.27
57-017/6DA	18	18	72	83	92.73	87.24	81.83

C SECURE 7-PERSON LOCKER SYSTEM

Full length single-tier locker takes seven garments while individual private box locker compartments store personal items. Suitable for locker rooms, offices—compartments require special locks for individual locking or padlocks. With 6" legs. Specify color. 36"Wx21"Dx78"H. **(Prices per unit.)**

57-600/9DA—174 lbs. Net ea. **$224.45.** (lots/3) **$213.25**

DEAD-BOLT LOCK

Flat key style includes two keys. Master-keyed.

57-042/4D—Net ea. **$3.37**

Master Key for above.

57-096/0D—Net ea. **$2.10**

Full line of Penco industrial products available. Contact Dept. 6 for free catalog.

UNITS SOLD AND PRICED PER OPENING
Example (B) shows 3 openings, cost is $54.48 for each, or $163.44 as shown. (A) is $368.01 for 3 lockers (6 openings) as shown.

D 16-COMPARTMENT LOCKER SYSTEM

Low cost unit, ideal for office or shop. Complete storage facilities for 16 people—12x18x12" high compartments for handbags, tools, street clothing; sturdy rack for coat or wrap hang-up! Overall size: 69¼" wide, 18" deep, 78" wide with 6" legs. Shpd. KD. Specify color. **(Prices per unit.)**

57-043/2DA Wt. 180 lbs. Net ea. **$312.19.** Ea. (lots/3) **$296.17**

E MULTIPLE-TIER BOX LOCKERS

Individual size . . . ideal for athletic equipment, shoes, helmet, gym trunks, bowling alleys, institutional and industrial uses. Exclusive friction catch—once door is closed it stays closed. Specify color no. and name.

3 LOCKERS WIDE (5 Openings High) (Prices per opening)

Stock Number	Size (in.) W	D	H	Wt. Lbs.	Net Ea.	Net Ea. (lts/45)	Net Ea. (lts/75)
57-028/3DAL	12	12	12	9	$15.34	$13.97	$13.66
57-029/1DAL	12	15	12	10	15.79	14.84	13.97
57-030/9DAL	15	15	12	11	17.78	16.69	15.70
3 LOCKERS WIDE (6 Openings High) (Prices per opening)						(lts/36)	(lts/54)
57-031/7DAL	12	12	12	8	15.25	14.34	13.28
57-032/5DAL	12	15	12	9	15.46	14.57	13.60
57-033/3DAL	12	18	12	9	15.96	15.22	14.19
1 LOCKER WIDE (5 Openings High) (Prices per opening)						(lts/15)	(lts/30)
57-034/1DAL	12	12	12	10	17.84	16.78	15.73
57-035/8DAL	12	15	12	10	18.86	17.70	16.67
57-036/6DAL	15	15	12	12	20.35	19.12	17.98
1 LOCKER WIDE (6 Openings High) (Prices per opening)						(lts/18)	(lts/36)
57-037/4DAL	12	12	12	9	17.30	16.27	15.36
57-038/2DAL	12	15	12	10	17.87	16.79	15.83
57-039/0DAL	12	18	12	11	19.56	18.24	16.96

F SPACE-SAVING DOUBLE-TIER LOCKERS

Accommodate twice as many people in the same area as single tier. Ideal where short coats, jackets, sweaters are normally worn. Six louvers per opening. Legs are included, add 6" to ht. Specify color-number-and-name.

3 LOCKERS WIDE (6 Openings) (Prices are per opening)

Stock Number	Size (in.) W	D	H	Wt. Lbs.	Net Ea.	Net Ea. (lts/18)	Net Ea. (lts/36)
57-018/4DAL	12	12	30	21	$32.47	$30.46	$28.67
57-019/2DAL	12	12	36	25	34.37	32.46	30.39
57-020/0DAL	12	15	36	26	36.30	34.27	32.20
57-021/8DAL	12	18	36	28	37.72	35.50	33.70
57-022/6DAL	15	15	36	30	38.96	36.68	34.45
1 LOCKER WIDE (2 Openings) (Prices are per opening)						(lts/6)	(lts/12)
57-023/4DAL	12	12	30	26	38.24	35.86	33.70
57-024/2DAL	12	12	36	28	40.84	38.43	36.17
57-025/9DAL	12	15	36	29	43.41	40.84	38.49
57-026/7DAL	12	18	36	33	43.74	41.14	38.59
57-027/5DAL	15	15	36	37	45.87	43.37	40.60

Penco Accessories

Must be ordered with lockers. Colors: 02 Swedish red, 11 spray green, 23 pebble tan, 28 gray. Specify color no.-name. FOB Pa.

SLOPING LOCKER TOPS (not shown)

Stock No.	W x D	Shpg. Wt.	Net Ea.
57-075/4DA	12x12"	2 lbs.	$2.50
57-801/3DA	12x15"	2 lbs.	2.57
57-077/0DA	12x18"	3 lbs.	3.11
57-079/6DA	15x15"	3 lbs.	3.15
57-080/4DA	15x18"	2 lbs.	3.30
57-082/0DA	18x18"	4 lbs.	3.78

FRONT BASES FOR LOCKERS (not shn.)

Stock No.	Width	Shpg. Wt.	Net Ea.
57-086/1DA	12"	1 lb.	2.60
57-087/9DA	15"	1 lb.	2.70
57-088/7DA	18"	2 lbs.	3.15

END BASES FOR LOCKERS (not shown)

57-091/1DA	12"	1 lb.	3.77
57-092/9DA	15"	2 lbs.	3.86
57-093/7DA	18"	2 lbs.	4.19



G BUILT-IN LOCKER LOCK

5 push button combination changes! Key controlled steel. Sold only in lots of 12.

AUTO. LOCKER BAR MECHANISM

Stock No.	For doors . . .	Net Ea.
57-044/0DL	Hinged on rt.	$5.50
57-045/7DL	Hinged on lt.	5.50
57-046/5D	Control key	.69
FOR BOX LOCKERS		
57-050/7DL	Hinged on rt.	$6.00
57-051/5DL	Hinged on lt.	6.00
57-052/3D	Control key	.69

Combination Lock (not shown).

57-055/6AL—Net ea. (12-24) **$2.75**

Ea. (36-72) **$2.67.** Ea. (84+) **$2.59**

H KEY-CONTROL COMBO

Double-wall steel with double-action locking lever. 1⅞" stainless steel. 3-number mechanism. Sold only in lots of 12.

57-053/1DL—

Net each (12-24) **$3.60** Ea. (26-58) **$3.49** Ea. (60+) **$3.38**

Control Key.

57-054/9D—Net each ..... **$.65**

Full line of Master Locks available—contact Dept. 6.

J PIN TUMBLER LAMINATED PADLOCK

Precision 4-pin tumbler in laminated steel case—built like a bank vault door. Dual steel locking levers for added protection. Two brass keys; rustproof case. Sold only in lots of 12.

Stock No.	Case Width	Net Ea. (12-36)	Ea. (48-72)	Ea. (84+)
57-060/6AL	1½"	$3.69	$3.47	$3.09
57-061/4DL	Key-alike	3.79	3.57	3.19
57-062/2DL	Master-keyed*	5.79	5.17	4.57
57-063/0AL	2"	$5.69	$5.34	$4.86
57-064/8DL	Key-alike	5.79	5.42	4.89
57-065/5DL	Master-keyed*	7.79	7.19	6.59

57-800/5D* Master Key—Net each **$1.00**

Super Strong HEVILOAD Industrial Steel Shelving

Braced Open-Type
As Low As
$33.69

EDSAL

LOAD CHART

SHELF SIZE	SHELF CAP.*
12" x 36"	650 lb.
18" x 36"	625 lb.
24" x 36"	600 lb.
12" x 48"	400 lb.
18" x 48"	350 lb.
24" x 48"	300 lb.

* Load capacity calculated on the basis of evenly distributed loads.





KWIK-KLIP
Easy set-up without tools



Rigid Closed Style
As Low As
$51.40

New Solid-As-A-Rock Industrial Steel Shelving

New extra rigid ribbed construction increase weight carrying capacity. Unique formed shelf has triple flanges return on all 4 sides, with multiple ribs for added strength, yet smooth surface. Heavy duty steel clip is combination of saddle and compression style—insuring extra rigidity and strength. Ease of adjustability with stable construction coupled with compression wedge type action once the shelf is pressed firmly against clip. Normal loading on shelf increases in locking by redistributing weight to upright members.

HEVILOAD INDUSTRIAL Versatile Open-Style Shelving

Solid as a rock industrial steel shelving

Our most popular and practical shelving—can be used independently or installed in continuous rows. Adjustable shelves may be adjusted without disturbing adjoining units. Each is 85" high—available in three shelf depths and two widths. All phosphatized and finished in gray enamel. Shipped KD for savings on freight.

Stock Number	Shelf	Wt. (lbs.)	List	Each (lots/1-9)	Each (lots/10-19)	Each (lots/20+)
36"Wx12"Dx85"H						
51-001/6A	5	75	$ 59.64	$ 39.77	$ 36.52	$ 33.69
51-101/4A	6	83	66.19	44.39	40.95	37.42
51-102/2A	7	91	72.73	48.95	45.23	41.29
51-103/0A	8	99	79.26	53.49	49.34	45.12
36"Wx18"Dx85"H						
51-002/4A	5	92	$ 71.99	$ 47.56	$ 44.23	$ 40.84
51-104/8A	6	103	80.78	53.90	50.13	45.23
51-105/5A	7	114	89.54	60.55	55.70	51.03
51-106/3A	8	125	98.35	65.54	61.37	55.32
36"Wx24"Dx85"H						
51-003/2A	5	110	$ 85.34	$ 57.55	$ 52.40	$ 47.46
51-107/1A	6	125	96.49	65.33	60.76	54.31
51-111/3A	7	154	107.65	73.10	67.37	61.47
51-112/1A	8	169	118.82	80.88	74.64	65.75
48"Wx12"Dx85"H						
51-004/0A	5	88	$ 72.03	$ 47.73	$ 44.39	$ 40.57
51-113/9A	6	98	80.96	54.64	50.03	46.06
51-114/7A	7	108	89.92	60.89	56.03	51.26
51-115/4A	8	118	98.86	67.12	61.94	56.68
48"Wx18"Dx85"H						
51-005/7A	5	102	$ 84.94	$ 57.19	$ 53.60	$ 48.21
51-116/2A	6	117	96.24	65.19	60.11	54.98
51-117/0A	7	132	107.53	73.02	67.15	61.24
51-118/8A	8	147	118.86	80.91	74.61	67.92
48"Wx24"Dx85"H						
51-006/5A	5	136	$103.95	$ 66.33	$ 61.68	$ 58.60
51-119/6A	6	156	118.76	80.52	74.18	68.17
51-120/4A	7	176	133.57	91.08	84.05	76.80
51-121/2A	8	196	148.40	101.40	93.13	85.52

HEVILOAD INDUSTRIAL Extra Rigid Closed Style Shelving

Units may be installed back-to-back or side-to-side—rigid steel back and end panels assure greater rigidity with no sacrifice of versatility. Easy to assemble with Kwik-Klip construction—no special talents or tools needed. Handsome marproof surfaces are scratch-resistant. All units uniform 85" height. Shipped KD for savings on freight. See load chart for shelf capacities.

Stock Number	Shelf	Wt. (lbs.)	List	Each (lots/1-9)	Each (lots/10-19)	Each (lots/20+)
36"Wx12"Dx85"H						
51-007/3A	5	114	$ 93.75	$ 60.59	$ 56.44	$ 51.40
51-122/0A	6	122	100.29	65.99	60.57	55.57
51-123/8A	7	130	106.83	70.56	64.90	58.73
51-124/6A	8	138	113.37	75.10	68.93	63.38
36"Wx18"Dx85"H						
51-008/1A	5	139	$111.22	$ 73.28	$ 66.94	$ 61.21
51-125/3A	6	150	119.97	79.27	72.82	66.92
51-126/1A	7	161	128.79	85.40	78.38	72.10
51-127/9A	8	172	137.57	91.53	84.39	76.99
36"Wx24"Dx85"H						
51-009/9A	5	166	$129.21	$ 84.19	$ 78.38	$ 71.11
51-128/7A	6	180	140.37	93.13	85.78	78.38
51-129/5A	7	195	151.54	100.90	93.13	85.05
51-130/3A	8	210	162.70	108.68	100.26	91.62
48"Wx12"Dx85"H						
51-010/7A	5	127	$112.87	$ 73.10	$ 67.97	$ 62.30
51-131/1A	6	137	122.46	79.28	74.18	67.79
51-132/9A	7	147	130.77	86.76	79.61	72.45
51-133/7A	8	157	139.70	92.97	85.52	78.25
48"Wx18"Dx85"H						
51-011/5A	5	149	$130.90	$ 85.18	$ 79.22	$ 72.98
51-134/5A	6	163	142.19	94.28	86.58	79.37
51-135/2A	7	177	153.50	102.16	94.08	86.19
51-136/0A	8	191	164.81	110.74	101.68	92.76
48"Wx24"Dx85"H						
51-012/3A	5	192	$154.57	$101.99	$ 94.88	$ 86.71
51-137/8A	6	201	169.37	112.84	102.96	95.73
51-138/6A	7	220	184.19	123.66	113.30	103.94
51-139/4A	8	239	199.03	133.94	122.95	112.90

Easy Assembly! HEVILOAD Shelving EDSAL

CUSTOM BUILD TO YOUR NEEDS! COMPONENTS ASSEMBLE WITH KWIK-KLIP EASE



Time-Saving, Easy to Assemble As 1-2-3

FIRST: Preassemble all end and intermediate posts to each other. Bolt side brackets through side flanges at ninth hole from each end.

SECOND: Starting with left end, one man holds set of double posts, second man installs bottom 2 shelves. Clips for shelves are attached to posts; then crossbraces are installed on backside. Bolts fit in center holes.

THIRD: Additional units may now be joined; top shelves are hung using shelf clips at rear and front. Intermediate shelves are positioned and hung in one unit. Next, shelf clips are installed and shelves hung; shelves may be adjusted.



Custom Design and Build with These Components

- A **SIDE BRACE**—Use on sides of shelving for super rigidity
- B **BIN FRONTS**—Keep small items from rolling off shelves
- C **SHELVES**—Box formed on four sides with additional radius on front and rear edges for added strength and safety
- D **BACK SWAY BRACES**—Extra rigidity; they eliminate lateral sway
- E **LABELHOLDER**—Includes pressure sensitive tape for quick attachment to shelf
- F **UPRIGHT POSTS**—Embossed so that clips may be moved independently. Shelves are adjustable, on 1" centers
- G **BACK PANELS**—Use to enclose back surface
- H **GUSSET BRACE**—Use instead of back sway brace when full front and back access to shelf is required. Use 8 per section
- J **SIDE PANELS**—Enclose the sides of shelving (between posts)
- K **BIN DIVIDERS**—Use to create small compartments; place in shelf top openings on 2" centers
- L **BASE STRIP**—The finishing touch! Closes opening between floor and bottom of last shelf
- M **SHELF DRAWER**—Formed from 20 gauge, complete with combination label holder and formed handle. Ribbed on 1" centers for adjustable dividers. Width; 5 9/16". Two depths; 11¾" and 17¾". All boxes are 5⅝" high.

COMPONENTS TO BUILD YOUR OWN SHELVING

	Size (inches)	Stock Number	Wt. Lbs.	Net Ea. (lots/1-49)	Net Ea. (lots 50 up)
SHELF Load Capacities 36x12—650 lbs 36x18—625 lbs 36x24—600 lbs 48x12—400 lbs 48x18—350 lbs 48x24—300 lbs Load capacity based on evenly distributed load	36x12	51-067/7A	8	$ 5.03	$ 4.68
	36x18	51-068/5A	11	7.09	6.60
	36x24	51-069/3A	15	8.89	8.26
	42x24	51-072/7A	17	10.24	9.51
	48x12	51-073/5A	11	6.99	6.49
	48x18	51-074/3A	15	9.03	8.39
	48x24	51-075/0A	19	11.15	10.36
D **BACK BRACES**—Sold in prs.	Fits All Sizes	51-077/6AP	3	2.28	2.11
A **STRINGER SIDE BRACES**—Sold in prs.	12D	51-078/4AP	2	1.62	1.49
	18D	51-079/2AP	2	2.41	2.24
	24D	51-080/0AP	3	2.56	2.38
F **UPRIGHTS**—Kwik-Klip construction.	61H	51-050/3A	5	2.70	2.50
	73H	51-051/1A	6	3.49	3.24
	85H	51-052/9A	7	3.77	3.49
	97H	51-053/7A	8	4.55	4.22
	109H	51-054/5A	9	5.13	4.76
	121H	51-055/2A	10	5.52	5.13
J **SIDE PANEL**—Encloses side of shelving between the posts.	12Dx85H	51-031/3A	8	5.53	5.14
	18Dx85H	51-033/9A	13	8.08	7.52
	24Dx85H	51-035/4A	18	10.24	9.51
G **BACK PANEL**—Used to close sections, racks	36Wx85H	51-037/0A	27	16.25	15.10
	48Wx85H	51-039/6A	35	20.62	19.17

All In-Stock—Immediate Shipping

	Description	Size (inches)	Stock Number	Wt. Lbs.	Net Ea. (lots/1-49)	Net Ea. (lots 50 up)
K	**BIN DIVIDERS** With clips included.	12Dx6H	51-056/0A	½	$ 1.06	$ .98
		12Dx9H	51-057/8A	1	1.47	1.36
		12Dx12H	51-058/6A	1	1.68	1.56
		18Dx6H	51-059/4A	1	1.34	1.23
		18Dx9H	51-060/2A	1½	1.69	1.56
		18Dx12H	51-061/0A	1½	2.28	2.11
		24Dx6H	51-062/8A	1	1.74	1.63
		24Dx9H	51-063/6A	1½	2.41	2.23
		24Dx12H	51-064/4A	2	2.70	2.50
L	**BASE STRIP** Seals bottom	36Wx1⅞H	51-065/1A	2	1.60	1.48
		48Wx1⅞H	51-066/9A	2	2.12	1.96
	POST KIT Includes 4 uprights, 1 pr. back braces, 2 pr. side braces, nuts & bolts	85x12x36	51-108/9A	35	20.62	19.16
		85x18x36	51-109/7A	35	21.66	20.13
		85x24x36	51-110/5A	37	22.24	20.67
	CLOSED PANEL KIT—1 back, 2 side panels, nuts & bolts	85x36x12	51-161/8A	43	26.69	24.81
		85x36x18	51-162/6A	53	31.78	29.54
		85x36x24	51-163/4A	63	36.63	34.06
B	**BIN FRONT**—Prevents small items from rolling out of bin	36Wx1½H	51-041/2A	3	1.80	1.66
		48Wx1½H	51-042/0A	3	2.28	2.10
		36Wx3H	51-043/8A	3	2.01	1.87
		48Wx3H	51-044/6A	4	2.65	2.46
	SHELF REINFORCER	36W	51-045/3A	3	1.49	1.39
		48W	51-046/1A	4	1.94	1.80
H	**GUSSET BRACE** Used in place of back brace. Permits front and back access.	5x5	51-047/9A	1	.68	.63
E	**LABEL HOLDER**—Pressure type	36Wx1⅛H	51-048/7A	½	.69	.64
		48Wx1⅛H	51-049/5A	½	1.15	1.05

		H W D				
M	**SHELF DRAWER** 6 per 36" shelf 8 per 48" shelf	4⅝x5-9/16x11¾	52-073/4A	2	4.01	3.72
		4⅝x5-9/16x17¾	52-074/2A	3	4.44	4.12
		Divider 5-9/16x4⅝	52-075/9A	¼	.45	.41

Save! Load-Tested Bin Shelving

EDSAL

More Value! Our Special Purchase Means You Save Up To 35%

More Sizes, Styles . . . C&H has a full line of Edsal storage equipment . . . Kwik-Klip design for fast assembly, easy adjusting

IN STOCK IMMEDIATE SHIPPING



A
As Low As
$88.97

B
As Low As
$78.81



C
As Low As
$109.90

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

Industrial Strength Shelving for Long-Life

Designed for full capacity . . . your assurance of space efficiency. Free-standing full enclosed bin shelving can be used in rows, back to back, or individually. Thanks to famous Kwik-Klip design you get fast assembly and complete adjustability without disturbing shelves in adjoining units. Edsal units have 18-ga. shelves, 13-ga. uprights. All 85" H; all shpd. KD . . . with complete instructions for quick assembly.

A MULTI-SIZE 21-BIN SHELVING UNIT

Meets many storage needs: six 18"W x 12"H compartments, three 12"W x 12"H compartments, twelve 12"W x 9"H compartments. Invaluable organization aid; built with closed back and sides for the ultimate in rigidity, even with heavy loads. 36" wide unit finished in gray enamel, has 23-ga. steel back and end panels, strong 22-ga. steel bin dividers. Comes in three depths; all units 85" high. Shpg. KD.

Stock Number	D	Wt. (lbs.)	List Price	Each (1-9)	Each (10+)
51-517/1A	12"	159	$142.85	$ 96.17	$ 88.97
51-518/9A	18"	202	117.43	120.67	110.96
51-519/7A	24"	250	213.94	144.88	133.71

B SHELF UNITS WITH 14 UNIFORM SIZE BINS

Safe, protected, organized storage . . . just the thing you need for efficiency in mail rooms, stockrooms. Strong, stable shelving unit has fourteen 18"W x 12"H bins; closed front and back improves its rigidity and makes the unit ideal for creating storage walls or room dividers. Finished in gray enamel; 36" wide, 85" high. Shpd. KD

Stock Number	D	Wt. (lbs.)	List Price	Each (1-9)	Each (10+)
51-173/3A	12"	145	$125.48	$ 85.77	$ 78.81
51-174/1A	18"	182	155.74	104.73	97.62
51-419/0A	24"	224	185.36	124.94	115.75

C 36-BIN SMALL PARTS SHELVING UNIT

Multi-size bins—thirty two are 9"W x 9"H and four are 9"W x 12"H—can be adjusted to meet specific stocking requirements. 36" wide unit is ideal for shipping departments, parts departments, service counters—anywhere organized storage will save time, improve work flow. 23-ga. steel back and end panels, finished in long-life gray enamel for neat appearance front and back. Three sizes, all 85" high. Shpd. KD.

Stock Number	D	Wt. (lbs.)	List Price	Each (1-9)	Each (10+)
51-175/8A	12"	180	$175.05	$117.92	$109.90
51-176/6A	18"	235	217.75	145.84	135.63
51-418/2A	24"	293	266.92	179.93	167.66

D CONVENIENT 21-BIN SHELVING UNIT

Why build storage when you can buy strong, non-rusting attractive shelving for far less? And get the versatility, movability and adjustability of these free-standing Kwik-Klip units in the bargain! This 21-bin unit has 12"W x 12"H compartments in a strong steel cabinet enclosed on three sides with 23" steel back and end panels. Bin dividers are 22-ga. steel, adjustable with Kwik-Klip ease. Three depths, all 36" wide, 85" high. Shpd. KD.

Stock Number	D	Wt. (lbs.)	List Price	Each (1-9)	Each (10+)
51-023/0A	12"	152	$139.65	$ 94.88	$ 86.98
51-024/8A	18"	194	175.98	118.79	109.86
51-025/5A	24"	238	210.08	140.99	130.85

E DOUBLE SWINGING DOORS FOR 36"W x 85"H SHELVING

Quick, easy access . . . dependable protection. Double doors swing out a full 180° for easy access . . . three point locking handle help protect against pilferage of contents . . . closed doors protect against contents dirt and dust, not to mention inquisitive eyes. Doors are sturdily constructed 20-ga. steel with box flange on all four sides, top and bottom locking rod channels, attractive gray enamel finish to match shelving units, and bright chrome handles. Doors are shipped ready for quick assembly.

51-026/3A—List $123.59. Wt. 00 lbs.
Ea. (1-14 sets) **$83.77**. Ea. set (15+) **$76.97**



E
Double Swinging Door
As Low As
$76.97

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

D
As Low As
$86.98

For Cost-Efficient Storage Anywhere

Improve Work Flow . . . Create Instant, Economical Storage

EDSAL

Easy, Economical way to attack the high cost of floor space . . . store hard-to-store small items in these easily adjusted bin cabinets









C — As Low As $172.77

B — As Low As $149.91

A — As Low As $130.79

D — As Low As $171.79



IN STOCK IMMEDIATE SHIPPING

E — As Low As $104.96

Our Big Volume Means You Save 35% and More

Improve inventory control with organized storage facilities . . . often the difference between profit and loss! Free-standing industrial bin storage can be used to build storage walls or wall partitions . . . all units are load tested with 18-ga. shelves, 13-ga. uprights, and easy Kwik-Klip assembly that means fast set-up, speedy divider adjustment. All 36″ Wide, 85″ high, with assembly instructions.

A MULTI-PURPOSE 54-BIN PARTS SHELVING UNIT

Imagine the convenience your maintenance department will enjoy with this compartmentalized shelving unit! Fifty-four bins hold small and medium size stock . . . six bins are 6″W x 12″H, 48 are 6″W x 9″H with the extra ease of Kwik-Klip design to modify bin sizes quickly. Finished in durable gray enamel—23-ga. back and end panels. Shpd. KD

Stock Number	D	Wt. (lbs.)	List Price	Each (1-9)	Each (10+)
51-275/6A	12″	188	$208.85	$139.88	$130.79
51-276/4A	18″	247	260.87	175.77	162.99
51-420/8A	24″	309	323.10	216.90	201.70

B 78-BIN SHELVING UNIT FOR FINGERTIP SELECTION

Stamp out inefficiency with this inexpensive addition to your stockroom or parts storage area! Twelve 6″W x 9″H and sixty-six 6″W x 6″H compartments help you save time and avoid mistakes in stocking and selecting parts and supplies. Tough, versatile shelving unit has 23-ga. steel back and end panels, Kwik-Klip adjustability, gray enamel finish. Three sizes—all 36″W x 85″H. Shpd. KD.

Stock Number	D	Wt. (lbs.)	List Price	Each (1-9)	Each (10+)
51-277/2A	12″	218	$240.68	$161.97	$149.91
51-278/0A	18″	288	304.69	204.88	189.78
51-421/6A	24″	302	380.87	255.78	237.97

C SUPER COMPARTMENTALIZED 104-BIN SHELVING UNIT

Even the most challenging-to-store parts are easy to find in this most convenient of all shelving units. Fully enclosed back and sides with 23-ga. steel panels for the rigidity you want to take heavy loads . . . this practical unit has sixteen 4½″W x 9″H bins and eighty-eight 4½″Wx6″H bins. Gray enamel; 36″Wx85″H. Shpd. KD.

Stock Number	D	Wt. (lbs.)	List Price	Each (1-9)	Each (10+)
51-279/8A	12″	214	$276.76	$186.90	$172.77
51-280/6A	18″	282	351.29	235.88	218.82
51-422/4A	24″	354	442.18	296.77	275.80

D EXTRA CONVENIENT BIN-DRAWER COMBINATION

One of the most versatile units made . . . you get several sizes of open bin storage plus the protection of drawer storage. Enclosed side and back shelving unit is outfitted with six 12″W x 12″H bins, four 18″W x 9″H bins, twenty-four 6″Wx6″H units . . . and eighteen 5$^{9}/_{16}$″Wx4$^{5}/_{8}$″H drawers. Bin dividers can be adjusted with Kwik-Klip ease to meet specific requirements. Unit is 36″W x 85″H overall—ideal for building divider partitions, storage walls. Shpd. KD, assemble to your needs.

Stock Number	D	Wt. (lbs.)	List Price	Each (1-9)	Each (10+)
51-281/4A	12″	224	$275.68	$184.98	$171.79
51-282/2A	18″	292	337.48	226.87	210.63

E SUPER BIN SHELVING UNIT FOR LARGE ITEMS

Twenty seven bins—in various sizes—to meet storage needs in tool rooms, mail rooms, shipping areas. Strong steel unit has closed back and end panels with one 12″H x 36″W bin, six 12″W x 12″H bins, sixteen 9″W x 9″H bins, four 9″W x 12″H bins . . . completely finished in gray enamel. 36″W x 85″H overall. Shpd. KD.

Stock Number	D	Wt. (lbs.)	List Price	Each (1-9)	Each (10+)
51-283/0A	12″	177	$167.88	$113.94	$104.96
51-284/8A	18″	221	203.29	135.86	126.82
51-423/2A	24″	270	245.20	164.87	152.73



As Low As **$24.45**

- Open or closed
- 22-ga. shelves
- All adjustable
- Gray baked enamel

Commercial-Grade Steel Shelving Sets Up with Kwik-Klip Ease, Supports 400 Lbs. Per Shelf

C

IN STOCK IMMEDIATE SHIPPING

As Low As **$48.03**

D

Quick, Low-Cost Set-Up and Simple Shelf Adjustment Make These Commercial-Quality Units Ideal for Offices, Stores, Shops, Storerooms

Free-standing units! Bonderized gray baked enamel finish resists rust. Rigid box-formed shelves adjust on 1" centers, without disturbing shelves in adjoining units. Uprights and side braces are 16-ga. steel; back braces are 13-ga.; 24-ga. steel back and end panels. Kwik-Klip—no bolts, nuts or special tools needed to set shelves in place! All hardware incl. Each unit has 5 shelves, 4 corner posts, back and side sway braces. Shpd. KD for freight savings.

C OPEN-TYPE 5-SHELF UNIT—36" wide, 75" high

Stock Number	Depth	Shpg. Wt.	List Price	Each (lots/1-9)	Each (lots/10-24)	Each (lots/25+)
51-563/5A	12"	47 lbs.	$38.02	$29.58	$27.03	$24.45
51-564/3A	15"	54 lbs.	42.62	30.95	29.53	26.54
51-565/0A	18"	60 lbs.	48.50	35.42	34.00	31.26
51-566/8A	24"	66 lbs.	61.33	44.83	42.56	39.21

D CLOSED-TYPE 5-SHELF UNIT—36" wide, 75" high

Stock Number	Deep	Shpg. Wt.	List Price	Each (lots/1-9)	Each (10-19)	Each (20+)
51-557/7A	12"	85 lbs.	$ 67.32	$53.23	$50.58	$48.03
51-558/5A	18"	105 lbs.	83.35	65.91	62.60	59.47
51-559/3A	24"	127 lbs.	102.30	80.91	76.85	73.01

EXTRA SHELVES for above with Kwik-Klips

Stock No.	W x D	Shpg. wt.	Net Each
51-017/2A	36"x12"	6 lbs.	$3.99
51-018/0A	36"x15"	7 lbs.	4.48
51-019/8A	36"x18"	8 lbs.	5.58
51-020/6A	36"x24"	9 lbs.	7.85

As Low As **$84.77**

IN STOCK IMMEDIATE SHIPPING

Multi-Drawer Parts Cabinets Save Space

All steel for durability. The ideal way to store small parts safely, dust-free, ready for quick selection . . . combine with 36" wide shelving to create drawer shelving, or use parts cabinets individually anywhere including on work benches. They're sturdily constructed. Convenience designed-drawers have built-in, curved handles, full width labelholders, drawer stops, and two removable dividers with labelholders on each. Gray. Each drawer is 5½" W x 2½" H. FOB Ill.

18-DRAWER—12"Dx33¾"x10¾"				
Stock Number	Wt. (lbs.)	List	Each	Each (lots/3)
52-923/0A	45	$98.78	$89.08	$84.77
18-DRAWER—18"Dx33¾"Wx10¾"H				
52-924/8A	60	117.54	105.78	100.49

24-DRAWER—12"Dx33¾"Wx14"H				
Stock Number	Wt. (lbs.)	List	Each	Each (lots/3)
52-925/5A	60	$133.48	$120.77	$114.88
24-DRAWER—18"Dx33¾"Wx14"H				
52-926/3A	80	158.92	143.77	135.86

52-494/2AL—Extra dividers for above. Each (lots of 50 only) ..... 48¢

Multi-Compartmented Drawer Cases



Use on 12" deep shelving . . . or use alone, these exceptionally strong small parts cases have extra heavy-duty 20-ga. drawers designed for storing large quantities of small items. Drawers are slotted on 1" centers for divider adjustment. Front and rear labelholders. Rear backstop prevents accidental spills. FOB Pa.

(A) 72-Compartment Case is 16¾" x 11¼" x 8¾" with three 16" x 11" x 2¾" high drawers. Two cabinet will fit side by side on 36" wide shelving.
52-958/6D—List $84.39. 33 lbs.
Each **$65.77**. Each (lots/3) **$62.44**

(B) 36-Compartment Case is 10½"x11¼"x 8¾" with three 9¾"x11"x2¼" high drawers. Three cabinet fit side-by-side across 36" wide shelving.
52-957/8D—List $56.24. 21 lbs.
Each **$43.88**. Each (lots/3) **$41.61**

Now, Save on Attractive Steel Shelving-Cabinets Durably Made for Years of Use, Neat Storage!

Full 78" Height—Save Floor Space!

A STURDY ENCLOSED SHELVING

For office, classroom, store . . . utility shelving rack gives a full view of contents for fast selection, sturdy construction. Commercial strength with four 22-ga. shelves which adjust on 1½" centers without special tools, 16-ga. frame built of steel angle uprights joined with formed cross-members for strength. Base is fully enclosed. Gray enamel. Shipped KD.

Stock Number	Dimensions W x D x H	Shpg. Wt.	Net Each
41-137/1A	36"x12"x78"	82 lbs.	$87.85
41-138/9A	36"x18"x78"	99 lbs.	98.77

B SUPPLY-STORAGE CABINET

Extra heavy-duty with reinforced doors for lasting alignment, 3-point latching (top, bottom, and center) and concealed pin-type hinges. Nylon closers for office quiet! Commercial quality — 16-ga. cross-member reinforced frame, four 22-ga. shelves that adjust on 1½" centers, 20-ga. doors. Smooth flush side panels, no exposed bolts; fully enclosed base. Satin chrome handles with lock. Gray enamel finish. Shipped KD. Two sizes, both 36" wide, 78" high. Wts.: 135, 161 lbs.

Stock Number	Depth	List Price	Each	Each (lots/12)	Each (lots/20)
41-147/0A	18"	$193.13	$129.88	$118.77	$111.67
41-149/6A	24"	215.91	145.88	132.90	123.70

EXTRA SHELF FOR CABINETS ABOVE

Stock No.	Fits Nos.	Wt.	Net Ea.
41-148/8A	41-147/0A	8 lbs.	$ 9.99
41-150/4A	41-149/6A	11 lbs.	11.99

Convenient Counter Height Cabinet Provides a Work Surface and Storage

Use these convenient 42" high cabinets where full height cabinets are inconvenient—ideal under windows or with glass top office partitions. Their counter height tops provide handy working surfaces; roomy interiors offer clean, safe storage behind locking doors. Three shelves adjust on 1½" centers. Doors have 3-point latch and lock assembly. Colors: 27 gray, 23 tan. Specify color number-and-name. Immediate shipment.

18" DEEP, 36" WIDE CABINET. 97 lbs.
41-244/5AA—List $136.70. Ea. **$93.38.**
Ea. (lots/3) **$88.78.** Ea. (lots/6) **$83.70**
Extra Shelf for 18" deep cabinet.
41-245/2AA—Wt. 7 lbs. Net ea. **$9.99**
24" DEEP, 36" WIDE CABINET. 114 lbs.
41-624/8AA—List $150.82. Ea. **$103.43.**
Ea. (lots/3) **$96.97.** Ea. (lots/6) **$92.38**
Extra Shelf for 24" deep cabinet.
41-625/5AA—Wt. 9 lbs. Net ea. **$11.99**

Lifetime Steel Storage Cabinets

Attractive Wardrobe Cabinet

Sturdy steel cabinets present a neat business like appearance—coats and jackets hang wrinkle-free, protected from dust and damage . . . shelf holds hats, handbags, parcels . . . enclosed base keeps footwear out of sight. Locking doors are reinforced—employees' and guests' belongings are stored safe from dust and pilferage. Cabinets are constructed of sturdy steel, and finished in durable lasting enamels. Colors: 27 dawn gray, 23 tan. Specify color number-and-name. Shipped KD. In-stock.

36"W x 18"D x 78"H CABINET. Wt. 119 lbs.
41-604/0AA—List $187.70. Ea. **$127.88**
Ea. (lots/3) **$119.77.** Ea. (lots/6) **$108.80**
36"W x 24"D x 78"H CABINET. Wt. 136 lbs.
41-605/7AA—List $200.73. Each **$135.65**
Ea. (lots/3) **$125.20.** Ea. (lots/6) **$116.19**

Supply-Clothes Cabinet

Sturdily constructed 24-gauge steel cabinet is ideal for offices, stores, shops . . . provides easy access to supplies, handy storage for wraps and personal belongings. Four shelves adjust on 1½" increments—without tools. Full length hat rack and half length coat compartment provide wardrobe storage for up to six persons. Doors have 3-point latch, grooved key lock. Colors: 27 gray, 23 tan. Specify color no.-name.

36" x 18" x 78"H CABINET. Shpd. KD. 144 lbs.
41-622/2AA—List $211.60. Ea. **$142.34**
Ea. (lots/3) **$130.80.** Ea. (lots/6) **$122.03**
36" x 24" x 78" CABINET. Shpd. KD. 164 lbs.
41-623/0AA—List $230.00. Ea. **$155.09**
Ea. (lots/3) **$143.60.** Ea. (lots/6) **$132.82**

Metropolitan Wire® the mark of quality

Heavy-Duty Wire Shelving for Warehouse, Office, Food Service

COAST-TO-COAST SHIPPING POINTS

1. Chicago, Ill.
2. Atlanta, Ga.
3. Wilkes-Barre, Pa.
4. Cucamonga, Calif.
5. St. Louis, Mo.
6. Dallas, Tx.

FOB: Closest Shipping Point

FACTORY DIRECT DISCOUNT PRICES . . . SAVE $$$, EASY NO-TOOL SET-UP

Shelf wires go in direction of load flow

1. **PATENTED TRUSS BRACING engineered for maximum strength and longevity in daily use.**



2. **S-HOOKS join units together . . . allow tandem units to share vertical posts.**

3. **TAPERED POST SLEEVES lock shelves in place, assure absolute rigidity.**



STARTER UNIT . . . free standing with 4 shelves, 4 posts



ADD-ON UNIT with 4 shelves, 2 posts . . . attaches to Starter with 8 "S" hooks

Lifetime Chromate Wire Shelving

CLEANABLE OPEN WIRE construction reduces "housekeeping" . . . improves lighting, visibility, sprinkler coverage, and insurance rates.

GAIN 20% MORE USABLE SPACE . . . assemble units end to end, back to back, in "L", "T", or "U" shapes by utilizing "S" hooks . . . save on posts and space, conserve $$$.

SHELVES ADJUST TO MEET YOUR NEEDS . . . Move shelves up or down at 1" increments. Units assemble without tools. Tapered openings in shelf corners slide over tapered split sleeves that snap onto posts . . . lock rigidly.

NSF-APPROVED CHROMATE FINISH resists corrosion . . . meets food service needs. Units shipped KD, ready to assemble.

Our Most Popular Sizes—Sold as Complete Units

SIZE		4-SHELF STARTER UNIT					4-SHELF ADD-ON UNIT				
D x W	Ht.	Stock Number	Wt. (lbs.)	List Price	Each	Each (lots/3)	Stock Number	Wt. (lbs.)	List Price	Each	Each (lots/3)
18"x48"	63"	54-565/7D	62	$154.00	$126.00	$122.25	54-635/8D	56	$142.00	$116.28	$112.79
18"x60"	63"	54-566/5D	82	174.00	142.36	138.18	54-636/6D	75	161.00	131.74	127.79
18"x72"	63"	54-567/3D	94	202.00	165.27	160.31	54-637/4D	87	189.00	154.64	149.97
18"x48"	74"	54-568/1D	64	160.00	130.90	126.97	54-638/2D	56	144.60	118.34	114.77
18"x60"	74"	54-569/9D	84	179.60	146.95	142.54	54-639/0D	76	164.20	134.47	130.45
18"x72"	74"	54-570/7D	96	207.60	169.85	164.75	54-640/8D	88	192.20	157.25	152.53
18"x48"	86"	54-571/5D	68	167.60	137.13	133.12	54-641/6D	58	148.40	121.45	117.81
18"x60"	86"	54-572/3D	88	187.20	153.16	148.58	54-642/4D	78	168.00	137.49	133.39
18"x72"	86"	54-573/1D	100	215.20	176.10	170.84	54-643/2D	90	196.00	160.36	155.59
24"x48"	63"	54-574/9D	78	183.00	149.74	145.26	54-644/0D	71	171.00	139.94	135.77
24"x60"	63"	54-575/6D	98	212.00	173.45	168.26	54-645/7D	91	199.00	162.87	157.98
24"x72"	63"	54-576/4D	118	245.00	200.45	194.47	54-646/5D	111	232.00	189.81	184.21
24"x48"	74"	54-577/2D	80	188.80	154.47	149.84	54-647/3D	72	173.40	141.87	137.69
24"x60"	74"	54-578/0D	100	217.20	177.71	172.38	54-648/1D	92	201.80	165.19	160.23
24"x72"	74"	54-579/8D	120	250.40	204.87	198.72	54-649/9D	112	235.00	192.27	186.51
24"x48"	86"	54-580/6D	84	196.40	160.69	155.87	54-650/7D	74	177.20	144.98	140.63
24"x60"	86"	54-581/4D	104	224.80	183.93	178.41	54-651/5D	94	205.60	168.27	163.22
24"x72"	86"	54-582/2D	124	258.00	211.10	204.77	54-652/3D	114	238.80	195.38	189.57

Components to Build Your Own Shelving

WIRE SHELVES—IN 21 SIZES

Design and "build" wire shelving units to fit your space and job requirements. Order wire shelves in any of 21 sizes . . . select post heights you require in column to right and "S" hooks in Accessory Column.

Stock No.	Shelf D x W	Lbs.	List Price	Net Ea.	Ea. (lots/10)
54-125/0D	18"x24"	7	$19.80	$16.20	$15.69
54-126/8D	18"x30"	8	22.10	18.09	17.56
54-127/6D	18"x36"	10	24.80	20.29	19.68
54-128/4D	18"x42"	11	27.00	22.19	21.52
54-129/2D	18"x48"	12	29.90	24.47	23.74
54-130/0D	18"x60"	17	34.80	28.54	27.68
54-131/8D	18"x72"	20	41.80	34.20	33.17
54-145/8D	21"x24"	8	22.20	18.26	17.73
54-146/6D	21"x30"	9	25.00	20.45	19.84
54-147/4D	21"x36"	11	27.70	22.67	21.98
54-148/2D	21"x42"	12	30.10	24.64	23.91
54-149/0D	21"x48"	14	32.80	26.86	25.98
54-150/8D	21"x60"	18	39.20	32.57	31.60
54-151/6D	21"x72"	24	46.50	38.84	37.67

Stock No.	Shelf D x W	Lbs.	List Price	Net Ea.	Ea. (lots/10)
54-240/7D	24"x24"	9	$26.10	$21.37	$20.73
54-241/5D	24"x30"	11	28.40	23.27	22.56
54-242/3D	24"x36"	13	30.90	25.29	24.53
54-243/1D	24"x42"	15	33.90	27.78	26.96
54-244/9D	24"x48"	16	37.10	30.39	29.48
54-245/6D	24"x60"	21	44.20	36.26	35.19
54-246/4D	24"x72"	26	52.50	42.97	41.69

POSTS IN 6 SIZES FOR VERSATILITY

Create everything from floor-to-ceiling to bench top units . . . strong 1" O.D. posts grooved at 1" increments. Adjustable feet for no-wobble set-up.

Stock No.	Ht.	Lbs.	List	Net Ea.	Ea. (lots/12)
54-135/9D	13"	1	$ 4.60	$3.76	$3.64
54-140/9D	33"	2	6.60	5.40	5.24
54-141/7D	54"	3	7.60	6.26	6.07
54-142/5D	63"	3½	8.70	7.27	6.97
54-143/3D	74"	4	10.10	8.39	8.14
54-144/1D	86"	5	12.00	9.82	9.47

Accessories

Customize shelving units to your special requirements.



(A) LEDGES FOR WIRE SHELVES are 4" high. Prevent small items from being pushed off the shelves. Saves stock, re-stocking.

SIDE SHELF LEDGE			
Stock No.	Lgth.	List Price	Net Each
54-198/7D	18"	$4.60	$4.14
54-199/5D	21"	5.00	4.50
54-200/1D	24"	5.50	5.00
BACK SHELF LEDGE			
54-201/9D	24"	$5.50	$4.96
54-202/7D	30"	6.80	6.12
54-203/5D	36"	7.90	7.12
54-204/3D	42"	8.40	7.56
54-205/0D	48"	10.00	8.91
54-206/8D	60"	10.70	9.64
54-207/6D	72"	12.80	11.46

(B) ADJUSTABLE FOOT PLATE for extra rigidity or for bolting to floor.
54-526/9D—¼ lb. Net ea. **$3.16**

S-HOOKS for joining wire shelves of adjacent units. Two required per shelf to achieve rigid set-up.
54-138/3D—Set of 2. Ea. Set **$1.08**

Also Available:

- **Stainless steel wire shelving**
- **Stainless steel flat solid shelving**
- **Galvanized flat solid shelving**
- **Cooler shelving-plastic coated**
- **Complete Metropolitan catalog**

Metropolitan Wire
the mark of quality

Super-Erecta Shelf Carts for Material Handling Efficiency

COAST-TO-COAST SHIPPING POINTS
1. Chicago, Ill. 4. Cucamonga, Calif.
2. Atlanta, Ga. 5. St. Louis, Mo.
3. Wilkes-Barre, Pa. 6. Dallas, Tx.

ALL CARTS INCLUDE SET OF 4 SAFETY RUBBER BUMPERS

FOB: Closest Shipping Point

Order extra shelves on the facing page

Choose Mobile Trucks with Wire or Solid Shelves

FOUR-SHELF TRUCKS WITH 5" POLYURETHANE STEM CASTERS help improve material handling . . . cut down production time, facilitate handling and assembling jobs . . . you can roll components from production to assembly areas without transferring. Save time and manpower. Trucks transport heavy loads, fit in narrow aisles . . . Chromate plated and coated open wire shelf trucks meet cleanroom standards, trucks with solid galvanized shelves are practical for both storage and assembly. All have polyurethane stem casters that won't mark floors, 3" doughnut bumpers protect walls from scrapes. Shelves adjust in 1" increments on these easy-assembly trucks. For easy-rolling casters recommended at 212 lbs. each. Other casters available. Stainless steel and chrome finish trucks also available. Shipped KD.

A WIRE SHELF TRUCKS

Stock Number	Shelf D x W	Truck Ht.	Wt. (lbs.)	List Price	Each	Each (lots/3)
54-442/9D	18"x36"	68"	61	$226.00	$161.43	$156.59
54-443/7D	18"x48"	68"	73	246.00	175.71	170.44
54-444/5D	18"x60"	68"	89	266.00	190.00	184.32
54-466/8D	18"x72"	68"	106	294.00	210.00	203.70
54-445/2D	24"x36"	68"	77	250.00	178.57	173.21
54-446/0D	24"x48"	68"	93	275.00	196.43	190.54
54-447/8D	24"x60"	68"	113	304.00	217.14	210.64
54-467/6D	24"x72"	68"	130	336.80	240.57	233.35
54-448/6D	18"x36"	79"	63	231.60	165.43	160.47
54-449/4D	18"x48"	79"	75	252.00	180.00	174.60
54-450/2D	18"x60"	79"	91	271.60	194.00	188.28
54-468/4D	18"x72"	79"	108	299.60	214.00	207.58
54-451/0D	24"x36"	79"	79	256.00	182.87	177.39
54-452/8D	24"x48"	79"	95	281.00	201.71	195.68
54-453/6D	24"x60"	79"	113	309.00	220.82	214.20

B SOLID SHELF TRUCKS

54-454/4D	18"x36"	68"	89	$257.00	$183.57	$178.16
54-455/1D	18"x48"	68"	105	274.00	195.71	189.84
54-456/9D	18"x60"	68"	129	290.00	207.14	200.93
54-457/7D	24"x36"	68"	101	284.00	202.89	196.81
54-458/5D	24"x48"	68"	125	308.00	220.00	213.40
54-459/3D	24"x60"	68"	153	330.00	235.74	228.68
54-460/1D	18"x36"	79"	91	231.60	165.46	160.51
54-461/9D	18"x48"	79"	107	252.00	180.00	174.60
54-462/7D	18"x60"	79"	131	272.00	194.34	188.53
54-463/5D	24"x36"	79"	104	290.00	207.14	200.93
54-464/3D	24"x48"	79"	127	314.00	224.36	217.67
54-465/0D	24"x60"	79"	155	336.00	240.00	232.80

Security Trucks

C Wire Security Trucks Prevent Thefts, Facilitate Inventorying

Security trucks have folding lockable doors. Heavy-gauge open wire construction protects expensive materials and tools from pilferage, allows instant spot checks, good air circulation. Bright chrome with clear aqualac finish that won't rust. Polyurethane casters won't take permanent set when stored. Trucks are shipped KD. Order shelves separately below.

STANDARD TRUCK.—800-lb. capacity with 5" polyurethane casters shown above.

Stock Number	O.D. (inches) Lgth.	O.D. (inches) DxH	Wt. (lbs.)	Net Each	Each (lots/3)
54-471/8D	33½	27¾x69	173	$330.71	$320.79
54-481/7D	63½	27¾x69	239	568.57	551.82

HEAVY-DUTY TRUCK with 3000-lb. capacity, 6" polyurethane casters and aluminum dolly, wrap-around safety bumper.

54-472/6D	32½	26¾x70	187	$412.14	399.78
54-482/5D	62½	26¾x71	278	787.14	763.54

SHELVES for trucks above.

54-474/2D	30"Lx24"D	11	22.29	21.62
54-484/1D	60"Lx24"D	22	34.71	33.68



Easy to Maneuver Carts Speed Stocking, Order Picking

MOBILE TWO-SHELF CARTS is highly maneuverable in tight areas thanks to 5" diameter hard rubber swivel-type casters. Shelf heights adjust. Choice of plated open wire shelves or solid flat galvanized shelves. All carts 39½" high. Shpg. KD. Stainless steel and chrome finishes available. Inquire for prices.

D OPEN WIRE SHELF CARTS

Stock Number	Size (in.)	Wt. (lbs.)	List Price	Each	Each (lots/3)
54-501/2D	18x36	41	$127.00	$90.71	$87.98
54-502/0D	18x42	47	131.00	93.57	90.76
54-503/8D	18x48	51	136.80	97.71	94.78
54-504/6D	18x60	59	146.60	104.71	101.67
54-505/3D	24x36	57	140.00	99.97	97.96
54-506/1D	24x42	61	146.00	104.29	101.26
54-507/9D	24x48	65	153.00	109.34	106.25
54-508/7D	24x60	74	167.00	119.44	115.92

E COMBINATION: GALVANIZED-OPEN WIRE

54-492/4D	18"x36"	42	$134.30	$95.94	$93.16
54-485/8D	18"x42"	45	138.30	98.80	95.86
54-486/6D	18"x48"	48	143.60	102.57	99.52
54-487/4D	18"x60"	57	153.10	109.38	106.29
54-488/2D	24"x36"	48	148.80	106.32	103.43
54-489/0D	24"x42"	51	154.90	110.63	107.35
54-490/8D	24"x48"	56	161.10	115.17	111.78
54-491/6D	24"x60"	68	173.60	124.00	120.28

High Quality Multi-Purpose Wire Utility Basket

Priced Low for Extra Savings

As Low As
$24.39

Quick Shipments!
Priced Low for Savings!

STACKING BASKET for general parts handling, carrying, cleaning, and storing. Expanded metal construction—new patented channel for great strength and safety, zinc-plating for long life. Baskets stack in storage—save space. ½" openings are 16/18 ga.; ¼" are 20-ga. Quick shipment.

Stock Number	Size (Inches) W x L x H	Opening	Wt. (lbs.)	Net Each	Each (lots/25)
54-520/2D	11x18x4.5	½"	8	$25.15	$24.39
54-521/0D	11x18x4.5	¼"	8	25.47	24.24
54-522/8D	12¾x20¾x6	½"	10½	28.80	27.36
54-523/6D	12¾x20¾x6	¼"	10½	29.35	27.89
54-524/4D	13½x24x3	½"	9	27.98	26.58
54-525/1D	13½x24x6	½"	11½	32.40	30.84

Save! RIGID Post-Master Industrial Wire Shelving

• 4-way entry • Never sways • 20% more usable space

Modular easy-to-assemble shelving offers amazing structural strength. Channel edge shelves are 12-ga. specially hardened steel, 5/8"x1¼"x3/8"; channel extends around all four sides. All shelves are accurately aligned—as more weight is placed on each shelf, friction resistance increases and the entire unit becomes more rigid. Open steel rod construction. 7-ga. shelf rods are spaced every 1" with ¼" crossbraces every 6" welded at all contact points. Vertical posts are 1" O.D. tubing with 16-ga. wall. All zinc chromate plated with clear baked coating, prevents corrosion. Easy one-person assembly—infinite shelf adjustment. Made to last for a lifetime. FOB Pa. or Mo.

• Better air circulation • Reduces danger of combustion



POST CONNECTORS

Post extenders allow double-stacking of shelving units—makes better use of vertical space. Join 54" high posts to achieve shelving 108" high, etc.
54-408/0D—Wt. ⅛ lb. Net each **$2.10**



EASY TO ORDER!

1. Determine needs, shelf size and height
2. Four posts and specified number of shelves with each unit
3. To join units in L, T, or U shape, use common vertical posts (shown right) with two "S" hooks per shelf.

Adjoining units only need two posts plus "S" hooks

Post-Master Accessories for Customizing







A BIN-SHELF DIVIDERS

Create shelf bins to meet your special requirements . . . dividers sectionalize shelves into separate compartments for better parts and materials stocking. Chromate finish, each divider is 8" high . . . available in three depths.
54-215/9D—18" deep. 1 lb. Net ea. **$4.26**
54-223/3D—21" deep. 1 lb. Net ea. **$4.79**
54-216/7D—24" deep. 1½ lbs. Net ea. **$5.25**

B LEDGES FOR SIDE, BACK

Ledges extend above shelf level to prevent smaller items from being pushed or edged off shelves. Choose ledges for side and/or back—all are chromate-finished steel.

Stock Number	Type	Size H x L	Wt. (lbs.)	Net Each
54-229/0D	Back	4"x24"	1	$5.40
54-230/8D	Back	4"x30"	1	5.96
54-231/6D	Back	4"x36"	1	6.51
54-232/4D	Back	4"x42"	1	7.15
54-233/2D	Back	4"x48"	1	7.73
54-234/0D	Back	4"x60"	1	8.76
54-235/7D	Back	4"x72"	1	9.95
54-217/5D	Side	4"x18"	1	4.85
54-218/3D	Side	6"x18"	1	6.34
54-219/1D	Side	9"x18"	1	6.98
54-220/9D	Side	4"x24"	1½	5.45
54-221/7D	Side	6"x24"	1½	7.57
54-222/5D	Side	9"x24"	1½	8.72

C ADJUSTABLE FOOT PLATE

For extra rigidity or for bolting to floor.
54-409/8D—¼ lb. Net each. **$3.14**

D NON-MARKING STEM CASTERS

Medium to heavy-duty casters assemble directly to corner posts—turn shelving systems into easily movable trucks. Choice of 5" in rubber or urethane—all are non-mark.

5" STEM CASTERS	Stk. No.	Type	Wt.	Net Ea.
RUBBER—Rated 175 lbs. each.				
	54-254/8D	Swivel	2½ lbs.	$ 9.66
	54-255/5D	Rigid	3½ lbs.	9.66
	54-256/3D	Brake	2¾ lbs.	11.99
URETHANE—Rated 250 lbs. each.				
	54-257/1D	Swivel	2¾ lbs.	16.98
	54-258/9D	Rigid	3¾ lbs.	16.98
	54-259/7D	Brake	3 lbs.	19.25



"S" HOOKS JOIN SIDE-BY-SIDES

Common vertical posts may be used when shelving units are in tandem or at right angles. Set of 2 needed for each shelf. Wt. 1 lb.
54-121/9D—Net ea. **$.39**

LIFETIME CHROMATE SHELVES

Shelves are adjustable. Up to 1000-lb. capacity. Carbon steel is zinc-plated and chromate finished with epoxy coating for easy upkeep. The more weight that is loaded onto the shelf, the tighter the grip on the post becomes and the more rigid the unit becomes. FOB Pa. or Mo.

Stock Number	Shelf Depth	Shelf Width	Shpg. Wt.	Net Each	Each lots/10
54-094/8D	18"	24"	7 lbs.	$14.40	$13.96
54-095/5D	18"	30"	8 lbs.	16.10	15.62
54-096/3D	18"	36"	9 lbs.	17.85	16.98
54-097/1D	18"	42"	10 lbs.	19.75	18.97
54-098/9D	18"	48"	12 lbs.	21.50	20.95
54-099/7D	18"	60"	16 lbs.	25.40	24.65
54-100/3D	18"	72"	21 lbs.	30.15	29.25
54-401/5D	21"	24"	9 lbs.	15.79	15.35
54-402/3D	21"	30"	11 lbs.	17.65	16.98
54-403/1D	21"	36"	12½ lbs.	20.79	19.96
54-404/9D	21"	42"	14 lbs.	22.15	21.48
54-405/6D	21"	48"	16½ lbs.	23.65	22.95
54-406/4D	21"	60"	21½ lbs.	28.47	27.60
54-407/2D	21"	72"	27½ lbs.	32.98	31.89
54-101/1D	24"	24"	9 lbs.	17.74	17.25
54-102/9D	24"	30"	11 lbs.	19.69	18.98
54-103/7D	24"	36"	13 lbs.	21.84	21.20
54-104/5D	24"	42"	15 lbs.	24.10	23.45
54-105/2D	24"	48"	17 lbs.	26.29	25.55
54-106/0D	24"	60"	22 lbs.	31.46	30.67
54-107/8D	24"	72"	27 lbs.	36.95	35.87

Strong 1" Diameter Posts With Levelers

Stock No.	Height	Shpg. Wt.	Each	(lots/12)
54-413/0D	34"	2 lbs.	$4.60	$4.30
54-108/6D	54"	3 lbs.	5.20	4.89
54-109/4D	60"	4 lbs.	5.63	5.25
54-110/2D	72"	4 lbs.	6.37	5.89
54-111/0D	84"	5 lbs.	6.99	6.65

Full line of Postmaster Products available at C&H savings—Contact Dept. 6 for free catalog.

NSF-Approved Wire Shelving Looks Great and Lasts Longer



Quick one-person assembly—Morse tapers match up, assure perfection

Extra shelves, shelf dividers, and ledges to customize are available on the facing page

- For coolers, freezers
- For dry storage areas
- Won't rust or corrode
- Won't trap dirt, dust



Shown with optional push handle and extra shelf.

Special combinations of swivel, swivel-brake, and swivel brake-lock casters available—please contact Dept. 6 for prices.

CHROMATE FINISHED WIRE is neat, easy to clean . . . approved for food handling. Open wire shelving assures better air circulation, increased automatic sprinkler protection and improved visibility. Choose from our large selection of cart sizes, plus style and caster capacities to meet your exact needs. Shpd. KD. FOB Pa. or Mo.



Helps prevent employee injuries, and damage to walls and furniture. They absorb on contact. Sold per set of four.
54-500/4DL—Per set of four..... **$19.32**

BUY AT WHOLESALE FROM C&H YOU GET MORE FOR YOUR MONEY!



01 CASTERS—ECONOMY MAXIMUM 700-LB. CAPACITY

Four 5" resilient casters with 1¼" face. Two swivel, two rigid, rated 175 lbs. each.

02 CASTERS MOST POPULAR 850-LB. MAXIMUM CART CAPACITY

Rugged, non-marking 5" polyurethane casters. 1-3/16" face. Two swivel, two rigid, each 210 lbs.

03 CASTERS—HEAVY-DUTY 1200-LB. CAPACITY MAXIMUM CART CAPACITY

Polyurethane 6" swivel casters with 1-3/16" face. Two swivel, two with brake lock (dual control, foot operated design).

04 CASTERS EXTRA HEAVY DUTY 3000-LB. CART CAPACITY With Aluminum Dolly

Four swivel 6" diameter casters with **heavy-duty aluminum dolly**, 2" face, safety rubber corner bumper. All swivel, two have brake-lock.

Stock Number	Shelf D x W (in.)	Overall Ht. (in.)	No. of Shelves	Shpg. Wt. (lbs.)	01 CASTERS Net Each	01 CASTERS Each (lots/3)	01 CASTERS Each (lots/6)	02 CASTERS Net Each	02 CASTERS Each (lots/3)	02 CASTERS Each (lots/6)	03 CASTERS Net Each	03 CASTERS Each (lots/3)	03 CASTERS Each (lots/6)	04 CASTERS & Alum. Dolly Net Each	04 CASTERS & Alum. Dolly Each (lots/3)	04 CASTERS & Alum. Dolly Each (lots/6)
54-530/1DX	18x36	40	3	56	$101.72	$ 98.44	$ 94.86	$124.87	$121.51	$116.13	$190.63	$185.33	$177.57	$256.36	$248.64	$238.39
54-531/9DX	18x36	60	4	71	122.74	118.60	114.31	148.14	142.96	137.46	205.66	199.97	192.39	270.38	262.34	251.84
54-532/7DX	18x36	66	4	73	120.37	116.30	112.19	144.94	140.60	134.84	207.84	201.92	193.44	271.60	263.45	252.92
54-533/5DX	18x36	78	4	75	123.10	119.45	114.29	147.35	142.85	136.80	210.76	203.89	195.77	273.98	265.78	255.69
54-535/0DX	18x48	40	3	68	$109.87	$105.76	$101.67	$133.50	$129.45	$123.88	$196.63	$190.91	$182.83	$246.56	$256.83	$246.88
54-536/8DX	18x48	60	4	87	133.75	129.85	123.85	157.87	153.63	146.96	220.96	214.87	205.75	288.84	280.99	269.49
54-537/6DX	18x48	66	4	89	135.45	131.30	125.89	159.69	154.78	149.96	222.98	215.50	207.49	290.87	281.96	270.50
54-538/4DX	18x48	78	4	91	137.48	133.54	127.88	161.95	157.50	150.50	225.61	218.69	208.92	292.95	283.87	272.58
54-540/0DX	18x60	40	3	83	$120.95	$116.85	$112.92	$144.74	$140.96	$134.74	$207.74	$201.64	$193.45	$277.99	$269.80	$259.50
54-541/8DX	18x60	60	4	107	148.86	144.88	138.72	172.96	167.85	161.45	236.90	229.56	238.50	306.50	297.60	285.93
54-542/6DX	18x60	66	4	109	150.87	145.86	140.96	174.72	169.52	162.81	237.90	230.83	221.88	307.87	298.92	286.84
54-543/4DX	18x60	78	4	111	153.55	148.81	142.94	176.87	171.57	164.91	239.98	232.72	223.49	308.97	301.50	288.37
54-545/9DX	24x36	40	3	65	$109.80	$105.99	$101.96	$133.74	$129.85	$123.79	$196.83	$191.50	$183.88	$262.94	$254.89	$244.63
54-546/7DX	24x36	60	4	83	134.64	130.72	125.65	158.79	153.98	146.78	222.80	214.87	205.94	287.91	278.84	267.89
54-547/5DX	24x36	66	4	85	135.79	131.83	126.72	160.55	154.89	148.90	223.55	216.96	207.68	288.97	280.95	269.92
54-548/3DX	24x36	78	4	87	137.98	133.81	128.82	162.51	157.79	151.68	225.83	218.50	209.86	291.82	282.74	271.67
54-550/9DX	24x48	40	3	77	$123.10	$119.43	$114.58	$147.79	$142.67	$136.97	$209.99	$203.89	$195.68	$280.81	$272.62	$261.91
54-551/7DX	24x48	60	4	99	152.16	147.85	141.68	176.75	170.87	164.77	239.45	232.51	223.55	310.65	301.63	288.76
54-552/5DX	24x48	66	4	101	154.14	149.71	143.92	177.83	172.53	165.77	240.97	233.74	224.39	311.91	302.75	290.96
54-553/3DX	24x48	78	4	103	155.97	151.91	145.79	180.92	174.76	167.88	243.70	235.94	226.77	313.73	304.82	293.61
54-555/8DX	24x60	40	3	92	$137.45	$133.65	$127.96	$161.92	$156.88	$150.97	$225.50	$218.66	$208.96	$298.57	$289.76	$277.62
54-556/6DX	24x60	60	4	119	171.65	166.40	159.98	195.67	190.52	182.38	259.60	251.75	292.86	332.56	322.85	308.94
54-557/4DX	24x60	66	4	121	172.97	167.85	161.50	197.62	191.58	183.92	260.76	253.72	242.56	334.57	323.54	310.76
54-558/2DX	24x60	78	4	123	175.93	170.62	163.58	199.72	193.92	185.87	262.89	254.97	244.62	336.59	326.14	312.93
54-560/8DX	24x72	40	3	109	$154.89	$150.84	$144.92	$179.82	$173.66	$166.86	$242.89	$234.72	$225.92	$322.77	$312.89	$299.96
54-561/6DX	24x72	60	4	143	194.69	188.97	181.27	219.65	212.92	203.87	282.85	273.63	262.60	362.91	351.60	337.54
54-562/4DX	24x72	66	4	145	197.59	191.52	183.77	220.50	213.73	205.76	283.88	274.65	264.56	364.74	353.78	338.52
54-563/2DX	24x72	78	4	157	198.64	192.49	184.87	223.69	216.80	205.96	285.91	277.84	266.48	366.64	355.32	341.53



PUSH HANDLE FOR TRUCKS

Two sizes to fit all trucks above. Shpg. wt. 2 lbs.
54-410/6D—For 18". Net ea. **$8.99**
54-412/2D—For 24". Net ea. **$9.87**

CHROMED ENCLOSURE RODS FOR TRUCKS ABOVE

Rods attach easily, keep contents from rolling off in transit. Three sizes fit all sizes above. FOB Pa. or Mo.

Stock Number	Lgth.	Fits Trucks	Net Each
52-650/9D	54"	60"H	$2.23
52-651/7D	60"	66"H	2.37
52-652/5D	72"	78"H	2.57

DURA II STACK-RACKS FOR LOW COST EFFICIENT MATERIAL HANDLING


Without side or end panels

⅞" hardwood bottom standard

Step stack to save space

- **NEW STRENGTH combines steel with steel bound hardwood slats**
- **MORE FLEXIBILITY . . . use to pack, stack, rack, carry or ship.**
- **EASIER HANDLING . . . stack or nest, get 4-way entry for handling**

Material handling containers with the strength and resiliency to absorb punishment of day to day use . . . heavy 10-ga. welded steel channels are the backbone of this rugged storage system, ⅞" hardwood bottoms boasting tongue and grooves extending into the steel channels on all four sides insure their no-sag stamina, even under heavy loads. Each rack supports 4000 lbs., stacked they support 20,000 lbs. With or without slide-in sides. Four-way entry means faster handling with lift or pallet truck (corner posts have 4" clearance!). Racks interlock to insure stacking stability. Wood panels are unfinished. FOB Wis.

O. Dimen. (in.)			I.S.	Wt.	4 Full Panel Container			8 Half Panel Container		
W	L	H	D. (in.)	(lbs.)	Stock Number	Net Each	Each (lts/25)	Stock Number	Net Each	Each (lts/25)
32	40	30	24	132	44-111/3D	$102.26	$99.23	44-121/2D	$121.37	$117.83
32	40	34	28	135	44-112/1D	107.29	104.16	44-122/0D	126.48	122.62
35	42	30	24	136	44-113/9D	110.26	106.96	44-123/8D	129.39	125.47
36	46	34	28	152	44-115/4D	113.68	110.29	44-125/3D	132.78	128.81
40	48	30	24	157	44-117/0D	119.76	116.23	44-127/9D	138.92	134.72
40	48	36	30	162	44-118/8D	127.12	122.97	44-128/7D	146.29	141.78

O.S. (in.)			I.S.	Wt.	Dura II Stack Rac Only		
W	L	H	(in.)	(lbs.)	Stk. No.	Net Ea.	(Lots/25)
32	40	30	24	104	44-101/4D	$91.97	$89.38
32	40	34	28	107	44-102/2D	96.56	93.65
35	42	30	24	108	44-103/0D	99.27	96.34
36	46	34	28	124	44-105/5D	102.31	99.23
40	48	30	24	129	44-107/1D	107.86	104.55
40	48	36	30	134	44-108/9D	114.38	110.98

All units above are available with ¼" plywood or masonite panels. Special sizes, too. Send drawing of container to Dept. 6.

EDSAL Heavy-Duty Steel

- No special tools
- For big, bulky items
- Rapid-but-rigid assembly
- Accessible front, rear
- Accepts add-ons
- Adapts as needed

BUILD EXTRA HIGH, WIDE OR DEEP . . . Edsal System II racks meet most heavy-duty bulk storage needs. Specially designed for hand loading, and easy access.

USE SYSTEM II ANYWHERE . . . place them against walls or use them free-standing. These storage racks accommodate a variety of odd shapes, sizes and lengths. Convert to System II racks now . . . you'll never outgrow them. They're never obsolete . . . because they adapt!

BEAMS SUPPORT 1700-2600 LBS. PER PAIR depending upon length (evenly distributed load). Each pair of beams comes with two tie bars to prevent rotation under maximum load.

RIGID ASSEMBLY, FAST SET-UP! Here's how it works: 16-ga. crossbeams have heavy-duty electrically welded fittings at each end that fit into uprights. Uprights have smooth surfaces, shelf beams assemble flush—no loose parts to snag clothes. Gray enamel. FOB Ill.

EASY ASSEMBLY

Uprights are slotted for crossbeams. Uprights bolt together without special tools. Three lug fittings slip right into frame

EASY ADJUSTMENT

As your needs change, you can change height of shelf units. Beams adjust every 1½".


As Low As $72.64

Basic Rack (starter) . . . includes 2 uprights, side braces, 3 shelf levels

(Not free standing)

As Low As $59.15

Add-On (basic) attaches to . . . includes upright, side braces, 3 shelf levels

SUPPORTS FOR PLYWOOD DECKING

Build your own decking! 16-ga. formed channel supports increase capacity of plywood—they're pre-punched for attachment to matching holes in lower flange of beam. Sold only in lots of 6.

Stock No.	Depth	Wt.	List	Ea. (Lots/6)	Ea. (Lots 12/24)	Ea. (Lots 30+)
51-645/0DL	24"	1½ lbs.	$2.13	$1.52	$1.48	$1.41
51-646/8DL	36"	2⅓ lbs.	2.84	1.99	1.85	1.77
51-647/6DL	48"	3 lbs.	3.74	2.44	2.26	2.15



PAIR OF EXTRA BEAMS

Includes one pair of beams and two tie bars. Static load stated per pair of beams, maximum evenly distributed load. FOB Ill.

Stock Number	Depth	List Price	Each	Each (lots/3)	Each (lots/10)
5' Lgth.—2700-Lb. Load. Wts.: 20, 21, 23 lbs.					
51-636/9D	24"	$23.15	$15.72	$14.62	$13.88
51-257/4D	36"	24.96	16.98	15.78	14.99
51-260/8D	48"	26.61	18.10	16.83	15.98
6' Lgth.—1700-Lb. Load. Wts.: 22, 23, 25 lbs.					
51-637/7D	24"	25.98	17.66	16.43	15.61
51-258/2D	36"	28.01	19.03	17.70	16.81
51-261/6D	48"	30.21	20.53	19.09	18.14
8' Lgth.—1650-Lb. Load. Wts.: 28, 30, 32 lbs.					
51-638/5D	24"	32.90	22.35	20.78	19.75
51-259/0D	36"	35.07	23.84	22.18	21.05
51-262/4D	48"	37.21	25.29	23.51	22.33

RIBBED STEEL DECKING

Ribbed 18-gauge steel decking panels have ½-inch wide ridges spaced 3 inches apart. Can be converted to provide ½-inch channels. (Beams not included.) Three lengths—all FOB Illinois.

Stock Number	Depth	List Price	Each	Each (lots/3)	Each (lots/10)
5' LGTH.—35, 46 lbs.					
51-639/3D	24"	$25.21	$17.15	$15.95	$15.14
51-263/2D	36"	36.41	24.74	23.94	21.87
51-266/5D	48"	47.20	32.06	29.83	28.34
6' LGTH.—42, 55 lbs.					
51-640/1D	24"	33.08	22.48	20.91	19.87
51-264/0D	36"	43.20	29.36	27.30	25.94
51-267/3D	48"	62.48	42.46	39.48	37.51
8' LGTH.—55, 72 lbs.					
51-641/9D	24"	43.06	29.26	27.22	25.84
51-265/7D	36"	61.94	42.09	39.13	37.18
51-268/1D	48"	81.76	55.56	51.66	49.08

Bulk Storage Racks for Changing Needs

EDSAL

Customize your work area to meet the demands of daily warehouse activity . . . start with the basic unit, add on extensions as needed, either with or without decking. Versatile bulk storage racks help you increase plant productivity, conserve costly storage space, improve work flow, reduce initial investment, and minimize future expansion. Our professional planning staff can help you with layout.

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



We'll help you plan your interior space—write our professional planning staff in care of Dept. 51. This service is free and without obligation.

COMPLETE BASIC STARTER UNIT (less decking)

Ht.	Wid	24" Deep Stock Number	Wt. Lbs.	List Price	Net Each	Each (lots/3)	Each (lots/10)	36" Deep Stock Number	Wt. Lbs.	List Price	Net Each	Each (lots/3)	Each (lots/10)	48" Deep Stock Number	Wt. Lbs.	List Price	Net Each	Each (lots/3)	Each (lots/10)
6′	5′	51-600/5D	115	$129.43	$ 82.17	$ 78.07	$ 72.64	51-185/7D	127	$140.85	$ 94.79	$ 90.06	$ 83.75	51-188/1D	139	$151.86	$102.19	$ 97.10	$ 90.30
	6′	51-601/3D	121	137.89	92.80	88.17	81.99	51-186/5D	133	149.96	100.92	95.87	89.17	51-189/9D	145	162.64	109.45	103.99	96.71
	8′	51-602/1D	142	158.63	106.77	101.42	94.33	51-187/3D	154	171.17	115.20	109.44	101.79	51-190/7D	166	183.69	123.63	117.46	109.23
8′	5′	51-603/9D	127	141.36	95.14	90.39	84.06	51-191/5D	139	153.98	103.63	98.45	91.56	51-194/9D	149	165.08	111.10	105.55	98.17
	6′	51-604/7D	133	149.81	100.88	95.80	89.10	51-192/3D	145	163.10	109.77	104.28	96.88	51-195/6D	155	175.84	118.33	112.41	104.54
	8′	51-605/4D	154	170.59	114.80	109.07	101.44	51-193/1D	166	184.31	124.06	117.85	109.60	51-196/4D	176	196.88	132.50	125.88	117.07
10′	5′	51-606/2D	135	157.71	106.14	100.83	93.79	51-197/2D	149	171.26	115.26	109.49	101.84	51-200/4D	161	183.90	123.77	117.57	109.35
	6′	51-607/0D	141	166.17	111.84	106.25	98.81	51-198/0D	155	180.36	121.40	115.33	107.26	51-201/2D	167	194.66	131.00	124.46	115.76
	8′	51-608/8D	162	186.93	125.80	119.51	111.15	51-199/8D	176	201.58	135.66	128.89	119.88	51-202/0D	188	215.70	145.18	137.92	128.28

ADD-ON EXTENSION RACKS (less decking)

Ht.	Wid	Stock Number	Wt. Lbs.	List Price	Net Each	Each (lots/3)	Each (lots/10)	Stock Number	Wt. Lbs.	List Price	Net Each	Each (lots/3)	Each (lots/10)	Stock Number	Wt. Lbs.	List Price	Net Each	Each (lots/3)	Each (lots/10)
6′	5′	51-618/7D	85	$ 99.46	$ 66.95	$ 63.61	$ 59.15	51-203/8D	95	$107.91	$ 72.64	$ 68.99	$ 64.17	51-206/1D	104	$115.86	$ 77.99	$ 74.08	$ 68.90
	6′	51-619/5D	91	107.92	72.64	68.99	64.17	51-204/6D	101	116.99	78.75	74.81	69.57	51-207/9D	110	126.64	85.24	80.98	75.31
	8′	51-620/3D	112	128.67	86.61	82.30	76.51	51-205/3D	122	138.22	93.04	88.39	82.20	51-208/7D	131	147.68	99.40	94.43	87.82
8′	5′	51-621/1D	91	105.44	70.98	67.43	62.71	51-209/5D	101	114.47	77.03	73.19	68.06	51-212/9D	109	122.45	82.44	78.32	72.84
	6′	51-622/9D	97	113.94	76.65	72.82	67.73	51-210/3D	107	123.56	83.17	78.99	73.47	51-213/7D	115	133.25	89.69	85.21	79.24
	8′	51-623/7D	118	134.65	90.63	86.11	80.08	51-211/1D	128	144.78	97.44	92.56	86.10	51-214/5D	136	154.30	103.88	98.69	91.78
10′	5′	51-624/5D	94	113.61	76.48	72.66	67.58	51-215/2D	106	123.10	82.87	78.72	73.21	51-218/6D	115	131.88	88.76	84.32	78.42
	6′	51-625/2D	100	122.07	82.16	78.05	72.58	51-216/0D	112	132.21	89.01	84.54	78.62	51-219/4D	121	142.66	96.02	91.22	84.83
	8′	51-626/0D	121	142.82	96.11	91.30	84.92	51-217/8D	133	153.42	103.26	98.09	91.23	51-220/2D	142	163.69	110.17	104.66	97.33

COMPLETE BASIC STARTER UNIT RACKS WITH DECK

Ht.	Wid	Stock Number	Wt. Lbs.	List Price	Net Each	Each (lots/3)	Each (lots/10)	Stock Number	Wt. Lbs.	List Price	Net Each	Each (lots/3)	Each (lots/10)	Stock Number	Wt. Lbs.	List Price	Net Each	Each (lots/3)	Each (lots/10)
6′	5′	51-609/6D	184	$205.05	$138.01	$131.11	$121.94	51-221/0D	232	$250.13	$168.35	$159.94	$148.72	51-224/4D	277	$293.47	$197.50	$187.63	$174.50
	6′	51-610/4D	205	237.16	159.63	151.65	141.02	51-222/8D	259	279.51	188.18	178.77	166.26	51-225/1D	310	350.74	236.05	224.25	208.56
	8′	51-611/2D	253	287.83	193.70	184.02	171.14	51-223/6D	319	357.01	240.26	228.26	212.27	51-226/9D	382	428.98	288.70	274.25	255.06
8′	5′	51-612/0D	196	217.03	146.06	138.75	129.04	51-227/7D	244	263.27	177.20	168.33	156.56	51-230/1D	287	306.68	206.40	196.08	182.35
	6′	51-613/8D	217	249.12	167.66	159.29	148.14	51-228/5D	271	292.70	196.99	187.15	174.05	51-231/9D	320	363.95	244.94	232.69	216.40
	8′	51-614/6D	265	299.79	201.76	191.67	178.25	51-229/3D	331	370.15	249.11	236.66	220.09	51-232/7D	392	442.19	297.59	282.70	262.91
10′	5′	51-615/3D	204	233.35	157.06	149.21	138.77	51-233/5D	254	280.54	188.82	179.38	166.83	51-236/8D	299	325.50	219.06	208.10	193.54
	6′	51-616/1D	225	265.47	178.67	169.62	157.86	51-234/3D	281	309.98	208.62	198.19	184.32	51-237/6D	332	382.77	257.60	244.72	227.59
	8′	51-617/9D	273	316.12	212.75	202.12	187.97	51-235/0D	341	387.40	260.73	247.70	230.35	51-238/4D	404	461.03	310.27	294.76	274.13

COMPLETE ADD-ON EXTENSION RACKS WITH DECK

Ht.	Wid	Stock Number	Wt. Lbs.	List Price	Net Each	Each (lots/3)	Each (lots/10)	Stock Number	Wt. Lbs.	List Price	Net Each	Each (lots/3)	Each (lots/10)	Stock Number	Wt. Lbs.	List Price	Net Each	Each (lots/3)	Each (lots/10)
6′	5′	51-627/8D	154	$175.11	$117.85	$111.97	$104.13	51-239/2D	200	$217.17	$146.18	$138.87	$129.15	51-242/6D	242	$257.49	$173.29	$164.62	$153.10
	6′	51-628/6D	175	207.21	139.46	132.48	123.20	51-240/0D	227	246.62	165.97	157.68	146.64	51-243/4D	275	314.73	211.82	201.22	187.14
	8′	51-629/4D	223	264.91	178.29	169.36	157.52	51-241/8D	287	324.05	218.08	207.18	192.68	51-244/2D	347	392.99	264.49	251.26	233.67
8′	5′	51-630/2D	160	181.07	121.86	115.76	107.67	51-245/9D	206	223.75	150.60	143.06	133.05	51-248/3D	247	264.08	177.72	168.84	157.02
	6′	51-631/0D	181	213.19	143.49	136.32	126.78	51-246/7D	233	253.19	170.40	161.89	150.55	51-249/1D	280	321.34	216.27	205.46	191.07
	8′	51-632/8D	229	263.85	177.59	168.71	156.90	51-247/5D	293	330.62	222.51	211.38	196.57	51-250/9D	352	399.60	268.93	255.49	237.60
10′	5′	51-633/6D	163	189.24	127.35	120.99	112.52	51-251/7D	211	232.37	156.40	148.57	138.17	51-254/1D	253	273.48	184.05	174.85	162.62
	6′	51-634/4D	184	221.35	148.96	141.51	131.60	51-252/5D	238	261.82	176.21	167.40	155.68	51-255/8D	286	330.77	222.61	211.49	196.69
	8′	51-635/1D	232	272.01	183.93	173.91	161.75	51-253/3D	298	339.26	228.32	216.92	201.73	51-256/6D	358	409.01	275.26	261.50	243.19

JARKE Steeltree Racks Store Up to 72000 lbs.


PATENTED, SECURE PIN LOCK
HEAVY DUTY, ADJUSTABLE CANTILEVER ARM
ADJUSTABLE ON 3-INCH CENTERS
DOUBLE SIDED UNIT SELF STANDING
RIGID, TUBULAR HORIZONTAL BRACE
BOLTED BASE CONSTRUCTION

Arm pair capacities up to 6000 lbs.



ADAPTABLE TO STORAGE OF A WIDE RANGE OF MATERIAL

SINGLE SIDED UNIT SELF STANDING

Order Bases, Arms and Brace Sets Separately

SECURE PIN LOCK

Permits instant adjustability of arms! Easily inserts and removed to adjust arm height . . . but it can't work loose in service.

Heavy-Duty Cantilever Design Allows Fork Lift Access to Awkward Lengths of Pipe, Bar Stock and Tubing

Available in three heights, with total capacity up to 72,000 lbs.! Strong, stable—permits using lift truck to load pair of arms with up to 6000 lbs. Extra heavy-duty steel construction . . . extra sturdy and stable. Facilitates time-saving fork handling of unwieldy or extremely heavy stock—you can get at one piece, or move the entire load! You can use overhead cranes to load or unload with slings. And because arms are fully adjustable you can accommodate most tubes, bars, stocks and heavy, long items. Unit as shown requires three arms bases. Bolted base construction. FOB Ill.

SINGLE ARM BASE—12,000, 16,000, 18,000 LB. CAPACITY

Stock No.	Ht.	Base	For Arms	Shpg. Wt.	Net Ea.	Ea. (lots/11)
73-513/4D	8′	31″	12″, 18″	155 lbs.	$152.35	$147.79
73-514/2D	8′	37″	24″	164 lbs.	156.65	151.95
73-515/9D	8′	46″	30″, 36″	182 lbs.	163.05	158.27
73-516/7D	8′	58″	42″, 48″	198 lbs.	171.25	166.91
73-517/5D	10′	31″	12″, 18″	223 lbs.	194.55	188.77
73-518/3D	10′	37″	24″	232 lbs.	199.00	193.43
73-519/1D	10′	46″	30″, 36″	249 lbs.	205.75	199.87
73-520/9D	10′	58″	42″, 48″	266 lbs.	214.40	207.97
73-521/7D	12′	31″	12″, 18″	292 lbs.	231.20	224.79
73-522/5D	12′	37″	24″	301 lbs.	235.70	228.77
73-523/3D	12′	46″	30″, 36″	318 lbs.	242.40	235.72
73-524/1D	12′	58″	42″, 48″	355 lbs.	249.65	242.56

DOUBLE ARM BASE—24,000, 32,000 and 36,000 LB. CAPACITY

Stock No.	Ht.	Base	For Arms	Shpg. Wt.	Net Ea.	Ea. (lots/11)
73-525/8D	8′	53″	12″, 18″	195 lbs.	$176.75	$171.45
73-526/6D	8′	65″	24″	212 lbs.	186.40	180.84
73-527/4D	8′	82″	30″, 36″	237 lbs.	201.90	195.87
73-528/2D	8′	106″	42″, 48″	277 lbs.	215.60	209.43
73-529/0D	10′	53″	12″, 18″	262 lbs.	211.00	204.77
73-530/8D	10′	65″	24″	279 lbs.	220.60	213.98
73-531/6D	10′	82″	30″, 36″	305 lbs.	236.70	229.74
73-532/4D	10′	106″	42″, 48″	345 lbs.	249.85	242.36
73-533/2D	12′	53″	12″, 18″	331 lbs.	247.45	240.27
73-534/0D	12′	65″	24″	348 lbs.	257.10	249.48
73-535/7D	12′	82″	30″, 36″	374 lbs.	272.55	264.47
73-536/5D	12′	106″	42″, 48″	414 lbs.	286.30	277.86

INCLINED ARMS—3 LENGTHS, 3 DEPTHS

Stock No.	Lgth.	Depth	Cap./Arm	Shpg. Wt.	Net Ea.	Ea. (lots/11)
73-551/4D	12″	5″	3000 lbs.	12 lbs.	$13.75	$13.34
73-552/2D	18″	7″	2500 lbs.	14 lbs.	14.55	14.19
73-553/0D	24″	9″	2000 lbs.	16 lbs.	15.60	15.13

BRACE SETS FOR COLUMN—3′ TO 6′ WIDE COLUMN CENTERS

Stock No.	Width	For Columns	Sold Per	Shpg. Wt.	Net Ea.	Ea. (lots/11)
73-554/8D	3′	8′ ht.	Set of 2	34 lbs.	29.35	28.56
73-555/5D	6′	8′ ht.	Set of 2	62 lbs.	53.80	52.17
73-556/3D	3′	10′, 12′ ht.	Set of 3	51 lbs.	46.75	45.37
73-557/1D	6′	10′, 12′ ht.	Set of 3	93 lbs.	76.80	74.50

STANDARD STRAIGHT ARM—7 LENGTHS

NO LIP	WITH LIP	Lgth.	Cap./Arm	Lbs.	Net Ea.	Ea. (lots/11)
73-537/3D	73-538/1D	12″	3000 lbs.	11	$13.55	$13.14
73-539/9D	73-540/7D	18″	2500 lbs.	13	14.30	13.87
73-541/5D	73-542/3D	24″	2000 lbs.	15	15.15	14.73
73-543/1D	73-544/9D	30″	1600 lbs.	17	17.05	16.73
73-545/6D	73-546/4D	36″	1300 lbs.	20	17.40	16.89
73-547/2D	73-548/0D	42″	1145 lbs.	22	18.85	18.28
73-549/8D	73-550/6D	48″	1000 lbs.	24	19.80	19.21

Low-Cost! Free-Standing!

Steel Storage Racks with Easy Button-On Arms

● Heavy-duty for maintenance depts., tool rooms . . . for turret lathe and screw machine

Easy to assemble rack becomes a heavy-duty storage unit . . . you can remove or load up to 2000 lbs. of pipe, bar stock or conduit at one time with lift truck. Cantilever arm design makes every piece of stock readily available for manual loading or removal. Single, or double column units afford easy, safe, capacity engineered storage. Arms adjust on 4" centers—adapt to your changing needs. Each arm holds 1000 lbs. FOB Ill.

Each individual arm has 1000-lb. capacity! Arms offer flexible positioning—no nuts or bolts to attach! Just "button on"!



ARM COLUMN BASES

Stock No.	Type	Shpg. Wt.	Net Each	Each (lots/11)
73-558/9D	Single arm	96 lbs.	$ 93.05	$ 90.46
73-559/7D	Double arm	115 lbs.	109.95	106.69

FLAT ARMS WITH LIP—2 LGTHS.

Stock No.	Lgth.	Shpg. Wt.	Net Each	Each (lots/11)
73-561/3D	12″	4½ lbs.	$11.70	$11.35
73-563/9D	16″	6 lbs.	12.35	11.98

INCLINED ARMS—2 LGTHS.

Stock No.	Lgth.	Shpg. Wt.	Net Each	Each (lots/11)
73-560/5D	12″	4½ lbs.	$11.70	$11.35
73-562/1D	16″	6 lbs.	12.35	11.98

BRACE SET FOR COLUMN BASES

Stock No.	Col. Center	Shpg. Wt.	Net Each	Each (lots/11)
73-564/7D	3′	40 lbs.	$57.50	$55.84
73-565/4D	6′	70 lbs.	76.20	73.94

Only **$142.56**

36" wide rack holds bar stock twice as long! Protects stock!

Welded Vertical Shelf Rack Holds 3000 Lbs. Bar Stock

Tough welded construction . . . rack is 36" wide, 24" deep, 84" high overall. Arms extend 8" beyond shelves which act as separators. Four shelves are 16-ga. steel, frame is 1½" angle iron. One rack stores a total of 3000 lbs. of hard-to-store bar stock. Finished in gray enamel to resist rust. Shpg. wt. 110 lbs. FOB Mass.

73-593/6D—Net each **$142.56**

MINI MODULES SOLVE STORAGE PROBLEMS —SAVE TIME, WORK AND $$$

Easy one-man set-up . . . and take-down!

Up to 25,000 lb. capacity in pairs

Simple, flexible storage system adapts for all types of materials . . . can be expanded in width, height and length. One man can set it up . . . or rearrange racks to meet changing requirements. Materials stored in Mini-Modules are accessible as individual pieces—removal is fast and convenient, cut-off lengths can be returned to storage and quickly identified next time needed. Racks stack to 8 or 10 layers high. FOB Neb.



- **Strong! Lightweight! Easily adapted!**
- **Pre-fabricated—to build out, up!**
- **Makes the hard-to-store manageable!**
- **Choose single or multiple compartmented**
- **All are heavy-duty welded steel!**
- **No tools or fitting needed for assembly**
- Color painted safety orange

MINI-MODULE single compartment racks

Stock Number	Capacity Each in Lbs.	Dimensions in In. A	B	C	D	E	F	Shpg. Wt.	Net Each 1-12	13/up
73-206/5D	2500	13½	16	12	12	8	12	17 lbs.	$21.79	$21.13
73-207/3D	3700	17	19	15	15	10	14	28 lbs.	27.92	27.10
73-208/1D	5600	20½	22	18	18	11	15	34 lbs.	32.47	31.61
73-209/9D	7500	23½	26	20	22	12	16	62 lbs.	48.79	47.42



- **Multiple sections and common post construction**
- **Less space required**
- **Depth of all units is same—see drawings**

MINI-MODULE multiple compartment racks

Stock Number	No. Sections	Capacity Each in Lbs.	Dimensions in Inches A	B	C	D	E	F	Shpg. Wt.	Net Each 1-12	13/up
73-235/4D	2	5,000	12	12	30	8	13½	12	29 lbs.	$36.86	$35.77
73-236/2D	3	7,500	12	12	44	8	13½	12	47 lbs.	47.14	45.73
73-237/0D	4	10,000	12	12	58	8	13½	12	69 lbs.	59.96	58.76
73-238/8D	5	12,500	12	12	72	8	13½	12	95 lbs.	82.26	79.89

Industrial Heavy-Duty Stackable U-Racks



Industrial Duty

As Low As $23.44 in quantity

Heavy-Duty

- **Instant set-up**
- **Quick change**
- **All Strong steel**

Instant storage aids . . . when and where you need them! Set 'em up quickly! Move them to suit the job requirements! Store 'em till you need 'em again! No work space wasted on costly, permanent racks! Lightweight but strong. Easily carried by one man . . . handles allow a firm grip when moving or stacking. Strong steel thruout. FOB Ohio.

[A] HEAVY-DUTY U-RACKS

Capacity of 10,000 lbs. per pair (with even weight distribution). 25"Lx19¼"Hx4"W. Wt. 28 lbs.
73-210/7D—Net each (lots/1-24) $31.50
Each (lots of 25 and up) **$29.96**

[B] INDUSTRIAL-DUTY U-RACKS

Capacity of 6000 lbs. per pair (with even weight distribution). 25"Lx17½"Hx5"W. Wt. 25 lbs.
73-568/8D—Net each (lots/1-24) $24.67
Each (lots of 25 and up) **$23.44**

Portable Bar Stock Rack

[C] MOBILE TILTING RACK

- **Moves 2000 lbs. right to the machine**
- **Flange top tilts to 45 degrees**
- **Strong welded frame raises to 42"**

Eliminates additional handling. Moves hard to handle bar stock . . . simplifies and speeds handling, feeding of strip steel and bar stock to punch presses, shears, and screw machines. No unloading or transferring. Flange top can be raised or lowered, tilted to 45°. Frame is tough tubular steel, welded for lasting strength and stamina. 30" wide assures stability. Top is 20" wide, 6" high . . . lowers to 30", raises to 42". Truck rolls on 5" diameter roller bearing steel casters. FOB Mass. Shpg. wt. 270 lbs.

Stock Number	Top Length	Net Each
73-569/6D	6 ft.	$387.25
73-570/4D	8 ft.	399.74
73-571/2D	10 ft.	412.22

FLOOR LOCK turns portable rack into a sturdy stand for feeding bar stock from a firm stationary base. Wt. 5 lbs.
73-572/0D — Net each **$34.46**



Super-Capacity Rack Moves 5000-Lb. Loads

only $549.67

[D] EXTENDABLE BAR RACK

- **Arms extend to 12' length**
- **One truck moves most stock!**

Improve your material handling operations without investing in a fleet of trucks. This extendable portable bar rack offers efficient handling of short and long lengths of tubing, pipe and bar stock wieghing up to 5000 lbs. Arms extend to 12' by means of channels; base is 3" channel covered with heavy-gauge steel . . . arms are 3" channel with 2" high bars welded at an angle. Rack rolls and turn smoothly on two 12"x3" phenolic wheels and two 6" x 2" swivel casters mounted in diamond pattern for 1½" tilt. Gray finish. FOB Mass. 500 lbs.
73-617/3D—Net ea. $549.67

PENCO Extra-Heavy Load Pallet Racks to 30,000 lbs.



Withstands impact of power equipment!

HIGH TENSILE STRENGTH, HIGH YIELD RACKS MEET OR EXCEED RACK MFR'S INST., AMERICAN IRON & STEEL INSTITUTE SPECS!

Easy-To-Order Components/ Create High Load Capacities . . . Adapt Them To Your Changing Storage Requirements!

UPRIGHT FRAMES—ADJUST ON 3" INCREMENTS

Panels	Frame Ht. (in.)	Frame Dp. (in.)	STANDARD LOAD 18,000-lb. Max. Stk. No.	Lbs.	Net Ea.	HEAVY LOAD 24,000-lb. Max. Stk. No.	Lbs.	Net Ea.	EXTRA HEAVY LOAD 30,000-lb. Max. Stk. No.	Lbs.	Net Ea.
1	72	36	51-520/5D	34	$37.78	51-501/5D	37	$40.39	51-504/9D	40	$44.46
	72	42	51-521/3D	35	39.10	51-502/3D	38	42.00	51-505/6D	41	45.73
	72	48	51-522/1D	36	40.31	51-503/1D	39	42.86	51-506/4D	42	46.81
2	96	36	51-323/4D	47	50.37	51-329/1D	51	53.75	51-507/2D	54	60.17
	96	42	51-324/2D	50	52.78	51-330/9D	54	55.93	51-508/0D	57	61.34
	96	48	51-325/9D	53	54.76	51-331/7D	57	58.28	51-509/8D	60	63.77
2	120	36	51-335/8D	56	56.23	51-341/6D	61	63.50	51-346/5D	69	70.20
	120	42	51-336/6D	59	57.77	51-342/4D	64	65.67	51-347/3D	73	72.39
	120	48	51-337/4D	60	63.47	51-343/2D	65	67.97	51-348/1D	74	75.26
3	144	36	51-352/3D	67	71.77	51-358/0D	74	77.15	51-363/0D	84	85.18
	144	42	51-353/1D	72	74.40	51-359/8D	79	80.32	51-364/8D	89	88.29
	144	48	51-354/9D	76	78.23	51-360/6D	83	83.39	51-365/5D	93	91.46
3	168	36	51-551/0D	76	80.89	51-523/9D	85	87.17	51-526/2D	94	96.21
	168	42	51-552/8D	78	83.67	51-524/7D	89	90.31	51-527/0D	101	99.57
	168	48	51-553/6D	80	87.24	51-525/4D	91	92.35	51-528/8D	103	102.67
3	192	36	51-554/4D	87	90.79	51-529/6D	96	98.16	51-532/0D	108	107.74
	192	42	51-555/1D	90	94.00	51-530/4D	100	101.15	51-533/8D	113	111.82
	192	48	51-556/9D	93	97.28	51-531/2D	102	104.45	51-534/6D	115	113.73



3-panel



2-panel

1-panel

Quick, Easy Installation . . . without special tools, nuts, bolts or loose pieces. Maximum load bearing capacity indicated on each beam, post.

Completely Interchangeable—Any beam shown will fit any frame shown. Racks are 36", 42" or 48" deep.

Just Two Basic Elements! Upright frames comprise two vertical posts joined together securely with MIG-welded horizontal and diagonal braces. Unique slanted locking slots for ease of adjustment . . . greater stability. Beams lock six ways—right to left, front to back, up and down! Holes are punched entire length of post providing 3" adjustability and offering a safety load factor of 1.92.

Choice of One or Two-Piece Beams . . . in five heights. M-design recessed configuration provides added strength. Beams are finished in safety yellow baked-on enamel applied over phosphatized surfaces. Two-piece beam sections are securely MIG-welded together on 8" centers.

Upright Frames come in three load carrying capacities. M-recessed configuration for added strength. Various load rated frames may be combined for maximum economy. Support holes are punched the entire length of each end post to give 3" adjustability . . . and permit beam placement within 9" of floor. Gray baked-on enamel—over phosphatized surfaces.

Penco Works for You . . . beams and uprights form a "bay" of rack for storage of parts, equipment. Unprecedented strength from a simplified set-up system. Coordinating accessories afford storage flexibility, economy, safety: choose ¾" plywood supports . . . rack row spacer to maintain desired spacing between two rows of rack back-to-back (boltless) . . . heavy-duty solid or spaced steel deck (space decking with openings eliminates need for additional sprinkler lines.

Quick Shipment—Penco's famous express ship program gets all components to you in just a few weeks. ALL FOB Pa.

ONE-PIECE BEAMS WITH ⅞" STEP

Clear span is measured from inside frame to inside frame. Load ratings are based on uniformly distributed loads per pair of beams. Safety factor 1.65 on minimum yield. Overall height is 3½"—available in four load capacities, four sizes.

3½" OVERALL HEIGHT					
Clear Span	Load Cap.	Deflection	Stock Number	Lbs. Pr.	Net Pair
60"	5790	.218	51-536/1D	34	$35.92
92"	3750	.511	51-375/4D	49	49.68
96"	3590	.533	51-376/2D	51	51.30

TWO-PIECE BEAMS WITH 1⅝" STEP

3" OVERALL HEIGHT						4" OVERALL HEIGHT					
CLEAR SPAN	Load Cap.	Deflection	Stock Number	Wt. Lbs. Per Pr.	Net Pair	CLEAR SPAN	Load Cap.	Deflection	Stock Number	Wt. Lbs. Per Pr.	Net Pair
92"	5055	.511	51-537/9D	63	$52.72	96"	7340	.454	51-539/5D	73	$61.85
96"	4840	.533	51-377/0D	66	51.33	108"	6510	.575	51-381/2D	82	69.89
108"	3855	.600	51-378/8D	73	62.21	120"	6180	.667	51-382/0D	91	76.97
3½" OVERALL HEIGHT						5" OVERALL HEIGHT					
96"	6000	.514	51-379/6D	70	$60.42	120"	7905	.635	51-541/1D	102	$85.51
108"	5360	.600	51-380/4D	78	66.18	144"	6553	.800	51-542/9D	120	101.53
120"	4485	.667	51-538/7D	85	72.84						

½" PLYWOOD SUPPORT

Support sheets of ½" plywood on ⅞" step.

Stock Number	Frame Depth	Wt. (lbs.)	Net Each
51-398/6D	36"	3.8	$3.96
51-399/4D	42"	4.5	4.49
51-400/0D	48"	5.3	5.15

¾" PLYWOOD SUPPORT

Support sheets of ¾" plywood, on 1⅝" step. Three sizes.

Stock Number	Frame Depth	Wt. (lbs.)	Net Each
51-642/7D	36"	6.0	$5.62
51-643/5D	42"	7.1	6.51
51-644/3D	48"	8.2	7.27

Other size depths are available—write Dept. 51

Ask For Our SPECIAL QUANTITY DISCOUNTS



Top Flush Beam permits full deck mezzanine installation.

Integral Beam Locking Key for safety! Holds up to 4000 lbs. load! Recessed — no snag! Adjusts without tools!



Foot Plate anchors upright to floor. It's heavy-gauge steel — distributes load over 13.7 sq. in. Welded to post!

Reinforced Beam Connectors for lateral stability 3-prongs for uniform load distribution . . . 8½" long.

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

Angles Are In-Stock for Immediate Shipment
Hundreds of Time-Work-and-Moneymaking Applications

Build parts storage systems

Build stairways

Build work tables or benches



Easy assembly with just basic tools

IN STOCK IMMEDIATE SHIPPING

Build It Yourself and Save with Famous Quality BAY Slotted Steel Angles—It's Easy and Economical

IN STOCK IMMEDIATE SHIPPING

CUSTOM BUILD STORAGE EQUIPMENT . . . when and where you need it, at minimum cost! No special tools are needed, no special skills are required. You can build to your own specifications. Utilize wasted corners, aisles, and recesses. You save labor costs . . . slotted angles need no painting, drilling or welding. They can be re-used over and over again, eliminating obsolescence in your equipment expenditures. Once the structure you've built has outlived its usefulness, it can be dismantled, the angles put back in storage . . . and then re-used when another piece of equipment is needed. Angles nest and store easily.

SLOTTED ANGLES ARE STRONG . . . AND EASY TO USE! Just make a simple round sketch of what you need and show dimensions in multiples of 3 inches (angles are pre-measured with built-in marks every 3 inches so you need no ruler as you build). Just cut the angles to desired lengths and assemble! Bolt sections or pieces together with an ordinary wrench . . . or order the Kwik-Klips below for even faster assembly. All angles are completely maintenance-free and interchangeable with other leading brands. They won't rust, splinter, warp or run slivers into your fingers because they're superior strength steel, coated with handsome gray baked enamel.

C&H PRICES ARE THE BEST . . . and you realize the savings even more when you use these slotted steel angles to build equipment to your own design specifications. Full line of BAY products available, contact our Dept. 6.

BUY AT WHOLESALE FROM C&H AND GET MORE FOR YOUR MONEY!

125 ANGLE PACKAGE

Ten 10' lengths with one package of 75 bolts and nuts (5/16"x5/8") and 20 gusset plates. 14-gauge 1.25"x1.25"x.080". Pkg. wt. 57 lbs.
73-701/5AP—List $60.70. Ea. pkg. **$54.63.**
Each package (lots/3) **$51.89.**
Each package (lots/12) **$49.29**

160 ANGLE PACKAGE

Ten 10' lengths with one package of 75 bolts and nuts (5/16"x5/8") with 20 gusset plates. 14-gauge 1.57"x1.57"x.080". Pkg. wt. 70 lbs.
73-703/2AP—List $70.98. Ea. pkg. **$63.87.**
Each package (lots/3) **$60.67.**
Each package (lots of 12) **$57.63**

225 ANGLE PACKAGE

Ten 10' lengths with one package of 75 bolts and nuts (5/16"x5/8"). 14-gauge steel 2.32"x1.61"x.080". Package weight 85 lbs.
73-704/9AP—List $84.67. Ea. pkg. **$76.20.**
Each package (lots of 3) **$72.39.**
Each package (lots of 12) **$68.77**
Same as above, but designed for larger projects: includes eight 12½' lengths of 225 angle with one package of 75 bolts and nuts (5/16"x5/8"). Angles are 14-gauge 2.32"x1.61"x.080". Pkg. wt. 85 lbs.
73-705/6AP—List $84.67. Ea. **$76.20.**
Eack package (lots of 3) **$72.39.**
Each package (lots of 12) **$68.77**

312 ANGLE PACKAGE

Ten 10' lengths of 312 angle with one package of 75 bolts and nuts (5/16"x¾"). Angles are 12-ga. 3.12"x1.61"x.104". Package weight is 136 lbs.
73-706/4AP—List $115.17. Ea. pkg. **$103.66.**
Each package (lots of 3) **$98.46.**
Each package (lots of 12) **$93.53**
Same as above, but designed for larger projects: includes eight 12½' lengths with one package of 75 bolts and nuts (5/16"x¾"). Angles are 12-ga. 3.12"x1.61"x.104". Package wt. is 136 lbs.
73-707/2AP—List $115.17. Ea. pkg. **$103.66**
Each package (lots of 3) **$98.46.**
Each package (lots of 12) **$93.53**

Accessories Help Even the Amateur Effect Fast, Easy Set-Up

Steel footplates bolt to bottom of columns. 2¾"x2¾" size with tab for mounting. Wt. 2 lbs. per pkg. of 10.
73-712/2AP—Net ea. pkg..... **$3.50**

FOOT PLATES



BOLTS & NUTS

Box of 75 bolts, nuts—nut is serrated for permanent locking. 2 lbs. per box.
73-728/8AP—5/16"x5/8".
Net box **$6.74**

ANGLE CUTTER



Cuts all sizes of angles burr-free in one easy stroke. Short pieces can be used as cleats and braces—saves time and money. Cutter is portable, economical, handy to have. 21 lbs.
73-709/8A—Net each **$95.67**

GUSSET PLATES

Steel corner plates for use with 125 and 160 angles. Wt. 2 lbs. pkg./10.
73-710/6AP—Net ea. pkg..... **$2.65**
For 225 and 312 angles. Pkg./10.
73-708/0AP—Net ea. pkg..... **$6.89**



Instant Assembly! Clips Lock Angles Together Fast

No more nuts or bolts! Kwik-Klips of case hardened steel have no threads to weaken load capacity. Studs are 5/16" in diameter. Clips attach with fingertip pressure—one strike of hammer locks angles firmly with greater surface tension. Pkg. 50 clips/studs.
73-702/3AP—
Net each pkg..... **$5.77**

C & H — FOR OVER FORTY YEARS ON-TIME DELIVERY PLUS CUSTOMER SATISFACTION.



PALLET RACKS



BARREL RACKS



SCAFFOLDS

ROTA-LOCK to Custom Build Racks, Scaffolds

IN STOCK IMMEDIATE SHIPPING



BAR RACKS



ALL-PURPOSE USE

WE SHIP UPS WHEN POSSIBLE

One Screw Locks Two Pipes with 8000-Lb. Grip . . . Easy, Economical, Re-Usable! No-Slip, too!

Place Rota-Look around pipe . . . | Insert saddle . . . | Tighten screw!

CHECK THESE OUTSTANDING FEATURES:

SINGLE SCREW LOCKING ACTION—Installation takes only a few seconds. On screw locks both pipes. Just two parts . . . open-steel loop and high-strengt saddle. All plated for freedom from rust.

NO-SLIP LOCKING PRINCIPLE—The leverage screw rocks or rotates the saddl until the teeth bite into the pipe surface, like the jaws of a pipe wrench. Rota-Loc locks on the pipe rather than merely clamping by friction.

OPEN LOOP DESIGN—It wraps around the pipe at any point desired withou taking it over the end of the pipe. Permits instant installation anywhere, anytime on new or existing structures. It also permits removal of any pipe level withou dismantling the entire structure. No pipe threads to cut.

REMARKABLE RIGIDITY—The right angle grip of the Rota-Lock creates the hig degree of rigidity required for most applications.

100% REUSABLE—Since there is no drilling, welding or pipe threading . . . Rota Lock structures are quickly dismantled and reusable.

8000 LBS. GRIP—All Rota-Locks, properly installed, can develop this amazing ca pacity, permitting 4000 lbs. grip with a safety factor of 2.

GREAT FOR THESE APPLICATIONS!

- Heavy wire coil storage
- Gravity storage
- Boat marinas and mfrs
- Tire service centers
- Work stands
- Lumber racks
- Bar stock storag

Stk. No.	Pipe Size	Shpg. Wt.	Ea. (lots/1-99)	Ea. (lots/100-399)	Ea. (lots/400
73-298/2A	1x1"	¾ lb.	$4.40	$4.29	$4.18
73-313/9A	1¼x1¼"	1¼ lbs.	5.00	4.90	4.78
73-299/0A	1½x1½"	1½ lbs.	6.05	5.83	5.61
73-300/6A	2x2"	2 lbs.	8.30	8.14	7.75

Never-Rust Slip-On Aluminum Fittings



WE SHIP UPS WHEN POSSIBLE

Build It Yourself, Save Money! Easy Slip-On Fittings Let You Use Tubing and Pipe to Build Strong, Rigid Work-Storage Structures

Completely maintenance-free! These strong slip-on fittings are aluminum alloy—no rust, no corrosion, no painting either! Fittings hold tight, build sturdy, rigid structures at a fraction of the cost of pre-built units! Quick assembly—no threading or bolting. You utilize available tubing or piping to build lasting structures . . . or temporary ones to meet your changing needs! Fittings are 100% re-usable . . . fits standard pipe sizes. FOB Wis.

Work platforms



Racking

Storage shelves



Railings

BEAT INFLATION! BUY AT WHOLESALE FROM C&H

JOINING TEE

73-211/5D—¾"	$3.11
73-212/3D—1"	3.60
73-213/1D—1¼"	4.13
73-414/5D—1½"	5.30



ADJUSTABLE CROSS

73-423/6D—¾"	$5.22
73-424/4D—1"	5.77
73-425/1D—1¼"	8.10
73-426/9D—1½"	9.57

RECT. BASE FLANGE

73-439/2D—¾"	$2.77
73-440/0D—1"	3.17
73-441/8D—1¼"	3.73
73-442/6D—1½"	4.63

ELBOW

73-415/2D—¾"	$3.15
73-416/0D—1"	3.42
73-417/8D—1¼"	3.90
73-418/6D—1½"	5.80

SIDE OUTLET ELBOW (with plug)

73-431/9D—¾"	$4.20
73-432/7D—1"	4.68
73-433/5D—1¼"	5.72
73-434/3D—1½"	6.80



ADJUSTABLE TEE OR BRACE

73-402/0D—¾"	$4.30
73-403/8D—1"	5.65
73-495/4D—1¼"	7.12
73-496/2D—1½"	8.70



ADJUSTABLE ELBOW

73-497/0D—¾"	$4.42
73-498/8D—1"	5.22
73-499/6D—1¼"	7.17
73-500/1D—1½"	8.47

CROSSOVER

73-443/4D—¾"	$3.90
73-444/2D—1"	4.75
73-445/9D—1¼"	5.88
73-446/7D—1½"	6.78

SIDE OUTLET TEE

73-427/7D—¾"	$3.62
73-428/5D—1"	4.10
73-429/3D—1¼"	4.97
73-430/1D—1½"	6.30

ROUND BASE FLANGE

73-435/0D—¾"	$2.52
73-436/8D—1"	3.33
73-437/6D—1¼"	3.87
73-438/4D—1½"	4.97



PLUG

73-447/5D—¾"	$.68
73-448/3D—1"	.73
73-449/1D—1¼"	.77
73-450/9D—1½"	.97

CROSS

73-419/4D—¾"	$3.33
73-420/2D—1"	3.52
73-421/0D—1¼"	4.52
73-422/8D—1½"	6.77



RAILING STEP & LANDING

73-501/9D—¾"	$6.67
73-502/7D—1"	8.10
73-503/5D—1¼"	11.10
73-506/8D—1½"	12.88

- Build It Yourself
- Save $$$
- Quick Assembly
- Save Time
- Rigid Units
- For Work
- For Storing

C & H — FOR OVER FORTY YEARS ON-TIME DELIVERY PLUS CUSTOMER SATISFACTION.

Kee Klamps for Instant Construction

Simple! Low cost! Unlimited applications! All you need is an Allen wrench to assemble any Kee-Klamp structure. No threading, welding, drilling or bolting! Pre-cut pipe slips into Kee-Klamp sockets . . . locks securely with set screws to offer heavy direct load capacity. Kee-Klamps are strong galvanized malleable iron "slip-on" fittings made for standard pipe from ½" to 2" equivalent tube or conduit.

WE SHIP UPS WHEN POSSIBLE

LARGEST SELECTION—IN STOCK FOR IMMEDIATE SHIPPING

Builds shelving


Railings


Boat docks

SLIP-ON FITTINGS assemble 1-2-3!

Set screw

Slip-on fitting

No threading

SAVE UP TO 50% ON LABOR COSTS—100% REUSABLE



BEAT INFLATION! BUY AT WHOLESALE FROM C&H

Nom. Pipe Size	½"	¾"	1"	1¼"	1½"	2"
Pipe O.D.	.84	1.05	1.315	1.66	1.9	2.375
Kee Klamp I.D.	.87	1.09	1.375	1.72	1.94	2.44

Style No.	Ordering Number	Description	For Nom. Pipe Size	Wt. Oz.	Net Each
10-4	73-024/2A	Single socket tee	½"	4¼	$2.70
10-5	73-025/9A		¾"	9	2.16
10-6	73-026/7A		1"	8¾	2.44
10-7	73-027/5A		1¼"	14	3.43
10-8	73-028/3A		1½"	20	4.17
10-9	73-029/1A		2"	39	7.58
12-6	73-035/8A	45° Single socket	1"	14	$4.60
14-4	73-042/4A	Straight coupling	½"	5	$2.70
14-5	73-043/2A		¾"	9	2.44
14-6	73-044/0A		1"	15	2.97
14-7	73-045/7A		1¼"	20	3.78
14-8	73-046/5A		1½"	20	4.39
14-9	73-047/3A		2"	35	5.86
15-4	73-048/1A	Elbow 90°	½"	4½	$2.76
15-5	73-049/9A		¾"	12	3.04
15-6	73-050/7A		1"	10	3.20
15-7	73-051/5A		1¼"	25	4.17
15-8	73-052/3A		1½"	22	5.28
15-9	73-053/1A		2"	47	11.18
16-5	73-054/9A	Bolt-on tee	¾"	11	$5.80
16-6	73-055/6A		1"	14¾	5.80
16-7	73-056/4A		1¼"	17	6.97
16-8	73-057/2A		1½"	19	8.48
16-9	73-058/0A		2"	34	9.72
17-5	73-059/8A	Clamp-on crossover	¾"	4½	$2.16
17-6	73-060/6A		1"	8	2.38
17-7	73-061/4A		1¼"	14	3.43
17-8	73-062/2A		1½"	16	3.94
20-4	73-063/0A	Side outlet elbow	½"	6½	$3.89
20-5	73-064/8A		¾"	17	3.89
20-6	73-065/5A		1"	20	4.24
20-7	73-066/3A		1¼"	30	5.86
20-8	73-067/1A		1½"	38	7.22
21-4	73-068/9A	Two socket tee 90°	½"	4¾	$3.27
21-5	73-069/7A		¾"	12	3.04
21-6	73-070/5A		1"	11	3.56
21-7	73-071/3A		1¼"	19	4.77
21-8	73-072/1A		1½"	23½	5.57
21-9	73-073/9A		2"	48	9.67
25-4	73-086/1A	Three socket tee 90°	½"	7	$3.82
25-5	73-087/9A		¾"	17	3.96
25-6	73-088/7A		1"	13½	3.96
25-7	73-089/5A		1¼"	25	5.24
25-8	73-090/3A		1½"	30	6.44
25-9	73-091/1A		2"	73	12.32

Important! Use the C&H Stock Number When Ordering

Style No.	Ordering Number	Description	For Nom. Pipe Size	Wt. Oz.	Net Each
26-4	73-092/9A	Two socket cross	½"	5½	$3.75
26-5	73-093/7A		¾"	13	3.36
26-6	73-094/5A		1"	11	3.65
26-7	73-095/2A		1¼"	20	4.77
26-8	73-096/0A		1½"	24	5.57
26-9	73-097/8A		2"	52	9.72
29-6	73-800/5A	30 to 60° single socket tee	1"	13½	$3.94
29-7	73-801/3A		1¼"	23½	5.06
29-8	73-802/1A		1½"	24	5.80
35-4	73-099/4A	Side outlet tee	½"	6¾	$4.39
35-5	73-100/0A		¾"	17	4.00
35-6	73-101/8A		1"	20	4.99
35-7	73-102/6A		1¼"	32	5.86
35-8	73-103/4A		1½"	38	7.36
35-9	73-104/2A		2"	65	14.86
40-5	73-106/7A	Four socket cross	¾"	21	$5.80
40-6	73-107/5A		1"	28	6.91
40-7	73-108/3A		1¼"	46	9.28
40-8	73-109/1A		1½"	53	10.24
40-9	73-110/9A		2"	85	20.35
45-4	73-111/7A	Crossover	½"	4¼	$2.70
45-5	73-112/5A		¾"	9	2.24
45-6	73-113/3A		1"	9½	2.67
45-7	73-114/1A		1¼"	15	3.50
45-8	73-115/8A		1½"	19½	4.31
45-9	73-116/6A		2"	32	6.17
46-4	73-117/4A	Combination socket tee and cross-over	½"	5½	$3.61
46-5	73-118/2A		¾"	14	3.04
46-6	73-119/0A		1"	13½	4.17
46-7	73-120/8A		1¼"	20	5.06
46-8	73-121/6A		1½"	28	5.86
46-9	73-122/4A		2"	57	9.88
50-44	73-128/1A	Single swivel socket	½"	5	$4.32
50-55	73-129/9A		¾"	20	5.03
50-66	73-130/7A		1"	23	5.31
50-77	73-131/5A		1¼"	28	5.80
50-88	73-132/3A		1½"	31	6.62
50-99	73-133/1A		2"	50	13.08
51-555	73-134/9A	Double swivel socket	¾"	35	$10.33
51-666	73-135/6A		1"	36	10.36
51-777	73-136/4A		1¼"	47	11.00
51-888	73-137/2A		1½"	52	12.20
51-999	73-138/0A		2"	84	22.13

Style No.	Ordering Number	Description	For Nom. Pipe Size	Wt. Oz.	Net Each
52-555	73-139/8A	Corner swivel socket	¾"	37	$11.00
52-666	73-140/6A		1"	38	11.08
52-777	73-141/4A		1¼"	48	11.52
52-888	73-142/2A		1½"	50	12.49
61-4	73-143/0A	Medium flange	½"	8¼	$2.90
61-5	73-144/8A		¾"	11	2.50
61-6	73-145/5A		1"	14	2.90
61-7	73-146/3A		1¼"	21	3.65
61-8	73-147/1A		1½"	26	4.60
61-9	73-148/9A		2"	36	6.70
62-5	73-149/7A	Railing flange	¾"	19	$4.77
62-6	73-150/5A		1"	26	5.35
62-7	73-151/3A		1¼"	30	6.09
62-8	73-152/1A		1½"	35	7.51
64-6	73-154/7A	Offset rail hanger	1"	29	$8.03
64-7	73-155/4A		1¼"	36	10.46
70-5	73-156/2A	Standard rail hanger	¾"	13	$3.50
70-6	73-157/0A		1"	15	3.50
70-7	73-158/8A		1¼"	16	5.06
70-8	73-159/6A		1½"	24	6.33
75-5	73-162/0A	Collar or stop	¾"	4	$1.56
75-6	73-163/8A		1"	5	1.69
75-7	73-164/6A		1¼"	6	1.87
75-8	73-165/3A		1½"	7	2.16
76-5	73-166/1A	Hook—chain or rope	¾"	5	$2.16
76-6	73-167/9A		1"	7	1.87
76-7	73-168/7A		1¼"	9	2.44
76-8	73-169/5A		1½"	9	2.48
77-5	73-624/9A	Plastic Cap (Drive-in-fit)	¾"	¼	$ .40
77-6	73-625/6A		1"	¼	.47
77-7	73-626/4A		1¼"	½	.64
77-8	73-627/2A		1½"	½	.64
77-9	73-628/0A		2"	¾	.84
78-5	73-170/3A	Hinge eye fitting	¾"	7	$2.30
78-6	73-171/1A		1"	8	2.38
78-7	73-172/9A		1¼"	9	2.83
78-8	73-173/7A		1½"	9	2.97
83-5	73-174/5A	Hinge pin fitting	¾"	8	$2.44
83-6	73-175/2A		1"	9	2.67
83-7	73-176/0A		1¼"	10	3.43
83-8	73-177/8A		1½"	10	3.56
143-5	73-451/7A	Swivel flange	¾"	26	$5.08
143-6	73-452/5A		1"	28	5.08
143-7	73-453/3A		1¼"	30	5.50
143-8	73-454/1A		1½"	32	6.02
143-9	73-455/8A		2"	45	10.16

For additional styles, write Dept. 73 for a Free Kee-Klamp Catalog.

RATCHET WITH BIT—For ¾"-1"-1¼"-1½"-2". 73-629/8A—Wt. 1 lb. Net each $15.39

Save! Tough Heavy-Duty Work Benches at Wholesale

As low as $67.79

Heavy-Duty Steel-Top Bench with Rigid Welded Legs

- **Can be customized with accessories below**

Features a super smooth, gouge-proof surface of tough 12-ga. steel, rated at 250 lbs. per sq. ft., handles big jobs. No upkeep worries, no maintenance—bench top is easily cleaned, will not become oil-soaked or cracked because the surface is completely non-porous. Flared legs are 14-ga. steel to increase rigidity. All Phosphatized to resist rust, gray finish to stay attractive. 34" work height. Shipped KD.

Stock No.	Top Size	Wt. Lbs.	List	Each	Each (lots/3)	Each (lots/10)
53-026/1A	48x30"	101	$ 94.86	$ 74.67	$70.93	$67.79
53-027/9A	60x30"	110	101.62	79.99	75.99	72.92
53-028/7A	72x30"	126	115.81	91.77	86.61	82.72
53-029/5A	72x36"	147	129.35	102.68	96.75	91.90

Tough "Butcher Block" Work Bench with Laminated Maple Work Surface Top

- **The perfect work surface: 1¾" thick laminated maple**

Edge-grained maple can't be beat for strength and service . . . it's harmless to sharp tools, easy on delicate machine parts, and because there is no thin, brittle surface to crack, it can withstand heavy blows. It can be refinished dozens of times because it's laminated through and through . . . there is no soft core. This laminated, bonded self-supporting panel is ideal for machine and wood working, tool and die, assembly, electrical work, industrial arts, and fabric and paper layout and cutting. And it's warp-resistant. Complete bench includes legs.

TOP SIZE	COMPLETE WORK BENCH					LAMINATED TOP ONLY				
	Stock No.	Lbs.	List	Each	(Lots/3)	Stock No.	Lbs.	List	Each	(Lots/3)
60"x30"	53-625/0A	122	$252.75	$143.42	$133.38	53-622/7A	90	$210.71	$103.96	$96.67
72"x30"	53-626/8A	140	293.12	166.70	154.57	53-623/5A	108	248.97	124.74	116.06
72"x36"	53-627/6A	167	339.90	193.77	180.20	53-624/3A	126	292.97	149.71	139.23

Duratop Bench Handles Toughest Industrial Jobs

- **Treated 1¾" thick top is smooth, slick, water-resistant**

Resists acids, oils, grease, abrasions. Duratop surface has core of edge-glued hardwood—edges are clear hardwood lumber sanded smooth with tinted sealer, top and bottom are treated sandalwood measuring 3/16" thick. Base consists of 14-ga. steel legs, braced with 14-ga. stringer for rigidity. Ideal for lab work, packing, assembly or work bench. Top can take most anything. Shipped KD.

TOP SIZE	COMPLETE WORK BENCH					BENCH TOP ONLY				
	Stk. No.	Lbs.	List	Each	(lots/3)	Stk. No.	Lbs.	List	Each	(lots/3)
30x60"	53-084/0A	137	$140.36	$93.60	$86.70	53-080/8A	95	$98.44	$64.77	$60.23
30x72"	53-085/7A	160	151.58	105.35	97.96	53-081/6A	115	107.45	73.56	68.90
36x60"	53-086/5A	160	155.32	107.66	98.89	53-082/4A	115	111.18	75.90	69.80
36x72"	53-087/3A	180	166.87	118.88	109.87	53-083/2A	135	122.72	84.13	78.24



Genuine SHOP TOP WORK BENCH Specially Priced at C&H

As Low As $101.85 Complete

- **Strong, smooth multi-layer top for long, dependable service**

Full 1¾" thick top offers unparalled strength and durability . . . the hard glass-smooth surface of phenolic bonded particle board has a core of northern hardwoods. Its edges are smooth and continuous with no openings. Work bench is steady and wobble-free—ideal for most industrial applications.

TOP SIZE	COMPLETE WORK BENCH					SHOP TOP ONLY			
	Stock No.	Lbs.	List	Each	Ea. (lots/3)	Stock No.	Lbs.	List	Each
30"x60"	53-617/7A	119	$192.25	$109.52	$101.85	53-614/4A	87	$161.23	$70.05
30"x72"	53-618/5A	137	210.49	118.56	110.25	53-615/1A	104	166.35	77.09
36"x72"	53-619/3A	164	242.51	134.35	124.94	53-616/9A	126	195.59	90.29

BUY AT WHOLESALE FROM C&H. YOU GET MORE FOR YOUR MONEY.

Accessories for Customizing the Benches Above

IN STOCK IMMEDIATE SHIPPING

BENCH DRAWER—Easy to attach to bench; measures 18¼x23⅞x5⅜" high. Has padlock attachment. Shpg. wt. 22 lbs.
53-030/3A—Net ea. **$25.77.** Ea. (lots/3) **$23.63**

LOWER SHELF—Measures 15" deep with 1" flange at rear for attaching it wts.: 18, 22, 27 lbs.
53-031/1A—48" wide. Net ea. **$16.76.** Ea. (lots/3) **$15.91**
53-032/9A—60" wide. Net ea. **$19.97.** Ea. (lots/3) **$18.96**
53-033/7A—72" wide. Net ea. **$23.36.** Ea. (lots/3) **$21.97**

BACK AND END STOPS—Back stop extends 3" above top on all three sides. End stop corners are rounded. 10, 12, 13, 14 lbs.
53-034/5A—48x30". Net ea. **$14.62.** Ea. (lots/3) **$13.82**
53-035/2A—60x30". Net ea. **$15.92.** Ea. (lots/3) **$14.27**
53-036/0A—72x30". Net ea. **$18.06.** Ea. (lots/3) **$16.49**
53-037/8A—72x36". Net ea. **$19.14.** Ea. (lots/3) **$17.52**

RISER—Storage surface)12" above bench) is 10½" deep with 2" back stop. Uprights bolt to bench. Wts.: 16, 18, 21 lbs.
53-038/6A—48" wide. Net ea. **$24.48.** Ea. (lots/3) **$22.52**
53-039/4A—60" wide. Net ea. **$26.50.** Ea. (lots/3) **$24.75**
53-040/2A—72" wide. Net ea. **$32.59.** Ea. (lots/3) **$30.95**

What Makes a Work Bench Great? Strength, Rigidity, Smooth Surface . . . And Super Savings at C&H!

BUY NOW—AT WHOLESALE—BEAT INFLATION



A
As Low As
$118.45
30"x60"
complete

IN STOCK
IMMEDIATE SHIPPING

1¾" thick top has .050" laminated face

Available as complete work bench . . . or with top only

B
As Low As
$120.67
30"x60"
complete

IN STOCK
IMMEDIATE SHIPPING

2¼" thick top is 30% harder than maple

Buy complete or buy the top only



C
As Low As
$169.18
30"x96"
complete

IN STOCK
IMMEDIATE SHIPPING

Big 96" long top with 12" overhang all around base

Choice of Super strong maple or laminated hardwood

LAMINATED PLASTIC TOP! Choose a Durable, Dependable Work Bench That Won't Wobble!

A SUPER-CLEAN TOP WORK BENCH

The perfect work surface where cleanliness is a "must"—gray linen textured .050" high pressure laminated plastic face over edge glued hardwood lumber crossbanded with hardwood veneer. 1¾" thick and solid as a rock on crossbraced steel base. FOB Milw.

Stock No.	Size	Lbs.	List	Each	Ea. (lots/3)
COMPLETE BENCH					
53-806/6A	30"x60"	110	$153.79	$127.35	$118.45
53-807/4A	30"x72"	125	174.69	143.84	133.76
53-808/2A	36"x72"	145	201.55	159.87	148.65
TOP ONLY					
53-809/0A	30"x60"	70	$111.76	$ 89.40	$ 83.90
53-810/8A	30"x72"	83	132.66	106.13	98.69
53-811/6A	36"x72"	99	144.76	115.81	107.55

B SUPER SHOP-TOP EXTRA THICK BENCH

Super 2¼" thick top! It's 30% harder than maple . . . hard glass-smooth surface of phenolic bonded particle board with core of edge glued hardwood lumber, sanded, smooth, and sealed edges of clear hardwood lumber. Top surface is impervious to diluted acids and most other liquids . . . a sleek clear finish protects the smoothly sanded surface. Super strong and durable from top to bottom—stands 34½" high on well-braced all steel base of tough industrial quality.

Stock No.	Size	List	Each	Ea. (lots/3)
COMPLETE BENCH				
53-812/4A	30"x60"	$199.13	$129.76	$120.67
53-813/2A	30"x72"	217.58	143.84	133.76
53-814/0A	36"x72"	249.29	175.49	163.21
TOP ONLY				
53-815/7A	30"x60"	$137.28	$ 90.29	$83.96
53-816/5A	30"x72"	152.63	104.37	97.05
53-817/3A	36"x72"	193.82	120.21	111.79

Extra-Long Industrial Quality Work Benches with Choice of Tops —Available 30" or 36" Deep

C SUPER 96" LONG WORK BENCHES

Choice of two types of tops, each 2¼" thick, oversize top takes the clutter out of shop jobs . . . top overhangs base 12" on each side, provides an extremely practical work surface with a top impervious to most liquids. Order the complete work bench with strong all welded steel understructure that's been braced for extra rigidity or order just the top for replacement or new installation. All are 34½" high. FOB Milw.

COMPLETE WORK BENCH WITH MAPLE top laminated for life-long strength and durability.

Stock No.	Size	Lbs.	List	Each	Ea. (lots/3)
53-890/0A	30"x96"	205	$381.70	$264.99	$246.43
53-891/8A	36"x96"	240	434.50	312.29	290.42
MAPLE TOP ONLY					
53-892/6A	30"x96"	165	$346.50	$223.52	$207.86
53-893/4A	36"x96"	195	390.50	268.22	249.45

COMPLETE WORK BENCH WITH SHOP-TOP that's phenolic bonded particle board with a core of edge glued hardwood lumber and a highly resistant clear coating.

Stock No.	Size	Lbs.	List	Each	Ea. (lots/3)
53-818/1A	30"x96"	200	$251.24	$181.92	$169.18
53-819/9A	36"x96"	238	263.89	208.27	193.69
SHOP-TOP BENCH TOP ONLY					
53-820/7A	30"x96"	160	$211.64	$140.45	$130.61
53-821/5A	36"x96"	192	230.89	164.21	152.71

Plan to customize your work bench . . . see page 28.
Need a special size? Contact Department B-ER.


Laminted top on patented tension frame
As low as $72.11
• Won't sway or loosen
• Waterproof marine core top
• Height adjusts easily

only $32.14 in quantity

Top Quality Work Benches for Every Need—All at Savings!

One Low Price . . . for a Work Bench That Adjusts for Sit-Down or Stand-Up Use

Super-serviceable work bench has rugged steel channels and waterproof top—plus the versatility of an adjustable height working surface. Top can be used anywhere from 30" high to 36" high—saves you the expenses of investing in different benches for sit-down or stand-up assembly or work. Patented tension frame will not sway or loosen under static or dynamic loads. Tough ¾" thick laminated top is high-density pressed wood—surfaced with a waterproof marine core and supported on all four sides by heavy steel channels. Use anywhere—it won't corrode, splinter, or chip. 12" wide ribbed steel shelf offers storage. FOB Ill.

Stock Number	Top Size	Wt. (lbs.)	Net Each	Stock Number	Top Size	Wt. (lbs.)	Net Each
53-108/7D	24x48"	81	$ 72.11	53-113/7D	30x60"	118	$ 99.05
53-109/5D	24x60"	98	77.53	53-114/5D	30x72"	138	117.22
53-110/3D	24x72"	113	84.82	53-115/2D	30x96"	184	136.44
53-111/1D	24x96"	154	100.17	53-116/0D	36x72"	153	127.10
53-112/9D	30x48"	97	81.29	53-117/8D	36x96"	212	136.44

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

Steel-Framed Bench Is Crossbraced for Extra Rigidity

One of the strongest, most serviceable work benches we've ever offered. Its crossbraced, rigid one-piece welded 16-gauge steel legs are self-supporting. Long-lasting baked-on gray enamel finish stays new looking. Top of hard 1" compressed wood that supports loads of 200 lbs. per sq. ft. Durable industrial quality meets standards of production, assembly, and manufacturing plants and laboratories. Shipped KD—easily assembled. Order optional accessories below to increase work bench versatility. 34" high.

Stock Number	Top Size W x D	Lbs.	List Price	Each	Each (lots/3)	Each (lots/10)
53-049/3A	48"x24"	70	$45.50	$35.77	$33.84	$32.14
53-020/4A	60"x24"	76	56.06	43.88	41.71	39.62
53-046/9A	72"x24"	82	68.45	53.77	50.92	48.37
53-047/7A	60"x30"	83	76.40	59.88	56.85	54.00
53-048/5A	72"x30"	92	85.11	66.88	63.34	59.99

ACCESSORIES TO ADAPT WORK BENCH ABOVE

Stock Number	Description	Size L x D	Wt. Lbs.	Each	Each (lots/3)
53-041/0A	Riser-ledge kit	48x9"	10	$21.88	$20.78
53-021/2A	Riser-ledge kit	60x9"	14	25.57	23.99
53-042/8A	Lower shelf	48x12"	12	13.90	12.98
53-022/0A	Lower shelf	60x12"	16	16.87	16.01
53-023/8A	Drawer (for 24" D)	12x18x4"	12	9.39	8.66

53-102/0A—Adapter. Required for attaching 53-023/8A drawer to 30" depth benches. Each ..... 95¢

Commercial Grade Steel Work Bench with Masonite Top

Rugged, extra stable design eliminates wobble and sag, bench can be bolted to the floor. Masonite top is 48"x24", on fully enclosed side panels and full length shelf of steel—your assurance of storage and rigidity. Convenient 12"x18"x 3¼" drawer. Gray baked enamel finish. Smooth round contours—no sharp edges to snag or catch. 33" high. Shipped KD, easy to assemble. FOB Ill.

53-052/7D—List $86.17. 75 lbs. Each **$68.77.** Each (lots/3) **$64.10**

You Save More When You Buy From C&H!

Stacking Strong Steel Drawers

17¼"x20"x6½" each —drawers glide smoothly on nylon ball bearings



Use singly, in tandem or stacked . . . easy-gliding drawers in case-type frame can be attached to underside or top frame of work bench or stand, or used with base below. When stacked, they bolt together for safety. Each has removable padlock attachment and provision for cylinder lock for theftproof protection.

53-103/8A—Wt. 15 lbs. List $41.69. Ea. **$32.80.** Ea. (lots/3) **$31.16**
53-091/5A—Stacking base with flanged bottom. 8 lbs. Net ea. **$14.77**
53-628/4A—Lock to fit above. Ea. **$2.95** (lots 12) **$2.70**

Rigid 14-Gauge Steel Welded Industrial Bench Legs



- **For custom work benches**
- **Easy assembly with any top**

Build your own work benches, storage platforms, tables, machine mountings. Rugged all-welded steel with punched holes for attaching stringer braces and securing top and lower shelf. Flanged feet have holes for securing legs to floor. Gray. Two legs are needed per bench (order stringers at left)—keep legs on hand, build benches as your requirements demand. 17, 18 lbs.

53-024/6A—30"Wx32"H. Each **$13.03.** Ea. (lots/8) **$12.37**
53-025/3A—36"Wx32"H. Each **$14.11** Ea. (lots/8) **13.40**

STRINGERS COME IN 3 LENGTHS
Husky 14-ga. steel adds superior rigidity to any bench or table you construct with legs at right. Gray. Easy to attach along punched braces. (Not illus.)

Number	L	Lbs.	Each	(lots/4)
53-043/6A	4'	7	$5.44	$5.15
53-044/4A	5'	8	6.99	6.66
53-045/1A	6'	10	8.78	8.33



EQUIPTO

Quality Plus Pedestal Benches Are Heavy-Duty Work Centers with Lock-Up Security

Create extensive unitized work area—select the pedestal bench that meets your needs, the top materials that will give you the long life your work demands. Locking drawers boast full roller suspensions that maintain alignment and allow opening with fingertip ease. Closed cabinets assure dustproof, pilferproof storage of tools and supplies. All have smooth, round contours to eliminate sharp edges that could injure or snag clothing. Benches may be bolted to the floor. FOB Ill., Pa. or Texas.

Padlock hasp standard on all drawers and cabinet bases.

Combination Storage-Work Centers Save Manpower . . . Organize Your Work

A DRAWER-CABINET BENCH

Individually locking drawers and cabinets and a lower recessed shelf provide generous storage in pedestal-equipped strong steel bench. Four drawers in one pedestal, cabinet in the other . . . pedestals are reversible. Size: Steel, 27½"x 34⅛"H, wood, 30"x35¾"H. Four top choices.

Stock Number	Bench Lgth.	Top Material	Rear Rail	Wt. (lbs.)	Net Each
53-011/3D	4'	12-ga. steel	Yes	202	$369.97
53-053/5D	5'	12-ga. steel	Yes	217	385.49
53-054/3D	6'	12-ga. steel	Yes	235	399.23
53-055/0D	4'	Masonite/steel	Yes	209	398.21
53-056/8D	5'	Masonite/steel	Yes	198	417.78
53-057/6D	6'	Masonite/steel	Yes	245	436.58
53-058/4D	5'	Maple	No	233	479.00
53-062/6D	6'	Solid Laminate	No	255	545.39
53-063/4D	5'	Bonded wood	No	219	397.44
53-064/2D	6'	Bonded wood	No	238	416.77

B BENCH-CABINET COMBO

Exceptionally practical combination for the workman . . . two lockable cabinets for tools and supplies and work surface to meet individual needs. Lower recessed shelf offers additional bracing and storage area. Dimensions: Steel, 27½"D, 34⅛"H; wood, 30"Dx35¾"H.

Stock Number	Bench Lgth.	Top Material	Rear Rail	Wt. (lbs.)	Net Each
53-001/4D	4'	12-ga. steel	Yes	179	$297.82
53-002/2D	5'	12-ga. steel	Yes	194	313.64
53-003/0D	6'	12-ga. steel	Yes	209	327.38
53-004/8D	4'	Masonite/steel	Yes	183	326.36
53-005/5D	5'	Masonite/steel	Yes	202	345.93
53-006/3D	6'	Masonite/steel	Yes	219	364.73
53-007/1D	5'	Maple	No	210	407.15
53-008/9D	6'	Laminated maple	No	229	473.54
53-009/7D	5'	Bonded wood	No	196	325.59
53-010/5D	6'	Bonded wood	No	212	344.92

C 8-DRAWER WORK BENCH

Eight big full roller-suspension drawers offer fingertip operation . . . each drawer locks individually for pilferproof protection of expensive tools. Recessed shelf provides added bracing and storage. Up to three additional drawers may be attached to this pedestal bench unit (write for prices). Dimensions: Steel, 27½"Dx34⅛"H; wood, 30"Dx35¾"H.

Stock Number	Bench Lgth.	Top Material	Rear Rail	Wt. (lbs.)	Net Each
53-065/9D	4'	12-ga. steel	Yes	228	$441.52
53-089/9D	5'	12-ga. steel	Yes	246	457.34
53-090/7D	6'	12-ga. steel	Yes	261	471.08
53-095/6D	4'	Masonite/steel	Yes	235	470.06
53-096/4D	5'	Masonite/steel	Yes	224	489.63
53-100/4D	6'	Masonite/steel	Yes	271	508.43
53-101/2D	5'	Maple	No	262	550.85
53-104/6D	6'	Laminated Maple	No	281	617.24
53-105/3D	5'	Bonded wood	No	248	469.29
53-106/1D	6'	Bonded wood	No	264	488.62

D VERSATILE CABINET BENCH

A full bottom shelf, recessed for plenty of toe room, is a distinctive feature. Fully enclosed back and sides protect against dust contamination and prevent items from falling behind the cabinet. 28"x34" high. Benches are priced without intermediate shelves. For shelves see below.

Stk. No.	Lgth.	Top Material	Lbs.	Net Ea.
53-135/0D	5'	Steel	154	$203.37
53-136/8D	6'	Steel	176	221.50
53-137/6D	5'	Masonite/steel	162	235.66
53-138/4D	6'	Masonite/steel	186	258.85
53-139/2D	5'	Maple	170	296.88
53-140/0D	6'	Maple	196	367.66
53-141/8D	5'	Bonded wood	156	215.32
53-142/6D	6'	Bonded wood	179	239.04

53-143/4D—5' intermediate shelf. Net ea. $41.69
53-144/2D—6' intermediate shelf. Net ea. $45.91

E ADAPTABLE DRAWER-BENCH

Single pedestal bench has four locking drawers and a top of your choice. Order the starter for use alone or as the start of a row of continuous benches . . . add-ons attach swiftly. Starter unit assembles easily—just bolt top and shelf to legs. 28"Dx34'H. Steel and masonite/steel units have rear rails.

Bench Lgth.	Top Material	STARTER BENCH Stk. No.	Lbs.	Net Ea.	ADD-ON BENCH Stk. No.	Lbs.	Net Ea.
4'	12-ga. steel	53-107/9D	166	$295.05	53-118/6D	149	$276.88
5'	12-ga. steel	53-119/4D	184	310.70	53-120/2D	167	292.53
6'	12-ga. steel	53-121/0D	199	325.97	53-122/8D	182	307.80
4'	Masonite/steel	53-123/6D	173	323.59	53-124/4D	156	305.42
5'	Masonite/steel	53-125/1D	162	342.99	53-126/9D	145	324.82
6'	Masonite/steel	53-127/7D	209	363.32	53-128/5D	192	345.15
5'	Maple	53-129/3D	200	404.21	53-130/1D	183	386.04
6'	Laminated Maple	53-131/9D	219	472.13			
5'	Bonded wood	53-132/7D	186	322.65	53-133/5D	169	304.48
6'	Bonded wood	53-134/3D	202	343.51			

F ENCLOSED WORK BENCH

Extra rigidity of an enclosed work bench coupled with the convenience of drawer and bottom shelf add up to maximum utility. Bench includes back panel and full bottom shelf, husky legs with electrical knockouts and choice of tops. Comes with two drawers—six more may be added to meet your needs (order below). 28"Dx34"H.

Stk. No.	Lgth.	Top Material	Rear Rail	Lbs.	Net Ea.
53-145/9D	5'	12-ga. steel	Yes	208	$303.27
53-146/7D	6'	12-ga. steel	Yes	230	321.40
53-147/5D	5'	Masonite/steel	Yes	216	335.59
53-148/3D	6'	Masonite/steel	Yes	240	358.75
53-149/1D	5'	Maple	No	224	396.78
53-150/9D	6'	Laminated Maple	No	250	467.56
53-151/7D	5'	Bonded wood	No	210	315.22
53-152/5D	6'	Bonded wood	No	233	338.94

53-153/3D—Extra drawer. Wt. 19 lbs. Net each $43.00

Versatile Precision Work Stations at Savings

Basic bench with 18" high electronic riser

Basic bench with stacking drawer


Basic bench

Multi-Function Work Center Offers Maximum Stability and Electrical Versatility . . . For Labs, Clean Rooms

Maximum stability and electrical versatility makes this the perfect choice for precision fabricating, assembly, etc. Nylon faced floor levelers assure a steady work surface, independent framework with provisions for 4 duplex outlets, switch-circuit breaker, and pilot light make it ideal for electronic building and design . . . can easily be adapted to specialized electrical circuitry. Special design eliminates cracks and crevices allowing use in clean rooms. Top available in choice of materials: 1¼" thick Formica laminate is completely unaffected by long exposure to moisture, oils, most solvents; resists most weak acids and alkalis. Light gray linen patterned Formica covers top, edges and core of high density wood . . . or 1¾" thick edge-grained laminated maple top that's super tough, bonded with waterproof glue, sanded smooth, sealed with stain-resistant lacquer.

FORMICA-TOPPED WORK STATION FOB Ill.

Stock Number	Top Size	Description	Wt. (lbs.)	Net Each	Each (lots/3)
53-174/9D	36"x72"	Basic Bench—34" high	190	$236.21	$220.38
53-175/6D	36"x96"		215	279.94	260.34
53-176/4D	36"x72"	Basic Bench with drawer	210	274.46	255.23
53-177/2D	36"x96"		325	317.35	295.14
53-178/0D	36"x72"	Basic 34" high Bench with	218	296.07	275.34
53-179/8D	36"x96"	18" high Electronic Riser	247	347.09	322.78
53-180/6D	36"x72"	Basic Bench with Electronic	242	334.32	310.91
53-181/4D	36"x96"	Riser and Stacking drawer	267	385.34	358.36

LAMINATED MAPLE TOP WORK STATION FOB Ill.

53-182/2D	36"x72"	Basic Bench—34" high	190	$356.55	$331.59
53-183/0D	36"x90"		215	440.33	409.49
53-184/8D	36"x72"	Basic Bench with drawer	210	394.80	367.16
53-185/5D	36"x96"		325	478.58	445.07
53-186/3D	36"x72"	Basic 34" high Bench with	218	416.42	387.26
53-187/1D	36"x96"	18" high Electronic Riser	247	508.20	472.62
53-188/9D	36"x72"	Basic Bench with Electronic	242	454.66	417.24
53-189/7D	36"x96"	Riser and Stacking drawer	267	546.45	422.84

FOUR DUPLEX OUTLETS (order wiring kit separately)
53-192/1D—Net each **$25.26**



Multi-Use Shop Tenders for Work-in-Process, Tool or Part Storage

Wood top utility stands with new outboard leg feature to eliminate danger of tipping. Height adjusts on 1" centers; adds versatility to an already practical shop table. Use for storing valuable tools, instruments, parts, personal belongings . . . or as rapid-change production line.

A MOBILE SHOP TENDER

Convenient 24"x24" laminated wood top with back and end stops, shelf, drawer, lock. Rolls on 2 casters.
53-191/3D—Wt. 65 lbs. FOB Ill.
Net ea. **$114.18.** Ea. (lots/3) **$106.84**

B STATIONARY SHOP TENDER

Non-corrosive 24"x24" wood laminated top, shelf.
53-190/5D—Wt. 30 lbs. FOB Ill.
Net ea. **$68.38.** Ea. (lots/3) **$63.58**

Mobile Work-Storage Centers



As Low As
$159.60

C ROLLAWAY 4-DRAWER CABINET

Take your tools, jigs, gauges right to the job — each 20"x20"x5" drawer has upper sliding tray to keep small parts separated. Top has ½" flanged stop which may be inverted. With padlock hasp, 5" swivel casters. 22"x20½"x33½" high in gray baked enamel. Shipped KD.
52-995/8A—List $234.24. Wt. 120 lbs.
Ea. **$172.67.**
Ea. (lots/3) **$159.60**

D MOBILE 3 — SHELF STAND

Three 18"x24" trays are rimmed with 1½" flange to keep parts and tools at hand — trays can be inverted. Outfitted with tubular push handle and 2¼" swivel hard rubber casters. Stand is 34" high overall; finished in gray baked enamel to resist rust. Shipped KD.
52-994/1A—List $65.85. Wt. 35 lbs.
Ea. **$47.88.** Ea. (lots/3) **$44.25**

As Low As
$44.25



Buy the Best for Less at C&H Savings

Wilton Vises

IN STOCK IMMEDIATE SHIPPING

WE SHIP UPS WHEN POSSIBLE

Vise with Replaceable Steel Jaws

As low as **$36.65**

Extra large anvil offers ample work area, non-mar surface won't mark work. 3/16" steel slide.

Stock Number	Jaw Width	Max. Opening	Pipe Cap.	Lbs.	Net Each
47-103/7A	3½"	4"	⅛-2"	19	$36.65
47-104/5A	4"	5½"	⅛-2½"	36	53.88
47-108/6A	5"	6"	⅛-2½"	45	67.79

Best Quality Babco Precision Bench Vise


Stronger fine grain castings
Hardened steel serrated jaw faces
Polished anvil surface
Precision steel channel
Stronger spindle nut
Nickel-plated handle with swivel lock
Machined swivel slot
80% stronger handle
Replaceable hardened steel pipe jaws
Machined flat base top, bottom, body

WE SHIP UPS WHEN POSSIBLE

Maximum jaw opening equal to jaw size.

Rectangular hole in body casting and spindle hole in front cast to exact size by shell core method . . . no machining of hole preserves hard "as cast" surface for longer service. Heavy formed steel channel is held to +.010" in height and width, 9½" in length. ½" diam. nickel-plated steel handle . . . larger precision fit steel channel protects screw from chips, dirt, damage. 1-year no-charge parts replacement.

Stk. No.	Size	Lbs.	Net Ea.
47-116/9A	3½"	22	$35.48
47-117/7A	4"	44	65.24
47-118/5A	5"	53	76.19
47-119/3A	6"	66	95.37
47-120/1A	8"	107	198.48

As low as **$26.97**

WE SHIP UPS WHEN POSSIBLE



Clamps Wood



Clamps Metal

IN STOCK IMMEDIATE SHIPPING



Clamps Pipe Insertable jaws handle hard to handle items

Multi-Position Flip-Grip Vise for Wood, Metal, Pipe

Most versatile vise made—gets a grip on wood, metal, or pipe—horizontally and vertically. Lets you change working position in seconds with unique flip-lock design—with full holding power in every position. 4" jaws open to 4", accommodates ¼" to 2½" pipe. Vise is made of semi-steel casting for rugged, dependable operation. Swivel base has positive lock-down, Anvil handles for tough work. Enamel finish. 16 lbs.

47-020/3A—List $36.47. Ea. $28.99. Ea. (lots/3) **$26.97**

Woodworker's Vise for the Craftsmen

WE SHIP UPS WHEN POSSIBLE

IN STOCK IMMEDIATE SHIPPING

As low as **$16.99**

Lightweight, easy to handle. Smooth 3"x6½" cast jaws hold large workpieces tightly. Wood jaw faces are easily attached. Vise opens to 5". Husky, long-life construction includes heavy steel handle and extra versatile front jaw. Vise mounts easily against bench tops up to 2½" thick.

47-021/1A—List $24.56. Wt. 10 lbs. Each $19.27. Each (lots/3) **$16.99**

Heavy-Duty Bench Grinders and Stand

As low as **$93.95**



STRONG, STURDY PEDESTAL

WE SHIP UPS WHEN POSSIBLE

IN STOCK IMMEDIATE SHIPPING

Professional Quality Grinders—Ball-Bearing Motors

Heavy-duty bench grinders with these quality features: Extended tapered end bells for easy accessibility to front and sides of grinding wheels. Vitrified, aluminous oxide wheels—manufactured, tested, and balanced to critical standards. Equipped with one course 36-grit and one medium 60-grit grinding wheel. Fully adjustable tool rests with tilt top. ¼" safety glass-enclosed eye-shields in heavy, stamped metal frame. All models have water pot. 3450-rpm ball-bearing motors have easy capacitor start. Single-phase 115 V, 60 cy.

Stock Number	HP	Wheel Size	Machine Size	Wt. (lbs.)	Net Each	Each (lots/3)
47-618/4A	⅓	6x¾x½"	18"Lx9¾"H	40	$ 96.86	$ 93.95
47-619/2A	½	7x1x⅝"	19¾"Lx9¾"H	61	138.95	134.78
47-115/1A	¾	8x1x¾"	20¼"Lx11"H	70	198.69	190.74

PEDESTALS FOR GRINDERS. Each 36" high.

47-646/5A—For ⅓ or ½ HP. 40 lbs. Net ea. $48.27

47-114/4A—For ¾ HP. Wt. 74 lbs. Net ea. $71.83

- Cuts 4" high, 5⅛" wide at 90°—2⅝" wide at 45°
- Retractable carrying handle
- Instant release switch
- Burn-out protected motor
- Positive vise jaw position

Portable Heavy-Duty Cut-Off Saw for Fast Low-Cost Cuts

Includes abrasive cut-off wheel, spanner, and box wrenches. Ideal for hardened tile, steel, aluminum, copper, drills, reamer, bars, pipe, angle-iron, channel tubing, flat stock and rod. Positive opening and closing lead screw handle and bar assurately position vise jaw. Positive calibrated scale indicator easily locates proper position for vise fence setting. Ball bearing construction. 1.4 HP motor. SPECIFICATIONS: Amperage, 10.5. Voltage, 115. Cycles, 50-60. RPM, 4000. Net Wt., 33 lbs. Cutting Blade, 12".

47-624/2D—FOB Ill. Net ea. $292.33. Ea. (lots/3) $277.72

ABRASIVE WHEELS, sold in lots of 5 only. FOB Ill.

47-625/9DL—Wt. 1½ lbs. Net each $5.39

Big Savings on Malleable Iron Anvils from Babco

Strong, Dependable . . . Heat Treated for Extra Hardness, Longer Life

As low as **$67.74**

Specially developed alloy malleable iron that has been heat treated for 6 days to assure rugged ductility. Tool gray anvil has machined and ground face, flat rear underside for "C" clamp, four mounting lugs—both sizes take hardie with ¾" shank and ½" Pritchel hole. Save at C&H wholesale prices.

Approx. Weight	Overall Length	Face L	Face W	Horn Length (incl. step)
50 lbs.	17½"	11¼"	3"	6¼"
100 lbs.	20"	12½"	4¼"	7½"

Stock Number	Anvil Weight	Shpg. Wt.	Net Each
47-109/4A	50 lbs.	53 lbs.	$ 67.74
47-110/2A	100 lbs.	106 lbs.	135.82

Electrical Supplies at Wholesale Prices



A GROUNDING-TYPE DROP CORD REEL

Includes hardware for wall or ceiling mounting. UL listed crackproof phenolic pistol grip handle, #18-3 conductor rubber-insulated 20' cord. Has toggle switch, convenience outlet in handle—rated 6 amp, 125V. Reel is 6½" in diam.

46-031/1A—5 lbs. Net. ea. **$18.78.** Ea. (lots/10) **$17.84**

HEAVY-DUTY CORD WITH REEL

Stock No.	Lgth.	Type	Rate	Lbs.	Net. Ea.	Ea. (lots/6)
46-032/9A	30'	18-3SJO	7 amp.	8	$38.80	$36.86
46-036/0A	25'	16-3SJO	9 amp.	8⅓	33.76	32.10

B C HEAVY-DUTY UL-LISTED TROUBLE LIGHTS

Swing-open bulb guard, sure-grip handle with molded-on plug for safety, long life. Three-conductor jacketed cord.

(B) Meets OSHA Requirements for General Use. Has orange high strength plastic guard, single 3-prong side outlet and switch. UL listed. Wt. 2½ lbs. Rated 13A-125V. 25' 16/3 SJT cord.

46-831/4A—Ea. **8.79.** Ea. (lots/6) **$8.24**

(C) Meets OSHA for Special Applications. Yellow epoxy-coated insulated guard protects against rust and corrosion. No side outlet or switch. Rated 10A-125V. Wt. 2½ lbs. 25' 18/3 SJO cord.

46-832/2A—Ea. **8.57.** Ea. (lots/6) **$7.99**



Safe, Portable Fluorescent Extension Lamp

Glare-free light at low cost. Fluorescent tube is completely sealed in shock-absorbing plastic and rubber housing—guards against explosion, fire, shock. Fully insulated. Factory mutual approved. Long life rugged for really hard work. FOB N.Y.

Stock Number	Cord Length	Watts	Tube L x D	Wt. (lbs.)	List Price	Each	Each (lots/10)
SLIM LIGHT—15, 30 watts: 7500 hours							
46-842/1D	25'	15	26½"x2½"	5	$ 50.45	$41.36	$39.29
46-843/9D	50'	15	26½"x2½"	7	57.19	48.51	46.27
46-734/0D	Reel 30'	15	26½"x2½"	15	104.53	90.12	85.71
46-875/1D	25'	30	44½"x2½"	9	89.61	76.17	72.46
46-876/9D	50'	30	44½"x2½"	10	97.13	82.36	78.53
GENERAL PURPOSE LIGHT—8 watts: 6000 hours							
46-840/5D	25'	8	20½"x2"	4	$38.69	$33.53	$31.88
46-841/3D	50'	8	20½"x2"	5	45.42	38.50	36.58
46-479/8D	Reel 30'	8	20½"x2"	15	95.07	81.96	79.50
MIDGET LIGHT—8 watts							
46-839/7D	14' coil	8	15"x1¼"	3	$34.16	$29.03	$27.83
46-878/5D	25'	8	15"x1¼"	4	33.25	28.19	26.81



Flexiduct Hugs the Floor

UL-approved in lengths up to 12'. Flexiducts are highest grade plastic material for long life, easy movability, attractive appearance! Each unit consists of length of Flexiduct, 3-wire extension cord and outlet. Cord is 16 AWG and receptacle is rated 15 amp. 125 volts. Each length has addition 2' of cord. Available in 29 black or 09 Warning Yellow. Specify color number-name. FOB Wis.

Stock No.	Lgth.	Lbs.	Net Each	Ea. (lots/6)
46-801/7AA	6'	4	$14.49	$13.47
46-802/5AA	8'	5	16.69	15.57
46-803/3AA	10'	5½	18.27	16.89
46-804/1AA	12'	6½	19.66	18.27

Indoor-Outdoor Cord in Safety Orange

Vinyl jackets resist oil, stay flexible below 0.

Stock No.	Lgth.	Rating	Cord	Lbs.	Net Ea.	(lots/3)
46-835/5A	50'	13A/115V	16/3 SJT	4	$8.65	$8.39
46-836/3A	100'	10A/115V	16/3 SJT	8	15.84	14.56
46-837/1A	50'	15A/115V	14/3 SJT	6	10.81	10.51
46-838/9A	100'	13A/115V	14/3 SJT	11	19.75	19.15
46-909/8A	50'	15A/125V	12/3 SJT	8	19.31	18.71
46-910/6A	100'	15A/125V	12/3 SJT	11	33.14	32.18

UL-Listed Electric Outlet Strips — Mount Vertically or Horizontally



Outlet strips can be mounted horizontally or vertically—each strip equipped with push-to-reset circuit breaker. Sturdy steel case finished in blue hammertone. Rated at 15 amp., 125V continuous duty and pre-wired. Each is 1½" wide and a low-profile 1⅜" high. 4' and 6' lgths.

FOUR-FOOT LENGTH OUTLET STRIPS—"U" Grounded

Stock Number	Outlets	Lighter Rocker Switch	Cord Lgth.	Wt. Lbs.	Net Each	Each (lots/3)
46-890/0A	7	No	6'	5	$30.68	$29.16
46-891/8A	7	No	15'	5½	33.63	31.99
46-892/6A	13	No	6'	5	40.28	38.37
46-893/4A	13	No	15'	5½	43.27	41.15
46-894/2A	12	Yes	6'	5	40.82	38.80
46-895/9A	12	Yes	15'	5½	43.87	41.80

SIX-FOOT LENGTH OUTLET STRIPS—"U" Grounded

Stock Number	Outlets	Lighter Rocker Switch	Cord Lgth.	Wt. Lbs.	Net Each	Each (lots/3)
46-896/7A	10	No	6'	7	$40.00	$38.10
46-897/5A	10	No	15'	7½	43.00	40.88
46-898/3A	20	No	6'	7	52.05	49.54
46-906/4A	20	No	15'	7½	55.70	53.03
46-907/2A	19	Yes	6'	7	53.91	51.39
46-908/0A	19	Yes	15'	7½	57.01	54.23

Distribute Power Safely! Use Controlled Junction Boxes with Circuit Breakers

For lights, motors, appliances, tools, soldering irons, heaters, machinery, test equipment — UL-listed — rugged steel case that's easily mounted on wall, bench, or floor. Unit carries its own 15-amp, protection. Heavy-duty 6' 3-wire cord. 125 volt AC rating.

Stock Number	Dimensions (inches) W x L x H	Master Switch & Pilot	Outlets Only 3-Prong	Switched Outlets 3-Prong	Switched w/Pilot 3-Prong	Cord Lgth. (ft.)	Wt. (lbs.)	Net Each	Each (Lots/6)
46-401/6A	2¼x8½x1½	—	4	—	—	6	2	$15.82	$14.71
46-402/4A		—	4	—	—	15	2½	18.26	16.98
46-403/2A	2¼x8½x1½	1	3	—	—	6	2	17.13	15.93
46-404/0A		1	3	—	—	15	2½	20.13	18.72
46-405/7A	2¼x8½x1½	—	—	4	—	6	2	20.30	18.88
46-406/5A		—	—	4	—	15	2½	23.30	21.67
46-407/3A		—	—	—	4	6	2	24.66	22.93
46-408/1A		—	—	—	4	15	2½	27.67	25.73
46-409/9A	2¼x13x1½	1	6	—	—	6	2	19.45	18.09
46-410/7A		1	6	—	—	15	2½	22.40	20.83
46-411/5A	2¼x13x1½	1	—	6	—	6	2¾	31.02	28.85
46-412/3A		1	—	6	—	15	3½	33.97	31.59
46-413/1A		1	—	—	6	6	2¾	36.12	33.59
46-414/9A		1	—	—	6	15	3½	39.12	36.38
46-415/6A	2¼x13x1½	—	6	—	—	6	2	16.78	15.61
46-416/4A		—	6	—	—	15	2½	19.73	18.35

Quality-Made Instruments . . . Wholesale Priced at C&H for Big Savings Now

IN STOCK IMMEDIATE SHIPPING

WE SHIP UPS WHEN POSSIBLE



Non-resettable counter

A Shock-Resistant DC Hour Meter

Accurately records actual "on" time usage in hours, tenths, hundredths, up to 99,999.9 hours. Non-resettable—ideal for maintenance, warranty, or lease purposes of battery-powered equipment. Fits standard SAE 2.06" diam. opening; reads out through 6-digit counter. Accurate to 3% over 0-120° temperature. FOB Wis., Ill.

Stk. No.	Voltage	Net Ea.	Ea. (lots/3)
24-627/2A	24VDC	$30.78	$29.23
24-628/0A	12VDC	32.70	31.05



Mounts flush

B Round Bezeled Hour Meter

Gives an unreversible record of elapsed operating time up to 99,999.9 hours with contrasting tenths. Round bezel mounts flush with panel through three 150" diam. holes—it's interchangeable with other makes. All Steel enclosure, synchronous motor, epicyclic stepdown gearing conserves internal space. FOB Wis., Ill.

Stk. No.	Voltage	Net Ea.	Ea. (lots/6)
24-629/8A	115V 60Hz	$20.13	$18.80

Fast six-digit counter

C Ratchet Drive Stroke Counter

Counts up to 999,999 rotary strokes of right side lever at speeds up to 1000 per minute. Knob resettable for new applications. Records one count for each 40° to 65° rotation with spring return. Flange of rugged die cast accepts four ⅛" diameter screws for convenient mounting. Compact, convenient.

Stk. No.	Net Each	Each (lots/6)
24-649/6A	$14.03	$13.33



Easy stroke counter

D Ratchet Drive Stroke Counter

Simple 5-digit totalizer needs no electricity. Reset knob permits repeated use, provides accurate digital record of strokes, revolutions, machinery operations. Adjustable spring tension lever, up to 500 counts per minute. FOB Wis., Ill.

Stk. No.	Shaft Design	Net Ea.	Ea. (lots/6)
24-633/0A	Right hand	$15.34	$14.56
24-634/8A	Left hand	15.16	14.40
24-600/9A	Double shaft	14.22	13.48



Indicates elapsed time

E Base-Mounted Hour Meter

Elapsed time indicator shows amount of operating "on" time up to a non-resettable 99,999.9 hrs. with contrasting tenths. All steel case base mounts for easy locationing. Quiet synchronous motor requires no lubrication, consumes only 1 watt. Epicyclic stepdown gearing for compact design. Ideal for maintenance, rental/lease, etc. FOB Wis., Ill.

Stk. No.	Voltage	Net Ea.	Ea. (lots/6)
24-632/2A	115V60Hz	$18.85	$17.59

Metal Case—2⅛" diam., 2¾" deep

F AC-DC Electric Hour Meter

Accurately records operating and down-time—an excellent record for maintenance control, cost analysis, down-time totals, rate of pay, machine utilization, and rental charges. Easy to read white on black numbers. Range: 0-99,999.9 and repeat. Driven by slow-speed, self-start synchronous motor. Shipping weight ½ lb. each.

Stk. No.	Volts	Type	Net Ea.	Ea. (lots/5)
24-120/8A	120V	Non-reset	$24.66	$22.23
24-121/6A	240V	Non-reset	24.66	22.23
24-122/4A	120V	Reset	34.26	30.81
24-123/2A	240V	Reset	34.26	30.81

Stand included for safety and convenience

Deluxe Eddy Heat Gun for Safe, Instant Electric Heat

Easy to handle, weighs only 2½ lbs. Ideal for shrinking, drying, softening, thawing, curing. Housing and handle of rugged G-E LEXAN 500 for superior electrical insulation and corrosion resistance; built-in circuit breaker to protect operator and unit. Adjustable air intake regulator offers variable temperature adjustment; double-jacketed nozzle and shield help maintain exterior coolness. Nozzle is 1 3/16" in diameter. Has toggle switch, 50/60 Hz. AC motor, 8 ft. 3-wire cord.

Stk. No.	Temperature Range	Net Ea.	Ea. (lots/3)
47-023/7A	300/500°F	$64.87	$62.66
47-022/9A	500/700°F	68.92	66.56
47-024/5A	750/1000°F	75.01	72.45

Milwaukee "Heat-Blo" Gun

Produces a jet stream of hot air instantly—temperature and velocity adjust to specific needs. Easy-grasp handle for portable use; adjustable metal stand included. Heavy-duty rubber-covered 3-wire cord. 8' long. 115 volt, AC. Wt. 5 lbs.

Stk. No.	F. Temp.	Net Ea.	Ea. (lots/3)
47-047/6A	150/300	$56.47	$53.45
47-048/4A	300/500	57.62	54.84
47-049/2A	500/750	61.71	58.64
47-050/0A	700/1000	75.97	72.17

REPLACEMENT HEATER ELEMENT KIT

Stk. No.	For No.	Wt.	Net Ea.
47-055/9A	47-047/6A	1 lb.	$6.69
47-056/7A	47-048/4A	1 lb.	6.69
47-057/5A	47-049/2A	1 lb.	7.20
47-058/3A	47-050/0A	1 lb.	9.08

Fingertip toggle switch for "hot", "cold", "off"

G



Registers to 99,999 hrs. . . . automatically resets to zero

G Non-Electric Hour Meter

Ideal where there is no electrical current . . . where installation might present a problem . . . or where mobility (movement from one piece of equipment to another) is desired . . . or where electric meters might cause a fire! Accurate to plus or minus 2½%—sweep hand makes one revolution every 60 minutes. Completely tamperproof! Ideal for mixers, diesel vehicles, bulldozers, conveyor belts, compressors.

For Vertical to 45° installation plan.
24-608/2A—List $55.05. Wt. ½ lb.
Each $48.99. Each (lots/6) **$44.97**

For Horizontal to 45° installation plan.
24-609/0A—List $55.05. Wt. ½ lb.
Each $48.99. Each (lots/6) **$44.97**

H

Use indoors or out, on any firm surface

H Twin-Wheel Measure Meter

Precision designed and balanced so one man can measure as he walks along. Measures vertically and horizontally—saves time, reduces danger of accidents and chance of human error. Records up to 1000 ft. in feet and inches . . . push-button returns reading to zero. It subtracts as well as adds! 1" wide neoprene tires; total width, 5½". 38" handle contracts to 20½".

43-632/9A—List $37.95. Wt. 3 lbs.
Each $29.50. Each (lots/3) $26.98

HOMAK Heavy-Duty Tool Chests, Cabinets

IN STOCK IMMEDIATE SHIPPING

- Strong steel with electrically welded seams
- Tough silicone-based baked enamel finishes
- Nickel-plated hardware is machine riveted
- Fully returned edges—safe, stable
- Full-length rainproof piano-type hinges
- All take padlocks
- All factory inspected

WE SHIP UPS WHEN POSSIBLE

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



Add-on chest may be used in combination with any roller chest and cabinet.

Colors:
Body Grey
Drawers Red

3- DRAWER ADD-ON CHEST

Use in combination with any roller chest and cabinet (no handle). Each drawer is 23"Wx12¾"Dx 2⅛"H, with nickel-plated drawer pull. Two keys included for cylinder locks. Overall size: 26"x 13½"x9¼"H.

47-098/9A—List $92.11.
Wt. 38 lbs. Ea. **$56.65.**
Each (lots/3) **$54.38**

3-DRAWER TOOL CHEST

Heavy-duty chest has reinforced top, full length piano hinge, nickel-plated side handles and drawer pulls. Three drawers are 23"Wx 12¼"Dx3¼"H. 4-section top has tote tray. 26"x13½"x15"H.

47-096/3A—List $124.89.
Wt. 53 lbs. Ea. **$77.03.**
Each (lots/3) **$73.95**

6-DRAWER TOOL CHEST

Heavy-duty with two 5½"x2⅛", two 23"x2⅛", one 9¼"x2⅛", and one 23"x3¼" drawers—all 12¼" deep with nickel-plated pulls, locks. 4-section till has 19¼"x8¼" tote tray. Overall: 26"x13½"x15"H.

47-095/5A—List $150.11.
Wt. 67 lbs. Ea. **$91.98.**
Each (lots/3) **$88.20**

10-DRAWER TOOL CHEST

Ten 12¾" deep drawers—six are 7½"x2⅛", two 23"x2⅛", one 23"x3⅛", one 5½"x6½" with nickelplated pulls. 4-section till—19¼"x8¼" tote tray. Overall 26"x 13½"x19½"H with lock, side handles.

47-097/1A—List $210.11.
Wt. 80 lbs. Ea. **$129.81.**
Each (lots/3) **$124.68**

ALL UNITS IN STOCK—IMMEDIATE SHIPPING

Heavyweight Roller Cabinets on 4" Casters

Tough, functional designs: Two casters have brakes for steady work surface. Drawers lock closed when front panel is in place. Keys incl.

A 3-DRAWER ROLLER CABINET

Three 22¼"x17½"Dx4"H drawers plus 23½"x17½"x 13½"H lower storage compartment in cabinet measuring 26½"Wx18"Dx33½"H (on casters).

47-099/7A—List $193.11. Wt. 88 lbs.
Each **$118.05.** Each (lots/3) **$113.33**

B 6-DRAWER ROLLER CABINET

Versatile storage in 22¼"Wx17½"D drawers—three are 2¼"H, two are 4"H, one is 5"H. Compartment is 23½"x17½"x13½"; cabinet is 26½"x18"x41½"H.

47-100/3A—List $270.11. Wt. 124 lbs.
Each **$164.74.** Each (lots/3) **$158.15**

C 9-DRAWER ROLLER CABINET

Nine 22¼"Wx17½"D drawers—five are 4"H, three 2¼"H and one 5"H. Cabinet is 26½"Wx18"Dx41½"H.

47-101/1A—List $316.00. Wt. 150 lbs.
Each **$188.30.** Each (lots/3) **$180.77**

Convenient Storage for the Busy Service Man

D CARRYING CHEST

Two-drawer chest is a convenient 22" long for carrying. 2⅜"Hx 8⅞"D drawers pull out fully (stops prevent spills), remove for separate use, lock when lid closed. Has tote tray, twin drawbolts, center padlock hasp. 9½"Dx10"H overall.

47-094/8A—List $44.89.
Wt. 20 lbs. Ea. **$31.50.**
Each (lots/3) **$30.24**

E ROLLER CABINET

Large-capacity storage with roll-about convenience. Lipped top holds Chest (D) or any other up to 22" long. Cabinet has two sections, pegboard door panel, springs, and hooks, side handles, padlock hasp. 22½"Wx15"Dx29"H on 3" ball-bearing casters.

47-093/0A—List $77.44.
Wt. 33 lbs. Each **$47.81.**
Each (lots/3) **$45.90**

IN STOCK IMMEDIATE SHIPPING

Combine (D) and (E) for shop convenience

Protect Tools . . . Save at C&H Wholesale Prices

Neat looking wall cabinet protects tools

As Low As **$33.27**

IN STOCK IMMEDIATE SHIPPING



Unobtrusive in workshop, garage, office . . . anywhere protected storage is necessary

Lockable All-Steel Wall Cabinet with Pegboard Back, Door Shelves

Space-saving off-the-floor storage for tools and supplies . . . doors have magnetic catches for secure closure, hasp for dependable locking. Heavy-gauge steel cabinet has pedboard back with hooks for a full complement of tools . . . doors outfitted with shelves and rack for tools, small hard-to-store items, bottles and cans. Finished in gray phosphatized enamel finish — wall cabinet is 30″Wx11½″Dx24″H closed—opens to full 60″.

47-607/7A—List $45.18. Wt. 27 lbs. Each **$38.23**
Each (lots/2) **$35.48.** Each (lots/6) **$33.27**

Save Steps, Protect Valuables with Lockable Steel Wall Storage Cabinet

Safe storage for power and hand tools, supplies and small parts, seldom used office equipment . . . gray enamel finish and nickel plated hardware make this cabinet attractive anywhere! Full 30″ high cabinet has three full width shelves, two lockable doors with pegboard panels (complete with 24 hooks and four springs. All heavy-gauge welded steel; doors have magnetic catches and hasp for locking. Heavy-gauge steel — 30″ wide closed, protrudes just 12″ from wall.

47-092/2A—List $67.78. Wt. 37 lbs. Each **$49.97.**
Each (lots/3) **$47.96.** Each (lots/6) **$46.52**

C&H Take-Along Tool Boxes in Heavy-Gauge Steel

As Low As **$226.72**



As Low As **$148.24**

As Low As **$62.23**





Lower profile for unrestricted rear vision . . . complete pry-proof push-button cylinder locking!

As Low As **$114.64**



A PIANO BOX TOOL-MATERIAL CHEST

Combines instant accessibility, dependable protection . . . tough 16-gauge steel with formed steel stiffening ribs and arc welded seams for strength, rolled edges for safety. Full cover and safety-stop rain gutter protect against leakage. Bottom shelf can be folded back, out of the way. Rugged base accepts 4″ casters. Bar handles fold down, offer good grip for maximum leverage. Brown enamel finish. FOB MO.

Stk. No.	Volume	L x W x H	Lbs.	List	Net Ea.	Ea. (lots/3)
47-032/8D	34 cu. ft.	48″x30″x48″	250	$245.00	$233.69	$226.72
47-033/6D	49 cu. ft.	60″x30″x48″	295	290.00	276.62	268.32

B JOB BOX FOR ON-JOB, IN-SHOP STORAGE

Bolt cutter free locking system for protection! Crew size boxes are 16-gauge steel with heavy-duty full length piano hinges and roller overlapping edges for strength, weather protection and safety. Fold-down bar handles offer maximum leverage gripping; has chain cover supports, built-in storage tray, brown enamel finish. Tapped for 4″ casters. 48″ sizes fit most pick-up trucks. FOB MO.

Stk. No.	Volume	L x W x H	Lbs.	List	Net Ea.	Ea. (lots/3)
47-036/9D	16 cu. ft.	48″x24″x24″	165	$160.00	$152.62	$148.24
47-037/7D	25 cu. ft.	48″x30″x30″	175	190.00	181.27	175.83
47-038/5D	20 cu. ft.	60″x24″x24″	190	195.00	186.00	180.42

C COMPACT INDIVIDUAL SIZE JOB BOX

Protection of small tools and materials for the construction worker . . . 16-ga. steel box has overlapping edges, chain cover supports. Brown enamel finish. Tapped for 4″ casters. 4.5 cu. ft. volume; box measures 31″x18″x14″ high. FOB MO.

47-039/3D—Shpg. wt. 52 lbs. List $68.00. Ea. **$64.97.** Ea. (lots/3) **$62.23**

D CROSS-OVER TOOL BOXES FOR PICK-UPS

Puts tools in easy working reach from either side of pick-up truck . . . carefully designed and tested to assure safe, secure protection for your valuable tools, equipment. Heavyduty steel with overlapping rubber sealed lids, torsion bar automatic lid opener. Tamperproof design with concealed full length piano hinges. White baked enamel. FOB Mo.

Stk. No.	A	B	C	D	E	For these Pick-Ups:	Lbs.	Net Ea.
47-121/9D	70¼″	63″	15¼″	8¾″	20¼″	1967-1980 Ford, Dodge, Chevy, GMC, & Intl. wide-bed models	100	$119.95
47-122/7D	56″	48¾″	15¼″	8¾″	20¼″	1967-1980 GMC Stepside, Chevy Stepside, Ford Flairside, Jeep	92	$117.57
47-123/5D	61¼″	54″	12¼″	5¾″	20¼″	Toyota, Datsun, Luv, Scout, Courier	75	$114.64

EDSAL

Heavy-Duty Steel Shop Furniture At Wholesale!

Tough steel work surface has lip all around to keep tools from rolling off . . . reverses so you can attach to edge.



B
As Low As $74.77

C
As Low As $153.80

D
As Low As $91

E
As Low As $49.80

A FLOOR-MODEL STEEL FOREMAN'S DESK

For receiving and shipping clerks, watchmen and checkers. Sloping writing top has pencil and paper compartments. Large drawer has lock and key—drawer glides quietly on nylon rollers. Heavy-gauge steel finished in gray enamel 34½"x30"x50". Wt. 105 lbs. Shipped KD to save freight.

53-012/1A—List $133.76. Ea. **$105.32.** Ea. (lots/3) **$99.97.** Ea. (lots/6) **$95.74**
53-013/9A—Swivel caster set (2 lock). List $13.55. 4 lbs. Set of 4 ..... **$10.71**

B REVERSE-TOP WORK-STORAGE CABINET

Smooth flat 24"x24" flush top lets you mount shop tools or use for heavy office machines . . . reverses to recessed top with 2" lip to keep parts from falling off. Cylinder locking door reveals two shelves (one adjusts on 1½" centers). Measures 24"x24"x34" high in gray steel. Shpd. KD. 80 lbs.

53-050/1A—List $106.77. Ea. **$84.71.** Ea. (lots/3) **$79.71.** Ea. (lots/6) **$74.77**
53-013/9A—Locking caster set (2 swivel). List $13.55. 4 lbs. Set of 4 ..... **$10.71**

C LOCKING CABINET-STYLE SHOP DESK

Strong, convenient. Three pigeonholes and full length compartment top at handy 43" writing height. Large drawer and double-doored cabinet have safe 3 point lock. Overall. 34½"x30"x53" in gray enameled steel. Shipped KD to save freight.

53-014/7A—List $224.37. 150 lbs. Ea. **$171.09.** Ea. (lots/3) **$161.50.** Ea. (lots/6) **$153.80**
53-013/9A—Swivel caster set (2 lock). List $13.55. 4 lbs. Set of 4 ..... **$10.71**

D LOCKING TABLE-CABINET WITH 18 CU. FT. STORAGE

Heavy-gauge steel unit has roomy 36"x24" top with handy 2" deep lip to keep contents from falling off—or mount vises, grinders office machines, etc. without danger of damage. Double doors swing open wide, reveal one adjustable shelf—door has cylinder lock for safe storage of expensive tools and supplies. Finished in gray baked enamel; 34"x23"x34'H. 110 lbs. Shipped KD to save freight.

53-019/6A—List $137.95. Ea. **$103.66.** Ea. (lots/3) **$96.84** Ea. (lots/6) **$91.99**
53-013/9A—Locking caster set (2 swivel). List $13.55. 4 lbs. Net. ea. set **$10.71**

E COMBINATION TABLE-LOCKING STEEL CABINET

More than just a convenient work surface—spacious cabinet has four shelf spaces for machine tools, supplies behind locking door. Big 15½"x21" top reverses for use as tray or flat surface . . . as tray 2" sides keep contents from rolling off. Made of heavy gauge steel with chromeplated handle, built-in cylinder lock, gray enamel finish. 34" high. Shipped KD. Wt. 46 lbs.

53-018/8A—List $69.92. Ea. **$55.77.** Ea. (lots/3) **52.27.** Ea. (lots/6) **$49.80**

Wall-Mounted All-Steel Foreman's Desk—Use Anywhere in Shop—Save Time, Work, Money!

As Low As **$81.50**



- **Sloping 34½"x30" writing surface plus storage drawer where you need them!**

Time is money, and so is floor space—make the most of it, and your shop or garage super efficient with this handy desk that mounts on wall. Brackets included. Outfitted with pencil-and-paper compartments. 24"x28"x3½" high drawer with lock and key and quiet nylon rollers. All heavy-gauge steel with long-lasting gray enamel finish.

53-015/4A—List $114.73. Shpg. wt. 85 lbs.
Ea. **$90.70.** Ea. (lots/3) **$85.79.** Ea. (lots/6) **$81.50**

Step-Saver 500-Lb. Cap. All-Steel Service Carts



Shown with drawer


Shown with extra tray

As Low As **$35.57**

Strong mobile service cart moves up to 500 lbs. of parts and supplies in each trip . . . saves manpower, protects merchandise. Heavy-duty 5" hard rubber castered wheels — two are swivel, two stationary for maximum maneuverability. Constructed of 14-ga. and 20-ga. steel with two 3" deep metal trays that are reversible and spaced 20" apart. Cart is 32" high; finished in gray enamel to resist rust.

Stock Number	Size	Wt. Lbs.	List Price	Each	Each (lots/3)	Each (lots/10)
52-187/2A	16x30"	32	$56.51	$41.09	$38.01	$35.57
52-188/0A	20x28"	44	57.82	42.29	39.24	36.65
52-189/8A	24x36"	56	66.82	49.05	45.24	42.86

EXTRA TRAY FOR CARTS ABOVE.
52-190/6A—Fits 16x30". Wt. 9 lbs. Net ea. **$8.99**
52-191/4A—Fits 20x28". Wt. 12 lbs. Net ea. **$10.35**
52-192/2A—Fits 24x36". Wt. 15 lbs. Net ea. **$13.65**
DRAWER FOR 52-189/8A ABOVE. 12x20x4" deep.
52-193/0A—Shpg. wt. 12 lbs. Net each **$9.58**

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

Industrial Quality Steel Carts



As Low As **$53.89**

As Low As **$59.29**

A HEAVY-DUTY CART RATED 600 LBS.

Stock cart maneuvers smoothly on 5" rubber-tired wheel casters (ball bearing) — two casters are swivel, two rigid for tight turns. Automotive gauge extra heavy-duty steel trays, 3½"D — invert to form flat surface. Quality built — heavy gauge 1 ⅜" sq. steel posts; push handle. 36"H.

Tray Size	Stock Number	Wt. (lbs.)	List Price	Each	Each (lots/3)	EXTRA TRAY Stk. No.	EXTRA TRAY List	EXTRA TRAY Each
16"x30"	52-970/1A	49	$80.31	$57.88	$53.89	52-973/5A	$16.69	$11.66
20"x28"	52-971/9A	51	86.49	61.77	57.63	52-974/3A	19.72	13.80
24"x36"	52-972/7A	68	93.92	65.92	62.39	52-975/0A	23.44	16.42

B SUPER HEAVY-DUTY SERVICE TRUCK

Toughest steel trays have 2" deep hemmed flanges for 800-lb. capacity super strength and ruggedness . . . trays can be inverted to form extra heavy-duty flat-top work surface. Steel angle posts are 1¼" sq., lock bolts-nuts resist vibration. Push handle is tubular steel. Baked, bonderized gray enamel melamine surface over phosphatized undercoat. Even fully loaded truck maneuvers easily on 5" anti-wobble casters (2 rigid, 2 swivel). Stands 36½"H.

Tray Size	Stock Number	Wt. (lbs.)	List Price	Each	Each (lots/3)	EXTRA TRAY Stk. No.	EXTRA TRAY List	EXTRA TRAY Each
18"x30"	52-961/0A	53	$82.61	$63.47	$59.29	52-963/6A	$14.96	$10.69
24"x36"	52-962/8A	73	100.59	75.35	71.15	52-964/4A	21.63	15.88

All-Steel Shop-Garage Desks for Space Organization

For Shop or Warehouse Foreman, Shipping Dept., Dispatchers

As Low As **$101.28**

C EXTRA STURDY DESK WITH SLOPING TOP

Improve work flow by organizing paperwork in shop, warehouse, loading areas . . . extra-sturdy desk has smooth sloped writing surface, work organizer top with adjustable partitions, big locking drawer that glides quietly on steel ball-bearing rollers. Heavy-duty construction takes the abuse of bruising use — strong 36"Wx29"D top is free of raised bolt heads or spot welds providing a smooth writing surface. 24¼"Wx24"Dx3½"H drawer has cylinder lock, two handles. Gray enamel finish. 42"H overall. Shpd. KD.
53-198/8A—List $147.69. 101 lbs. Ea. **$107.75.** Ea. (lots/3) **$101.28**
53-222/6A—Set/four 3" locking casters. List $14.57. Each **$10.69**



As Low As **$161.75**



As Low As **$98.97**


Wall mount at any ht.

D EXTRA CONVENIENT CABINET SHOP DESK

Convenient height writing surface and large protected storage space make this shop desk of unlimited usefulness . . . lockable door cabinet and drawer let you store records, tools, supplies safe from prying eyes or pilferage. Ideal in mailrooms, warehouses, shops . . . the heavy-duty steel construction finished in gray baked enamel finish is as neat and attractive as it is tough. 36"Wx29"D sloping writing surface is smooth and strong, work organizer-piegonhole top has adjustable dividers, big 25¼"Wx24"Dx3½"H drawer glides easily and quietly on steel ball bearing rollers. Full bottom cabinet has adjustable shelf and double doors. Cabinet and drawer lock securely. Desk is 40"H overall. Shpd. KD.
53-199/6A—List $241.71. 164 lbs. Ea. **$172.67.** Ea. (lots/3) **161.75**
53-222/6A—Set/four 3" casters. List $14.57. Each **$10.69**

E SPACE SAVING ALL STEEL WALL DESK

For stand-up or sit-down writing . . . handy in loading dock, for night watchmen, at nursing station, for maintenance man. Convenient 36"Wx29"D writing surface with big 25¼"Wx24¼"Dx3½"H locking drawer (on quiet steel ball bearing rollers), and work organizer top that has adjustable dividers to meet work requirements. Entire unit is finished in gray baked enamel to stay attractive. Shpd. KD.
53-200/2A—List $141.74. 87 lbs. Ea. **$105.52.** Ea. (lots/3) **$98.97**

Super-Convenient Work-Storage Centers Help You Work Better and Faster

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

Adjustable Height Table Has Heavy-Duty Capacity

For precision or laboratory work, for assembly, service or maintenance work . . . smooth 16-gauge all steel top won't splinter, gouge or soak up oil. Heavy-duty bench holds up to 1500 lbs.—tough enough to take machines, to serve as storage surface around production machines, punches presses, lathes. Table height can be increased up to 6". Gray baked enamel finish. Shipped KD.

Channel frame members interlock with legs

Stock Number	Top (in.)	Ht. (in.)	Wt. (lbs.)	Net Each	Each (lots/3)	Each (lots/6)
53-076/6A	18x24	18-24	25	$31.55	$29.96	$28.46
53-077/4A	18x24	30-36	30	35.19	33.42	31.74
53-078/2A	24x36	18-24	30	43.12	40.96	38.91
53-079/0A	24x36	30-36	35	46.04	43.73	41.54

IN STOCK IMMEDIATE SHIPPING

Roll-About Tool Toters Speed Work, Save Time

A MULTI-USE TOOL-TOTE

Rimmed 18"x24" surface tops toter with two strong drawers and big locking cabinet. Each drawer has curved handle and hasp for locking, each is 15"x23"x4⅝" high. Cabinet is 14"x24"x14" high. Heavy-gauge steel frame finished in gray enamel; stands 32½" high on easy-rolling 2½" casters . . . provides safe, dust-free storage. 71 lbs.

52-169/0A—List $136.09. Ea. **$106.87**
Ea. (lots/3) **$101.76.** Ea. (lots/12) .. **$96.20**

B 4-DRAWER TOOL-TOTER

Padlock hasp on each drawer allows you to lock up tools and supplies to prevent pilferage. Each drawer is 15"x23"x4⅝" high and built into a closed case for lasting alignment. Top tray, 18"x24", has rolled edge—handy 32½" height is ideal for work surface use. Gray enameled steel construction with durable 2½" hard rubber casters that swivel freely, move easily over almost any surface. Heavy-duty to last and last. 85 lbs.

52-171/6A—List $132.36. Ea. **$104.73**
Ea. (lots/2) **$98.99.** Ea. (lots/3) **$94.03**

C 2-DRAWER TOOL TOTER

Answers many needs in tool rooms, stock rooms, etc. Two drawers built-into closed case for extra strength and lasting alignment, each drawer is 15"x23"x4⅝" high with padlock hasp for safe, pilfer-proof storage of expensive tools and supplies. Deep lower shelf accommodates large, bulky items—or small items, rolled edge prevents them from falling off. Work-surface, rimmed top is 18" wide, 24" deep. Unit stands 32½" high on durable 2½" hard rubber casters that glide effortlessly. Heavy-duty steel finished in gray enamel. Wt. 55 lbs.

52-170/8A—List $89.17. Ea. **$70.88**
Ea. (lots/3) **$66.68.** Ea. (lots/12) **$64.07**

D MOBILE SHOP-LAB CART

Reduce handling. Easy moving 5" casters (2 swivel) maneuver well in tight places—brake holds cart steadily for use as work surface. Top is 42"x24" hard-pressed wood—key locking cabinet is 18"x20"x28" with adjustable shelf and 24"x20"x28" open shelf section. Gray steel. FOB Ill.

52-230/0D—130 lbs. List $244.85
Ea. **$193.42.** Ea. (lots/3) **$179.31**



D

As Low As $179.31

Service and store with one economical cart—rust-inhibiting gray enamel stays neat

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

C & H — FOR OVER FORTY YEARS MAIN SOURCE OF SUPPLY FOR BUSINESS & INDUSTRY.

Heavy-Duty Carts and Cabinets at Big Savings to You!



8-Drawer Truck Saves Time and Steps

Mobile tool-small parts center . . . large parts, supplies fit in two 4" deep trays; small parts store safely in eight 5⅝"x11" drawers. Cart moves a total of 500 lbs. in one trip, saves steps. Trays are 16"x30"; drawers have grabber handle and easy-to-remove dividers and labels. Truck is 36" high on casters, maneuvers around tight corners . . . two handles assures added convenience. 71 lbs. FOB Ill.

52-105/4D—Net each **$144.45**

Larger Truck has 18 drawers, two 24" x 36" trays. Wt. 118 lbs.
52-104/7D—Net each **$199.90**



Convenient Truck for Tools, Supplies

Easy moving truck lets you transport 800 lbs. of tools and parts in one trip. Heavy-duty casters move truck smoothly . . . two 4" deep trays prevent small items from rolling off. Each tray is 16"x30". Heavy-duty all steel construction takes the abuse of constant service. Overall height is 36" with two handles for easy use rolling forward or back. Wt. 44 lbs. FOB Ill.

52-369/6D—Net ea. **$106.22**

Larger Truck with two 24"x 36" trays. Wt. 62 lbs.
52-370/4D—Net ea. **$121.67**

Multi-Use Mobile Cabinet-Cart Center

Three-way mobile work-storage center . . . rimmed top for working, two 24"x14½"x3" deep drawers and double door cabinet for safe storage. Mobile unit goes from machine side to assembly area, from garage pit to mechanics station. Doors have magnetic catches, padlock eye, inside pocket (on right door). 29"x18"x34" high unit has easy-rolling 3" casters; all steel finished in cardinal red baked enamel. Handy in production departments, stockrooms, service centers. Shpg. wt. 89 lbs. FOB Mo.

52-384/5D—Net ea. **$165.71**
Each (lots/3) **$160.82**



Convenient 2-Shelf Utility Cart

Incomparable for moving, storing, holding parts and tools. Top and bottom shelves are 29"x18"x11½" deep with one 24"x14½"x3" drawer. Drawer has padlock eye to help you protect against pilferage. Convenient 34" working height. Rimmed top makes this an ideal work surface . . . items won't roll off accidentally during assembly or while transporting. The ball bearing casters are 3" in diameter and rubber tired to roll freely without marking. Sturdy steel design. Cardinal Red. Wt. 49 lbs. FOB Mo.

52-383/7D—Net ea. **$98.27**
Each (lots/3) **$95.62**

Adjust-A-Tray Material Handling Steel Trucks

As Low As
$124.20

Save time in receiving, processing, shipping departments . . . open front hook-on trays of 16-ga. steel hold small parts for inspection, assembly, and storage. Trays adjust on 3½" centers — slotted uprights are 11-ga. steel formed channel, base frame is 1½" x 1½" x 3/16" angle. Two rigid, two swivel 6" x 2" phenolic casters are welded to base. Gray finish. FOB Mass.

Single Sided units hold up to 7—6" trays or 14—3" trays
Double Sided hold up to 14—6" trays or 28—3" trays

TRUCKS — 64" High, 38" Wide					
Stock Number	Sides	Depth	Capacity (lbs.)	Wt. (lbs.)	Net Each
52-267/2D	Single	24"	1500	115	$129.60
52-268/0D	Single	18"	1500	110	124.20
52-270/6D	Double	40"	2500	130	189.00
52-273/0D	Double	30"	2500	120	183.60

HOOK-ON TRAYS — Open Front			
Stk. No.	D x W x H	Shpg. Wt.	Net Each
52-271/4D	15"x36"x6"	22 lbs.	$24.84
52-272/2D	9"x36"x3"	20 lbs.	23.76

Note: Order trucks and required trays separately.



Fold-Away Truck with Hinged Shelves and Big Casters

As Low As
$299.94

Truck folds to only 6½" wide for compact . . . locks in open position in one easy motion, shelves lock into place securely. Truck transports 2000-lb. loads. Frame is ¾" pipe with 1" square tubing, ½" rods on sides and back, structural angle iron shelves with flattened metal surface. Casters (2 rigid, 2 swivel) are phenolic plastic with roller bearings. Truck is welded, ready to use. FOB Mass.

Stk. No.	L x D x H	Lbs.	Net Ea.	Ea. (lts/3)
52-710/1D	36"x31"x72"	180	$309.71	$299.94
52-711/9D	48"x31"x72"	200	345.00	334.67
52-712/7D	60"x31"x72"	220	378.97	367.84
52-713/5D	72"x31"x72"	240	411.64	399.29

ONLY
$224.00

Shelves fold up so carts can nest

Zinc-Plated Fold-Up Stock Cart

Fold-up cart on heavy-duty casters . . . ideal for most products including ice cream, frozen or dry foods, dairy products, delicatessen items . . . affords clean, safe mobility of stock, 29"x40"x70" size reduces merchandise handling by as much as 60%. Constructed of strong square tubing, finished in durable zinc plating. Moves 2000-lb. loads, heavy-duty casters are 5"x2" phenolic plastic — two casters are rigid, two swivel for easy maneuvering. Shelves fold up independently, secure with gravity flip latch.

71-854/4D—147 lbs. FOB Calif. Net **$224.00**

Bar Cradle Truck for Easy Movement of Pipe, Tubing, Bar Stock

- **Save time . . . move hard to handle stock with fork truck or electric hoist**
- **Cradle is ⅜" steel flat bar stock with 3" channel angle supported upright**
- **4" steel channel base has wheels mounted for convenient tilting when needed**

As Low As
$344.36

All welded construction — space beneath truck allows fork truck loading, unloading. Casters mounted in diamond pattern with ⅛" tilt for easy short distance moving, maneuvering . . . two phenolic swivel casters are 6" x 3" with roller bearings, two load wheels mounted on steel axle are 12"x3" phenolic with roller bearings for 4-ton size, 12"x3½" for 5-ton size. Gray finish. 28"W x 29"H. FOB Mass.

4-TON CAPACITY TRUCKS					
Stock Number	Lgth.	Cradles	Wt. (lbs.)	List Price	Each
71-569/8D	60"	3	384	$392.04	$344.36
71-798/3D	72"	3	408	457.38	401.77
71-777/7D	96"	4	464	529.25	464.88
71-778/5D	120"	4	518	550.16	483.24
5-TON CAPACITY TRUCKS					
71-823/9D	60"	3	404	433.62	380.87
71-799/1D	72"	3	428	498.96	438.27
71-877/5D	96"	4	484	570.83	501.46
71-879/1D	120"	4	538	591.74	519.77



HODGE Steel Shelf Trucks Move More, More Economically!

Other colors available: Red, orange, yellow, green, dk. blue. Contact Dept 6.

HODGE Welded Open Shelf Trucks 1800 lbs. Capacity

Moves 1800 lbs. in one trip. All welded—¾" pipe frame has ½" rods on sides and back to keep items from rolling off, shelves of 16-ga. steel slope front to rear. Shipped fully assembled. Four bolted-on 6" x 2" rubber-tired swivel ball bearing casters. 61" high. Color: Gray. Other colors available upon request. FOB Mass.

Stk. No.	D	W	Lbs.	Net Ea.	Ea. (lots/3)
52-244/1D	22"	36"	170	$235.22	$228.16
52-255/7D	22"	78"	260	352.84	342.26
52-266/4D	24"	42"	180	248.29	240.84
52-277/1D	24"	48"	190	261.36	253.52
52-288/8D	30"	48"	200	274.43	266.19
52-289/6D	30"	60"	220	352.84	342.33
52-290/4D	30"	72"	240	379.96	368.79
52-291/2D	36"	72"	260	406.50	394.32

Overall Height 61" Shelf Clearance 14"



SHELF CLEARANCE
800 CAP-10"
3000 CAP-12"

OVERALL HEIGHT
58¼"
3000 CAP-66¼"

Welded Shelf Trucks with Flush or Lip Shelves

Perfect for parts and/or supplies storage-mobility . . . 13-ga. steel shelf trucks have push handle, choice of 1½" lip shelves or flush-top shelves. Two capacities—800-lb. has 5" ball-bearing rubber-tired casters, 3000-lb. has 8"x2" steel roller bearing casters. There are 2 swivel, 2 rigid casters on all. Color: Gray. FOB Mass.

SIZE (in.)		800-LB. CAPACITY TRUCKS—58¼" HT.					3000-LB. CAPACITY TRUCKS—66¼" HT.				
		1½" Lip	Flush Top	Wt.	Net	Each	1½" Lip	Flush Top	Wt.	Net	Each
D	W	Stk. No.	Stk. No.	(lbs.)	Each	(lots/3)	Stk. No.	Stk. No.	(lbs.)	Each	(lots/3)
18	28	52-275/5D	52-103/9D	105	$150.28	$145.77	52-391/0D	52-164/1D	200	$215.62	$209.15
18	36	52-276/3D	52-106/2D	120	176.42	171.23	52-392/8D	52-174/0D	220	228.69	221.83
18	48	52-278/9D	52-107/0D	135	182.95	177.47	52-401/7D	52-175/7D	250	248.29	240.84
24	30	52-279/7D	52-114/6D	120	176.42	171.24	52-394/4D	52-176/5D	220	228.69	221.83
24	36	52-371/2D	52-115/3D	145	182.95	177.47	52-395/1D	52-178/1D	250	248.29	240.84
24	42	52-280/5D	52-116/1D	160	209.09	203.60	52-402/5D	52-198/9D	275	274.43	266.20
24	48	52-281/3D	52-117/9D	175	228.69	221.84	52-396/9D	52-223/5D	300	294.03	285.21
24	54	52-282/1D	52-124/5D	190	248.29	241.81	52-403/3D	52-228/4D	325	313.63	304.22
24	60	52-283/9D	52-129/4D	205	267.89	259.85	52-397/7D	52-229/2D	350	333.23	323.34
30	30	52-284/7D	52-136/9D	155	182.95	177.46	52-398/5D	52-233/4D	252	248.29	240.84
30	36	52-285/4D	52-137/7D	170	215.62	209.15	52-399/3D	52-234/2D	290	280.96	272.53
30	42	52-286/2D	52-138/5D	185	241.76	234.54	52-404/1D	52-235/9D	330	300.56	291.54
30	48	52-287/0D	52-139/3D	200	267.89	259.85	52-400/9D	52-236/7D	350	333.23	323.34
30	54	52-292/0D	52-140/1D	215	294.03	285.27	52-405/8D	52-237/5D	380	352.84	342.25
30	60	52-380/3D	52-150/0D	240	359.37	348.59	52-415/7D	52-238/3D	415	386.81	375.21
36	60	52-381/1D	52-162/5D	255	385.51	373.94	52-406/6D	52-239/1D	480	411.64	399.29
36	72	52-493/4D	52-163/3D	270	424.71	411.97	52-410/8D	52-240/9D	520	444.31	430.98

1200-LBS. AND 2000 LBS. CAPACITIES





1200-LBS. AND 2000 LBS. CAPACITIES

Hodge Three-Sided Trucks Save Time and $$$

Move 1200-lb. to 2000-lb. loads with complete assurance . . . merchandise stacks neatly for storage and transporting. Ruggedly built units have 13-ga. steel base—choice of expanded mesh sides on angle iron frame or solid sheet metal sides. Inside height 48".

All models have push handle and durable gray finish. 1200-lb. capacity units have 5"x1¼" hard rubber casters (two rigid, two swivel); 2000-lb. capacity units have 6"x2" phenolic casters (two rigid, two swivel) Trucks maneuver easily. FOB Mass.

SIZE (in.)		Capacity	EXPANDED MESH SIDES				SOLID SHEET METAL SIDES			
			Stock	Wt.	Net	Each	Stock	Wt.	Net	Each
W	L	(lbs.)	Number	(lbs.)	Each	(lots/3)	Number	(lbs.)	Each	(lots/3)
18	36	1200	52-545/1D	112	$182.95	$177.46	52-575/8D	150	$202.55	$196.47
24	42	1200	52-546/9D	125	196.02	190.14	52-576/6D	160	215.62	209.15
24	48	1200	52-547/7D	132	209.09	202.82	52-577/4D	180	228.69	221.18
24	54	1200	52-548/5D	140	222.16	215.50	52-578/2D	200	235.22	228.16
24	60	1200	52-549/3D	150	235.22	228.16	52-579/0D	220	254.83	247.19
30	42	2000	52-550/1D	170	248.29	240.84	52-580/8D	240	287.50	278.89
30	48	2000	52-551/9D	185	261.36	253.52	52-581/6D	250	300.56	291.54
30	54	2000	52-552/7D	200	267.89	259.85	52-582/4D	275	307.10	297.89
30	60	2000	52-553/5D	215	274.43	266.20	52-583/2D	300	313.63	304.22
30	72	2000	52-554/3D	245	287.50	278.88	52-584/0D	325	326.70	316.90
36	60	2000	52-555/0D	245	300.56	291.54	52-585/7D	325	339.77	329.58
36	72	2000	52-556/8D	265	326.70	316.90	52-586/5D	350	365.90	354.92

HODGE Multi-Use Truck with Removable Shelves

Move a large load of supplies or parts . . . store them right on the removable 20"x29" masonite shelves that go to work station, cooler. There's 6½" clearance between shelves. Strong 13-ga. steel truck is finished in gray comes with four 5" rubber swivel casters mounted in Quick-Change caster brackets. Moves 500 lb. loads. Measures 22½"Wx30"Lx62"H. FOB Mass.

52-061/9D—100 lbs.
Net each **$260.46.**
Each (lots/3) **$252.65**



HODGE 4-Shelf Truck Moves 800 Lbs. of Supplies on Easy-Rolling Casters

Save manpower, protect tools, supplies, lab specimens, small parts . . . use this husky 800-lb. capacity shelf truck for stocking, transporting, general utility. There's 10" clearance between shelves. All 13-ga. steel with push handle and 5" rubber-tired casters (2 swivel, 2 rigid). Gray color. Measures 16"Wx40"Lx46"H. Wt. 120 lbs. FOB Mass.

Truck with shelf lips up.
52-491/8D—Net ea. **$188.69.**
Each (lots/3) **$183.00**

Truck with flush-top shelves.
52-492/6D—Net ea. **$188.69.**
Each (lots/3) **$183.00**

All Welded HODGE TRUCKS Save Time, Work, $$$


FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250
three shelf truck

Rugged 36″ High Mobile Service Stand Has 4000-Lb. Capacity

Heavy-duty model moves on 8x2″ semi-steel roller-bearing casters (2 rigid, 2 swivel). Channel-formed shelves are braced heavy-gauge steel with stiffeners underneath—no lip for easy on and off! FOB Mass.
OVERALL HEIGHT: 36″
SHELF CLEARANCE: 2-SHELF—21″, 3-SHELF-9⅝″

TWO-SHELF TRUCKS

BOLTED ON CASTERS FOB MASS.						WELDED ON CASTERS FOB MASS.			
Width	Lgth.	Stock No.	Lbs.	Net Ea.	Ea. (lts/3)	Stock No.	Lbs.	Net Ea.	Ea. (lts/3)
24″	48″	52-248/2D	222	$224.77	$218.03	52-930/5D	218	$208.57	$202.31
24″	60″	52-422/3D	242	237.84	230.70	52-931/3D	238	221.64	214.99
24″	72″	52-249/0D	262	254.83	247.19	52-932/1D	258	238.63	231.47
28″	48″	52-425/6D	232	235.22	228.16	52-933/9D	228	219.02	212.45
28″	60″	52-250/8D	256	254.83	247.19	52-934/7D	252	238.63	231.47
28″	72″	52-251/6D	282	274.43	266.20	52-935/4D	278	258.23	250.48
34″	48″	52-429/8D	255	261.36	253.52	52-936/2D	251	245.16	237.81
34″	60″	52-252/4D	285	280.96	272.53	52-937/0D	281	264.76	256.82
34″	72″	52-253/2D	315	300.56	291.54	52-938/8D	311	284.36	275.83

THREE-SHELF TRUCKS

24″	48″	52-433/0D	276	$261.36	$253.57	52-245/8D	272	$245.16	$237.84
24″	60″	52-423/1D	306	282.27	273.80	52-246/6D	302	266.07	258.18
24″	72″	52-424/9D	336	307.10	297.89	52-247/4D	332	290.90	282.17
28″	48″	52-426/4D	292	280.96	272.53	52-254/0D	288	264.76	256.89
28″	60″	52-427/2D	326	303.18	294.08	52-256/5D	322	286.98	278.47
28″	72″	52-428/0D	366	339.77	329.67	52-257/3D	362	323.57	313.86
34″	48″	52-430/6D	330	313.63	304.22	52-258/1D	326	297.43	288.59
34″	60″	52-431/4D	375	339.77	329.67	52-259/9D	371	323.57	313.86
34″	72″	52-432/2D	420	372.44	361.27	52-241/7D	416	356.24	345.65

Multi-Shelf Portable Table Boasts 800-Lb. Capacity

Overall height, 30″. Rolls on 5″ rubber-tired ball-bearing bolted-on swivel casters. 16-ga. steel shelves are fitted with stiffeners underneath for maximum rigidity. Gray. Casters mounted in quick change caster brackets. FOB Mass.
SHELF CLEARANCE: 2-SHELF—21″, 3-SHELF 9¾″

TWO-SHELF TRUCKS

Stk. No.	Width	Lgth.	Lbs.	Net Ea.	Ea. (lots/3)
52-416/5D	18″	36″	85	$117.61	$114.08
52-417/3D	18″	48″	93	137.21	133.10
52-418/1D	24″	36″	93	137.21	133.10
52-419/9D	24″	42″	100	143.75	139.47
52-372/0D	24″	48″	102	150.28	145.77
52-420/7D	24″	54″	106	156.82	152.27
52-374/6D	24″	60″	116	163.35	158.48
52-376/1D	30″	48″	115	163.35	158.48
52-378/7D	30″	60″	133	169.88	164.78
52-434/8D	30″	72″	151	182.95	177.46
52-436/3D	36″	60″	151	182.95	177.46
52-437/1D	36″	72″	163	196.02	190.14

THREE-SHELF TRUCKS

52-438/9D	18″	36″	105	$150.28	$145.77
52-439/7D	18″	48″	114	156.82	152.12
52-440/5D	24″	36″	114	163.35	158.56
52-441/3D	24″	42″	121	169.98	164.78
52-373/8D	24″	48″	135	176.42	171.38
52-442/1D	24″	54″	127	182.95	177.46
52-375/3D	24″	60″	156	196.02	190.37
52-377/9D	30″	48″	152	196.02	190.37
52-379/5D	30″	60″	178	215.62	209.15
52-443/9D	30″	72″	194	235.22	228.46
52-444/7D	36″	60″	194	235.22	228.46
52-445/4D	36″	72″	205	261.36	253.67

Multi-Use Industrial Trucks on 5″ Wheels

5″ rubber tired casters—2 rigid and 2 swivel.

- Choice of 2 styles—both heavy-guage steel, finished in gray
- Each has 800-lb. load capacity—hard rubber tired wheels
- All welded—ready to use

A SLOPING HANDLE TRUCK—36″ high, 16″ clearance between shelves

SHELF		Wt	FLUSH-TOP SHELVES—25″ HT.			SHELVES WITH 1½″ LIP—25″ HT.		
W	L	(lbs.)	Stk. No.	Net Ea.	Ea. (lots/3)	Stk. No.	Net Ea.	Ea. (lots/3)
18″	30″	90	52-615/2D	$143.75	$139.44	52-446/2D	$143.75	$139.44
18″	33″	92	52-647/5D	150.28	145.79	52-649/1D	150.28	145.79
18″	36″	94	52-616/0D	156.82	152.27	52-456/1D	156.82	152.27
18″	48″	100	52-617/8D	163.35	158.57	52-457/9D	163.35	158.57
22″	36″	97	52-646/7D	163.35	158.57	52-648/3D	163.35	158.57
24″	30″	98	52-618/6D	159.43	154.66	52-458/7D	159.43	154.66
24″	36″	100	52-619/4D	163.35	158.57	52-459/5D	163.35	158.57
24″	42″	102	52-620/2D	169.88	164.78	52-460/3D	169.88	164.78
24″	48″	109	52-511/3D	176.42	171.26	52-462/9D	176.42	171.26
24″	54″	113	52-516/2D	182.95	177.46	52-465/2D	182.95	177.46
24″	60″	120	52-520/4D	189.49	183.87	52-466/0D	189.49	183.87
30″	42″	120	52-521/2D	189.49	183.87	52-467/8D	189.49	183.87
30″	48″	126	52-522/0D	196.02	190.43	52-468/6D	196.02	190.43
30″	60″	140	52-523/8D	209.09	202.87	52-469/4D	209.09	202.87
30″	72″	158	52-524/6D	222.16	215.59	52-470/2D	222.16	215.59
36″	60″	158	52-525/3D	215.62	209.15	52-471/0D	215.62	209.15
36″	72″	170	52-526/1D	228.69	221.92	52-472/8D	228.69	221.92

B STRAIGHT HANDLE TRUCK with 21″ shelf clearance

SHELF		Wt.	FLUSH TOP SHELVES—30″ HT.			SHELVES WITH 1½″ LIP—30″ HT.		
W	L	(lbs.)	Stk. No.	Net Ea.	Ea. (lots/3)	Stk. No.	Net Ea.	Ea. (lots/3)
18″	30″	90	52-473/6D	$130.68	$126.76	52-527/9D	$130.68	$126.76
18″	33″	92	52-474/4D	137.21	133.09	52-528/7D	137.21	133.09
18″	36″	94	52-475/1D	143.75	139.44	52-529/5D	143.75	139.44
18″	48″	100	52-476/9D	150.28	145.77	52-530/3D	150.28	145.77
22″	36″	97	52-477/7D	150.28	145.77	52-531/1D	150.28	145.77
24″	30″	98	52-478/5D	146.36	141.98	52-532/9D	146.36	141.98
24″	36″	100	52-479/3D	150.28	145.78	52-533/7D	150.28	145.78
24″	42″	102	52-480/1D	156.82	152.21	52-534/5D	156.82	152.21
24″	48″	109	52-481/9D	163.35	158.49	52-536/0D	163.35	158.49
24″	54″	113	52-482/7D	169.88	164.78	52-537/8D	169.88	164.78
24″	60″	120	52-483/5D	176.42	171.27	52-538/6D	176.42	171.27
30″	42″	120	52-484/3D	169.88	164.78	52-539/4D	169.88	164.78
30″	48″	126	52-485/0D	176.42	171.27	52-540/2D	176.42	171.27
30″	60″	140	52-486/8D	189.49	183.86	52-541/0D	189.49	183.86
30″	72″	158	52-487/6D	202.55	196.47	52-542/8D	202.55	196.47
36″	60″	158	52-488/4D	196.02	190.28	52-543/6D	196.02	190.28
36″	72″	170	52-489/2D	209.09	202.82	52-544/4D	209.09	202.82

HODGE Top Rated Steel Industrial Stands and Carts—

As Low As **$114.38**

500-lb. capacity

- Heavy 13-ga. steel
- All welded
- Drawer incl.

ALL-WELDED HEAVY-DUTY DRAWER UNIT

Heavy-gauge steel—500-lb. capacity. With 3" rubber stem casters for portability . . . or glide rubber feet for stationary use. Three shelves—top one has three lips up to keep contents from rolling off, one lip down for easy working surface. 5" deep drawer rolls on ball bearings—has lock, handle. Gray. FOB Mass.

Stock Number	Dimensions W x D x H	Wt. (lbs.)	Net Each	Each (lots/3)
WITH 3" RUBBER SWIVEL CASTERS				
52-797/8D	27"x20"x32"	70	$124.15	$120.46
52-798/6D	36"x22"x32"	128	156.82	152.22
WITH GLIDE FEET				
52-897/6D	27"x20"x24½"	68	117.61	114.38
52-898/4D	36"x22"x29½"	126	150.28	145.77

As Low As **$101.40**

500-lb. capacity

- 10" deep tool box shelf
- Big 3" casters
- Three shelves

ALL-WELDED VERSATILE WORK CART

Heavy 13-gauge steel portable cart has three 27"x20" shelves plus 10" deep top shelf for tool box. Top shelf has three lips up and one down, bottom and center shelves have all four lips up to keep contents on cart during transit. All welded construction—takes lots of strenuous use, shipped completely assembled—ready to use! 37" high overall. Three inch rubber swivel casters glide smoothly, give cart contents a rattle-free ride. Finished in gray enamel. 500-lb. capacity. Shpg. wt. 75 lbs. FOB Mass.

52-805/9D—Net each $104.54
Each (lots/3) **$101.40**

As Low As **$50.73**

500-lb. capacity

- Three shelves
- 13-ga. steel

STRONG THREE-SHELF SERVICE CART

Convenient cart makes service and stocking easy, safe—choose 3" rubber swivel casters for portability or glide feet for strong wobble-free work-storage. Three shelves—top shelf has three lips up and one down; others have all lips up. Gray. FOB Mass.

Stock Number	Dimensions W x D x H	Wt. (lbs.)	Net Each	Each (lots/3)
WITH 3" RUBBER SWIVEL CASTERS				
52-806/7D	26"x20"x32"	50	$71.87	$69.77
52-807/5D	23"x13"x32"	45	58.81	57.24
52-808/3D	36"x22"x32"	85	104.54	101.40
WITH GLIDE FEET				
52-906/5D	27"x20"x29½"	48	$65.34	$63.38
52-907/3D	23"x13"x29½"	43	52.27	50.73
52-908/1D	36"x22"x29½"	83	98.01	95.46

ALL-WELDED 500-LB. CAPACITY MOBILE TRUCK WITH EXTRA DEEP SHELVES

- 3" lip on shelves
- Bolted on casters

500-lb. capacity

Heavy-gauge steel truck with push handle—ideal for service and stocking. Each shelf has 3" deep lip to keep parts on board, carry maximum capacity in one trip. Truck rolls on two 5" rigid and two 5" swivel casters. In six sizes—all 35" high. Finished in gray enamel. FOB Mass.

As Low As **$91.27**

Stock Number	Size W x D	No. of Shelves	Wt. (lbs.)	Net Each	Each (lots/3)
52-820/8D	30"x16"	2	65	$94.09	91.27
52-821/6D	30"x16"	3	80	117.61	114.21
52-822/4D	36"x18"	2	75	119.89	116.74
52-823/2D	36"x18"	3	90	130.68	126.76
52-824/0D	36"x22"	2	80	124.15	120.43
52-825/7D	36"x22"	3	98	143.75	139.44

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

WELDED ROLLING SERVICE AND STOCK TRUCK

- 1½" deep shelves
- Heavy gauge steel

500-lb. capacity

Ideal for lab, service center . . . anywhere mobility is important to efficient operation! Cart rolls on two 5" rigid and two 5" swivel bolted on plate rubber casters. Push handle and three shelves with 1½" deep upturned lips make service and stocking easy. Gray enamel finish. FOB Mass.

As Low As **$101.40**

Stock Number	Size W x D x H	No. of Shelves	Wt. (lbs.)	Net Each	Each (lots/3)
52-833/1D	36"x18"x35"	2	87	$104.54	$101.40
52-834/9D	36"x18"x35"	3	93	115.00	111.54
52-835/6D	36"x18"x49"	4	99	137.21	133.29
52-836/4D	36"x22"x35"	2	90	117.61	114.68
52-837/2D	36"x22"x35"	3	96	130.68	126.77
52-838/0D	36"x22"x49"	4	102	156.82	152.64

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

DOUBLE-WELDED TRUCK WITH EXTRA DEEP TRAYS

- Big 4" casters
- Strong steel handle

Deep trays allow safe handling of a wide variety of merchandise—formed edges are 2" deep and doubly thick adding extra strength and rigidity to trays. 16-ga. steel with 3/16"x1½"x1½" supports. Two rigid and two swivel casters—¾" formed round milled steel handle is at swivel end. Casters are mounted to cross channel bolsters for added long life. Overall truck height is 34½". 21" shelf clearance. FOB Nebr.

Stock Number	Shelf Size	Wheel Type	Capacity (lbs.)	Wt. (lbs.)	Net Each
52-801/8D	16"x28"	Rubber	1000	62	$165.20
52-802/6D	20"x32"	Rubber	1000	64	153.52
52-803/4D	16"x28"	Steel	1200	67	174.57
52-804/2D	20"x32"	Steel	1200	69	179.74

As Low As **$165.20**

TWO-SHELF ROLLING SERVICE STAND

- Big 5" casters
- 1½" deep shelves

Heavy-gauge steel service carts. Two styles to fit your needs: cart with 1½" lip top has matching lower shelf with 1½" lip turned up, cart with flat-flush top has matching lower shelf with lips down. Both are all welded, fully assembled, ready to use—with four 5" rubber stem swivel casters. Finished in gray enamel. 36" wide, 34½" high. FOB Mass. Specify top.

As Low As **$91.36**

Stock Number	Depth	No. of Shelves	Wt. (lbs.)	01—1½" lip top		02—flush top	
				Net Ea.	Ea. (lots/3)	Net Ea.	Ea. (lots/3)
52-809/1DX	18"	2	84	$94.09	$91.36	$94.09	$91.36
52-810/9DX	18"	3	90	108.46	105.27	108.46	105.27
52-812/5DX	22"	2	87	104.54	101.46	104.54	101.46
52-813/3DX	22"	3	97	117.61	114.39	117.61	114.39

C & H — FOR OVER FORTY YEARS ON-TIME DELIVERY PLUS CUSTOMER SATISFACTION.

HODGE Welded All-Steel Storage Cabinets Are Built to Last . . . Doors Stay In-Line, Casters Roll Smoothly, Finishes Remain Fresh!

- All Welded, Virtually Indestructible!
- Rugged Quality for Shop, Lab, Industry
- Shipped Assembled, Ready to Use
- Toughest, Strongest 14-Ga. Steel
- All Doors Lock, Have 3-Point Closing
- Attractive Gray Finish

Customized Modifications available on all items on this page. Contact Dept. 6.





Shelf Riser Optional

A WELDED HEAVY-DUTY SUPPLY CABINET

Store heavy tools, shop supplies, almost anything on strong 14 ga. shelves—three are adjustable to meet your needs. This strongest-of-all supply cabinets is 84" high, 36" wide, 24" deep. It locks securely, includes two keys. FOB Mass.

52-497/5D—Wt. 300 lbs. Net each **$522.72**
52-597/2D—Extra shelf. 21 lbs. Net ea. **$25.23**

B C WORK HEIGHT CABINETS

Rugged all-steel cabinets outfitted with 14 ga. interior shelf for storage convenience. Work height top (34½" high) has 1½" lip on three sides so parts and tools won't roll off. Locking doors come with two keys; sockets welded inside legs to accommodate stem casters (not included).

Key	Stock No.	W x D x H	Wt.	Net Ea.
B	52-495/9D	21"x15"x34½"	85 lbs.	$130.68
C	52-496/7D	36"x22"x34½"	185 lbs.	110.42

D 4-DRAWER MOBILE LOCKING CABINET

All-welded 14 ga. construction. Four ball bearing drawers with cylinder lock (two keys supplied) roll in and out smoothly. Large cabinet with shelf—all behind locking doors. Convenient work height 36"Wx22"D top comes with 1½" backstop. Cabinet is mounted on 5"x1½" hard rubber casters (2 rigid, 2 swivel) and has push handle for mobility. 36½" high. FOB Mass.

52-499/1D—Wt. 250 lbs. Net each **$444.31**

E ROLL-ABOUT WORK CABINET

Locking doors (with two keys included) protect and conceal contents stored on interior stationary shelf. Work top is 36"Wx22"D, with 1½" backstop to keep contents intact. 36½" high overall with 5"x1½" hard rubber casters (two rigid, two swivel) and push handle. FOB Mass.

52-498/3D—Wt. 200 lbs. Net each **$248.29**

F STRONG MOBILE WORK STATION

Heavy-duty work partner in shop or factory—super size work surface is 63"Wx26"D with 12" deep vise shelf supplied and 3" high backstop on three sides. Interior has one stationary shelf, oversize doors have 3-point closing and locking handle (two keys included). Rolls effortlessly on 5"x1½" hard rubber casters (two rigid, two swivel). 37" high. Push handle is included for easy mobility. FOB Mass.

52-501/4D—Wt. 250 lbs. Net each **$352.84**
SHELF RISER is 14" high, 10" deep. FOB Mass.
52-502/2D—Wt. 20 lbs. Net each **$35.28**

G MOBILE ALL-STEEL SHOP-LAB CABINET

Fully portable service center has four 14"Wx20"Dx5"H drawers that glide smoothly on ball bearings—drawers have recessed handles and cylinder locks; storage compartment has one stationary shelf plus locking doors (two keys included). Virtually indestructible 13-ga. steel top is 36"Wx22"D with 1½" backstop on three sides so tools won't roll off in transit. Hard rubber casters are 5"x1½" (two rigid, two swivel). Cabinet stands 36½" high overall. FOB Mass.

52-500/6D—Wt. 240 lbs. Net each **$418.28**

C&H Offers a Full Line of Shop Supplies At Wholesale prices—You Save More At C&H

ROTABINS® Create Instant Industrial Parts Storage



Easy inventorying with fingertip

Move fully loaded bins with fork lift or dolly

Compact 17" Rotabin

- **Maximum storage, little space!**
- **Continuous label holder**

Maximum storage for limited areas! Each rotating section consists of welded-in hub and 1-pc. bottom. Has four permanent compartments—13" wide at face, 7½" deep, 3" high. Twelve adjustable bin dividers can be added on 3⅜" centers up to 16 compartments per section.

Stock No.	Ht.	Sections	Wt.	Net Ea.
52-125/2D	18"	4	28	$ 94.97
52-126/0D	26"	6	36	132.36
52-127/8D	36"	8	45	170.84
52-128/6D	44"	10	54	208.19

DIVIDER for 17" diam. Rotabin.
52-519/6DL—Net ea. (lots/25) $1.17

28" Diam. Ball-Bearing Rotabin

- **Each section rotates independently!**
- **Phosphitized treatment preserves the finish!**

Welded-in dividers form six permanent compartments, 14" wide at face, 12" deep, 6" high with 1⅝" high removable bin fronts which serve as label holders. Bin dividers can be inserted to make up to 24 compartments in each section and are adjustable on 1" centers. Tray capacity—500 lbs.

Stock No.	Ht.	Sections	Wt.	Net Ea.
52-130/2D	65½"	10	216	$538.69
52-131/0D	59¼"	9	198	492.34
52-132/8D	53"	8	179	443.72
52-133/6D	46¾"	7	161	395.27
52-134/4D	40½"	6	142	346.49
52-135/1D	34¼"	5	124	297.87

52-518/8DL—Divider for 28" Rotabin. Net each (lots/20) $1.23

Super-Capacity 34" Diam. Rotabins

- **Space economy in stockroom, tool room, at machines**
- **Each section rotates independently for selecting**

Welded-in dividers form five permanent compartments, 21" wide at face, 15" deep, 7" high with 2⅜" high removable bin front, serves as label holder. Adjustable bin dividers can be inserted to make up to 30 compartments in each section and are adjustable on 1" centers. Tray capacity—500 lbs.

Stock No.	Ht.	Sections	Wt.	Net Ea.
52-118/7D	65½"	8	248	$528.35
52-119/5D	65½"	7	222	470.15
52-120/3D	50"	6	196	422.39
52-121/1D	42¼"	5	171	352.77
52-122/9D	34½"	4	144	292.79

52-123/7DL—Divider for 34" Rotabin. Net each (lots/20) $1.77

Super Heavy Duty
44" or 58" for Bulk Storage



Here you can store big quantities in a small amount of space! Heavy-duty Rotabins provide storage for keg quantities of nails, bolts, rivets, washers, pipe fittings, etc. Each heavy-duty section rotates easily and independently on ball thrust bearings. Entire unit maintains stability even when fully loaded. 125 lb. cap. each compartment. 5 cmpt. per section. FOB Ohio.

Stock Number	Ht. (in.)	Sections	Diameter (in.)	Shpg. Wt. (lbs.)	Net Each
52-447/0D	34	3	44	181	$ 343.64
52-448/8D	45	4	44	227	448.23
52-449/6D	56	5	44	273	552.67
52-450/4D	67	6	44	319	654.81

58" Dia.—each section divided into 10 compartments. Weight cap. 200 lbs. each cmpt.

52-451/2D	53	4	58	570	$1164.49
52-452/0D	66	5	58	645	1389.68

4-Tier Spin-A-Bin
For Work Bench, Counter Top

- **Save space, save trouble!**
- **Save manhours and money!**

WE SHIP UPS WHEN POSSIBLE

IN STOCK IMMEDIATE SHIPPING

Rotating sections bring all parts into reach! Each tray rotates on ball bearings. Heavy-welded steel construction with easy working revolving mechanism. Includes 20 dividers. Measures 12½" in diameter, 18¼" high. Handy in store rooms, tool cribs, assembly lines, hobby shops, hardware stores. Green. 12 lbs.

52-185/6A—Net each **$32.27.**
Each (lots of 3) **$30.82**
EXTRA DIVIDER. 52-186/4A—Net ea. .... 83¢

Small Parts Storage for Bench-Top or Service Center



[A] EASY-VIEW ORGANIZERS

Save time, speed selection . . . rotary unit stands on bench or counter-top, keeps small parts, office supplies, craft items, or retail merchandise handy for instant selection. See-thru plastic bins remove easily for refilling, for use at workstation, etc.

Stock Number	W x H (inches)	Shpg. Wt.	Net Each	Each (lots/3)
18-BIN ORGANIZER without bin covers				
52-033/8A	14x11½	3½ lbs.	$12.95	$12.30
30-BIN ORGANIZER with bin covers				
52-035/3A	14x16½	6 lbs.	18.90	17.97

[B] 12-SECTION OPEN CABINET

Multi open compartments for speedy assembly or easy selection at service counters. Strong all-steel cabinet has 12 compartments to help you keep small parts organized and available for quick selection. Complete with 6" accessory compartment for extras. Red finish with black bins, measures 10¾"x8½"x7¼". Can also be wall-mounted to save surface space. 4 lbs.

47-029/4A—Net ea. **$7.99.**
Ea. (lots/4) **$7.59.** Ea. (lots/12) **$6.79**



Pigeonhole Cabinet with 56 Compartments for Parts and Tools

Many practical uses in shop, garage, industrial plants . . . fifty-six 4x8¾x5¼" compartments store parts and tools. Widths adjust on 2" centers with snap fasteners . . . front of each compartment has 1" lip that serves as label holder, and keeps stored items from rolling out. 34¼" wide, 9" deep, 37½" high—ideal for countertop or bench, or as wall hung unit. Strong steel construction, finished in gray enamel. Shipped KD. Wt. 60 lbs.

52-165/8A—List $93.60. Ea. $73.88. Each (lots of 3) **$69.68**



Sloping Cabinet Has 108 Bins in Assorted Sizes

As Low As **$121.88**

Unit 33⅝" wide, 17" deep, 34½" high; has 108 sloping compartments varying in depth from 17" to 8½". Tiers of shelves are gently sloped—one glance gives you an instant view of the contents of each compartment! Lower three shelves have 11 compartments, each 3" wide, 1" high and upper five shelves have 15 non-adjustable compartments, each 2¼" wide, 1" high. All shelves have full width labelholders. Gray enamel. FOB Pa.

52-640/0D—Wt. 84 lbs. List $180.46. Ea. $140.60. Ea. (lots/3) **$133.57**

Steel Compartment Cabinets Save Time, Labor

- ALL-WELDED
- COMPLETELY ASSEMBLED
- INDUSTRIAL QUALITY

36-BIN



56-BIN

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



72-BIN

BIG VALUES!
As Low As
$18.80
8-Bin Unit

Extremely Rigid Storage Cabinets Of Heavy-Duty Welded Steel

- Cabinets are 12" deep
- Each bin has safeguard lip
- Quick access
- Easy organization
- Full visibility

Six sizes to choose from! Heavy industrial quality cabinets are constructed of lasting welded steel that can't warp or twist out of shape, won't sag even under heavy loads. Safety lips are fully hemmed, with plenty of room for labelling. Small parts are always at hand and easily accessible but safely stored. Use these cabinets where space is limited, where organization is important . . . work areas are neater because of them, and work flow is improved. Order from chart below. All FOB Conn. Color: Gray Baked Enamel.

No. of Bins	Stock Number	Dimensions (in.) W x D x H	Bin Size (in.) W x D x H	Shpg. Wt. (lbs.)	Net Each	Each (lots/3)
8	52-769/7D	35¼x12x5⅛	3⅛x12x3½	12	$19.39	$18.80
16	52-771/3D	35¼x12x12	4x12x4½	22	38.47	37.32
24	52-719/2D	35¼x12x24	5⅜x12x5-3/16	44	48.67	47.24
36	52-795/2D	18x12x42	4x12x4½	50	56.39	54.77
40	52-227/6D	35¼x12x24	4x12x4½	50	54.37	52.81
42	52-800/0D	35¼x12x42	5⅜x12x5-7/16	71	75.58	73.43
56	52-799/4D	35¼x12x42	4-13/16x12-5/16	75	78.29	75.94
72	52-226/8D	35¼x12x42	4x12x4½	80	82.24	79.54

Base for Bin Units.

52-794/5D—Fits 16, 24, 40, 42, 72-Bin Units. Wt. 13 lbs. Net ea. $29.87. Ea. (lots/3) $28.92



42-BIN



40-BIN

Double Swing-Out Doors

Lockable doors help prevent thefts, keep out dust and dirt. Gray steel. FOB Conn.

Stk. No.	For Bin Cabinets	Lbs.	Net Ea.	Ea. (lots/3)
52-796/0D	42, 56, 72	16	$27.90	$26.88
52-745/7D	24 and 40	10	21.10	$20.47

16-BIN



A
As Low As
$59.95
B

A HEAVY-DUTY 18-DRAWER CABINET

Sturdy cabinet with welded steel drawers—ideal for machinists, farmers, stores—units stack or bolt down. Drawers have handles, label holders—each has two scoop dividers that adjust on 1" centers. 34" wide, 13¾" high unit. Durable gray enamel finish. FOB Illinois.

52-096/5D—12" deep cabinet. Wt. 64 lbs. Net each **$99.95**
52-097/3D—18" deep cabinet. Wt. 84 lbs. Net each $124.95

B INDUSTRIAL-TYPE 8-DRAWER CABINET

Heavy-duty industrial-type steel drawers with handles for small parts storage—drawers can't spill accidentally, yet remove easily. 8-drawer unit is 23¼x12x9½" high—each drawer is 5⅝x11x3⅛", equipped with two scoop dividers adjustable on 1" centers. With label holders. Durable gray enamel finish. FOB Ill.

52-095/7D—Shpg. wt. 29 lbs. Net each **$59.95**

Send for free 104-page Equipto Full-Line Catalog.

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

EQUIPTO Tops in . . .

- Quality
- Strength
- Durability

Strong Steel Drawer Units Store Small Parts—Save Time, Money!

UTILIZE SPACE EFFICIENTLY, INCREASE PRODUCTIVITY! STORED ITEMS ARE EASY TO FIND IN LABELLED DRAWERS! DIVIDERS ARE INCLUDED FOR CUSTOM PARTITIONING

These Outstanding Values Last a Lifetime!

C 108 Drawers
Shipped Set Up
D 72 Drawers and 6 Bins

C VERSATILE 108-DRAWER CABINET

To meet many requirements! 108 drawers . . . each with two dividers . . . provide 324 storage compartments for small items. Each drawer is 5⅝" wide, 3⅛" high—your choice of two depths. Heavy-duty drawers are welded steel with handles and label-holders . . . they're easy to remove, virtually impossible to spill! Gray enameled high-carbon steel; 36" wide, 85½" high.

52-112/0D—12" Deep. Wt. 428 lbs.* Net each **$711.23**
52-113/8D—18" Deep. Wt. 594 lbs.* Net each 1039.91

D FULL SIZE 78-DRAWER-N-BIN CABINET

Answers large and small storage requirements! Six large bins hold bulky items, seventy-two 5⅝x3⅛" welded steel drawers store small parts and tools—each drawer includes two dividers adjustable on 1" centers to form a total of 216 drawer compartments. Drawers have handles and 2 dividers. (Dividers have label holders offering the ultimate in organization.) Gray-enameled high-carbon steel frame is 36" wide, 85½" high. Looks equally neat in the back room or out front where customers can see it.

52-110/4D—12" Deep. Wt. 323 lbs.* Net each **$533.11**
52-111/2D—18" Deep. Wt. 455 lbs.* Net each $779.41
*FOB Ill.



Only **26¢**

EXTRA DIVIDERS FOR CABINETS

Quality, Strength, Durability

Scoop-curved dividers lock-in place—help you pull out parts faster because there are no deep corners to trap parts.

52-098/1D—FOB Ill. Net ea. ..... **$.26**

Straight dividers with curved labelholder top; dividers lock in place.

52-382/9D—FOB Ill. Net ea. ..... $.26

- Shipped assembled for immediate use
- Smooth drawer movement
- Quality and strength

54

WELDED DRAWERS IN HEAVY-DUTY FRAME

- Small parts storage
- Compact—saves space
- Label holder for each drawer
- Each drawer has dividers

Handy drawer unit can be double-decked to stand 87½" high—ideal for use alongside benches or assembly tables, as partitions between departments, or as counters. Sturdy high-carbon steel frame includes 54 welded steel 5⅝x3⅛" drawers with handles, 2 dividers that adjust on 1" centers. Gray enamel; 36" wide. 43¾" Ht. Shipped set-up. FOB Ill.

12" Deep Unit.
52-108/8D—196 lbs. Net each **$367.71**
18" Deep Unit.
52-109/6D—300 lbs. Net each **$535.48**

Drawers tilt down to show contents —back stops keep drawers from falling out yet drawer may be removed at will and interchanged

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

Make the Most of Your Space with Cost-Efficient Shelf Drawers Priced for Savings at C&H Now!

- Many convenient sizes
- Easily partitioned
- Labelled dividers
- Spill-proof drawers
- All heavy-duty steel
- Full counter, desk ht.



Lifetime Shelf Drawer Units at Wholesale

Divide . . . and conquer space, clutter, confusion. Multi-drawer shelf units help you organize your file room, storeroom, or parts department economically. Drawers can be compartmented to meet your storage needs . . . . use dividers to create compartments as small as one inch. Both drawers and dividers have label holders. Drawers have backstops to prevent spills, even when they're fully loaded and you open all the way! Available in 5 sizes, all designed for long service — shelves are extra heavy duty 18-ga. steel, uprights are 13-ga., drawers are 20 ga. with sides and backs 22-ga. All are 36" wide . . . available full 75" ht., 39" counter or 27" desk ht. Finished in gray baked enamel. Shipped fully assembled, ready to use. FOB Pa.

A 72-DRAWER UNIT — 75" High

Stock Number	Cabinet DxWxH	Drawers WxH	Shpg. Wt.	List	Net Each	Each (lots/3)
52-681/4D	12"x36"x75"	5½"x4⅝"	386 lbs.	$721.89	$562.50	$534.64
52-683/0D	18"x36"x75"		513 lbs.	872.28	679.80	645.84
52-587/3D	24"x36"x75"		643 lbs.	1016.72	792.34	753.61

B 60-DRAWER UNIT — 75" High

52-696/2D	12"x36"x75"	Upper 5½"x4⅝"	367 lbs.	$678.50	$529.88	$502.80
52-697/0D	18"x36"x75"		483 lbs.	811.39	632.72	601.88
52-699/6D	24"x36"x75"	Lower 8¼"x4⅝"	607 lbs.	946.64	737.91	702.84

C 48-DRAWER UNIT — 75" High

52-685/5D	12"x36"x75"	8¼"x4⅝"	340 lbs.	$657.17	$513.91	$487.84
52-686/3D	18"x36"x75"		461 lbs.	757.86	590.66	562.92
52-588/1D	24"x36"x75"		563 lbs.	883.93	690.89	659.84

D 36-DRAWER UNIT — 39" High

52-671/5D	12"x36"x39"	5½"x4⅝"	197 lbs.	$369.34	$288.87	$275.52
52-673/1D	18"x36"x39"		262 lbs.	463.99	361.75	343.71

E 36 DRAWER UNIT — 27" High

Stock No.	Cabinet WxDxH	Drawer Size	Wt.	List	Net Ea.	Ea. (lots/3)
52-590/7D	36"x12"x27"	5½"x2⅝"	153 lbs.	$336.18	$261.93	$248.83
52-591/5D	36"x18"x27"	5½"x2⅝"	208 lbs.	412.73	321.57	305.88

F 16-DRAWER UNIT — 27" High

52-665/7D	12"x36"x27"	8¼"x4⅝"	126 lbs.	$228.67	$178.73	$170.24
52-666/5D	18"x36"x27"	8¼"x4⅝"	163 lbs.	271.17	211.72	201.10
52-589/9D	24"x36"x27"	8¼"x4⅝"	202 lbs.	316.57	246.77	235.80

Dividers Increase Drawers' Versatility

Stock Number	Designed to Fit . . .	Shpg. Wt.	Net Ea. Pkg./10
52-698/8DL	5½" x 2⅝" drawers	Lots 10	$.32
52-691/3DL	5½" x 4⅝" drawers		.32
52-695/4DL	8¼" x 4⅝" drawers		.40

Speed Work Flow, Save $$$ at C&H

Steel Tray Cabinets Increase Office and Shop Performance . . . Contents Are Always Handy!



Available with or without doors and casters

For convenient handling, safe storage . . . choose tray files of heavy gauge steel outfitted with seamless high-impact trays, each 11½"x14½"x3½". Combination cabinet-tray units are practical for delicate electrical components or work in process, for storing office paperwork or shop parts on the way to washer or assembly areas. Cabinets measure 15"x16½" — models with doors are outfitted with cylinder locks (2 keys incl.) FOB Ill.

10-TRAY FILE-CABINET

Stk. No.	Ht.	With Casters	With Door	Shpg. Wt.	Net Ea.	Ea. (lots/3)
52-180/7D	52"	no	no	70 lbs.	$154.04	$146.33
52-181/5D	55"	yes	no	73 lbs.	167.38	158.99
52-182/3D	52"	no	yes	80 lbs.	189.86	180.60
52-183/1D	55"	yes	yes	83 lbs.	203.37	193.20

5-TRAY FILE-CABINET

52-242/5D	30"	no	no	35 lbs.	$108.14	$105.00
52-177/3D	33"	yes	no	38 lbs.	113.30	107.63
52-243/3D	30"	no	yes	41 lbs.	143.23	139.42
52-179/9D	33"	yes	yes	44 lbs.	146.33	138.71

52-184/9D—EXTRA TRAYS fit all size cabinet files. Wt. 1 lb. Net ea. $9.86

Sort, Store, Save Space with Steel Drawers



EQUIPTO STACKABLE 32-DRAWER STORAGE CABINET

Thirty-two removable, interchangeable drawers measure 4¼" wide, 2" high—each drawer with 2 scoop dividers. Drawer fronts and dividers each have label holders. Sturdily built, space-saving cabinet measures 34"W, 10¾"H—stack up or out. Gray enamel. FOB Ill.

$150.98

52-099/9D—12" deep. Wt. 58 lbs. Net each $193.50
52-100/5D—18" deep. Wt. 79 lbs. Net each ..... 25¢
52-634/3DL—Scoop divider. Net each (lots/25) ..... 25¢
52-635/0DL—Straight divider. Net each (lots/25) .....



EQUIPTO VERSATILE 24-DRAWER STORAGE CABINET

Sturdy space-saving cabinet may be stacked as high and wide as you like—cabinet is 34" wide, 10¾" high. Twenty-four drawers are 5⅝" wide, 2" high—each drawer with 2 scoop dividers; drawers are inter changeable, removable. Drawer fronts, dividers each have label holders. Gray enamel finish. FOB Illinois. Shipped by truck.

$125.00

52-101/3D—12" deep. Wt. 56 lbs. Net each $145.00
52-102/1D—18" deep. Wt. 78 lbs. Net each ..... 30¢
52-636/8DL—Scoop divider. Net each (lots/25) ..... 30¢
52-637/6DL—Straight divider. Net each (lots/25) .....



Stackable Drawer Units

- All welded design
- In rust-resistant gray
- Safeguard bin lips protect fingers

Never Search Again! Keep Parts Convenient

Create a secure storage center for small parts . . . customize by stacking these all-steel units vertically or horizontally. Extra heavy-duty drawer construction—balanced no-drag design assures easy open and close! Each has pull and special card-holder for easy identification of contents . . . each drawer is 5-5/16 wide—each include two adjustable dividers. Both all-welded cabinets are 11⅝" deep, 34" wide . . . finished in gray baked enamel. FOB Conn.

Stock Number	No. of Drawers	Dr. Size	Cabinet Ht.	Wt. Lbs.	Net Each	Each (lots/3)
52-224/3D	18	5-5/16x11¼x2¾	11"	51	$53.24	$51.35
52-773/9D	24	5-5/16x11¼x2¾	14½"	60	75.94	73.66
17" Deep CABINETS						
52-792/9D	18	5-5/16x16⅝x2¾	11"	60	90.64	87.92
52-793/7D	24	5-5/16x16⅝x2¾	11"	70	110.31	105.89

EXTRA DIVIDERS sold and priced per package of 100.
52-225/0DP—Net each pkg. $21.97



Small Parts Cabinet for Shelf or Bench

All steel cabinet, quality built with invisible center posts so shelves won't sag, drawers won't bind even if filled to the brim. Each cabinet fits 36" wide shelf with 12" centers, each cabinet is 35⅝" wide, 10¾" high. Finished in gray enamel. Set of labelholder-dividers included with each cabinet.

18-DRAWER CABINET—each drawer 5½"W x 2½"H

Stock Number	Cabinet Depth	Wt. (lbs.)	List Price	Each	Each (lots/3)
52-982/6A	11¼"	55	$98.85	$69.88	$66.38
52-983/4A	17¼"	72	114.12	79.90	75.88

52-557/6AL Dividers for above. Lots of 25. Net ea. ..... $.32

24-DRAWER CABINET—each drawer 5½"W x 1⅝"H

52-984/2A	11¼"	81	$118.63	$84.80	$80.56
52-985/9A	17¼"	81	138.41	97.78	92.89

52-558/4AL Dividers for above. Lots of 25. Net ea. ..... $.32

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

24-DRAWER UNIT
12" or 18" deep

Penco All-Metal Drawer Units

- **Add drawer storage convenience to your shelving!**

Self-contained drawer inserts . . . for use with 12" or 18" shelving, individually or stacked in groups. They provide efficient, economical storage for small parts. Drawers are 2⅞" high in 12 dr. units, 1-15/16" in 24 dr. units, furnished with two dividers. Handle is an integral part of the drawer face. Holder for 1x3" label is provided on both the drawer and the divider. Overall dimensions of each unit are: 34" width, 10¾" height. FOB Ohio. (12 dr. unit not shown.)

Stock Number	No. of Drawers	Drawer Width	Unit Depth	Shpg. Wt.	Net Each
52-025/4D	12	8 23/64"	12"	51 lbs.	104.54
52-026/2D	12	8 23/64"	18"	63 lbs.	121.48
52-027/0D	24	5 35/64"	12"	54 lbs.	120.27
52-028/8D	24	5 35/64"	18"	85 lbs.	122.34

Scoop Drawer and Cabinet System



A



B

Safe, convenient storage of small parts. Order Drawers Separately.

Neat, orderly, protected storage for work bench, counter, and shop table. Keep a host of small parts convenient, ready for quick access . . . stored free from dust, dirt. FOB Conn.

A HEAVY-GAUGE ALL-STEEL SLIDE-RACK CABINET

Safe, portable storage center for drawers (B)—order separately. Compact cabinet is 20x15¾x14½" . . . holds four drawers in neat order. Finished in gray enamel. Shpg. wt. 36 lbs.

$34.92

52-231/8D—Ea. $35.98. Ea. (lots/3) .....

B 24-COMPARTMENT SCOOP DRAWER WITH HANDLE

Smooth scoop bottom—small parts scoop right out for service or sale! 18x12x3" high. Sold only in multiples of 4. Wt. 4 lbs.

$9.15

52-232/6DL—Each (lots/4) .....

Save on Highest Quality Industrial Tapes— Cut Shipping Costs, Reduce Damage Claims!

EXTRA SAVINGS! VOLUME USERS GET FREIGHT PREPAID

As Low As **49¢** per roll Frt. prepaid

WE SHIP UPS WHEN POSSIBLE

Glass filament reinforced for super strength

FREE Industrial Carton Opener

with 5 or more cartons of tape

Industrial Carton Opener . . . actually 3 tools in 1. Includes staple remover, safety razor edge, and tape slicer. A $19.95 retail value . . . yours FREE.

Low As **96¢** per roll Frt. Prepaid

WE SHIP UPS WHEN POSSIBLE

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

Reinforced Glass Filament Strapping Tape Meets Government Specifications

Heavy-duty industrial quality offers high tensile strength. Tape is glass filament reinforced with polyester backing and high tack adhesive that holds below freezing as well as at high temperatures. Order in multiples of 12 rolls only; tape priced per roll. Order dispenser below. FOB Ill.

Stock Number	Size (In.)x(Yds.)	Wt. per 12 rolls	Net ea. (lots/12)	Each (lots/36)	Each (lots/72)	Each (lots/144)
6-301/8DL	3/8"x60	4 lbs.	$1.28	$1.02	$.70	$.65
6-302/6DL	1/2"x60	5 lbs.	1.52	1.24	.90	.86
6-303/4DL	3/4"x60	7 lbs.	2.10	1.40	1.32	1.25
6-304/2DL	1"x60	10 lbs.	2.70	1.79	1.76	1.64

FOR VOLUME USERS—PREPAID FREIGHT ON 20+ CASES

Stock Number	Size	Rolls/ Case	Wt./ Case	Net Each Case (Lots/5 Cases)	(Lots/10)	(Lots/20)
6-316/6DL	3/8"	96	32 lbs.	$58.80	$55.75	$51.68
6-317/4DL	1/2"	72	30 lbs.	58.80	55.75	51.68
6-318/2DL	3/4"	48	28 lbs.	58.80	55.75	51.68
6-319/0DL	1"	36	30 lbs.	58.80	55.75	51.68

6-314/1D—Stainless steel dispenser. Wt. 1 lb. Net ea. **$9.30**

SPECIAL!
36 rolls and dispenser. Regular $73.27.
46-327/3DA
Now **$66.68**
(specify color)

Tough 2" PVC Carton Tape

Extra-strong industrial grade pressure sensitive tape meets government specifications. Specify: 23 tan, 30 white, 32 clear. Each roll is 2" wide x 55 yds. long, sold only in multiples of 18 rolls. Wt. 13 lbs./18 rolls. FOB IL. Order dispenser below.
46-299/4DAL—Net ea. (lots/18 rolls) **$1.89.** Ea. (lots/36) **$1.48.** Ea. (lots/72) **$1.31.** Ea. (lots/180) **$1.14**

VOLUME USERS—Freight prepaid on 25+ cases. Order by the case only (36 rolls per case). Wt 18 lbs./case.
46-320/8DA—Net ea. case (lots/10 cases) **$38.63** Each (lots/25 cs.) **$36.16.** Ea. (lots/50 cs.) **$34.52**

DISPENSER for use with tape above.
46-315/8D—Wt. 5 lbs. Net ea. **$19.99**

LONG-LIFE MARKERS FOR WAREHOUSE, SHIPPING ROOM

WE SHIP UPS WHEN POSSIBLE

Won't dry out even if cap is left off

Unique pump reservoir activates flow of ink when pressed down. Ink flows evenly, easily . . . dry quickly, won't rub off! All metal case. Colors: 29 black, 02 red, 12 green, 18 blue. Specify color number-name. Sold only in cartons of 12 of the same color.
46-297/8DAP—Net ea. ctn. **$18.15.** Ea. (lots/3 ctns.) **$17.24.** Ea. (lots/6 ctns.) **$16.33**

Save on Pressure-Sensitive Packing List Envelopes

WE SHIP UPS WHEN POSSIBLE

IN STOCK IMMEDIATE SHIPPING

100% waterproof .003-mil thick polyethylene envelopes are self-adhesive on any surface. Won't come off in transit! Once packing list, is inserted in envelope, no dirt, grease, or moisture can penetrate. Back load style. In styles—with eye-catching orange accents.

Stock Number	Inside Dimensions	Outside Dimensions	Net Each 1000 1000	3000	5000
28-880/3AP	4"x5"	4½"x5½"	$28.81	$26.95	$24.84
28-884/5AP	6½"x5"	7"x5½"	42.15	37.30	34.87



Contents stay clean and dry . . . envelope sticks to any surface

Volume User Prices Available (Min. 10,000) Contact Dept. 42

Inexpensive. Invincible. Polyester Cord Strapping/Buckles

WE SHIP UPS WHEN POSSIBLE

IN STOCK IMMEDIATE SHIPPING

Easy to handle. . . easy on your hands, easy to dispose of

- **Simplify shipping operation**
- **Insure shipping strength**

Avistrap polyester cord strapping is ⅜" wide, offers 525-lb. break strength, can be fastened with knots or with buckles for greater tension. Like metal strapping, it resists common chemicals, oils, solvents. Unlike twine, it is easy on your hands. Can be removed without recoil, can be disposed of neatly. Carton includes 1125' of strapping. FOB Wis.
46-497/4A—Net ea. ctn. **$17.18.** Each (lots/10 cartons) **$16.36**
BUCKLES for above. Keep a supply on hand.
46-498/2A—Ctn/1000. Net ea. Ctn. **$18.50**

Akro-Mils Industrial Modular Cabinets...

14 Cabinet Styles, 10 Sizes of Drawers... ALL IN STOCK for Immediate Shipping!

WE SHIP UPS WHEN POSSIBLE

Heavy-Duty Steel Frames are 18" across—can be built into a complete system of storage! Start with one cabinet—add and stack others as your needs grow! Constructed of heavy-duty steel with chip-proof charcoal gray baked enamel finish. Cabinets can be stacked, hung from walls or fit into standard shelving.

Gray Heavy-Duty Drawers are virtually unbreakable . . . guaranteed for life. They won't crack, break or dent!

Transparent Drawers . . . ideal where frequent visual inventories are required! You can take a quick check without opening each!

Dividable . . . All drawers can be partitioned into several sub-compartments. Patented dovetail dividers lock into place. Drawers are non-toxic, rust and corrosion-proof!



IN STOCK IMMEDIATE SHIPPING

Organized storage for small parts, electronic components, medical supplies, hardware.

8 Cabinets with Heavy-Duty Gray Drawers


A


B


C


D


E


F

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250


G


J

6 Transparent Drawer Units


D

E


F


H


G


K

Key Ltr.	Drawers per Cabinet	Drawer Size (in.) W x H x D	Cabinet Size (in.) W x H x D	Shpg. Wt. (lbs.)	GRAY OPAQUE DRAWER UNITS Stock Number	List Price	Each	Each (lots/3)	SEE-THRU PLASTIC DRAWER UNITS Stock Number	List Price	Each	Each (lots/3)	CROSS DIVIDER Stock Number	Pkg. of	Each pkg.
A	3	16¾x3-1/32x11	18x11x11	18	52-700/2A	$51.48	$38.76	$37.21							
B	6	5¼x4¾x11	18x11x11	22	52-021/3A	51.48	38.76	37.21					52-022/1AP	25	$5.71
C	8	4x4¾x11	18x11x11	22	52-019/7A	51.48	38.76	37.21					52-020/5AP	25	5.23
D	9	5¼x3x11	18x11x11	18	52-014/8A	51.48	38.76	37.21	52-015/5A	$51.48	$38.76	$37.21	52-016/3AP	25	4.35
E	15	3⅛x3x11	18x11x11	20	52-011/4A	51.48	38.76	37.21	52-012/2A	51.48	38.76	37.21	52-013/0AP	25	4.09
F	16	4x2⅛x11	18x11x11	20	52-008/0A	51.48	38.76	37.21	52-009/8A	51.48	38.76	37.21	52-010/6AP	25	3.29
G	20	3⅛x2⅛x11	18x11x11	21	52-005/6A	51.48	38.76	37.21	52-006/4A	51.48	38.76	37.21	52-007/2AP	25	2.71
H	18	2¾x2½x5⅞	18x9x6	11					52-703/6A	34.67	26.02	24.96	52-704/4AP	25	2.71
J	28	2⅛x2⅛x11	18x11x11	23	52-017/1A	51.48	38.76	37.21					52-018/9AP	25	4.33
K	36	2¾x1¼x5⅞	18x9½x6	13					52-001/5A	34.67	26.02	24.96	52-024/7AP	25	1.45

WE SHIP UPS WHEN POSSIBLE

Compact, Multi-Drawer Cabinets

LOW-COST LONG-SERVICE! CONVENIENT SEE-THRU DRAWERS

50-Drawer Cabinet, each drawer is 2¾x1¼x5¾" and can be divided! Easy see-thru drawers in unitized steel frame with blue baked enamel finish. Wall mountable; 16x15x6½" size. In stock.
52-390/2A—Net ea. $21.12. Wt. 12 lbs. Ea. (lots/3) **$20.26**

36-Drawer Cabinet measures just 13x13½x6½" . . . provides 36 full size 2¾x1¼x5¾" see-thru dividable drawers for small parts, components. Stackable unitized steel frame wall mounts. Blue finish. Carrying handle.
52-702/8A—Net ea. $16.65 Wt. 9 lbs. Each (lots/3) **$15.94**

52-024/7AP—Dividers for 36 or 50-Drawer Cabinet. Pkg./25. Each pkg. $1.45

Other Akro-Mils products available—contact Dept. 6



Akro Mils 300-Drawer Rotary Storage System

AKRO-MILS

Store and Index Up to ½ Ton of Parts, Supplies and Products in 2½ Sq. Ft. of Floor Space . . . All in Fingertips' Reach

Now you can enjoy the advantages of rotary storage and individual drawers in a single unit. Twenty cabinets mounted on a heavy-duty turntable base that rotates 360° offer immediate access to as many as 300 drawers in a minimum of space . . . small parts, supplies, etc. are at your fingertips instantly! Complete unit measures 29"x29" and stands 60" high . . . there are twenty cabinets (a total of 300 drawers!) in each unit:

5—20-drawer cabinets . . . 100 drawers, each 3⅛"x2⅛"x11" long
5—15-drawer cabinets . . . 75 drawers, each 3⅛"x3-1/32"x11" long
5—16-drawer cabinets . . . 80 drawers, each 4"x2⅛"x11" long
5—9-drawer cabinets . . . 45 drawers, each 5¼"x3-1/32"x11" long
TOTAL: 20 cabinets.....300 drawers

Units are shipped unassembled, can be stacked in minutes. Choice of transparent drawers or gray heavy-duty drawers. Shpg. wt. 425 lbs. FOB Ohio.

52-503/OD—With transparent drawers. List $1409.03. Each unit **$947.32**
52-504/8D—With gray heavy-duty drawers. List $1409.03. Each unit **$947.32**

FOR "TAILOR-MADE" REVOLVING STORAGE CENTERS

rntable base and stabilizer panels let you combine up to 20 Modular Cabinets with 11" long awers into a complete 360° rotating storage center. Mix and match from the following cabts: (See facing page for prices and dimensions.)

y Opaque	**52-700/2A**	**52-021/3A**	**52-019/7A**	**52-014/8A**
wer Units	**52-011/4A**	**52-008/0A**	**52-005/6A**	**52-017/1A**
-Thru Drawer Units	**52-015/5A**	**52-012/2A**	**52-009/8A**	**52-006/4A**

rage Go Round. Consist of turntable base and two stabilizer panels.
-505/5D—Wt. 63 lbs. Each **$127.22**

Storage-Go-Round



Organize: Arrange, systemize, identify, control, and store large or small inventories. Find things fast!

Protect: Valuable items stored in A-M Cabinets are kept dust-free and finger-tip ready for use when needed. Eliminate damage.

Consolidate: Condense inventories into a fraction of the storage space normally required.

Save: Time, Energy, Space and Money! Eliminate wasted time looking for lost items. Reduce expensive overstocking. Speed-up inventory taking.

Size: 29" W. x 29" L. x 60" H.

Akro-Mils Molded Parts Drawers — Can't Rust or Corrode!

Choose heavy-duty gray . . . or medium duty clear styrene

Styrene drawers molded in heavy-duty gray that's virtually unbreakable; guaranteed for life not to crack, break or dent . . . or medium-duty see-thru transparent styrene for quick visual checks, everyday service. Drawers are lightweight, spillproof, dividable—all can be partitioned into subcompartments (patented locking dividers won't slip). Sold only in carton quantities. (Dividers not included.)

INDIVIDUAL AKRO-MILS PARTS DRAWERS									
GRAY Stock No.	CLEAR Stock No.	Dimensions W	H	L	Ctn. Quan.	Ctn. Wt. Lbs.	Net Each	Net Each 3 ctn./ more	USES CROSS DIVIDER —Order on facing page, pkg. of 25
52-600/4AL		2⅛"	2⅛"	11"	56	18	$1.21	$1.17	52-018/9AP
52-601/2AL	52-602/0AL	3⅛"	2⅛"	11"	40	17	1.39	1.34	52-007/2AP
52-603/8AL	52-604/6AL	3⅛"	3-1/32"	11"	30	18	2.29	2.22	52-013/0AP
52-605/3AL	52-606/1AL	4"	2⅛"	11"	32	15	1.60	1.55	52-010/6AP
52-607/9AL		4"	4¾"	11"	16	15	3.89	3.77	52-020/5AP
52-608/7AL	52-609/5AL	5¼"	3-1/32"	11"	15	13	2.85	2.76	52-016/3AP
52-610/3AL		5¼"	4¾"	11"	12	11	4.45	4.32	52-022/1AP



ur sizes of dust-free, snap-lock, lidded transparent styrene xes form special compartments within drawer. Each drawholds 8 boxes. Perfect control system for miniaturized rt storage. Each box can be labeled for easy identification.

Drawer-Boxes for N/C Tapes, Parts

Dustproof, clear styrene boxes with positive locking lids to prevent damage and breakage. Eight boxes fit into each drawer of steel-frame cabinet . . . cabinets stack! Order boxes and cabinet . . . or boxes only for a cabinet you already own. **Boxes are sold only in carton quantities.**

Stk. No.	Description	W x H x L	Shpg. Wt.	Ctn.	Net Ea. Ctn.	Ctn. (lots/3)
52-641/8A	Drawer Box	2"x1⅛"x2"	11 lbs.	224	$80.59	$76.56
52-017/1A	Cabinet	18"x11"x11"	23 lbs.	1	38.76	37.21
52-642/6A	Drawer Box	2⅞"x1⅛"x2¾"	12 lbs.	120	58.61	55.68
52-011/4A	Cabinet	18"x11"x11"	20 lbs.	1	38.76	37.21
52-643/4A	Drawer Box	4½"x1⅛"x3¾"	12 lbs.	64	48.08	45.69
52-019/7A	Cabinet	18"x11"x11"	22 lbs.	1	38.76	37.21
52-644/2A	Drawer Box	5"x1⅛"x4½"	12 lbs.	48	48.08	45.69
52-021/3A	Cabinet	18"x11"x11"	22 lbs.	1	38.76	37.21

Portable Cabinet with 17 Multi-Size Drawers

Versatility and portability for small parts. Unitized steel-framed cabinet has carrying handle and keyhole slot for wall mounting. Frame is 10"Wx 6½"Dx15"H, with these drawers: twelve 2¾"x1¼" size, three 2¾"x 2½" size, two 8¼"x2½" size—all 5⅞" deep! Stackable frame is finished in blue enamel. Ideal for servicemen. In stock. Wt. 7½ lbs.

52-645/9A—Each **$14.67**
Each (lots/3) **$13.96**

Stackable 4-Drawer Cabinet

As Low As **$25.97**

Organize to save time and work! Stackable steel small parts cabinet has four interchangeable 11½"x9"x2" drawers with galvanized steel dividers, provide up to 12 compartments per drawer. Index holder on each drawer front helps facilitate identification. Black texture finish with red drawers; 11½"x 10"x10" cabinet stacks. Wt. 10½ lbs.

47-030/2A—Net ea. **$27.74**
Each (lots/6) **$26.89**
Each (lots/12) **$25.97**

Plastic Parts Bins for Organized Storage



Corrugated Plastic Handibins Do the Job for a Very Small Initial Investment

Now, have it all! Toughness! Easy cleaning! Resistance to water, oil and most chemicals! Lower replacement costs! These rugged shelf bins combine the proven design of corrugated bins with the strength and superior features of plastic containers. Bins last longer . . . they'll take years of hard usage and heavy loads. They're resistant to everyday liquids . . . can be cleaned up quickly. Sizes to fit standard 12" and 18" shelving. Bins are shipped flat to save transportation costs. Sold only in bundles of 25; order only in lots of 25. FOB Wis. or Iowa.

FOR 12" SHELVING—11¾" length, 4" height

Stock Number	Width	Shpg. Wt. per 100	Net Each (lots/25)	Each (lots/100)	Each (lots/250)
44-616/1DL	2"	24 lbs.	$ .99	$ .97	$ .95
44-617/9DL	4"	29 lbs.	1.23	1.20	1.16
44-618/7DL	6"	35 lbs.	1.37	1.33	1.30
44-619/5DL	8"	41 lbs.	1.59	1.53	1.50

FOR 18" SHELVING—17¾" length, 4" height

Stock Number	Width	Shpg. Wt. per 100	Net Each (lots/25)	Each (lots/100)	Each (lots/250)
44-620/3DL	2"	28 lbs.	$1.27	$1.22	$1.19
44-621/1DL	4"	34 lbs.	1.40	1.33	1.30
44-622/9DL	6"	43 lbs.	1.59	1.53	1.50
44-623/7DL	8"	49 lbs.	1.79	1.73	1.69

Tough Yellow, Blue Poly Shelf Bins

MINI-BINS Compartmentize shelf bins—help you store miniaturized components. Available in two colors. Specify 09 Yellow or 18 Blue when ordering. Yellow will be shipped if no color is specified.

As Low As **82¢**

Excellent for storing lightweight small parts—waterproof, greaseproof molded polypropylene plastic bins fit on standard size 12" and 18" shelves. Front handle makes gripping and identification easy; notched back lets you suspend bin on the lip of the shelf above—parts can be removed without removing bin from shelf, without danger of tipping. Bins nest for storage. **Sold only in carton quantities shown; order in carton lot quantities only. Priced by each.** FOB N.Y.

Stock Number	Size	Ctn. Quan	Ctn. Wt.	Net. Ea.	Ea. (lots/3 ctns.)
44-021/4DAL	4"Wx12"Dx4"H	36	15 lbs.	$ .96	$ .91
44-022/2DAL	6"Wx12"Dx4"H	30	15 lbs.	1.15	1.09
44-020/6DAL	8"Wx12"Dx4"H	20	16 lbs.	1.48	1.41
44-023/0DAL	4"Wx18"Dx4"H	20	12 lbs.	1.44	1.39
44-024/8DAL	6"Wx18"Dx4"H	20	15 lbs.	1.71	1.62
44-025/5DAL	MINI 2⅛x3⅜x3"	100	7½ lbs.	.25	.23



Industrial-Quality Hopper-Front Plastic Shelf Bins Are Seamless, Sanitary, Waterproof

One-time investment lasts and lasts! Bins clean up quickly, take daily punishment. Colorful shelf bins of injection molded thermoplastic are impervious to oil, water, and most chemicals. Smooth, neat, nicely cleaned—the colors are actually molded in to last! Designed for use on standard 12" shelving. Colors: 12 green, 18 blue. Specify color name and number. Sold only in cartons of 36; order only in multiples of 36. FOB Wis. or Iowa.

Stock Number	Outside Dimen. L x W x H	Shpg. Wt. per ctn./36	Net Ea. (lots/36)	Each (lots/72)	Each (lots/144
44-624/5DAL	12"x2-1/16"x4½"	15 lbs.	$1.32	$1.28	$ .98
44-625/2DAL	12"x4¼"x4½"	22 lbs.	1.47	1.43	1.26
44-626/0DAL	12"x6½"x4½"	27 lbs.	2.04	1.97	1.83

Heavy-Duty Plastibox Bins—The Ultimate in Long-Lasting, Efficient Parts Storage

Thoroughly modern concept in efficient parts management—parts are neatly stored, protected, easily accessible . . . bins are smooth, seamless and cleanable. No sharp edges to hurt fingers . . . no seams to collect dirt. All are injection molded in durable polypropylene—with molded-in card holders and permanent colors. Space-saving, too—individual bins can be interstacked or used on standard shelving. **Priced by the each. Sold in carton quantities only. Specify 09 Yellow, 12 Green, or 18 Blue color.**

Constructed to fit the bench-floor stand systems below or the truck assembly on the facing page—all individual bins remove for picking and filling ease! Bin colors: **09 Yellow, 12 Green, 18 Blue. Specify color number and name.** Sold only in carton quantities; order only in lots of ctn. quantities. FOB Wis. or Iowa. (Yellow will be shpd. if no color is specified.)

A OPEN BINS

Stock Number	Inside L x W x D	Outside L x W x D	Lbs. Ctn.	Ctn. Qu.	Ea. In. 1 Ctn. Qu.	Ea. In. 3 Ctn. Qu.	Ea. In. 6 Ctn. Qu.
44-627/8DAL	3x3⅜x1¾"	3½x4x2"	11	96	$ .81	$ .78	$ .75
44-600/5DAL	6x3½x2½"	6¾x4x3"	14	48	1.31	1.26	1.23
44-601/3DAL	6x8⅛x2½"	6½x8¾x3"	12	24	1.90	1.85	1.80
44-602/1DAL	8½x5x4½"	9¾x5¾x5"	18	24	2.44	2.36	2.31
44-603/9DAL	8½x8x4½"	9½x8¾x5"	15	16	2.82	2.74	2.69
44-604/7DAL	11⅝x7⅜x5½"	13x8⅛x6"	35	24	4.77	4.63	4.52
44-605/4DAL	11¾x10½x5½"	13¼x11⅜x6"	41	24	5.69	5.51	5.38
44-606/2DAL	17x11x6¾"	19x12x7⅛"	32	12	7.22	6.98	6.85

B 2 COMPARTMENT BINS

Stock Number	Inside L x W x D	Outside L x W x D	Lbs. Ctn.	Ctn. Qu.	Ea. In. 1 Ctn. Qu.	Ea. In. 3 Ctn. Qu.	Ea. In. 6 Ctn. Qu.
44-628/6DAL	3x3⅜x1¾"	3½x4x2"	12	96	$ .91	$ .87	$ .85
44-607/0DAL	6x3½x2½"	6¾x4x3"	15	48	1.38	1.32	1.30
44-609/6DAL	8½x5⅛x4½"	9½x5¾x5"	20	24	2.55	2.48	2.42
44-610/4DAL	8½x8x4½"	9½x8¾x5"	17	16	3.13	3.03	2.97
44-611/2DAL	11¾x10½x5½"	13¼x11⅜x6"	47	24	6.28	6.09	5.95

C OPEN BIN WITH STACKING ROD

44-649/2DAL	11⅝x7⅜x5½"	13x8⅛x6"	36	24	$5.70	$5.51	$5.40
44-650/0DAL	11¾x10½x5½"	13¼x11⅜x6"	42	24	6.74	6.54	6.41
44-651/8DAL	17x11x6¾"	19x12x7⅛"	33	12	8.26	8.02	7.85

Corrugated Containers—Low Cost, Long Lasting



No-Spill 175-Lb. Test Bin Boxes for 12" and 18" Shelves

As Low As **23¢**

- **Easy to set up! File, store and tote 'em!**
- **Heavy-test corrugated fiber-board cartons**

In 12 sizes! Bin boxes assemble easily without staples or tape. They're double locking—just fold and they hold! Record index on front promotes accurate stock control; parts are visible, accessible and easy to locate. 4½" high rear lip. Stock up at these thrifty prices—utilize shelf space for maximum efficiency. Sold only in lots of 50; order only in multiples of 50.

FOR 12-INCH SHELVES					FOR 18-INCH SHELVES				
Stock Number	Width	Shpg. Wt./100	Net Ea. (lots/ 50-450)	Each (lots/ 500+)	Stock Number	Width	Shpg. Wt./100	Net Ea. (lots/ 50-450)	Each (lots/ 500+)
44-029/7AL	2"	15 lbs.	$ .25	$ .23	44-042/0AL	2"	25 lbs.	$ .39	$ .37
44-002/4AL	4"	20 lbs.	.30	.28	44-007/3AL	4"	30 lbs.	.37	.33
44-003/2AL	6"	25 lbs.	.33	.30	44-008/1AL	6"	35 lbs.	.42	.38
44-004/0AL	8"	30 lbs.	.35	.32	44-009/9AL	8"	40 lbs.	.47	.43
44-005/7AL	10"	35 lbs.	.42	.37	44-010/7AL	10"	45 lbs.	.57	.50
44-006/5AL	12"	40 lbs.	.46	.41	44-011/5AL	12"	52 lbs.	.61	.52

Solve Material Handling Problems with Stack-N-Nest Hopper Boxes

Designed to stack and nest within the floor area of a single box, without reversing ends, mechanical gadgets or space-wasting cross-stacking! Twenty empty nested boxes create a stack only 4' high. In addition, they can be stacked with bottom on a 15° incline to keep contents toward the front. Ideal for handling parts, pieces, subassemblies or raw materials. Abuse, bumps, loads up to 150 lbs. per box will not damage or warp their permanent shape. There are no sharp corners to damage parts or present a working hazard. Reinforced fiberglass boxes are molded in one-piece with overhang at the back, a rolled front lip for easy grasp. Sizes shown are O.D. dimensions. Colors: 27 gray, 02 red, 12 green. FOB Wis. or Ia. Specify color no.-name. Sold only quantity lots shown; order only in those quantities.

52-068/4DAL—7⅝x18⅛x11⅜" size. 3.5 lbs.
Ea. (lots/10) **$9.74** Ea. (lots/20) **9.60** Ea. (lots/100) **$9.29**
52-069/2DAL—7⅞x24x11⅜" size. 5 lbs.
Ea. (lots/10) **$12.72** Ea. (lots/20) **$12.06** Ea. (lots/100) **$11.71**
52-070/0DAL—8x24x16¼" size. 8 lbs.
Ea. (lots/5) **$15.80** Ea. (lots/10) **$15.26** Ea. (lots/100) **$14.77**
Polypropylene Hopper Box. Gray color only. 3 lbs.
52-067/6DL—7½x17¾x11⅛" size.
Ea. (lots/10) **$5.40** Ea. (lots/20) **$5.12** Ea. (lots/100) **$4.96**

Our Own Spacemaker Files of Corrugated Fiber-Board

- **Easy set-up . . . no tape needed!**
- **Neat stackers. Tote holes for carrying**
- **Easy transfer! Neat storage!**

Amazingly sturdy! Tough 275-lb. test white files keep contents protected . . . and easily accessible. Snug-fit lid keeps out dust and moisture. Set-up size is 24½" long, 12¼" wide, 10¼" deep. Wt. 30 lbs. per doz. Sold only in lots of 12; order only in multiples of 12.

44-001/6AL—Net ea. (lots/1-4-doz.) **$2.66**
Each (lots/5-11 doz.) **$2.34**
Each (lots/12 doz. plus) **$1.81**

Our Heavy-Duty Strong Tote Trays at Low Price

- **Tough 275-lb. test trays!**
- **Trays nest for on-floor storage**
- **No tapes or staples to set-up**

Here you get the strength and advantages of steel . . . at a fraction of the cost! Each tray has a die-cut handle . . . carries load up to 60 lbs.! Self-locking set-up—assembles quickly. Sold only in lots of 10; order only in multiples of 10.

Stock Number	Size LxWxH	Shpg. Wt. ctn./10	Net Ea. (lots/10-70)	Each (lots/80-250)	Each (lots/260-up)
44-039/6AL	17x11x6"	10 lbs.	$1.10	$. 97	$ .85
44-040/4AL	22x12x8"	17 lbs.	1.42	1.35	1.14
44-041/2AL	24x14x9"	24 lbs.	1.53	1.46	1.34

EXTRA HEAVY-DUTY TOTE TRAY

Wax saturated corrugated tote trays offer twice the top to bottom compression strength of regular corrugated trays, and more important, retain a much greater portion of this strength when under damp or wet conditions.

Stock No.	Size L x W x H	Shpg. Wt. Ctn./10	Net Ea. (Lots/10-70)	Each (Lots/80-250)	Each (Lots/260-up)
44-139/4AL	14⅝x8⅝x6	18	$1.38	$1.31	$1.17
44-141/0AL	21⅝x11⅝x9	38	2.41	2.28	2.11

Stack-On Bin Boxes for 12", 18" Shelves

IN STOCK IMMEDIATE SHIPPING

- **Panel for indexing, labeling**

Utilize shelf storage . . . 200-lb. white corrugated board has 1-piece top and sides for added strength, safe stacking. Open front design makes contents quickly accessible and visible! Each box is 4½" high. Sold only in lots of 50; order in multiples of 50.

Stock Number	Size L x W	Wt./ 100	Net Ea. (50-450)	Each (500+)
44-012/3AL	12x2"	24	$ .39	$. 34
44-013/1AL	12x4"	32	.46	.41
44-014/9AL	12x7"	48	.52	.47
44-015/6AL	12x12"	68	.59	.52
44-016/4AL	18x4"	44	.57	.50
44-017/2AL	18x7"	60	.60	.52

C & H — FOR OVER FORTY YEARS ON-TIME DELIVERY PLUS CUSTOMER SATISFACTION.

Cleanable, Seamless Containers Save Time, $$$

PolyLewton® Molded Linear Polyethylene Pans

- **U.S.D.A. and M.I.D. Approved materials—quality to depend on!**
- **For all weather—resists brittleness, even in temperatures below 40°**

These well-built pans give you more for your money . . . plenty of service, easy cleaning, stacking or nesting space-economy in storage! Linear polyethylene is resistant to shrinkage, warpage, and amazingly serviceable even in cold weather. Can be used in direct contact with food—they're totally cleanable and approved by U.S.D.A. and M.I.D. Molded in gray, with top lip for easy handling. FOB Wis. **Sold in lots of 10; order only in multiples of 10.** Lids for pans available upon request.

low as **$8.65** In quantity

WE SHIP UPS WHEN POSSIBLE

STACKED

NESTED

MOLDED LINEAR POLYETHYLENE PROCESS PANS									COVERS	
Stock Number	Cu. Ft. Cap.	O.D. Top Dimensions Lgth.	Width	Depth	Wt. Lbs.	Net Each (lots/10)	Each (lots/50)	Each (lots/100)	Stock Number	Net Ea. (lots/10)
52-707/7DL	1	24⅛"	14"	8"	4	$9.11	$8.83	$8.65	52-407/4DL	$3.00
52-735/8DL	1.3	19½"	13"	12⅜"	4	9.22	8.95	8.77	52-435/5DL	3.00
52-708/5DL	1.7	21"	17"	12"	5¼	11.45	11.17	10.96	52-408/2DL	3.00
52-709/3DL	2.0	26½"	18¾"	10½"	6½	12.58	12.13	11.89	52-409/0DL	2.48
52-761/4DL	2.0	29⅝"	22⅜"	6"	5¼	9.33	8.78	8.59	None	
52-763/0DL	2.6	24"	20"	13"	6½	14.49	14.15	13.87	52-463/7DL	2.37
52-764/8DL	4.7	30"	24"	15"	10¼	27.41	26.45	25.65	None	
POLYPROPYLENE MOLDED PROCESS PANS										
52-775/4DL	1	24⅛"	14"	8"	4	$10.47	$10.15	$9.90	52-407/4DL	$3.00
52-776/2DL	1.75	21"	17"	12"	5½	14.95	14.53	14.28	52-408/2DL	3.00
52-777/0DL	2	26½"	18¾"	10½"	6½	17.12	16.56	16.22	52-409/0DL	2.48
52-778/8DL	2.6	24"	20"	13"	6	16.54	16.00	15.69	52-463/7DL	2.37

Heavy-Duty Duramold© Stack & Nest Boxes from Rubbermaid

Stacking points prevent slipping in transit



As Low As **$9.96**

- **Thicker than fiberglass! Boxes support 2000 lbs. stacked**
- **Boxes withstand temperatures from subzero to steam**

Lighter than metal . . . thicker than fiberglass and more resistant to acids, alkalis, detergents and oils. Duramold boxes won't rust, corrode, or bend out of shape. Molded with flat bottom for better contact on conveyor belt. Boxes stack at 180° to save space, nest without jamming. Gray. Sold only in lots of 6 or more. FOB Va.

Stock Number	Cu. Ft. Capacity	O.D. LxWxH (inches)	Wt. (lbs.)	Net Ea. (lots/6)	Each (lots/12)
52-570/9DL	.37	21.8x13.1x5.3	31	$10.47	$ 9.96
52-571/7DL	.64	24.1x15.0x6.4	36½	12.25	11.64
52-572/5DL	.83	24.1x15.0x8.2	43½	13.95	13.25
52-573/3DL	1.18	27.4x16.7x8.2	52¾	15.82	14.98
52-574/1DL	1.70	27.5x16.7x11.2	60	17.52	16.67

Stack-Nest Fiberglass Pans in Colors

Seamless Fiberglass Totes Reinforced at Wear Points

- **Won't rust, dent, burr-out!**
- **Steel reinforcement in top!**
- **Smooth, seamless, cleanable!**

As Low As **$7.85**

WE SHIP UPS WHEN POSSIBLE

STACKED

Extra thick fiberglass is reinforced with polyester at points of wear and strain, especially along the bottom and the four lower corners! All seamless, easily cleanable . . . they resist wear, oil, most chemicals. Non-conducting! Permanent molded-in colors. Steel reinforcing rod in rim is firmly embedded in the glass fibers before the form is put into the press. Molded-in hand grips for lifting ease. Maximum clear interiors. When loaded, positive lock stack prevents shifting . . . when stored empty, positive nest stops prevent jamming. Measurements in chart refer to inside dimensions. Colors: 02 red, 12 green, 27 gray. Specify color number-and-name. Sold only in quantities specified. FOB Wis.

Stock Number	LxWxD	Wt. Lbs.	Lots of	Net Each	Lots of	Net Each	Lots of	Net Each
52-037/9DAL	16x10x5"	3	10	$ 8.68	20	$ 8.09	100	$ 7.85
52-038/7DAL	18x12x6"	4	10	10.13	20	9.98	100	9.81
52-039/5DAL	18x12x8"	5	10	11.20	20	10.26	100	9.85
52-040/3DAL	20x10x7"	5	10	11.35	20	10.32	100	10.05
52-041/1DAL	22x14x5"	5	10	11.93	20	10.92	100	10.69
52-042/9DAL	20x10x9"	5½	10	13.56	20	11.99	100	11.75
52-043/7DAL	22x14x8"	6	10	13.59	20	12.76	100	12.48
52-044/5DAL	22x17x6"	7½	10	15.16	20	14.34	100	13.95
52-045/2DAL	22x17x10"	8	5	17.24	10	16.19	50	15.73
52-046/0DAL	27x16x11"	11	5	22.32	10	20.84	50	20.39
52-047/8DAL	24x19x14"	13	5	25.11	10	23.46	50	22.96
52-048/6DAL	30x23x8"	14	5	27.12	10	25.24	50	24.69
52-049/4DAL	39x19x14"	20	5	37.29	10	34.96	50	34.30
52-050/2DAL	34x24x19"	30	2	57.28	4	55.31	20	54.13

Seamless Plastic pans with Reinforced Sides



As Low As **$1.19**

WE SHIP UPS WHEN POSSIBLE

Strong, easily cleaned plastic containers have rounded edges and no seams thus eliminating trapping dirt. Interior sidewalls are marked for one-third and two-third full. Unique reinforced sidewall construction facilitates full capacity storing . . . you save more storage space, provide better service when small parts and stocked items are readily available. These heavy-duty plastic pans are perfect for 12" deep shelves. Gray color only. Sold only in carton quantities indicated in the chart. FOB Wis.

Key Ltrs.	Stock Number	L x D x H Dimensions (inches)	Lb. Wt./ Ctn.	Ctn. Quantity	Net Each	Net Ea. (lots/ 3 ctns.
A	52-455/3DL	11⅛x6⅝x3⅛	14	20	$1.83	$1.83
B	52-141/9DL	10⅞x4½x3⅛	8	21	1.31	1.19
C	52-625/1DL	10⅞x4½x3⅛	10	21	1.41	1.31
D	52-393/6DL	10⅞x4½x3⅛	8	21	1.43	1.33

C & H — FOR OVER FORTY YEARS ON-TIME DELIVERY PLUS CUSTOMER SATISFACTION.

Store More Parts Safer, Cleaner, in Century Containers by EQUIPTO.

EQUIPTO
Better ideas in Storage and Shop Equipment



NEW

Strong plastic Century Container 8501W is injection molded polypropylene with smooth seamless corners — 7" x 11" x 22⅜" long. Available in white (8501W), Blue (8501B), Yellow (8501Y), shipped in cartons of ten.

As Low As **$6.29** Each

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



Quantity Container Prices:

1–99	$6.95 each
100–499	6.49
500–999	6.39
1000–or more	6.29

Containers ride easily on conveyors. Two handles enable safer lifting onto carts.

Century Containers hold up to 150 lbs. hardware. Have liquid capacity 5.4 gallons—1250 cubic inches.

IN STOCK IMMEDIATE SHIPPING

Use Containers on Mobile Stock Trucks

Mobile Stock Truck (168D)
has 6 trays 24" x 36" to hold 18 containers, 800 lbs. swivel wheels, pushing handle. 168DB, 168DY, 168DW **$341.55**

Mobile Stock Truck (161D)
holds 9 containers on 24" x 36" trays, 800 lbs. swivel wheels, handle 161DB, 161DY, 161DW **$196.85**

Shown is stack of 30 containers nested in 4 feet high for easy storage.

Store Containers on Shelves

Shelving 94-10 is 36" wide, 18" deep, 84" high with 10 shelves. Shown with 27 containers to be 94B-10, 94Y-10, 94W-10 ..... **$388.27**

Shelving 94-05 is 36" wide, 18" deep, 43½" high with 5 shelves. Shown with 12 containers to be 94B05, 94Y05, 94W05 ..... **$196.85**

Use Century Containers in your present shelving, racks, on benches, carts, stock trucks, on conveyors plus any place to store parts and supplies. Select from white, blue, yellow color containers to store different manufacturer parts or divide parts for workers to use. Buy a quantity in lots of ten to speed parts delivery, have better inventory control and store delicate parts safely.

Organize a Better Work Center like this:

Choice of sizes in steel benches 4', 5', 6' long — shown is bench 211-4 **$254.77**
Stool 1424-02 ... **$26.40**

Drawer Rack with 4 Shelf Base:

Left Pick Rack with 24 drawers 8505 are placed 6 across and remove quickly, 4 shelf base is 36" wide 18" deep, 38" high with 12 plastic containers — overall 72" high, unit 30694 ..... **$321.65**

Right: Pick rack with 18 drawers 8551 are placed 6 across, 3 rows down to remove by lift up and out; 4 shelf base has 12 plastic containers is 36" x 18" x 38" — overall 72" high, Unit 30695 ..... **$330.83**

All EQUIPTO Shelving, stock trucks, benches, stools, shipped K.D. Gray color.
Ask for EQUIPTO General Catalog showing 3,000 coordinated storage products.

EQUIPTO
Better ideas in Storage and Shop Equipment

Select these SEVEN BEST SELLING DRAWER CABINETS to Stack, Insert in Shelving, Hang on Walls to Store More Parts

IN STOCK IMMEDIATE SHIPPING



These most popular drawer cabinets are sturdily constructed for long wearing service. Select sizes from chart below to match your parts. Each drawer has 3 adjustable compartments supplied. Buy several cabinets to store more parts for faster selection.

Catalog No.	Price	Unit Depth	Drawers Width	Height	Depth	Type	No.	Compartments
Units 34⅛" Wide x 13⅝" High								
11	$99.95	12"	5⅝"	3⅛"	11"	#8505	18	54
22	124.95	18"	5⅝"	3⅛"	17"	#8540	18	54
15	230.80	12"	11"	1¼"	11"	Type A	18	216
15B	212.44	12"	11"	1¼"	11"	Type B	18	288
15H	457.84	18"	11"	1¼"	17"	Type H	18	324
3411	140.98	12"	4¼"	3⅛"	11"	#8504	24	72
3417	196.18	18"	4¼"	3⅛"	17"	#8539	24	72
Units 34⅛" x 10⅝"								
34	125.00	12"	5⅝"	2"	11"	#8534	24	72
35	145.00	18"	5⅝"	2"	17"	#8535	24	72
Units 34⅛" x 19¾"								
3629	196.89	12"	5⅝"	4⅝"	11"	#8551	18	54
3689	244.64	18"	5⅝"	4⅝"	17"	#8561	18	54
3626	189.33	12"	8⅜"	4⅝"	11"	#8554	12	36
3686	226.82	18"	8⅜"	4⅝"	17"	#8564	12	36
3620	180.24	12"	11¼"	4⅝"	11"	#8557	9	27
3680	235.82	18"	11¼"	4⅝"	17"	#8567	9	27

Strong and self-contained, these drawer units are the perfect modules for you to build a storage system tailored to the space you have available and the parts you need to store. Buy just what you need now, and as your needs expand, add more units.

Stack drawer units as high and as wide as needed: along a wall, in shelving, back-to-back to form an island or a room divider—and then move them when you want a different space arrangement. They're built in sizes that make it easy for you to adapt to the changing needs of your growing operation.

Drawers are removable and interchangeable, so that you can move single drawers as well as complete cabinets to where they'll be handiest. Just having things stored isn't enough, either; you need to know just what's where. That's why we equip each drawer with extra-large label holders, and make sure there are label holders on every drawer divider, too.



Units shipped with 2 dividers per drawer.



At Hammond Organ Co., drawer units No. 22 are stacked 5 high to have 90 drawers with 1530 compartments in 4.5 s.f. of floor space.

EQUIPTO
Better ideas in Storage and Shop Equipment

Organize Your Storage with these 3⅛" HIGH DRAWERS • The Standard for Industry

IN STOCK
IMMEDIATE SHIPPING

As Low As
$3.11
Each

8539
$4.69

Shown with Dividers

8504
$3.11

There are literally millions of Equipto 3⅛" drawers in use today, in every possible kind of business. These drawers are particularly good for small to medium-size parts and tools.

Handles are comfortable and dividers lock securely into place. The Equipto exclusive scoop divider is now standard on all 11" deep drawers, though straight dividers can be obtained upon request. Single drawers are sold without dividers, but all cabinet units have two dividers per drawer.

Catalog No.	To Order Drawers Only Price	Height	Width	Depth	Design
Drawers (without dividers):					
8504	$3.11	3⅛"	4¼"	11"	
8539	4.69	3⅛"	4¼"	17"	
Dividers					
8746*	$.32	3⅛"	4¼"		Scoop
8709	.36	3⅛"	4¼"		Straight

*For 8504 drawer only

WE SHIP UPS WHEN POSSIBLE

PHONE IN YOUR ORDER
TOLL FREE
800-558-9966
IN WISCONSIN AND ALL OTHER CALLS, DIAL
414-271-2250

3411/3417

Welded steel frames with corner reinforcements provides sleek appearance and allow units to be stacked without drawers binding under heavy loads.

Heavy duty steel angles form the frames of these multi-drawer units. A specially-designed stop prevents drawers from coming out accidentally, but makes them easy to remove. The units have 8 drawers per row, each with 3 compartments.

May be inserted in shelving units.

BEAT INFLATION!
BUY AT WHOLESALE
FROM C-H

3511/3517

Catalog No.	Price	No. of Drawers	Drawer Depth	Cabinet Depth
Cabinet: 34⅛" w x 13⅝" h				
3411	$140.98	24	11"	12"
3417	196.18	24	17"	18"
Cabinet: 34⅛" w x 17⅞" h				
3511	$183.81	32	11"	12"
3517	258.35	32	17"	18"
Cabinet: 36" w x 43⅛" h				
1163AD	$437.84	72	11"	12"
1853	655.55	72	17"	18"
Cabinet: 36" w x 7'1⅛" h				
1091	$851.49	144	11"	12"
1807	1280.07	144	17"	18"

All drawers are 4¼" wide x 3⅛" high.



1163AD/1853

All units shipped with 2 dividers per drawer.



1091/1807

LITTLE GEM® DRAWERS
1¼" HIGH Offer Big Space Savings

IN STOCK
IMMEDIATE SHIPPING



All cabinets will lock in a stack or can be placed side by side. For instance, 3 units fit perfectly in shelving 36" wide by 12" deep, and lock into place in a shelving unit.

Type B (8523) is 11" x 11" with 6 dividers to form 16 compartments, all adjustable on 1 13/16" centers. Extra dividers can create up to 36 compartments.



As Low As **$5.98** Each



Type A (8522) is 11" x 11" with 8 dividers to form 12 compartments. With extra dividers, 28 compartments are possible. **$7.00**



Type H (8531) is built like Type A, but is 11" x 17" with 12 dividers to form 18 compartments; 42 compartments are possible with extra dividers. **$14.67**

It's easy to see why Little Gem drawers are popular—the labels are easy to read, the handles easy to grasp, the dividers easy to adjust, the units are easy to stack or interchange with other drawers. There are no seams, slots, or holes to catch tiny parts. Each drawer has a stop to keep it from being pulled out of the unit accidentally, yet the drawer is easily removed when necessary. All Little Gem drawers are 1¼" high. You have a choice of drawer depth and compartment arrangement.



1/1B/1H



2/2B/2H

6/6B/6H



3/3B/3H



15/15B/15H

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

BEAT INFLATION! BUY AT WHOLESALE FROM C+H



1672/1672B/1672H

1608/1608B/1608H

1698/1698B/169

Catalog No.	No. of Drawers	Price	No. of Compartments	Maximum Compartments	Cabinet Height
Cabinets with Type A drawers, 11" x 11" x 1¼"					
1	2	$19.98	24	56	3¼"
2	4	39.96	48	112	6½"
3	6	59.94	72	168	9¾"
6	12	115.16	144	336	19¾"
Cabinets with Type B drawers, 11" x 11" x 1¼"					
1B	2	$17.94	32	72	3¼"
2B	4	35.88	64	144	6½"
3B	6	53.82	96	216	9¾"
6B	12	102.92	192	432	19¾"
Cabinets with Type H drawers, 11" x 17" x 1¼"					
1H	2	$43.50	36	84	3¼"
2H	4	87.00	72	168	6½"
3H	6	130.50	108	252	9¾"
6H	12	264.66	216	504	19¾"

Cabinets with Little Gem Drawers 34⅛" W x 13⅝" H

Catalog No.	Cabinet Depth	Price	Type of Drawer	No. of Drawers	No. of Compartments	Maximum Compartments
15	12"	$230.80	A	18	216	504
15B	12"	212.44	B	18	288	648
15H	18"	457.84	H	18	324	756

Little Gem Drawer Cabinets

Catalog No.	Cabinet Depth	Price	Type of Drawer	No. of Drawers	No. of Compartments	Maximum Compartments
1672	12"	$877.39	A	72	864	2016
1672B	12"	795.87	B	72	1152	2592
1672H	18"	1883.85	H	72	1296	3024
Above: Overall size 36" wide x 43⅛" high						
1608	12"	$1410.03	A	108	1344	3936
1608B	12"	1287.76	B	108	1776	3888
1608H	18"	2822.29	H	108	1944	4536
1698	12"	1707.28	A	144	1728	4032
1698B	12"	1544.24	B	144	2304	5184
1698H	18"	3574.68	H	144	2592	6048
Above: Overall size 36" wide x 7' 1⅛" high						

EQUIPTO
Better ideas in Storage and Shop Equipment

4⅝" HIGH JUMBO DRAWER UNITS Are a Special Help

IN STOCK
IMMEDIATE SHIPPING

As Low As **$5.56** Each



Shown with Dividers

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Catalog No.	To Order Drawers Only Price	Height	Width	Depth
Drawers (without Dividers)				
8551	$5.56	4⅝"	5⅝"	11"
8561	6.99	4⅝"	5⅝"	17"
8554	7.69	4⅝"	8⅜"	11"
8564	8.98	4⅝"	8⅜"	17"
8557	9.09	4⅝"	11¼"	11"
8567	12.82	4⅝"	11¼"	17"
Dividers				
8761	$.40	4⅝"	5⅝"	Scoop
8751	.40	4⅝"	5⅝"	Straight
8764	.61	4⅝"	8⅜"	Scoop
8754	.61	4⅝"	8⅜"	Straight
8767	.89	4⅝"	11¼"	Scoop
8757	.90	4⅝"	11¼"	Straight



3629/3689

3626/3686



3620/3680

Catalog No.	Price	Drawers Width	Height	Depth	No. of Drawers	Cabinet Height	Depth
Units Are 36" Wide							
3350	$384.33	11¼"	4⅝"	11"	21	43⅛"	12"
3351	407.87	8⅜"	4⅝"	11"	28	43⅛"	12"
3352	427.45	5⅝"	4⅝"	11"	42	43⅛"	12"
3362	562.60	5⅝"	4⅝"	17"	42	43⅛"	18"
3361	516.45	8⅜"	4⅝"	17"	28	43⅛"	18"
3360	539.76	11¼"	4⅝"	17"	21	43⅛"	18"
Units Are 34⅛" Wide							
3629	$196.89	5⅝"	4⅝"	11"	18	19¾"	12"
3626	189.33	8⅜"	4⅝"	11"	12	19¾"	12"
3620	180.24	11¼"	4⅝"	11"	9	19¾"	12"
3689	244.64	5⅝"	4⅝"	17"	18	19¾"	18"
3686	226.82	8⅜"	4⅝"	17"	12	19¾"	18"
3680	235.82	11¼"	4⅝"	17"	9	19¾"	18"

All units shipped with two dividers per drawer.

There's a Jumbo drawer unit to fit whatever space you have available, no matter how compact. They're built to work with the worker—not against him, like some units that provide storage without providing ready access. With Equipto the parts you need really are at your fingertips.

These 4⅝" jumbo drawer units are just a little higher than those on the previous page, for slightly bigger parts. They come in 3 widths, 5⅝", 8⅜" or 11¼", and 2 depths, 11" or 17". All have the same double thickness on the top 2" for super strength, there are no open slots to catch parts, and U-channel drawer stops both front and rear protect against accidental dumping.

The construction is strong enough for the smaller units to be hung or stacked anywhere, and the larger ones form efficient countertop work surfaces or clean wall units. Clean design contributes to a work area that looks streamlined and encourages neatness.

3350/3360

3351/3361

3352/3362

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

EQUIPTO
Better ideas in Storage and Shop Equipment

V-GRIP RACK
to Store Your Larger Items

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

IN STOC
IMMEDIA
SHIPPIN



The basic V-grip rack is ideally suited for more than 70% of all rack storage applications. We keep in stock three weights, six heights, four widths, and three depths—almost 400 combinations. One man can assemble a rack in minutes.

Beams are adjustable on 1½" centers. See parts page for extras.

Since units include one rack end with beams and tie bars, **remember to order an extra rack end to finish each row.**

Rack End Numbers

Depth	5′ High	6′ High	7′ High	8′ High	10′ High	15′ High
2′	9301 **$25.66**	9306 **$29.77**	9311 **$31.78**	9316 **$37.41**	9326 **$45.95**	9342 **$70.61**
3′	9302 **$27.47**	9307 **$30.18**	9312 **$32.26**	9317 **$38.84**	9327 **$51.59**	9343 **$76.25**
4′	9303 **$29.58**	9308 **$32.24**	9313 **$34.76**	9318 **$42.81**	9328 **$56.23**	9344 **$81.42**

Order rack end to finish each row.

Priced by Unit Rack Without Decking

Without Decking	Height	Width	Medium Duty Rack Number 2′ Depth	Price	3′ Depth	Price	4′ Depth	Price	Heavy Duty Rack Number 2′ Depth	Price	3′ Depth	Price	4′ Depth	Price
Three Shelf	5′	4′	1015-42	**$94.06**	1015-43	**$96.17**	1015-44	**$99.96**	1025-42	**$109.24**	1025-43	**$111.35**	1025-44	**$115.14**
		5′	1015-52	**100.12**	1015-53	**102.23**	1015-54	**106.02**	1025-52	**121.06**	1025-53	**123.17**	1025-54	**126.96**
		6′	1015-62	**115.12**	1015-63	**117.53**	1015-64	**123.00**	1025-62	**138.58**	1025-63	**140.99**	1025-64	**146.46**
		8′	1015-82	**134.38**	1015-83	**136.79**	1015-84	**142.26**	1025-82	**166.18**	1025-83	**168.59**	1025-84	**174.06**
	6′	4′	1016-42	**$98.17**	1016-43	**$98.88**	1016-44	**$102.62**	1026-42	**$113.35**	1026-43	**$114.06**	1026-44	**$117.8**
		5′	1016-52	**104.23**	1016-53	**104.94**	1016-54	**108.68**	1026-52	**125.17**	1026-53	**125.88**	1026-54	**129.6**
		6′	1016-62	**119.23**	1016-63	**120.24**	1016-64	**125.66**	1026-62	**142.69**	1026-63	**143.70**	1026-64	**149.1**
		8′	1016-82	**138.49**	1016-83	**139.50**	1016-84	**144.92**	1026-82	**170.29**	1026-83	**171.30**	1026-84	**176.7**
5, 6, and 7 foot high units include 6 beams, one rack end, and tie bars.	7′	4′	1017-42	**$100.18**	1017-43	**$100.96**	1017-44	**$105.14**	1027-42	**$115.36**	1027-43	**$116.14**	1027-44	**$120.3**
		5′	1017-52	**106.24**	1017-53	**107.02**	1017-54	**111.20**	1027-52	**127.18**	1027-53	**127.96**	1027-54	**132.1**
		6′	1017-62	**121.24**	1017-63	**122.32**	1017-64	**128.18**	1027-62	**144.70**	1027-63	**145.78**	1027-64	**151.6**
		8′	1017-82	**140.50**	1017-83	**141.58**	1017-84	**147.44**	1027-82	**172.30**	1027-83	**173.38**	1027-84	**179.2**
 Four Shelf	8′	4′	1018-42	**$128.61**	1018-43	**$130.44**	1018-44	**$136.65**	1028-42	**$148.85**	1028-43	**$150.68**	1028-44	**$156.8**
		5′	1018-52	**136.69**	1018-53	**138.52**	1018-54	**144.73**	1028-52	**164.61**	1028-53	**166.44**	1028-54	**172.6**
		6′	1018-62	**156.69**	1018-63	**158.92**	1018-64	**167.37**	1028-62	**187.97**	1028-63	**190.20**	1028-64	**198.6**
		8′	1018-82	**182.37**	1018-83	**184.60**	1018-84	**193.05**	1028-82	**224.77**	1028-83	**227.00**	1028-84	**235.4**
	10′	4′	1020-42	**$137.15**	1020-43	**$143.19**	1020-44	**$150.07**	1030-42	**$157.39**	1030-43	**$163.43**	1030-44	**$170.3**
		5′	1020-52	**145.23**	1020-53	**151.27**	1020-54	**158.15**	1030-52	**173.15**	1030-53	**179.19**	1030-54	**186.0**
		6′	1020-62	**165.23**	1020-63	**171.67**	1020-64	**180.79**	1030-62	**196.51**	1030-63	**202.95**	1030-64	**212.0**
		8′	1020-82	**190.91**	1020-83	**197.35**	1020-84	**206.47**	1030-82	**233.31**	1030-83	**239.75**	1030-84	**248.8**
8, 10, and 15 foot high units include 8 beams, one rack end and tie bars.	15′	4′	1013-42	**$161.81**	1013-43	**$167.85**	1013-44	**$175.26**						
		5′	1013-52	**169.89**	1013-53	**175.93**	1013-54	**183.34**						
		6′	1013-62	**189.89**	1013-63	**196.33**	1013-64	**205.98**						
		8′	1013-82	**215.57**	1013-83	**222.01**	1013-84	**231.66**						



FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

No fasteners or tools are required to put together V-grip racks; the parts lock into each other for special strength. All rack ends and beams are of welded construction. The beams have ⅝" recesses along the inside edges, for extra strength, and to accept Equipto steel decking. The loading capacity per opening is up to 3450 lbs. The V-grip rack system is designed primarily for hand loading, though it is suitable for some truck loading. One man can put a whole roomful of rack together in a surprisingly short time. Racks up to 7′ tall have three pairs of beams, those 8′ or over have four pairs. You can choose beams for light, medium or heavy-duty work.

EQUIPTO Racks with Solid Steel Decking for Bulky Storage Items



V-Grip Rack No. 1018D63 is 3′ x 6′ x 8′ high with decking on 4 levels. Extra storage level #1011M63 consists of two beams, decking and tie bars.

Since units include one rack end with beams and tie bars, **remember to order an extra rack end to finish each row.**

Rack End Numbers

Depth	5′ High	6′ High	7′ High	8′ High	10′ High	15′ High
2′	9301 $25.66	9306 $29.77	9311 $31.78	9316 $37.41	9326 $45.95	9342 $70.61
3′	9302 $27.47	9307 $30.18	9312 $32.26	9317 $38.84	9327 $51.59	9343 $76.25
4′	9303 $29.58	9308 $32.24	9313 $34.76	9318 $42.81	9328 $56.23	9344 $81.42

Order rack end to finish each row.

Shown are two 1017D83 and one rack end 9312—overall size 16′ wide, 3′ deep, 7′ high with decking to support cartons.

Price With Solid Steel Decking

With Decking	Height	Width	Medium Duty Rack Number 2′ Depth	Price	3′ Depth	Price	4′ Depth	Price	Heavy Duty Rack Number 2′ Depth	Price	3′ Depth	Price	4′ Depth	Price
Three Shelf	5′	4′	1015 D42	$151.30	1015 D43	$173.93	1015 D44	$209.16	1025 D42	$166.48	1025 D43	$189.11	1025 D44	$224.34
		5′	1015 D52	168.70	1015 D53	193.67	1015 D54	251.58	1025 D52	189.64	1025 D53	214.61	1025 D54	272.52
		6′	1015 D62	200.98	1015 D63	234.17	1015 D64	286.80	1025 D62	224.44	1025 D63	257.63	1025 D64	310.26
		8′	1015 D82	248.86	1015 D83	292.31	1015 D84	360.66	1025 D82	280.66	1025 D83	324.11	1025 D84	392.46
	6′	4′	1016 D42	$155.41	1016 D43	$176.64	1016 D44	$211.82	1026 D42	$170.59	1026 D43	$191.82	1026 D44	$227.00
		5′	1016 D52	172.81	1016 D53	196.38	1016 D54	254.24	1026 D52	193.75	1026 D53	217.32	1026 D54	275.18
		6′	1016 D62	205.09	1016 D63	236.88	1016 D64	289.46	1026 D62	228.55	1026 D63	260.34	1026 D64	312.92
		8′	1016 D82	252.97	1016 D83	295.02	1016 D84	363.32	1026 D82	284.77	1026 D83	326.82	1026 D84	395.12
5, 6, and 7 foot high units include 6 beams, one rack end, tie bars and 3 levels of decking. Extra Rack end required.	7′	4′	1017 D42	$157.42	1017 D43	$178.72	1017 D44	$214.34	1027 D42	$172.60	1027 D43	$193.90	1027 D44	$229.52
		5′	1017 D52	174.82	1017 D53	198.46	1017 D54	256.76	1027 D52	195.76	1027 D53	219.40	1027 D54	277.70
		6′	1017 D62	207.10	1017 D63	238.96	1017 D64	291.98	1027 D62	230.56	1027 D63	262.42	1027 D64	315.44
		8′	1017 D82	254.98	1017 D83	297.10	1017 D84	365.84	1027 D82	286.78	1027 D83	328.90	1027 D84	397.64
 Four Shelf	8′	4′	1018 D42	$204.93	1018 D43	$234.12	1018 D44	$282.25	1028 D42	$225.17	1028 D43	$254.36	1028 D44	$302.49
		5′	1018 D52	228.13	1018 D53	260.44	1018 D54	338.81	1028 D52	256.05	1028 D53	288.36	1028 D54	366.73
		6′	1018 D62	271.17	1018 D63	314.44	1018 D64	385.77	1028 D62	302.45	1028 D63	345.72	1028 D64	417.05
		8′	1018 D82	335.01	1018 D83	391.96	1018 D84	484.25	1028 D82	377.41	1028 D83	434.36	1028 D84	526.65
	10′	4′	1020 D42	$213.47	1020 D43	$246.87	1020 D44	$295.67	1030 D42	$233.71	1030 D43	$267.11	1030 D44	$315.91
		5′	1020 D52	236.67	1020 D53	273.19	1020 D54	352.23	1030 D52	264.59	1030 D53	301.11	1030 D54	380.15
		6′	1020 D62	279.71	1020 D63	327.19	1020 D64	399.19	1030 D62	310.99	1030 D63	358.47	1030 D64	430.47
		8′	1020 D82	343.55	1020 D83	404.71	1020 D84	497.67	1030 D82	385.95	1030 D83	447.11	1030 D84	540.07
8, 10, and 15 foot high units include 8 beams, one rack end, tie bars and 4 levels of decking. Extra Rack end required.	15′	4′	1013 D42	$238.13	1013 D43	$271.53	1013 D44	$320.86						
		5′	1013 D52	261.33	1013 D53	297.85	1013 D54	377.42						
		6′	1013 D62	304.37	1013 D63	351.85	1013 D64	424.38						
		8′	1013 D82	368.21	1013 D83	429.37	1013 D84	522.86						

Remember to order an extra rack end to finish each row.

Beams are adjustable on 1½" centers

V-Grip Rack Beams and Capacities

Beam Type	Catalog Number	Price	Beam Height	4′ Long	5′ Long	6′ Long	8′ Long
				Capacities in lbs. per pair of beams			
Medium Duty	9444	$10.14	2⅞″	2112			
	9445	11.15	2⅞″		1690		
	9446	12.39	2⅞″			1622	
	9448	15.60	3¾″				1557
Heavy Duty	9454	12.67	3½″	3454			
	9455	14.64	3½″		2763		
	9456	16.30	3½″			2630	
	9458	20.90	3¾″				2667

Extra Tie Bars

Depth	Part No.	Price
2′	6522	$2.52
3′	6523	2.62
4′	6524	3.18

Order 1 per pair of 4′ or 5′ beams: 2 per pair of 6′ or 8′ beams.

Solid Steel Decking Capacities

Depth of Rack	Catalog Number	Price	4′ Width	5′ Width	6′ Width	8′ Width
2′ 0″	16324	$19.08	1852			
	16325	22.86		2310		
	16326	28.62			2778	
	16328	38.16				3704
3′ 0″	16334	25.92	1196			
	16335	30.48		1495		
	16336	38.88			1794	
	16338	51.84				2392
4′ 0″	16344	36.40	1192			
	16345	48.52		1490		
	16346	54.60			1788	
	16348	72.80				2384

Decking may be doubled for double strength. All capacities have been calculated using a 1.67 safety factor and are shown as uniformly distributed lbs. per level. To determine storage level capacity when using decking, use beam or decking capacity, whichever is less.

EQUIPTO
Better ideas in Storage and Shop Equipment

PREFABRICATED STAIRWAYS
3′ to 10′7″ High

IN STOCK
IMMEDIATE SHIPPING

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

In an hour you can assemble a complete stairway up to 8′2″ with a prefabricated Equipto stair unit. The package includes everything you need, from easy to read instructions to stringers, tread supports, treads, hand rails, and fasteners. All pieces are measured to fit together, holes are pre-drilled, it's all set to go—yet it costs about one-third the amount you'd pay if you built your own from structural steel. And our special open grating provides complete safety underfoot. Safety tubular rails are rounded on the ends, and tucked behind the stair sides to reduce the chance of catching clothing or cartons. The units are fireproof and virtually indestructible.

Think of all the uses of prefab stairs for access to mezzanines, multi-levels, landings, scoffolding, towers, roofs, docks, trucks, around machines, down into pits, tanks, shafts, wells; over rock, sand, mud, inclines, etc.





Anchor Brackets
Base and landing brackets are pre-drilled for mounting.

Stairs Hanger Brackets for 12″ grating
78254R Right Bracket **$8.49** 78254L Left Bracket **$8.49**

Catalog No.	Price	Adjustable Height	Horizontal Run	Tread Width	Overall Width
One Stair Wide—3′ to 8′ 2″ high					
924F04	$252.26			24″	27″
930F04	259.86	3′	3′ 3″	30″	33″
936F04	267.26	to	to	36″	39″
948F04	282.26	3′ 5″	3′	48″	51″
924F05	$281.54			24″	27″
930F05	291.04	3′ 6″	4′ 1″	30″	33″
936F05	300.29	to	to	36″	39″
948F05	319.04	4′	3′ 9″	48″	41″
924F06	$316.52			24″	27″
930F06	327.92	4′ 1″	4′ 11″	30″	33″
936F06	339.02	to	to	36″	39″
948F06	361.52	4′ 8″	4′ 6″	48″	51″
924F07	$350.52			24″	27″
930F07	363.82	4′ 9″	5′ 8″	30″	33″
936F07	376.77	to	to	36″	39″
948F07	403.02	5′ 3″	5′ 3″	48″	51″
924F08	$387.46			24″	27″
930F08	402.66	5′ 4″	6′ 6″	30″	33″
936F08	417.46	to	to	36″	39″
948F08	447.46	5′ 11″	6′ 1″	48″	51″
924F09	$422.31			24″	27″
930F09	439.41	6′	7′ 3″	30″	33″
936F09	456.06	to	to	36″	39″
948F09	489.81	6′ 6″	6′ 10″	48″	51″
924F10	$457.31			24″	27″
930F10	476.31	6′ 7″	8′	30″	33″
936F10	494.81	to	to	36″	39″
948F10	532.31	7′ 3″	7′ 6″	48″	51″
924F11	$516.27			24″	27″
930F11	537.17	7′ 4″	8′ 9″	30″	33″
936F11	557.52	to	to	36″	39″
948F11	598.77	8′ 2″	8′ 2″	48″	51″
930F16	$1045.32	9′ 0″	14′ 4″	30″	33″
936F16	1077.25	to	to	36″	39″
948F16	1143.26	10′ 7″	13′ 4″	48″	51″

Go Higher with Platform Landings to 18′ 8½″ High

CH MEETS OSHA REQUIREMENTS



950-36 Landing shown is 5′ high, railings at 8′ high, for use straight through—see other sizes:

954-36 Landing shown is 61½″ high, for 90 degree turn left or right.

Platform for use Straight Through

Catalog No.	Price	Floor Height	Top Rail Height
950-36	$252.97	5′	8′
951-36	324.49	8′	12′
957-36	367.45	10′	14′

Overall platform 36″ deep, 42″ wide.

order 30″ or 36″ wide stairs

Platform for 90 degree turn—left or right

Catalog No.	Price	Floor Height	Top Rail Height
954-36	$385.72	61½″	8′
955-36	444.48	97½″	12′
956-36	475.76	121½″	14′

Overall platform 48″ deep, 51″ wide.

order 36″ wide stairs

Select Ship's Ladders to 10′ 5″ to Save Floor Space and be Safer

FOR ORDERS ONLY
Phone Toll Free
800 558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

Ships ladders at 75 degree vertical
For small space and emergency exits, use ladders placed at 75 degree vertical. Note hand rails 2½″ wide are attached to side risers and extend 42″ beyond top tread for added safety. Tread grating is 7¼″ deep (for a firm footing), 29¾″ clear inside with top tread 12″ x 29¾″.

Use EQUIPTO ladders and stairs to provide sturdy steps to multi-levels of machines, mezzanines, platforms, docks, down into pits, wells, trenches, tanks, up over walls, towers, pillars, roofs, scaffolding; see landing platforms, slotted angle framing, grating, crossover bridges, walkways as coordinating products.

Choose from these "in stock" sizes:

Catalog No.	Catalog Price	Use For HHeights Of	Horiz. Run	Tread Width	Overall Width
924L04	$237.62	3′ 8″ to	1′ 11″	24″	27″
930L04	244.95	4′ 7½″	1′ 11″	30″	33″
924L05	$258.38	4′ 7½″ to	2′ 2″	24″	27″
930L05	267.36	5′ 7″	2′ 2″	30″	33″
924L06	$280.24	5′ 7″ to	2′ 5″	24″	27″
930L06	290.87	6′ 6″	2′ 5″	30″	33″
924L07	$328.60	6′ 6″ to	2′ 8″	24″	27″
930L07	340.88	7′ 6″	2′ 8″	30″	33″
924L08	$374.90	7′ 6″ to	2′ 11″	24″	27″
930L08	388.83	8′ 5″	2′ 11″	30″	33″
924L09	$449.56	8′ 6″ to	3′ 2″	24″	27″
930L09	465.14	9′ 5″	3′ 2″	30″	33″
924L10	$468.92	9′ 5½″ to	3′ 5″	24″	27″
930L10	486.15	10′ 5″	3′ 5″	30″	33″
924L11	$488.62	10′ 5″ to	3′ 8″	24″	27″
930L11	507.50	11′ 5″	3′ 8″	30″	33″

Ladder 930L08
To Mezzanine floor 8′ high.
Save floor space. Uses only 2′ 11″ horizontal space run on this 8′ high ladder. Easy to assemble, sturdy, safe and secure.



Ladder 930L11
10′ 7¾″ high.



Ladder 924L05
Reaches 4′ 7″ high with 2′ 2″ horizontal run.



Ladder 930L08
Use inside shelving to mezzanine level. Non-skid steps, railings extend up 42″ beyond top tread to meet OSHA.

CH MEETS OSHA REQUIREMENTS



Anchor brackets are easily mounted to floor and landing, included with stairs and ladders.



Hanger brackets to suspend stairs from grating overhead. Order if needed.
L.H. Bracket 78254L $8.49
R.H. Bracket 78254R 8.49.

Platform—Step
Use as step or platform to reach higher shelving, machines, docks, etc. Rugged steel grating with non-skid surface and oval hole design is self cleaning. Steel side panels attach to step and your surfaces. Hardware included. See sizes available:

Model No.	Price	Overall Width	Overall Depth
961-24	$23.20	24″	11¾″
961-30	25.58	30″	11¾″
961-36	27.96	36″	11¾″
961-48	32.72	48″	11¾″

EQUIPTO
Better ideas in Storage and Shop Equipment

Move Safely with EQUIPTO Mobile Benches and Cabinets

Choose from these Superior Desk Cabinet Combinations to meet your needs



WE SHIP UPS WHEN POSSIBLE

Desk Cabinet No. 288-2C has sloping steel top with raised back stop, bead front edge, drawer, 2 compartments and door with 2 storage access, 5" heavy duty wheels, 2 swivel, 2 stationary for easy rolling—see other combinations in sketches. **$321.71**

For stationary base 6" high, substitute "B" for "C" in catalog number.

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Bench Cabinet 235-2W shown has 4 drawers, door to c partment with shelf, roll front steel top, with aerial shelf 226 Hasp lock handle to receive padlock. Overall size 30" w 27½" deep, 40⅛" high. It's a desk, bench, cabinet to help be better organized for more space and efficient work— combinations available.



Single Bench Cabinets

Cat. No.	Price	Description
233W	**$180.62**	Cabinet, steel top wheels 500 lbs. capacity
234W	**$204.13**	Masonite on steel top, wheels 500 lbs. capacity

Top Size: 15" wide x 27½" deep.
All cabinets are 44" high.

Locks are Available to Fit All Bench Doors and Drawers

10405 key lock **$5.40**

10405M master key **$2.45**



290W 237W

Single Drawer Cabinets
290W Cabinet—1 drawer. 1 shelf, 2 compartments. Steel top—500 lbs. cap. wheels. **$159.42**
291W same as above except masonite top. **$182.93**

Four Drawer Cabinets
237W Cabinet—4 drawers. Steel top, 500 lbs. cap. wheels. **$252.47**
238W same as above except masonite top. **$275.98**

235-2W **$423.04**
with 226-30
Aerial Shelf **$33.99**

Combination Door and Drawer Cabinets

Cat. No.	Price	Description
235-2W	$423.04	Steel top on 5" wheels 500 l capacity
235-2	335.35	Same as above, stationary base
236-2W	447.82	Masonite on steel top on 5" wheels 500 lb. capacity
236-2	360.13	Same as above, stationary base
226-30	33.99	Aerial shelf 10¾"H, 12"D, 30"

Top Size: 30" wide x 27½" deep.

237-2W
$494.89

Eight Drawer Cabinets

Cat. No.	Price	Description	Over Heig
237-2W	$494.89	Steel top, 2 swivel, 2 stationary 5" wheels	40
237-2	407.20	Steel top, stationary base	34
238-2W	519.67	Masonite top on steel, 2 swivel, 2 stat. wheels	40
238-2	431.98	Masonite top on steel, stationary base	34

233-2W
$351.19

Two Door Cabinets

Cat. No.	Price	Description	Ove Heig
233-2W	$351.19	Steel top, 2 swivel, 2 stationary wheels	40
233-2	263.50	Steel top, stationary base	34
234-2W	375.97	Masonite top on steel, 2 swivel, 2 stat. wheels	40
234-2	288.28	Masonite top on steel, stationary base	34

Top Size: 30" wide x 27½" deep.

For 800 lb. capacity substitute the letter "D" for "W" to Cat. No.

NEW

Mobile Drawer Cabinets
Saves Steps, Time and Increases Efficiency

IN STOCK IMMEDIATE SHIPPING

Ideal for foremen, maintenance people, electricians, mechanics, line production people or wherever higher efficiency work is needed.

12-Gauge Steel Top

Ideal mobile cabinets for dies, tools, parts, supplies, etc. to roll to job site quickly for repairs and maintenance. Buy several for better efficiency.

Smooth round corners on drawer fronts and corners give pleasing modern look. Each drawer has individual latch and padlock hasp.

Accessories for Drawer Cabinets

10405 tumbler lock with 2 keys. 13013 number plates 1-5. Little gem tray drawer 8522 (11″ x 11″ x 1¼″ high) can set inside larger drawer.

#10405. . .**$5.40**
#13013. . .**$ .43**
#8522. . . .**$7.00**

WE SHIP UPS WHEN POSSIBLE

4 Drawer Cabinet 223MW4 shown with masonite top and loop handle 11574. **$326.00**
Model 223SW4 with steel top also available. $319.24
Cabinet size: 21½″ wide, 22¾″ deep, 37½″ high.
Has 5″ diameter swivel wheels for easy rolling, load capacity 800 lbs.
Drawer size: 6½″ high, 17″ wide, 37½″ deep.

5 Drawer Cabinet 221MW5 shown with masonite top. **$275.31**
Model 221SW5 with steel top also available. **$270.55**
Cabinet size: 15″ wide, 22¾″ deep, 37¾″ high.
Has 5″ diameter swivel wheels for easy rolling, load capacity 800 lbs.
Drawer size: 4½″ high, 11¼″ wide, 20¼″ deep.

NEW EQUIPTO

Mobile Parts Storage Organizer





This portable double bin storage cabinet organizer 1172 rolls easily on 5″ rubber swivel wheels to where you need it. Add padlock to provide more security.

Store hundreds of parts in various bins from small items in drawers to large power tools on shelves—all ready for instant use. Bin fronts hold parts securely inside, dividers are adjustable to fit your needs.

Look at these features . . .

- Sturdy Steel Cabinets
- Rolls on 5″ Rubber Swivel Wheels
- Loop Handles for Easy Guiding
- Storage Capacity of 1600 lbs.
- 21 Adjustable Bin Openings for Parts
- 4 Large Drawers with Dividers

Open shelf organizer 1174 has 3 shelves 18″ x 36″ each side, adjustable on 1½″ centers to fit your items.

Select Mobile Organizers from these sizes

Catalog No.	Price	Depth	Description
1171	**$354.99**	12″	21 openings: 6—6″ x 6″; 4—9″ x 9″; 6—12″ x 12″; 4—18″ x 12″; 1—36″ x 15″ 4 drawers: 2—4⅝″ x 5⅝″ x 11″ with dividers 2—4⅝″ x 11¼″ x 11″ with dividers
1172	**465.58**	18″	21 openings: 6—6″ x 6″; 4—9″ x 9″; 6—12″ x 12″; 4—18″ x 12″; 1—36″ x 15″ 4 drawers: 2—4⅝″ x 5⅝″ x 17″ with dividers 2—4⅝″ x 11¼″ x 17″ with dividers
1173	**295.72**	12″	4 storage shelves 12″ x 36″ with bin fronts
1174	**390.98**	18″	4 storage shelves 18″ x 36″ with bin fronts

Overall size closed: 36″ deep, 38″ wide, 48″ high. Loop handles extend 2½″ out.

EQUIPTO
Better ideas in Storage and Shop Equipment

Steel Floor Grating is Self Cleaning and Non-Skid

IN STOCK
IMMEDIATE SHIPPING

Steel floor grating panels can be placed side by side and end to end to fill the floor area. Use clamps, splicers and nut-bolts especially made to do the job easier and faster.

NEW Heaviest Duty

3" HIGH

Grating 16383 has 3" high flange, 35¼" long, galvanized finish, place side by side on 9" centers.

New 3" high flange grating 8¾" wide in panels 30" to 144" long in galvanized finish now available from stock to solve your needs. Same oval hole design for extra strength and raised nubs for non-skid traction. Use nested dish clamps (10315) to fasten bolts into floor, slotted angles, etc. See load capacities in chart. Weight per lineal foot is 4.0 lbs.

Grating Panels	* 30"	36"	48"	96"
8¾" x 3" for 9" centers	$16.49 16381	$19.79 16383	$26.39 16384	$52.79 16388

*Actual length ¼ less than shown.

Galvanized finish on grating has zinc coating to be highly resistant to rust, corrosion, discoloration; and it reflects light brightly.

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

SPECIFICATIONS

EQUIPTO Steel Grating (U.S. Patent 3,565,210) to support members fabricated from cold rolled steel, with a deep drawn oval hole and non-skid design. Galvanized finish in stock.

Height:	1½" flange
Weight:	3.9 lbs per linear foot on 11¾" width.
*Lengths:	30", 36", 48", 96", 120", 144"
Widths:	7¼, 8¾, 11¾

*Actual length ¼ less than shown.

Clamp No.
10315—$.20
13194—$.21

1½" HIGH

Grating Clamp No. 10315 nests into oval hole of grating securely. Order as needed. Bolt locks inside clamp as nut is tightened from below. Nut and 2" bolt No. 13194 hold clamp inside grating, order separately where required.

Lights, etc., can be fastened to decking with this grating clamp and bolt.



Grating 7½", 9" and 12" wide may be bolted, side by side if desired through holes on 6" centers.

Use a pair of Splicers 9549-2 to join two pieces of grating. It is not necessary to have ends of grating pieces over supports when using splicers. Order Splicers 9549-2. $4.88

SAFETY OPEN GRATING



NON-SKID SAFETY NUBS

are pierced all the way through from the bottom for excellent traction. Equipto safety grating thus provides sure, non-skid footing in all directions even if wet or oily.

DIAMOND-SHAPED CUTTING MARKS

Extruded on 6" centers simplify on-the-job measurements. Lengths can be cut on any 1½" centers, making a smooth end without jagged edges. As a result, there's no need for special end caps, or for filing down edges on the job.

SELF-CLEANING SURFACE

is an added benefit of the open-hole design that eliminates surface accumulation of dirt and allows light, air, and water to pass easily through the holes. Our grating is ideal for mezzanine flooring, especially where overhead lighting systems and sprinkler heads are present.

LOW MATERIAL and LABOR COSTS

result from the modular, easy to assemble panel design. The variety of module sizes makes it possible to order just the amount of grating you need, no more, no less.

SIMPLE INSTALLATION

is another plus resulting from our modular construction. Equipto Grating is fastened through bolt mounting holes at the end of each panel, or it can be quickly fastened to structural supports with dish-shaped clamps (see left). The clamps nest flush with top surface in the oval openings and prevent square bolt heads from turning, as the illustration to the left clearly demonstrates.

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Depend on EQUIPTO Safety Galvanized Steel Floor Grating to be Safe, Strong, Flexible — Easy to Use

Equipto steel floor grating is a one-piece steel channel with an unusually high strength to weight ratio, the result of a deep-drawn oval opening design that gives remarkable structural strength by creating reinforced U-shaped ribs. The great structural strength results in a high load capacity with minimum deflection; plus reduced assembly time and material costs because fewer structural supports are required underneath. Open safety grating provides safe footing in any architectural and construction job because it is strong, fast to install, and available in a variety of widths and lengths to satisfy any space arrangement from trench coverings to entire mezzanine floors.

Look at these features:

- oval hole design has pleasing appearance
- Non-skid safety nubs provide traction
- Cutting marks on 6″ centers easy to measure
- Smooth ends make fitting easier
- Fast and easy installation

Catalog Numbers and Stock Sizes

dth and Flange	Lengths of Panels (Actual Length ¼″ Less Than Shown)													
	24″	Price	30″	Price	36″	Price	48″	Price	96″	Price	120″	Price	144″	Price
¼″ x 1½″ r 7½″ centers	16362	$6.60	16361	$8.25	16363	$9.90	16364	$13.20	—	—	—	—	16372	$39.60
¼″ x 1½″ r 9″ centers	16162	7.50	16161	9.40	16163	11.25	16164	15.00	16168	$30.00	16170	$37.50	16172	45.00
¾″ x 1½″ r 12″ centers	16142	9.52	16141	11.90	16143	14.28	16144	19.04	16148	38.08	16150	47.60	16152	57.12
¼″ x 3″ r 9″ centers	—	—	16381	16.49	16383	19.79	16384	26.39	16388	52.79	16390	65.99	16392	79.18
″ x 7/16″ r 12″ centers	—	—	—	—	—	—	—	—	—	—	—	—	16212	43.20

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



Grating #16143 is 11¾″ x 1½″ x 36″ long—see chart. **$14.28**

Specifications for EQUIPTO Steel Floor Plate:

Panel sizes: 12″ wide, 143¾″ long, #16212 **$43.20**
Height: 7/16″ at flange
Weight: 2.4 lbs. per lineal foot
Cold rolled steel
Galvanized zinc finish is bright and clean
Oval holes 1½″ x ¾″ deep drawn
Raised nubs 1/16″ high spaced between holes

Ideal to use floor plating over broken cement, asphalt, wood, gravel, rock, mud, oily, greasy surfaces, and wherever a safe traction sure area is needed for walking.

Order #16212 for use in 12″ x 12′ area. Use side by side, end to end or cuts easily for other size areas.
$43.20

CH MEETS OSHA REQUIREMENTS



Use steel floor plate over broken and uneven cement floors by machines, over cracks, on oil or greasy floors, etc. to provide safe, sure traction. Comfortable to stand on.



3″ x 8¾″ Use on 9″ Centers | 1½″ x 11¾″ Use on 12″ Centers | 1½″ x 8¾″ Use on 9″ Centers | 1½″ x 7¼″ Use on 7½″ Centers | 7/16″ x 12″ Use on 12″ Centers

EQUIPTO
Better ideas in Storage and Shop Equipment

Build your own racks, bracing, railings, framework, etc.

Use Slotted Angle to do 101 Jobs Easier, Safer, Faster

IN STOCK
IMMEDIATE SHIPPING

Ideas to use Slotted Angle to your own design to make racks shelves, barriers, frames, scaffolding, conveyor supports, door frames, stands for machines, reinforce crates and wherever you need supports, for storage and safety applications.

How to Order Angle Bundles:

Select heavy or super duty size 10' or 12' long pieces 10 pieces per bundle by catalog numbers:

Cat. No.	Price	Description of bundles	Shipping Wt. Lbs.
5610-10	$88.11	10' long, 10 piece bundle	86
5612-10	102.36	12' long, 10 piece bundle	103
5710-10	133.53	10' long, 10 piece bundle	145
5712-10	157.99	12' long, 10 piece bundle	173

Hardware 75 sets included. Idea Book of applications and instructions in each bundle.

Corner Gusset
6460 $1.39 each

Steel gusset 2" x 7⅞" pre-formed to act as bracing corners on angle frame.

Casters for Slotted Angle Frames



Use 5" O.D. rubber wheel casters to bolt on frames to move it.

Swivel Caster
15706
$8.78 each



Stationary Caster
15716
$6.51 each

Order extra hardware:

13056 hex head bolts and nuts
5/16" x 5/8" ..... 75 sets **$10.20**

13057 hex head bolts and nuts
5/16" x 3/4" ..... 75 sets **$10.67**

What are EQUIPTO Slotted Angle sizes and features?

It is galvanized steel construction angle punched with holes and slotted on a repeated pattern to provide faster assembly. Every 3" there is a triangular mark to make measurements easier on the job. Select from these sizes:



Heavy Duty 5600
is 1½" x 2¼" x 14 Ga. (.060)
in 10 pc. bundles.



Super Duty 5700
is 1½" x 3" x 12 Ga. (.104")
in 10 pc. bundles.



Shown are slotted angle bundles of 10 pieces of 5710-10 and 5712-10 with hardware inside, steel banded, ready for shipment.

Slotted Angle makes stronger joints and connections

T beams — 2 pcs. 4,729 lbs.

I beams — 4 pcs. 13,890 lbs.

Single pieces jointed legs down — 2,365 lbs.

Broad channels — 4 pcs. 6,949 lbs.

Above are shown typical 5700 beams with load capacities at 3 foot unsupported span.

Typical Applications with Slotted Angle



Angle frames attached to ceiling for cartons.



Make guard rails of angles for safety.

FOR ORDERS ONLY
Phone Toll Fr
800-558-99
For Other Cus tomer Service and Wisconsin Calls — Dial 414-271-2250

Save time — use angle cutter

Equipto angle cutter 10213 has sturdy tubular handles to make lever action to cut slotted angles precisely with smooth edges . . . save time, more accurate, safer cutting. Pays for itself in one job. Cutter 10213 is **$97.63** each.

IF YOU HAVE QUESTIONS ON USE OF SLOTTED ANGLE, PHONE US FOR FREE ENGINEERING AND LAYOUT SERVICE.

EQUIPTO
Better ideas in Storage and Shop Equipment

Choose these finest quality Open Leg EQUIPTO Benches— They're Sturdy, Portable and Versatile

IN STOCK IMMEDIATE SHIPPING

2200 Series Benches

Open leg benches combine rugged strength with economy . . . two sets legs cross braced and back stringer minimizes sway, choice of steel and other tops listed:

WIDTH	Top Material	29" DEEP (Wood or Bonded Wood 30" Deep)		
		29" high leg*	33½" high leg*	Price
5′	12 Gauge Steel	2221-5	2223-5	$104.56
	Masonite on Steel	2221-5M	2223-5M	157.38
	Bonded Wood	2221-5B	2223-5B	140.31
	Laminated Maple	2221-5W	2223-5W	221.87
6′	12 Gauge Steel	2221-6	2223-6	115.67
	Masonite on Steel	2221-6M	2223-6M	162.38
	Bonded Wood	2221-6B	2223-6B	157.80
	Laminated Maple	2221-6W	2223-6W	286.42

*Actual bench working height depends on type of top.

WIDTH	Top Material	36" DEEP (Wood or Bonded Wood 30" Deep)		
		31¼" high leg*	33½" high leg*	Price
5′	12 Gauge Steel	2232-5	2233-5	$118.60
	Masonite on Steel	2232-5M	2233-5M	161.71
	Bonded Wood	2232-5B	2233-5B	165.00
	Laminated Maple	2232-5W	2233-5W	161.71
6′	12 Gauge Steel	2232-6	2233-6	124.30
	Masonite on Steel	2232-6M	2233-6M	168.95
	Bonded Wood	2232-6B	2233-6B	175.01
	Laminated Maple	2232-6W	2233-6W	298.75

*Actual bench working height depends on type of top.

Top Letter Code on Model Numbers are:
M—Masonite on Steel,
B—Bonded Wood,
W—Laminated Maple

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



2300 Series Benches

Have steel legs, back stringer and full length lower shelf for extra storage and strength. Choice of tops:

WIDTH	Top Material	29" DEEP (Wood or Bonded Wood 30" Deep)		
		29" high leg*	33½" high leg*	Price
5′	12 Gauge Steel	2321-5	2323-5	$121.56
	Masonite on Steel	2321-5M	2323-5M	174.38
	Bonded Wood	2321-5B	2323-5B	157.31
	Laminated Maple	2321-5W	2323-5W	238.87
6′	12 Gauge Steel	2321-6	2323-6	135.37
	Masonite on Steel	2321-6M	2323-6M	182.08
	Bonded Wood	2321-6B	2323-6B	177.50
	Laminated Maple	2321-6W	2323-6W	306.12

*Actual bench working height depends on type of top.

2400 Series Benches

Have steel legs, back stringer, lower shelf plus back and end rails on top to keep items from falling off. Choice of tops:

WIDTH	Top Material	29" DEEP (Wood or Bonded Wood 30" Deep)		
		31¼" high leg*	33½" high leg*	Price
5′	12 Gauge Steel	2422-5	2423-5	$141.12
	Masonite on Steel	2422-5M	2423-5M	193.94
	Bonded Wood	2422-5B	2423-5B	176.87
	Laminated Maple	2422-5W	2423-5W	258.43
6′	12 Gauge Steel	2422-6	2423-6	155.85
	Masonite on Steel	2422-6M	2423-6M	282.56
	Bonded Wood	2422-6B	2423-6B	197.98
	Laminated Maple	2422-6W	2423-6W	326.60

*Actual bench working height depends on type of top.



2500 Series Benches

Have steel legs, back stringer, end and back rails, full bottom shelf, aerial shelf plus one drawer 220 and choice of tops:

WIDTH	Top Material	29" DEEP (Wood or Bonded Wood 30" Deep)		
		29" high leg*	33½" high leg*	Price
5′	12 Gauge Steel	2521-5	2523-5	$221.22
	Masonite on Steel	2521-5M	2523-5M	274.04
	Bonded Wood	2521-5B	2523-5B	256.97
	Laminated Maple	2521-5W	2523-5W	338.53
6′	12 Gauge Steel	2521-6	2523-6	238.22
	Masonite on Steel	2521-6M	2523-6M	284.93
	Bonded Wood	2521-6B	2523-6B	280.35
	Laminated Maple	2521-6W	2523-6W	408.97

*Actual bench working height depends on type of top.

STEEL TOPS (12 GA.)

Catalog No.	Price	Depth	Width	Weight
11434	$55.03	29"	5′	64 lbs
11436	65.26	29"	6′	78
11440	66.97	36"	5′	75
11442	71.79	36"	6′	90

MASONITE ON STEEL TOPS (12 GA.)

11435	$107.85	29"	5′	74
11437	111.97	29"	6′	90
11441	110.08	36"	5′	86
11443	116.44	36"	6′	103

BONDED WOOD TOPS 1¾" THICK

12348	$ 90.78	30"	5′	85
12349	107.39	30"	6′	100
12351	113.37	36"	5′	100
12352	122.50	36"	6′	120

LAMINATED MAPLE TOPS 1¾" THICK

12339	$172.34	30"	5′	88
12340	236.01	30"	6′	105
12342	204.29	36"	5′	105
12343	246.24	36"	6′	125

EQUIPTO
Better ideas in Storage and Shop Equipment

BAR RACKS:
Perfect for Steel Tool Storage

IN STOCK
IMMEDIATE SHIPPING



1060 1061 1062 1063

Not just for steel, either, but for every kind of product that doesn't need shelves for support—why buy more storage than you need? If you have a combination of products, some of which are too short for bar racking, we do offer shelves so that maximum storage can be utilized. Equipto bar racks come in a range of heights and widths, with single or double face units available, all with the solid steel construction you expect of Equipto products.



Double faced rack 1060 with 1061 end is free standing to hold slotted angle, pipe, tubes, bars, etc.

†Be sure to order a rack end to finish each row.

Catalog No.	Price	Description	Height	Width	Depth
1060	$173.18	Double face unit	7′	3′	34″
1060–72	193.90	Double face unit	7′	6′	34″
1060–96	213.99	Double face unit	7′	8′	34″
1061	150.11	†Double face rack end	7′	2⅜″	34″
1062	$135.87	Single face unit	7′	3′	22⅛″
1062–72	158.61	Single face unit	7′	6′	22⅛″
1062–96	178.70	Single face unit	7′	8′	22⅛″
1063	114.82	†Single face rack end	7′	2⅜″	22⅛″
1064	$118.23	Double face unit	4′	3′	34″
1064–72	145.33	Double face unit	4′	6′	34″
1064–96	167.89	Double face unit	4′	8′	34″
1065	103.21	†Double face rack end	4′	2⅜″	34″
1066	$95.03	Single face unit	4′	3′	22⅛″
1066–72	122.13	Single face unit	4′	6′	22⅛″
1066–96	144.69	Single face unit	4′	8′	22⅛″
1067	80.01	†Single face rack end	4′	2⅜″	22⅛″

ACCESSORIES



Shelves are 12″x 36″, to fit between arms.

Catalog No.	Description	Price
1070	Extra arm, 12″ capacity 325 lbs	$6.34
6052	Shelf for bottom arms only	12.54
6053	Shelf for other arms	11.08



1060–72 1061



1062–72

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250



1066 1067 1064



1064–72 1065 1066–72

500 lb. Capacity

Handtrucks with Folding Noseplates — an ECOA exclusive!

ECOA's Modular HandTrucks present a new "building block" idea in handtrucks. Exclusive design allows field installation and interchangeability of basic components including noseplates, axles, wheels and on aluminum models, even the handles. Most options can be installed or replaced in field. Beveled edge folding noseplates are standard; can be secured into fixed position, and can be folded up even on trucks with noseplate extensions.

Steel trucks manufactured from welded steel tubing, bars and high-strength annealed ductile iron castings and are painted alert orange. Stair climbers standard on steel trucks. Aluminum trucks, manufactured of ECOA's exclusively designed extrusions and tempered high-strength castings have no fasteners on the face of truck to damage goods. Frame cross members deeply recessed; small items nest in between uprights — won't slip off.

ALUMINUM



SERIES FA



SERIES FB



SERIES FC



SERIES FD



SERIES FF

DUAL, or "COW HORN" HANDLE is very popular because it offers maximum control and maneuverability. Ribbed vinyl hand grips are replaceable.

STEEL



SERIES FW

CONTINUOUS, FULL WIDTH HANDLE is convenient for general, all-around use. Handle can also be used to hang up the truck when it is not in use.



SERIES FS

SINGLE STUB-GRIP HANDLE is ideal for uses which require one-hand steering and maneuvering of the truck. Replaceable ribbed vinyl hand grips.



SERIES FT

DOUBLE STUB-GRIP HANDLES give added flexibility of use and control. A rugged, versatile truck with replaceable vinyl hand grips.



SERIES FU

"U" SHAPED HANDLE allows one-hand steering and maneuvering of the truck, leaving the other hand free to steady unbalanced loads or to open doors.

MINI-TRUK

A versatile steel handtruck with integral stair climbers, folding handle, 6" x 14" folding noseplate, and 16" long folding noseplate extension. Its 250 lb. capacity and ability to fold into a small space makes it ideal for use by salesmen, office personnel, repairmen, travelers, shopkeepers and in light delivery trucks.

250 LB. CAP.

Model No. **25-269/2D.** Weight 21 lbs. **$36.00.**
Model No. **25-270/0D.** Weight 19 lbs. **$33.00.**
Model **25-270/0D** is the same as **25-269/2D** but without folding noseplate extension.

WHEEL SELECTIONS

WHEEL (Ball Bearing) for ⅝" Dia. Axle		Wgt./Pair	Width*	Price/Pair
25-264/3D	8" x 1.63" Moldon Rubber	5#	19½"	$18.00
25-265/0D	10" x 2.75" Moldon Rubber	13	19½	30.00
25-266/8D	8" x 2.50" Semi-Pneumatic	8	19¼	20.00
25-267/6D	10" x 2.75" Semi-Pneumatic	11	19½	22.00
25-268/4D	10" x 3.50" Full-Pneumatic	8	20¾"	45.00

NOTE: Stock numbers in charts do not include wheels. Order wheels from chart above.

***NOTE:** Overall handtruck width with wheels will be this dimension or noseplate width, whichever is greater.



25-264/3D 25-265/0D 25-266/8D 25-267/6D 25-268/4D

ALUMINUM HANDTRUCK							STEEL HANDTRUCK						
14" Noseplate				18" Noseplate			14" Noseplate				18" Noseplate		
Series	*Stock No.	Wgt.	Price	*Stock No.	Wgt.	Price	Series	*Stock No.	Wgt.	Price	*Stock No.	Wgt.	Price
FA	25-233/8D	17#	$77.00	25-238/7D	18#	$86.00	FS	25-244/5D	30#	$68.00	25-249/4D	31#	$72.00
FB	25-234/6D	17	79.00	25-239/5D	19	88.00	FT	25-245/2D	30	70.00	25-250/2D	31	74.00
FC	25-235/3D	17	82.00	25-240/3D	19	91.00	FU	25-246/0D	31	70.00	25-251/0D	31	74.00
FD	25-236/1D	18	84.00	25-241/1D	19	93.00	FW	25-247/8D	30	69.00	25-252/8D	31	73.00
FF	25-237/9D	17	81.00	25-242/9D	19	90.00							

OPTIONS

All options can be field installed or replaced unless otherwise stated.

RETRACTABLE LOAD REST WHEELS

Add two 4" diameter moldon rubber wheels to provide stability of 4-wheel Truck. Fold compactly out of way when not needed. Aluminum models 10 lbs., specify **25-253/6D.** Steel models, 10 lbs., factory installed only. Specify **25-254/4D. $48.00**

FOLDING NOSEPLATE EXTENSION (24" long)

Facilitates handling of baggage, large cartons and other bulky loads. Folds up and approx. 1" behind frame uprights when not needed. Steel models 7 lbs., specify **25-255/1D $13.00,** Aluminum models 3 lbs., specify **25-256/9D. $20.00**

ALUMINUM MODELS ONLY

WHEEL GUARDS

Shield Wheels to prevent contact with load 2 lbs. specify **25-257/7D. $10.00**

STAIR CLIMBERS

Ease movement of loads up or down steps and curbs. 3 lbs. specify **25-258/5D $16.00.**

EXTENDED LOOP HANDLES



Available for series FA only. For 3, 4, and 5 foot Handles specify **25-259/3D,** 1/2 lb., **25-260/1D,** 1 lb. and **25-261/9D,** 1½ lbs., respectively. **$7.50, $8.50, $9.50** respectively.

VERTICAL STRAP BACK (Aluminum only)

Protective grille is factory installed only. For 2 or 4 straps, 1/2 lb. per strap specify **25-262/7D $4.00**
25-263/5D $8.00

ECOA EXCLUSIVE!

Patent Pending Folding Noseplate is standard on all Modular HandTrucks. Simple to convert to fixed position.



All Items are FOB Fla.

E-Z-MOVER Dollies Handle Big Bulky Loads When Nothing Else Wil — Save Time, Save Labor, Save Money!

E-Z MOVER 2,000 lb. CAPACITY ®

E-Z-Mover Crate and Cabinet Dollies are used for moving large crates, cabinets, desks and other hard to handle items. Place one unit at each end of the load, slide the lifting plates or forks underneath and operate jack until load clears the floor.

Two models are available: **25-017/5D** has an elevating load plate which is notched at the center, **25-018/3D** has adjustable forks. Both are available with three different types of 5" diameter wheels.

The easy-to-operate screw jacks automatically hold the load at any position and provide positive lowering control. Maximum lift is 13" to allow lifting of loads that are on legs. The lifting mechanism glides up and down on enclosed, low friction rollers—no metal sliding on metal. Units are constructed of heavy gauge steel and painted alert orange.

For optional Vinyl Strips on the face of the units, add **25-022/5D** Stock Number. **$7.00.** For optional Floor Brake Lock add **25-023/3D** to Stock Number. **$35.00.** (On one unit only). (1,000# Capacity each, 2,000# combined capacity.)

1. Roll one unit up to one end of load, slide lifting plate or forks underneath and push unit flush against load.

2. Hold unit in place while cranking jack until lifting plate or forks contact load. Continue cranking until load is clear of floor.

3. Follow the same procedure with the second unit on the opposite end and load is ready to be moved.



*Caster stock number designates one pair of swivel casters on one unit and one pair of rigid on the other unit. If all swivel casters are desired, add -4S to caster stock number (10% to price).

E-Z-MOVER (less casters)

Model Number	Type	Wgt. each	Price per pair
25-017/5D	Plate	66#	$279.95
25-018/3D	Fork	68	330.90

One pair of units plus casters make up one E-Z-Mover Dolly.

CASTERS

Model Number	Type	Wgt.	Price
25-019/1D	Phenolic Resin	18#	$60.00
25-020/9D	Polyurethane	22	99.00
25-021/7D	Semi Steel	22	81.00

ECOA EQUIPMENT COMPANY OF AMERICA

FOR ORDERS ONLY Phone Toll Free 800-558-9966 For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

REPLACEMENT RUBBER TIPS
Fits 1¼" O.D. tubing.
Rubber tip w/metal insert.



25-124/9D
$.95

Durable StockPicker Trucks With StepLok Caster Feature

STOCKPICKER TRUCKS are available in 2-shelf and 3-shelf models, durably constructed of welded steel or riveted aluminum. All models have spring-loaded StepLok ladders which hold trucks firmly in place when ladders are stepped on. Exclusive GripTred steps assure non-skid footing with self-cleaning surfaces of perforated raised buttons. See chart for different types and sizes of wheels available.

Fixed-tray style shelves (with 2" high lips turned up) are standard, but any or all lips of any shelves will be turned down if specified.

SOFT TREAD				
Stock Number	Wheel Size	Cas. Hgt.	Wgt. 4 Cas.	Price
25-113/2D	4 x 1½"	5"	24#	$42.90
PHENOLIC RESIN				
25-114/0D	4 x 1½"	5"	13#	$42.95
25-115/7D	5 x 1½	6⅛	18	55.92
25-116/5D	6 x 2	7¼	21	60.98
MOLDON RUBBER				
25-117/3D	5 x 1½"	6⅛"	20#	$69.99
25-118/1D	6 x 2	7¼	26	75.97
SEMI-STEEL				
25-119/9D	4 x 1½"	5"	18#	$50.88
25-120/7D	5 x 1½	6⅛	26	66.89
25-121/5D	6 x 1⅞	7¼	37	80.92
POLYURETHANE				
25-122/3D	5 x 1½"	6⅛"	24#	$75.90
25-123/1D	6 x 2	7¼	34	85.94

WHEEL OPTIONS:(Code designates 2 rigid, 2 swivel casters.) Add Code to Truck Stock Numbers: Weights to truck weights.

	ALUMINUM							STEEL					
Dimensions		2-SHELF			3-SHELF			2-SHELF			3-SHELF		
Width	Lgths.	Stock No.	Wgt.	Base Price	Stock No.	Wgt.	Base Price	Stock No.	Wgt.	Base Price	Stock No.	Wgt.	Base Price
22"	36"	25-073/8D	43#	$204.90	25-083/7D	51#	$239.90	25-093/6D	92#	$162.95	25-103/3D	112#	$191.9
	40	25-074/6D	45	211.95	25-084/5D	54	247.88	25-094/4D	98	167.90	25-104/1D	120	199.9
	44	25-075/3D	48	217.92	25-085/2D	58	257.92	25-095/1D	103	171.92	25-105/8D	128	204.9
	48	25-076/1D	50	221.90	25-086/0D	61	263.88	25-096/9D	109	175.95	25-106/6D	136	208.9
	52	25-077/9D	52	228.93	25-087/8D	64	272.89	25-097/7D	114	179.98	25-107/4D	144	213.9
28"	36"	25-078/7D	49	218.95	25-088/6D	59	259.91	25-098/5D	104	170.93	25-108/2D	129	203.9
	40	25-079/5D	52	225.96	25-089/4D	63	268.98	25-099/3D	111	176.96	25-109/0D	140	209.9
	44	25-080/3D	54	231.88	25-090/2D	67	278.95	25-100/9D	118	181.88	25-110/8D	148	214.9
	48	25-081/1D	57	240.92	25-091/0D	71	286.94	25-101/7D	124	185.92	25-111/6D	158	223.9
	52	25-082/9D	60	245.93	25-092/8D	74	298.93	25-102/5D	131	189.99	25-112/4D	167	228.8

Specifications: Weights shown are for truck frame, steps, and handles only. For wheels and accessories, add applicable codes to Truck Stock Number.

Get Extra Service From Your ForkTruck — Convert To An Elevating Stock Picke



The ECOA SlimPicker Workstage is designed especially for use as a stock picker. Platform is 29" wide by 20" long with 4" high integral toe boards on all sides. Side railings are 42" high with intermediate rails. Back guard is 60" high with chain link insert to prevent accidental contact with forklift mechanism. Two safety chains anchor Workstage to forklift. Forklift tine sleeves act as forks to pick up skids or pallets for loading or unloading stock. Sleeves have 2½" x 5½" inside dimensions and project in front of platform either 36" or 42", on 23" centers. (Tine Lock is not available on SlimPicker models.)

Stock Number	"Fork" Length	Overall Length	Weight	Price
25-015/9D	36"	56"	205#	$395.90
25-016/7D	42	62	213	415.88

PROPEL DOLLIES

(Aluminum)



Stock No.: 25-032/4D Single roller model offers maximum maneuverability and 1,500# capacity. It has a 4½" square diamond patterned top surface. Overall height is 4 3/16". Weight 4# **$24.00.**

Stock No.: 25-033/2D Two rollers on a common axle combine superlative maneuverability with 3,000# capacity. Deeply fluted top is 8½" wide by 4¾". Weight 7#. **$36.00.**

Stock No.: 25-034/0D Four rollers on two axles provide 6,000# capacity. Fluted top is 8½" in width, with length or travel direction of 8⅜". Recommended for straight line travel. Overall height is 4¼". Weight: 14# **$52.00.**



ECOA Propel Dollies are safe and easy to use - slash moving time! Aluminum box-like frames have integral sides, webs and deeply fluted tops. Rollers have self-contained press-fit roller bearings with hardened and ground spanners. Excellent for moving heavy crates and machinery.



Stock Numbers: 25-035/7D and **25-036/5D** Six rollers on three axles provide 9,000# capacity. Fluted top is 8½" wide with length or travel direction of 12½". Overall height from floor is 4¼".

25-035/7D (Tilt Type) is standard and recommended for general use. Weight: 20# **$69.00.**

25-036/5D (Non-tilt) recommended for straight line movement only. Weight: 20# **$72.00.**

ECOA Dollies keep your materials on the move

Aluminum PLATE DOLLIES



Stock Number	Overall Size	Weight	Price
25-027/4D	14" x 18"	10#	$40.00
25-028/2D	18" x 24"	17	66.00

Casters - Set of 4 Swivel (For Plate Dollies Only).

Stock Number	Type	Capacity	Weight	Price
25-024/1D	PR	2,000#	19#	$55.00
25-025/8D	MR	960	21	72.00
25-026/6D	PY	2,400	25	79.00

PR-Phenolic Resin; **MR**-Moldon Rubber; **PY**-Polyurethane

HAMMER DOLLIES

Hammer Dollies are completely K.D. when shipped (box is only 7" x 26" x 5") and can be assembled by one man in less than five minutes. Kit comes complete with wrench used to assemble dolly. Platform is ABS injection molded plastic. Swivel casters have 3" nylon wheels and roller bearings. Dolly measures 16" x 25" x 5".

Stock Number	Cap.	Ship. Wgt.	Price
25-037/3D	600#	13#	$69.00

LEVER DOLLIES

This crowbar-on-a-roller, has a one-piece Blade/Socket assembly cast from ductile iron. The handle is 1 " O.D. steel pipe, available in three lengths. A steel roller allows the dolly to roll under the load as it is being raised on the 6" wide noseplate.

Stock Number	Length	Weight	Price
25-029/0D	5'	38#	$66.00
25-030/8D	6	41	69.00
25-031/6D	7	50	74.00

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

Safety Railings — A must for Loading Docks • Truck Wells • Floor Openings • Mezzanines • Aisles • Walkways

MEET OSHA REQUIREMENTS


3¾" Minimum Clear Opening with Base Flanges. Maximum Limited by Safety & Statutory Requirements
42"
21"
2½"
2½"
CENTER TO CENTER OF POSTS
2½"
VARIABLE AS REQUIRED
¾" HOLES
GATE WIDTH 36"
2', 3', 4', 5', 6', 7' or 8' NOMINAL RAILING LENGTH
OPTIONAL BASE FLANGE
OPTIONAL SOCKETS 1⅝" I.D. x 2" O.D.

- Overall height of railing is 42" • Made of 1¼" standard steel pipe (1⅝" O.D.) • Sockets are plated ductile iron castings
- Sockets accept wood 2 x 4's for toeboards
- 4" high sleeves for concrete embedded installation • Gates can be attached to railings in field
- Painted alert orange for easy visibility

Socket:

Sockets are 4" high, have 5" square, ¼" thick base flange. Wgt. 6# each. Stock No. **25-039/9D**

Sleeve:

Metal sleeve is 4" high and 2" dia.; ungalvanized to create a good bond with concrete when embedded. A non-shrinking cement grout should be used. Weight: 0.8# Stock No.: **25-041/5D**



For use at • LOADING DOCKS • TRUCK WELLS • FLOOR OPENINGS • MEZZANINES • AISLES • WALKWAYS

NOTE: Sockets, toeboards, anchor bolts and installation not included in Dock Railing price.

GATE (Latch and two Clamp-on Hinges included.)

Stock No.	Length	Weight	Price
25-038/1D	3'	25#	$30.00

PARTS

Stock Number	Description	Wgt.	Price
25-039/9D	Socket	6 #	$10.00
25-040/7D	Anchor Bolt	—	.50/ea.
25-041/5D	Sleeve	0.8	1.00

Stock Number		Lgth.	Wgt.	Price Each		
Socket Mount.	Embed.* Mount.			1-19	20-49	50+
25-042/3D	25-049/8D	2'	21#	$26.00	$25.00	$24.00
25-043/1D	25-050/6D	3	26	29.00	28.00	27.00
25-044/9D	25-051/4D	4	30	32.00	31.00	30.00
25-045/6D	25-052/2D	5	35	35.00	34.00	33.00
25-046/4D	25-053/0D	6	39	38.00	37.00	36.00
25-047/2D	25-054/8D	7	44	41.00	40.00	39.00
25-048/0D	25-055/5D	8	48	44.00	43.00	42.00

*Embedded models, add two lbs. and $2.00 to weights and prices stated in chart.

All items are FOB Fla.

Shipped K.D. for lowest freight rates.

Galvanized drum racks are for use with 55 gallon drums only and may be stacked up to a maximum of five high. Plates stamped from 11 gauge steel and are connected by three heavy tubular steel crossbeams. Racks are shipped K.D. and assemble quickly using standard hex head machine bolts (included). Forktruck tine openings measure 13-3/8" x 3-1/8".

Save on freight expenses! Racks shipped K.D.!

Racks (1 pair) shipped K.D. to cut down on freight costs.

Single Rack

Rack Dimensions:
Width: 47¼"
Length: 31½"
Height: 15¾"

As Low As $94.95



Galvanized Drum Racks may be stacked up to 5 high.

GALVANIZED K.D. DRUM RACK KIT (Shipped in pairs only)

Stock Number	Weight Each	Price Each			
		2-12	14-48	50-98	100 +
25-014/2D	66#	$118.98	$111.90	$103.88	$ 94.95

Economical Drum Stacking Rack



As Low As $45.88

- Rugged steel tubing.
- All welded construction.
- Stack up to five drums high

Width: 42½"
Depth: 26"
Height: 9½"
Bottom of drum to floor: 7¼"

Stock Number	Drum Capacity	Ship. Wgt.	Price Each			
			1-11	12-49	50-99	100 +
25-277/5D	2(55 gal.)	47#	$62.95	$57.88	$52.90	$45.88

FOR ORDERS ONLY Phone Toll Free 800-558-9966 For Other Customer Service and Wisconsin Calls – Dial 414-271-2256

Convert Drums to Mobile Containers!



As Low As $64.70

Low slung dolly has high strengt annealed ductile iron base which holds bot 30 gal. and 55 gal. drums securely. Give mobility to filled drums and converts empt drums to mobile containers. Wheels are 3 x 1¼" hard tread rubber or semi-steel wit ball bearing swivel casters. Bottom of 5 gal. drum is 4½" above floor. Bottom of 3 gal. drum, 4" above floor.

Stock Number	Description	Weight	Price
25-274/2D	Dolly Casting	18#	$29.70
25-275/9D	Rubber Wheels (Set of 4)	6	35.00
25-276/7D	Steel Wheels (Set of 4)	9	37.80

UPS

Save on top quality Drum Racks to suit any need.

OFFER ECONOMICAL DRUM STORAGE!

25-011/8D posts used to stack racks.

Welded modules can be used individually or assembled with posts to form sturdy racks up to five modules high. Racks are quickly and easily assembled without use of tools or fasteners.

Various sizes of drums can be stored and any or all drums can be removed or replaced without disturbing other drums in the racks.

Rack design is such that drums can be handled by a forktruck with tines as large as 7"x3".

25-012/6D Socket type feet with 4" sq. plates distribute load on resilient or uneven floors or when stacked over 3 high.

25-007/6D

25-008/4D

25-009/2D

25-010/0D

25-013/4D Similar to the 25-012/6D except that they elevate the bottom rack approximately 15 in. to allow a 5-gallon pail to fit under a spigot in the lowest drum.

Stock Number	Drum. Cap.		Overall Dimensions			Ship. Wgt.	Price Each	
	Wide	Deep	Width	Depth	Height		1-11	12+
25-007/6D	1	1	35"	36"	12½"	28#	$ 42.98	$ 41.50
25-008/4D	1	2	35	72	12½	50	66.95	64.80
25-009/2D	2	1	61	36	12½	48	65.90	63.88
25-010/0D	2	2	61	72	12½	94	111.95	107.60
25-011/8D			1¾	1¾	30	21	26.86	24.90
25-012/6D			4	4	4½	6	19.70	18.65
25-013/4D			4	4	13½	12	25.50	23.80

*Per set of 4.

Drum Stacking Racks of all-welded heavy gauge tubular steel construction with 2½" square tube crossbeams assure years of safe, economical use. Racks are designed to provide longitudinal support for drums of various diameters and lengths. Maximum maneuverability is achieved through forklift entry on either side of the rack or the use of the Drum Transport Truck as a base unit, allowing easy positioning for storage or draining. Painted orange.

25-001/9D Drum Stacking Rack.



25-005/0D Drum Transport Truck has semi-steel casters. Capacity: 4800#. order optional Floor Brake Lock, speci 25-006/8D, 5 lbs. $30.00.



25-001/9D Loaded Drum Stacking Racks show how readily different size drums may be interstacked. Rack capacity is (15) 750# drums.

Stock No. 25-003/5D Drum Stacking Rack wit High Base for easy draining without stooping Can be used wit 25-001/9D to hol up to 15 drum stacked five high 25-002/7D Rack for two drums are similar to th 25-003/5Dshown



Stock Number	Type	Drum Cap.	Overall Dimensions			*Bottom of Drum to floor	Ship Wgt.	Price	
			Width	Depth	Height			1-11	12+
25-001/9D	Rack	3	66"	30"	10¼"	8½"	89#	$115.98	$111.95
25-002/7D	Rack	2	41	30¼	32¼	30	87	145.95	139.98
25-003/5D	Rack	3	66	30¼	32¼	30	125	167.91	159.99
25-004/3D	Truck	2	41	30	17	14¼	96	197.96	188.98
25-005/0D	Truck	3	66	30	17	14¼	130	223.95	213.96

‡To specify Floor Brake Lock option, order 25-006/8D, 5 lbs. $30.00.
*Dimensions given are for 55 gallon drums.

All items are FOB Fla.

Unique Lifter can handle two different drums at once.

DrumTote™ units slide onto the forks of a lift truck and are held in place by hand-tightening two hardened steel wing bolts. The lift truck operator can then pick up, transport and deposit drums without assistance and without leaving his seat.
Double DrumTote models are adjustable to handle either 55 or 30 gallon steel drums, one at a time, two at a time, or one of each at the same time.
Single Drum Tote model can also be adjusted to handle either 55 or 30 gallon steel drums.
No tools required for readjusting from one drum size to the other - just raise the arms and slide them to the appropriate slots.



Model **25-124/9D** with two 55 gal. drums.

Double DrumTote Lifters (1,500 lb. Cap.)

Stock Number	"S" Dimension*	Weight	Price
25-124/9D	18"	150 lbs.	$350.95
25-125/6D	30	157	370.90
25-126/4D	36	165	400.98
25-127/2D	42	180	425.95

Single DrumTote Lifters (1,500 lb. Cap.)

25-128/0D	18"	130 lbs.	$275.92

Inside dimensions of fork sleeves:
Standard: 5½"W x 2½"H
-L Option: 7½"W x 3½" H + 20 lbs. **$35.00**
-XL Option: 9½" W x 3½" H + 33 lbs. **$60.00**

PATENT PENDING!

Model **25-124/9D** with one 30 and one 55 gal. drum. Model **25-128/0D** with 55 gal. drum.



Model 25-125/6D adjusted for two 55 gallon drums, ...for one 55 and one 30 gallon drum, ...for two 30 gallon drums, ...for one 55 gallon drum, ...for one 30 gallon drum.



1. Approach drums so that the arms come into contact with the drums just below the first ribs.



2. Lower forks while slowly moving forward. This will cause the arms to open and then close around the drums.



3. When arms are completely engaged, raise forks until arms contact upper ribs and lift drums to desired height.



4. To release drums, lower forks until they contact lower ribs and start to open, then back away.

Lifters for any size steel or fiber drums.

Drum Lifters for any size steel or fiber drums

DrumPicker models handle virtually any size steel or fiber drum, even if badly dented. They provide no-tilt lifting of "closed head" or "open head" drums with or without the tops in place. The unit is slid onto the forks of a lift truck and held in place by hand-tightening two hardened steel wing bolts. Lift truck operators can pick up, transport and deposit drums without assistance and without leaving their seats. While the capacity of all models is 1,500 lbs., the operator must take into consideration the capacity and fork length of lift truck being used. See chart below.

Lifting capacities of lift trucks when using ECOA drum lifters. **(Note: Maximum weight per drum: 1,500 lbs.)**

Truck Cap.*	Lift Truck Fork Length								
	38"	40"	42"	44"	46"	48"	50"	54"	60"
2,000#	1,080#	1,040#	1,000#	970#	940#	910#	890#	840#	770#
3,000	1,680	1,620	1,570	1,520	1,480	1,430	1,390	1,320	1,220
4,000	2,280	2,200	2,140	2,070	2,010	1,950	1,900	1,800	1,660
5,000	2,880	2,790	2,700	2,620	2,550	2,480	2,400	2,280	2,110
6,000	3,000	3,000	3,000	3,000	3,000	2,990	2,910	2,890	2,560

*At 24" Load Center

Fork Sleeve Sizes

Inside dimensions of fork sleeves:

Standard: 5½" W x 2½" H

-L Option: 7½" W x 3½" H (Add -L to Stock Number and 20 lbs. to weight.) **$35.00**

-XL Option: 9½" W x 3½" H (Add -XL to Stock Number and 33 lbs. to weight.) **$60.00**



Patent Pending



25-129/8D with 55 gallon drum.

Stock No.	"S" Dimension*	Weight	Price
25-129/8D	12"	77 lbs.	$160.98
25-130/6D	18	82 lbs.	180.95

*"S" Dimension is the center-to-center distance of fork sleeves.

All items are FOB Fla.

Steel Folding Gates Prevent Unauthorized Entry!

Ready to install

- Institutional Buildings
- Manufacturing Plants
- Warehouses
- Trucks

Provide protection against unauthorized entry, vandalism and pilferage without reducing visibility, light, and ventilation. Simplicity of construction and operation combine with the strength and durability of steel to give reliable security at low cost. Pintle hinge mounting permits gates to be mounted either between jambs or on the face of a wall. Gates can be rotated 180° to swing out of the way when not in use. Mounting hardware by others.




WIDTH
Installation Approximately One Hour Per Gate!
25-232/0D Pintle Hinge if purchased separately 1# $9.00
NYLON WASHERS RESIST RUST.
WIDTH

Additional gates available, including 39'', 45'', 52'', 66'', 72'', and 93'' high standard gates as well as special gates and truck gates.

The plated PINTLE HINGE feature shown permits gates to be mounted between jambs or on face of wall. Gates can be rotated more than 180° to swing out of the way when not in use. Mounting hardware by others.

SINGLE FOLDING GATES

Stock Number	Ext'd. Width	Ret'd. Width	Wgt.	
25-139/7D	27''	6''	43#	$104.98
25-140/5D	35	7	48	111.95
25-141/3D	43	8	53	117.90
25-142/1D	51	9	59	128.88
25-143/9D	59	10	64	141.78
25-144/7D	67	11	69	153.82
25-145/4D	75	12	74	164.85
25-146/2D	83	13	80	176.87
25-147/0D	91	14	85	187.89
25-148/8D	43''	8''	70#	$147.92
25-149/6D	51	9	78	160.96
25-150/4D	59	10	85	172.89
25-151/2D	67	11	92	184.84
25-152/0D	75	12	99	195.92
25-153/8D	83	13	106	208.98
25-154/6D	91	14	113	220.95
25-155/3D	99	15	120	233.91
25-156/1D	107	16	127	249.81
25-157/9D	115	17	134	273.83
25-158/7D	123	18	146	297.87
25-159/5D	43''	8''	75#	$154.92
25-160/3D	51	9	83	166.90
25-161/1D	59	10	91	179.78
25-162/9D	67	11	99	196.82
25-163/7D	75	12	107	208.90
25-164/5D	83	13	115	221.88
25-165/2D	91	14	123	239.85
25-166/0D	99	15	131	256.86
25-167/8D	107	16	139	268.96
25-168/6D	115	17	147	297.98
25-169/4D	123	18	154	324.92
25-170/2D	51''	9''	95#	$200.95
25-171/0D	59	10	104	218.96
25-172/8D	67	11	113	236.83
25-173/6D	75	12	121	254.86
25-174/4D	83	13	131	272.82
25-175/1D	91	14	140	289.87
25-176/9D	99	15	148	307.77
25-177/7D	107	16	157	325.79
25-178/5D	115	17	167	343.86
25-179/3D	123	18	176	366.94
25-180/1D	131	19	185	384.97

58" HIGH



HEIGHT RETRACTED 65-3/4" EXTENDED 58-1/2"

79" HIGH



HEIGHT RETRACTED 91" EXTENDED 79-1/2"

86" HIGH



HEIGHT RETRACTED 97-1/8" EXTENDED 85-5/8"

100" HIGH



HEIGHT RETRACTED 112-13/16" EXTENDED 99-3/16"

100" HIGH



HEIGHT RETRACTED 112-13/16" EXTENDED 99-3/16"

58" HIGH



HEIGHT RETRACTED 65-3/4" EXTENDED 58-1/2"

79" HIGH



HEIGHT RETRACTED 91" EXTENDED 79-1/2"

86" HIGH



HEIGHT RETRACTED 97-1/8" EXTENDED 85-5/8"

DOUBLE FOLDING GATES

Stock Number	Ext'd. Width	Ret'd. Width	Wgt.	
25-181/9D	60½''	6''	83#	$193.92
25-182/7D	76½''	7	93	211.99
25-183/5D	92½	8	104	234.87
25-184/3D	108½	9	115	253.86
25-185/0D	124½	10	126	271.75
25-186/8D	140½	11	136	295.79
25-187/6D	156½	12	147	318.89
25-188/4D	172½	13	157	336.83
25-189/2D	188½	14	168	354.85
25-190/0D	92½''	8''	139#	$284.95
25-191/8D	108½	9	153	308.88
25-192/6D	124½	10	167	333.77
25-193/4D	140½	11	181	357.69
25-194/2D	156½	12	196	382.89
25-195/9D	172½	13	210	412.90
25-196/7D	188½	14	224	438.92
25-197/5D	204½	15	238	465.96
25-198/3D	220½	16	252	489.86
25-199/1D	236½	17	266	519.92
25-200/7D	252½	18	281	548.95
25-201/5D	92½''	8''	149#	$297.90
25-202/3D	108½	9	165	322.85
25-203/1D	124½	10	180	346.88
25-204/9D	140½	11	196	377.82
25-205/6D	156½	12	212	406.92
25-206/4D	172½	13	228	437.90
25-207/2D	188½	14	244	461.96
25-208/0D	204½	15	260	486.98
25-209/8D	220½	16	275	516.87
25-210/6D	236½	17	291	567.82
25-211/4D	252½	18	307	597.81
25-212/2D	108½''	9''	185#	$389.78
25-213/0D	124½	10	205	426.76
25-214/8D	140½	11	223	462.85
25-215/5D	156½	12	243	498.89
25-216/3D	172½	13	260	534.81
25-217/1D	188½	14	278	569.76
25-218/9D	204½	15	296	605.92
25-219/7D	220½	16	315	641.94
25-220/5D	236½	17	333	677.83
25-221/3D	252½	18	350	713.86
25-222/1D	268½	19	375	760.91

All items are FOB Fla.

Mars Cars get Foremen, Supervisors there in a Flash!

Mars Cars® are quality built electric in-plant personnel/burden carriers designed to transport individuals and cargo in and around many types of building complexes quickly, quietly, and efficiently. Under normal use, Mars Cars will pay for themselves within months due to the hours saved over walking.

Mars Cars are built of rugged materials and components for years of industrial use with minimal maintenance. (Thousands of units are in operation, many after ten years of service!)

SKIPPER • Designed to transport an individual without frills. Heavy duty welded steel construction. Only 22" wide. Controls located in tiller bar Standard features: plated trim, horn, basket, parking brake, and fused electrical system. Tires: 10" puncture proof. Speed: 6 MPH. Battery Charger: 18# **$105.00**
Model: 25-131/4D
$650.95

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

SCOOTER • Heavy duty carrier with fiberglass body and steel frame. Two speeds: 3 and 6 MPH. Reverse by turning tiller bar 180°. Tires: 10" pneumatic. Built-in charger plugs into any 110V. outlet. Standard features include horn, parking brake, wire basket, and rubber floor mat.
Model: 25-132/2D
$850.98

COURIER • This steel body model with solid state controller and twin batteries has a range of 25 miles under continuous operation on a single charge. Built-in battery charger. Speeds: 2½ and 6 MPH forward, 2¼ MPH reverse. Tires: 10" pneumatic. Standard features: rubber floor mat, horn, parking brake, and fused electrical system. Capable of climbing a 10% incline with a 300 lb. load
Model: 25-134/8D
$1395.92

SCAMPER • Steel frame supports fiberglass body. Built-in battery charger. Speeds: 4 and 8 MPH. Tires: 10" pneumatic. Standard features: rubber floor mat, horn, tow ring, parking brake and fused electrical system. Climbs 10% incline with 300 lb. load.
Model: 25-133/0D
$1295.90

STREAKER • The workhorse of the Mars Cars Line. Two batteries and a heavy duty ¾ hp. motor enable it to carry 500 lb. loads and climb ramps. Built-in battery charger. Forward and reverse speeds of 5 and 10 miles per hour. Tires are 13" Fully Pneumatic. Standard features include a horn, tow ring, parking brake and key switch. Seats one person.
Models: 25-135/5D $1795.88

Stock Number	Model Name	O.A. Hgt.	O.A. Width	O.A. Lgth.	Oper. Wgt.	Ship. Wgt.	Base Wheel	Turn Radius	Motor Size	Type Drive	Stand. Tires	Speed in mph	Reversible	Load Cap.*	Ramp Climb	Recommended Batteries Qty.	Recommended Batteries Type**
25-131/4D	SKIPPER	44 "	22 "	45 "	190#	165#	33 "	35"	⅓ HP	V-Belt	10"MR	6	Yes	250#	No	1	12V. BCI Group 30H
25-132/2D	SCOOTER	44	24	47	170	145	33	36	⅓ HP	V-Belt	10"FP	3 and 6	Yes	200	No	1	12V. BCI Group 30H
25-133/0D	SCAMPER	40	24	54	190	165	36	38	⅝ HP	Chain	10"FP	4 and 8	No	300	Yes	1	12V. BCI Group 30H
25-134/8D	COURIER	44¾	26½	53¼	303	210	38	40	⅓ HP	Chain	10"FP	2½ and 6	Yes	300	Yes	2	12V. BCI Group 27
25-135/5D	STREAKER	38	33¼	74¾	490	400	52¾	68	¾ HP	Chain	13"FP	5 and 10	Yes	500	Yes	2	6V. BCI Group GC2

*Including operator. **Battery Council International group specification. (Electrolyte not included).

UAL SEAT DECK OPTION. Provides seating r two people. Includes footrest. Rear seat easily removed for carrying cargo. Add Part umber 25-138/9D and 25 lbs. to weight. 75.98 (Fits 25-135/5D Model only.)

Model **25-135/5D** shown with Utility Trailer and Tiller Bar Basket.

BATTERY NOTICE
ECOA prefers not to furnish batteries and highly recommends local purchase by dealer or customer to obtain local service. All batteries provided must conform to Battery Council International Group Specifications. If batteries are furnished by ECOA they will be high quality, heavy duty batteries, but not covered under any ECOA warranty provision.

TILLER BAR BASKET. Basket measures 12" x 4"x11". Mounts on tiller bar with clamps provided. Stock Number: **25-136/3D.** Weight: 2# **$15.95**

UTILITY TRAILER. Flat bed trailer with 500 lb. capacity for hauling cargo. Overall length is 61", bed size is 42" long by 32" wide, and height is 11½". Tires are 10" dia. by 3½" Fully Pneumatic. Stock Number: **25-137/1D.** Weight: 70 lbs. **$225.90**

All items are FOB Fla.

Combine Components to suit *Your* specific needs.

MOD-U-CRANE®

MODULAR HAND OPERATED WINCH CRANES

The Mod-U-Crane system offers economy and versatility by allowing the same boom and winch to be used as a mobile floor crane, a truck mounted crane, or a fixed floor crane when combined with the appropriate mast and base. The boom can be lifted off one mast and transferred to another mast and base quickly and easily by one man without tools!

PAINTED ALERT ORANGE

Stock Number:
25-056/3D
Mobile floor crane with outrigger and rotating boom
Weight: 281# **$500.95**

Stock Number:
25-057/1D
(not shown)
Mobile floor crane with rotating boom but without outrigger.
Weight: 236# **$441.90**

Electro-Galvanized ECOA winch.
Lift per crank revolution: 1¼".
May be purchased separately by ordering Stock Number: **25-061/3D**
Capacity: 1,000 lbs.
Weight: 15 lbs. **$60.92**

Stock Number
25-058/9D
Economy mobile floor crane with non-rotating boom.
Weight: 171# **$413.98**

Stock Number:
25-059/7D
Truck mounted crane.
(Shown folded down for travel.)
Weight: 148# **$269.95**

Stock Number:
25-060/5D
Stationary floor crane.
Weight: 146# **$280.89**

Complet crane can b ordered b the Stoc Number show in th photograph or b individua components

1000 LB. CAPACITY
AT ANY BOOM POSITION!



Dimensions for Econo Rolling Base, Stationary Mount and Truck Mount are similar.

DESCRIPTION OF COMPONENTS



BOOM and WINCH (25-062/1D) with attached ECOA winch connects directly to mast of Econo Rolling Base **(25-066/2D)** and to other Masts through use of the Rotation Collar. 55 lbs. **$145.90.**

ECONO ROLLING BASE (25-066/2D) connects to Boom directly without need of Rotation Collar. Boom positions to six different work heights but does not rotate. 116 lbs. Optional Floor Brake Lock available. **$268.91.**

ROTATION COLLAR (25-063/9D) Connects Boom to any Mast. 22 lbs. **$38.93**

MAST (25-064/7D) is for use with Rolling Base WMC-RB. Allows Boom to rotate 18° to either side of center or 86° to one side when Outrigger is used. 39 lbs. **$43.96**



MAST (25-067/0D) is for use with Stationary Mount or "above bed" truck mount. Allows 360° rotation of boom. 38 lbs. **$48.94**

STATIONARY MOUN 25-069/6D has gu seted ⅜" x 12 square base plate pre drilled for mounting floor or mezzanin decks. 31 lbs. **$70.9**

ROLLING BASE (25-065/4D) may be used with or without Outrigger, depending on amount of Boom rotation desired. Semi-steel 5" dia. roller bearing wheels and swivel rear caster. 120 lbs. Optional Floor Brake Lock available. **$215.97**

MAST (25-068/8D) is for use with "below bed" or "flush" Truck Mount. Allows 360° rotation of boom. 49 lbs. **$54.95**



TRUCK MOUNT (25-070/4D) has ⅜" x 11" x 14" bas plate and 19" lon socket. Construction installation, and addi tional bracing (if re quired) by others. 3 lbs. **$38.96**

ACCESSORIES

NYLON SLING KIT

Stock Number: **25-072/0D** Weight: 5 lbs. **$55.95**
Kit consists of four nylon slings, one each, as follows: 1¾" wide by 36", 60", 96", and 144" long.

RIGGING CAPACITIES

CHOKER 3,000# VERTICAL 3,200# BASKET 6,400#

OUTRIGGER (25-071/2D) allows boom to rotate 86° one side of center. Locks into either side of base, halfw across for travel, or can be removed. 45 lbs. **$59.92.**

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

All items are FOB Fla.

Stacking Polyethylene Bins Fit Pallet Racks

As Low As **$8.96**

New labor-saver containers . . . contents are accessible even when stacked . . . 23⅜"x15⅝"x 12" high size fits standard pallet racks and gravity flow conveyors. Made of high density polyethylene with heavy-duty stacking bails (bails can be flipped out of way for nesting). Gray. Wt. 6 lbs.
44-845/6D—
FOB Wis. Net ea. **$9.46**
Each (lots/6) **$8.96**

Polyethylene Containers with Half-Flip Covers

As Low As **$11.39**

Versatile containers offer 1.5 cu. ft. capacity — half-flip interlock cover simplifies opening, closing while creating a secure unitized package. Reinforced handle, stainless steel hinge pin, heavy-duty cover. 22"x13"x12".
44-846/4D—6 lbs. FOB Wis.
Net ea. **$12.32**
Each (lots/6) **$11.39**

Moduboxes Organize Small Parts, Improve Access Inventory



As Low As **$3.41**

Strong plastic boxes answer a host of storage, transporting and display needs in factories, warehouses, retail stores, and hospitals. Vertical slots in sidewalls permit insertion of dividers at 1¼" intervals to form compartments—product is protected from inside as well as outside. Clear plastic lids let you see in, select faster, inventory more accurately. Positive stacking design provides extra protection for even the most delicate contents—recessed ledges allow boxes to be stacked without lids, but prevent bottoms of containers on top from crushing contents of containers below. Boxes fit standard racks and carts . . . easy to handle on all kinds of conveyors . . . create organized systems for parts and assemblies. Boxes organize components for efficient assembly line work . . . protect fragile contents . . . facilitate inventory control, central supply storage. FOB Ky.

MOLDED CONTAINERS: Gray							DIVIDERS: Gray				SNAP-ON LIDS: Clear		
Stock Number	O.D. Dimensions L x W x H	Dividers Needed Short	Dividers Needed Long	Wt. (lbs.)	Net Ea. (lots/10)	Each (lots/50)	SHORT Stock No.	SHORT Net Ea.	LONG Stock No.	LONG Net Ea.	Stock Number	Wt. (lbs.)	Net Each
44-659/1DL	16⅜"x10 13/16"x2 15/16"	11	7	1.0	$3.53	$3.41	44-666/6D	$.56	44-673/2D	$.72	44-682/3D	.5	$3.39
44-660/9DL	16⅜"x10 13/16"x4 15/16"	11	7	1.4	4.23	4.10	44-667/4D	.69	44-674/0D	.86	uses above		
44-661/7DL	16⅜"x10 13/16"x5 15/16"	11	7	1.6	4.55	4.41	44-668/2D	.83	44-675/7D	.97	uses above		
44-662/5DL	16⅜"x10 13/16"x7⅞"	11	7	1.8	6.10	5.91	44-669/0D	.91	44-676/5D	1.27	uses above		
44-663/3DL	10⅞"x8 3/16"x4 15/16"	7	5	.7	3.21	3.11	44-670/8D	.79	44-677/3D	.82	44-683/1D	.3	2.62
44-664/1DL	21¾"x16¾"x4 15/16"	15	11	2.6	6.63	6.42	44-671/6D	.89	44-678/1D	1.12	44-684/9D	.9	5.46
44-665/8DL	24⅛"x11"x7⅞"	17	7	2.7	9.18	8.90	44-672/4D	.97	44-681/5D	1.78	44-685/6D	.7	4.93

Molded One-Piece Nesting Pans Reinforced with Fiberglass

As Low As **$5.54**

Lightweight but rugged fiberglass-reinforced polyester is unaffected by water, oil, and most chemicals and temperature variances. Pans will not rust or rot. Colors: 02 red, 12 green, 27 gray. Specify color number-name. Sold only in lots of 10; order only in multiples of 10. FOB Wis. or Iowa.

Stock Number	Capacity (cu. ft.)	Dimensions L	Dimensions W	Dimensions D	Wt. (lbs.)	Net Ea. (lots/10)	Each (lots/20)	Each (lots/100)
52-638/4DAL	.3	14"	11"	4"	2	$6.59	$5.73	$5.54
52-639/2DAL	.81	18"	12"	8"	4	13.87	12.36	12.13

Divider Boxes Offer Total System Flexibility



Lightweight, one-piece gray linear polyethylene molded boxes are smooth and seamless, resistant to impact. Each box has a recommended maximum static load capacity of 70 lbs. Ideal for receiving, assembly, shipping. Vertical slots on 1¼" centers allow compartmentalization. Dividers are ⅛" thick, covers are clear plastic. FOB IA.

To Match Boxes With Horizontal Dividers And Covers Match Code Letters

de	DIVIDER BOXES Stock Number	O.D. Dimen. Top L	W	H	Ctn. Wt.	Ctn. Qty.	Net Per Ctn.	Lot/3 Ctns.	VERTICAL DIVIDERS Long Dividers Stk. No.	Slots	Net Ea.	Short Dividers Stk. No.	Slots	Net Ea.
	44-718/5DP	10⅞	8¼	2½	31	60	$142.21	$137.96	44-728/4D	5	$.40	44-738/3D	7	$.38
J	44-719/3DP	10⅞	8¼	3½	28	40	112.93	110.00	44-729/2D	5	.42	44-739/1D	7	.39
	44-720/1DP	10⅞	8¼	5	25	28	90.30	87.70	44-730/0D	5	.44	44-740/9D	7	.41
	44-818/3DP	16½	10⅞	2½	30	30	104.48	101.51	44-828/2D	7	.55	44-838/1D	11	.39
	44-819/1DP	16½	10⅞	3½	24	20	75.17	73.22	44-829/0D	7	.57	44-839/9D	11	.42
	44-820/9DP	16½	10⅞	5	23	14	64.05	61.15	44-830/8D	7	.69	44-840/7D	11	.45
	44-821/7DP	16½	10⅞	6	38	24	115.29	112.26	44-831/6D	7	.72	44-841/5D	11	.56
	44-822/5DP	16½	10⅞	7	38	20	108.83	105.58	44-832/4D	7	.76	44-842/3D	11	.62
	44-823/3DP	16½	10⅞	8	40	16	102.27	99.29	44-833/2D	7	.79	44-843/1D	11	.72
	44-918/1DP	22 5/16	17 5/16	5	35	14	98.48	95.53	44-928/0D	11	.88	44-958/7D	15	.76
	44-919/9DP	22 5/16	17 5/16	6	43	12	96.16	93.43	44-929/8D	11	.98	44-959/5D	15	.97
	44-920/7DP	22 5/16	17 5/16	8	36	8	77.28	74.86	44-930/6D	11	1.07	44-960/3D	15	1.01

de	HORIZONTAL DIVIDERS Stk. Nos.	Lbs.	Net Ea.	SNAP-ON COVERS: CLEAR Stk. No.	Lbs.	Net Ea.	INSERT COVERS: CLEAR Stk. No.	Lbs.	Net Ea.
	44-721/9D	.2	$1.37	44-731/8D	.5	$3.28	44-741/7D	.3	$2.50
	44-824/1D	.5	2.06	44-834/0D	.8	4.63	44-844/9D	.5	3.13
	44-921/5D	1.1	3.58	44-941/3D	1.6	6.67	44-961/1D	1.0	6.27

CARD HOLDERS Stock Number	Will Accept Cards Up to:	Net Each
44-698/9D	7⅜"Lx3¼"W	$.69
44-699/7D	6⅜"Lx1⅜"W	.62



Akro-Mils Molded Parts Bins Offer Safer, Neater Storage on 36″ Shelves

Strong, seamless, easily cleaned . . . use Akro Bins on shelving, most rail systems, or stack then Anti-slide stop prevents loaded bins from shifting forward when being transported. Slot underneath holc inventory control records; bin front has card slot for labelling. Molded polypropylene with reinforcin ribs, finger grips for handling ease. Impervious to chemicals and oils, rustproof, corrosion proof. Color 09 yellow, 02 red, 18 blue. Specify color no.-name (if no color is specified, yellow will be shipped).

Key No.	Stock Number	Inside Size (in.) L	W	H	X	Outside Size (in.) L	W	H	Ctn. Wt.	Ctn. Quan.	List	Net Each	Net Each (3 ctn./more
1	44-073/5 AAL	4¾	3 7/16	2 13/16	4	5⅜	4⅛	3	12	24	$ .64	$ .55	$ .52
2	44-074/3 AAL	6¾	3 7/16	2 13/16	6	7⅜	4⅛	3	15	24	1.17	1.02	.95
3	44-075/0 AAL	10¼	4⅜	4¾	9	10⅞	5½	5	12	12	2.75	2.49	2.33
4	44-076/8 AAL	14	6 9/16	6¾	12	14¾	8¼	7	22	12	5.57	4.99	4.64
5	44-077/6 AAL	14	14¾	6¾	12	14¾	16½	7	18	6	7.79	6.97	6.45

Bins stack for storage

Bins fit 36″ deep shelving

IN STOCK IMMEDIATE SHIPPING

Akro Bin Storage Systems Grow With You!

As Low As $35.69

Bench-Top Pick-Racks with Poly Bins

Strong Free-Standing Steel Racks with Easy Clean Polypropylene Bin



Stackable bins are fully interchangeable . . . remove easily from 16-ga. steel rack

Perfect small parts containers—bins are heavy-duty molded poly propylene for long life and sanitary upkeep! Curved bottoms allow eas removal of parts, large label card slots make identification easy! Bir are in permanent yellow color—there are no sharp edges. Heavy du 16 gauge steel, measures 27¾″x21″, up to 24 bins, 120 poun capacity. Side supports bolt on in seconds. Individual bins are easi removed, interchangeable and stackable for servicing, storage assembly anywhere.

Stock Number	No. of Bins	Bin Size L x W x H	Shpg. Wt.	Net Each	Each (lots/3
52-626/9A	24	5⅜″x4⅛″x3″	18 lbs.	$37.98	$35.6
52-627/7A	24	7⅜″x4⅛″x3″	19 lbs.	49.88	47.3
52-628/5A	12	10⅞″x5½″x5″	23 lbs.	54.77	51.9

BENCH STAND only—as described above.
52-629/3A—Shpg. wt. 11 lbs. Net each $24.7

Commercial Steel Shelving with Molded Polypropylene Storage Bins

Industrial Parts Storage Systems That Really Work



Stackable Akro Bins in Strong Commerci Grade Rac of Steel

IN STOCK IMMEDIATE SHIPPING

Rigid Box-Formed Steel Shelving—12″ Deep

- **Each 22-ga. steel shelves holds 450 lbs. (evenly distributed) load**
- **Kwik-Klip assembly—reinforced ribs prevent spread under heavy loads**
- **Bins have finger grips—slot underneath for computer inventory card**

Centralize your small parts inventory in one heavy-duty rack! Tough polypropylene bins have reinforced ribs, large front label slot for easy identification, and easy access. They last longer—rustproof, corrosionproof, and unaffected by chemicals or oils. Racks are 36″ wide, 75″ high. Rigid box-formed steel shelves adjust on 1″ centers with uprights and side braces of 16-ga. steel, back braces 13-ga. steel. Easy Kwik-Klip set-up. Shpd. KD.

Stk. No.	Bins	Bin Size	Lbs.	Net Ea.	Ea. (lots/3)
44-639/3A	60	10⅞″Lx5½″Wx5″H	107	$192.40	$186.64
44-640/1A	12 36	14¾″Lx8½″Wx7″H 10⅞″Lx5½″Wx5″H	105	192.40	186.64
44-641/9A	36 6	10⅞″Lx5½″Wx5″H 14¾″Lx16½″Wx7″H	101	175.96	170.68
44-696/3A	16	14¾″Lx16½″Wx7″H	123	159.67	154.88
44-697/1A	32	14¾″Lx8½″Wx7″H	133	206.38	200.18
44-599/9A	96	11¾″Lx4⅛″Wx4″H	135	167.91	162.87

Extra Capacity with 18″ Deep Steel Shelving

- **Each 22-ga. steel shelf holds 450 lb. (evenly distributed) load**
- **No-spill hang-lock so bins extend for full view without spilling**
- **Racks assemble with Kwik-Klip ease. Bins are molded yellow plastic**

Centralize your small parts inventory system, save wasted manhours searching misplaced inventory or stock. Heavy-duty racks are 36″ wide, 18″ deep, 75″ hi rigid box formed steel shelves adjust on 1″ centers with uprights and side brac of 16-ga. steel, back braces of 13-ga. steel. Reinforced ribs prevent spread un heavy loads. Racks assemble and dis-assemble with Kwik-Klip ease. Parts bins heavy-duty molded yellow plastic (two dividers are included with each bin)—b are sanitary, easy to clean. They're rustproof, corrosionproof, and unaffected most chemicals or oils. Bins can be extended to their fullest to give a full view the contents. In three sizes—designed to protect small parts while maximiz accessibility. Shipped KD.

Stk. No.	Bins	Bin Size	Lbs.	Net Ea.	Ea. (lots/3)
44-700/3A	48 30	18″Lx4″Wx4″H 18″Lx6″Wx4″H	181	$254.82	$241.98
44-701/1A	96	18″Lx4″x4″H	188	253.40	240.77
44-702/9A	60	18″Lx6″Wx4″H	174	256.56	243.97

Shelving with Bin-Boxes Meet Storage Needs

Steel Racks/Corrugated Bins Support 400 lbs. Per Shelf*

IN STOCK IMMEDIATE SHIPPING

COMPLETE 72-BIN RACK

- **Kwik-Klip easel Shelves adjust**
- **22-ga. shelves, 16-ga. uprights**

Sturdily built rack complete with corrugated boxes! Forty-eight 4" and twenty-four 8" boxes for quick access. Rack is 36" wide, 75" high. Shipped KD. Wts.: 108, 145 lbs.

Stock Number	D.	Net Each	Each (lots/3)	Each (lots/6)
52-080/9A	12"	$74.86	$73.24	$69.81
52-081/7A	18"	92.65	86.96	82.75

COMPLETE 96-BIN RACK

Bin rack comes complete with ninety-six 4" corrugated boxes. Rack is 36" wide, 75" high. Shpd. KD. Wts.: 111, 150 lbs.

Stock Number	D.	Net Each	Each (lots/3)	Each (lots/6)
52-082/5A	12"	$79.87	$76.80	$72.62
52-083/3A	18"	97.67	91.79	87.18

*Based on uniform distribution on 12" shelf

13-SHELF RACK WITH BINS

- **105 corrugated bins included**
- **Steel framework stands rigid**

Rack is 36" wide, 75" high—complete with forty-five 2x12" boxes, forty 4x12" boxes and twenty 6x12" boxes to facilitate storing of small and medium size parts in one rack! Shpd. KD. Wts. 120, 145 lbs. Lists: $90.38, $127.89.

Stock Number	D.	Net Each	Each (lots/3)	Each (lots/6)
52-385/2A	12"	$80.98	$76.97	$72.96
52-386/0A	18"	108.48	102.60	97.53

180-BIN RACK with features as above but boxes are all 2x12" size. Rack is 36" wide, 75" high. Shpd. KD. Wts.:

Stock Number	D.	Net Each	Each (lots/3)	Each (lots/6)
52-387/8A	12"	$103.12	97.96	93.00
52-388/6A	18"	131.04	123.47	117.35



90-BIN STORAGE RACK

- **2"x12" boxes in steel rack**
- **For small parts or self service**
- **Rigid steel construction**

Seven-shelf rack measures 36" wide, 12" deep, 40" high—comes complete with ninety 2"x12" heavy-duty corrugated box-bins with space for labeling. Sloping fronts for easy access. Framework is tough steel. Unit is shipped KD. Shpg. wt. 44 lbs.

52-389/4A—List $73.40
Ea. **$55.49.** Ea. (lots/3) **$51.48.**
Each (lots/6) **$48.46**

40-BIN STEEL RACK

- **Strong rack with two bin sizes**
- **Front, back access—no spills!**

Practical storage in "C" flute corrugated board bins that set up fast—175-lb. test corrugated fiberboard takes constant use, self-locking feature means they can't come apart accidentally. Thirty-two 4"x11½"x4½" bins, eight 8"x11½"x4½" bins. 7-shelf rack is 36"x12"x40" high. Shpg. KD.

52-086/6A—List $63.59. 35 lbs.
Ea. **$42.02.** Ea. (lots/3) **$39.33**
Each (lots/6) **$36.80**



Corrugated shelf tray

24-bin rack is waist height

BEAT INFLATION! BUY AT WHOLESALE FROM C&H



B

IN STOCK IMMEDIATE SHIPPING

ard-to-File terature and Forms Are sy-to-Find Shelf Tray-Racks

anize your office forms and supplies, advertising sheets, logs, brochures . . . file anything from A to Z, anything suring 8½"x11". Shelving is strong steel, finished in gray mel—holds up to 400 lbs. per shelf. Rack shelves adjust ry inch without disturbing adjacent shelf units. Easy to set Heavy test corrugated fiberboard trays are 11¼"x8¾"x " high.

tock umber	No. of Bins	Rack (in.) W x D x H	Wt. (lbs.)	Net Each	Each (lots/3)
-893/5A	72	36x12x75	71	$75.58	$70.91
-894/3A	48	36x12x75	63	64.54	58.79
-895/0A	24	36x12x40	45	38.91	36.12

CORRUGATED REPLACEMENT TRAYS

p extras on hand! Trays are sold only in lots of 50 or more; er only in multiples of 50.
844/3AL—Wt. 16 lbs. per pkg. of 50.
ea. (lots/50) **$.56.** Ea. (lots/250) ..... **$.51**



A

7-shelf rack comes with 72 or 48 bins

IN STOCK IMMEDIATE SHIPPING

Customize to your needs

SHELF CAPACITY 400 LBS. EACH*

- **Shelves adjust on 1" centers**
- **Shelves, 22 ga. Uprights, 16 ga.**
- **Easy set-up with Kwik-Klips**

IN STOCK IMMEDIATE SHIPPING

Strong 13-Shelf Rack

Here's your opportunity to tailor-make a storage unit to fit your own particular needs. This rack of heavy-gauge steel has holes for any spacing desired. See adjoining pages for bins and boxes to outfit this shelf unit. Measures 36" wide, 12" deep, 75" high . . . with 13 shelves. Sturdily braced for heavy loads, hardware included for assembly. Shpd. KD. 91 lbs.

52-084/1A—List $94.10. Ea. **$57.35.**
Ea. (lots/3) **$54.41.** Ea. (lots/6) **$51.97**

13-shelf unit as above, but shelves are 18" deep. Shipped KD. 120 lbs.

52-085/8A—Net ea. **$74.88.**
Ea. (lots/3) **$73.11.** Ea. (lots/6) **$69.52**

*Based on uniform distribution over 36"x12" shelf



IN STOCK IMMEDIATE SHIPPING

Strong Rack with 18 Dust-Free File Boxes

- **Steel rack is braced for strength**
- **Label fronts for easy selection**

Keep important papers neatly stored . . . in tip-top condition, free from dust in these flip-top files. Tall 73" steel rack with side braces to prevent sway—posts are 13-ga. steel, shelves are 18-ga. steel. Six super-strong shelves are punched on 1" centers. Gray enamel finish. 42" wide, 24" deep. Shipped KD. Wt. 155 lbs.

52-088/2A—List $186.85.
Ea. **$109.10.** Ea. (lots/3) **$99.47**
Each (lots/6) **$92.62**

STEEL RACK ONLY

52-988/3A—Wt. 128 lbs. Net ea. **$78.37.**
Each (lots/3) **$74.23.** Ea. (lots/6) **$64.70**

Pick-Racks Speed Self-Service & Assembly Work



A FLOOR MODEL

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

As Low As $66.19

Strong Free-Standing Steel Pick-Racks with Tough Corrugated Bins or Heavy-Duty Plastic Boxes

IN STOCK IMMEDIATE SHIPPING

Use these exceptionally well-designed pick-racks to save service time, to speed assembly work, and replacement of parts storage. Racks are strong gray-enameled steel that can be bolted to the floor, wall or bench. Shipped KD.

STEEL PICK-RACKS WITH CORRUGATED BINS of heavy-duty 175-lb. test corrugated board. Each bin is 4"x12" with a slanted front for instant fingertip access. All can be labeled and interchanged. They're long lasting and economical. **Mobile 128 bin unit comes with 3" casters.**

Stock Number	Key Ltr.	Bins	Tiers	H x D x W (inches)	Wt. (lbs.)	List Price	Each	Each (lots/3)
52-089/0A	A	64	8	61x12x34½	59	$166.45	$70.27	$66.19
52-090/8A	B	128	16	65x25½x35½	142	280.25	164.33	155.00
52-091/6A	C	24	3	22x13x36	25	56.14	39.42	36.67

STEEL PICK-RACKS WITH PLASTIC BOXES for extra easy care and long life. Seamless, sanitary heavy-duty plastic boxes are easily cleaned, have reinforced sidewalls marked with ⅓ and ⅔ level indicators. Steel racks are rock-solid. Box and rack grey.

				Each	Lts 3
A FLOOR MODELS					
52-714/3A	56	Small Open	80	$116.80	$113.30
52-814/1A	56	2-section	85	124.29	120.56
52-914/9A	56	3-section	88	129.36	133.42
52-911/5A	40	Large Open	86	112.67	109.30
B MOBILE FLOOR MODELS					
52-910/7A	112	Small Open	184	$234.23	$224.77
52-912/3A	112	2-section	195	248.39	241.51
52-913/1A	112	3-section	200	258.53	245.85
52-916/4A	80	Large Open	198	254.03	241.53

C BENCH MODELS

Stock No.	Boxes	Box Type	Lbs.	Net Each	Ea. (lots/3)
52-715/0A	21	Small Open	28	$48.28	$45.98
52-815/8A	21	2-section	29	52.69	50.62
52-915/6A	21	3-section	30	55.09	52.36
52-811/7A	15	Large Open	34	53.59	50.79

B MOBILE MODEL As Low As $155





C BENCH MODEL As Low As $36

IN STOCK IMMEDIATE SHIPPING

WE SHIP UPS WHEN POSSIBLE



As low as $1.19

Steel Racks and Plastic Boxes Sold Separately—Replace or Replenish Your Present Equipment as Needed!

Mix and match boxes for versatile storage



STEEL RACKS ONLY

Stock No.	Type	Shelves	Lbs.	Net Ea.	Ea. (lots/3)
52-093/2A	Bench	3	24	$ 26.96	$ 25.47
52-092/4A	Floor	8	58	57.95	54.99
52-785/3A	Mobile	16	142	135.19	127.67

SEAMLESS PLASTIC BOXES

Stock Number	Box Type	No. Required Per Shelf	L x W x H (inches)	Net Each	Ctn. Qty.	Ctn. Net Each
52-517/0A	Small Open	7	10⅞x4½x3⅛	$1.31	21	$1.19
52-717/6A	2-section	7	10⅞x4½x3⅛	1.41	21	1.31
52-827/3A	3-section	7	10⅞x4½x3⅛	1.43	21	1.33
52-927/1A	Large Open	5	11¼x6⅝x3½	1.83	20	1.63

Mobile Truck on strong 4" wheels

Stationary Rack

Mobile, Stationary Bin Racks

Rigidly constructed heavy-gauge magnesium racks accommodate three sizes of bins in various combinations to satisfy most storing needs. Universal crossrail tooth design securely anchors bins—crossrails adjust up or down to fit each bin size. Complete interchangeability of crossrails and easy mixture of bins make rack reassembly unnecessary. Strong seamless molded bins are neat and durable. Colors: 09 yellow, 12 green, 18 blue. Specify color no.-name. FOB Ky.

Stock Number	Description	No. Bins LxWxH	Rack Ht.	Lbs.	Net Each
44-637/7DA	Mobile Truck	36—7¾"x4"x2⅞" 16—13¾"x6"x5"	52¾"	105	$272.82
44-642/7DA	2-side Stationary	24—10"x6"x5"	48"	86	194.67
44-638/5DA	Mobile Truck	72—7¾"x4"x2⅞"	52¾"	116	312.38
44-643/5DA	2-side Stationary	48—10"x6"x5"	48"	96	222.19
44-647/6DA	1-side Stationary	18—7¾"x4"x2⅞" 12—10"x6"x5" 8—13¾"x8"x6"	48"	45	113.77
44-648/4DA	1-side Stationary	45—7¾"x4"x2⅞" 36—10"x6"x5"	72"	69	165.79

Solve Small Parts Storage Problems
Quickly, Efficiently, and Economically



Model 52-056/9DA shown

Tough Polystyrene Bins Take Plenty of Punishment—Remove Quickly!

Save storage space and speed assembly jobs . . . these high-impact plastic bins are easy to keep sanitary. They fit securely but remove instantly from the rails on steel storage units. Sloping bin fronts allow instant identification and fingertip access to the contents. Removed bins stack securely. Available in 8 sizes. FOB FL.

BENCH MODELS in 5 sizes

Stock Number	No. of Bins	Bin Sizes (in.) W x D x H	Overall W x H	Wt. (lbs.)	Net Each	Each (lots/3)
52-051/0DA	8 6 7	3 15/16x7¼x2⅞ 5¾x10x5 1/16 4½x13½x4⅞	36"x19"	27	$ 47.57	$ 45.69
52-052/8DA	21	4½x13½x4⅞	36"x19"	35	61.44	58.96
52-053/6DA	16	3⅞x3⅝x1⅞	18"x15"	12	16.87	15.98
52-054/4DA	16	3 15/16x7¼x2⅞	18"x19"	15	31.84	29.89
52-055/1DA	32	3 15/16x7¼x2⅞	36"x19"	23	51.66	49.59

FLOOR MODELS are single sized. Three sizes

52-056/9DA	32 12 4	3 15/16x7¼x2⅞ 5¾x10x5 1/16 8x13x6 1/16	36"x48"	59	88.74	85.20
52-057/7DA	16 18 21	3 15/16x7¼x2⅞ 5¾x10x5 1/16 4½x13½x4⅞	36"x48"	76	117.47	112.84
52-058/5DA	49	4½x13½x4⅞	36"x48"	91	133.20	127.87

Other sizes available. Contact Dept. 6.



Model 52-053/6DA shown

As Low As $15.98

Model 52-054/4DA shown



Other sizes available. Contact Dept. 6.

Specify color name and number: 02 Red, 09 Yellow, 12 Green or 18 Blue when ordering.



Model 52-055/1DA shown



Model 52-052/8DA shown

Mobile Truck with 96 Bins That Remove!

Perfect for moving merchandise from stockroom to assembly areas . . . save man-hours and pleases workers when they don't have to leave their work stations. 36"x55" rack (overall) holds three bin sizes: sixty four are 3 15/16" x 7¼ x 2⅞", twenty-four are 5¾"x10"x 5 1/16", and eight are 8"x 13"x6 1/16". Colors: 02 red, 09 yellow, 12 green, 18 blue. Specify color number-and-name. FOB FL.

52-032/0DA—Net each $223.78
Wt. 120 lbs. Each (lots/3) $214.97

Save! Order Extra and Replacement Duralene Stack & Lock Bins

Made of super high impact plastic that's break-resistant, quick to clean . . . ideal for storing and handling small-to-medium parts. They'll never rust, they have large front tab for identification and a rear hanger so they can be attached to almost any straight edge rail. Colors: 02 red, 09 yellow, 12 green, 18 blue. Specify color number-and-name. Sold only in carton quantities; order only in multiples of carton quantities. FOB FL.

As low as 38¢

Stock Number	Outside (in.) W x D x H	Ctn. Quan.	Ctn. Lbs.	(1-2 Ctns.) Net Ea. Bin	(3+ Ctns.) Ea. Bin
52-003/1DAL	3⅞x3⅝x1⅞	48	6	$ .44	$ .38
52-004/9DAL	3 5/16x7¼x2⅞	48	16	.81	.74
52-023/9DAL	8 1/16x7x2⅞	24	12	1.10	.99
52-029/6DAL	5¾x10x5 1/16	12	12	1.54	1.46
52-030/4DAL	4½x13½x4⅞	12	15	2.05	1.94
52-031/2DAL	8x13x6 1/16	6	11	3.29	3.10
52-060/1DAL	11⅛x17¾x7	4	12	5.38	4.99



Stack bins to save space

Injection-Molded Poly Bins in Sway-Proof Steel Racks Are Perfect for Storage, Picking

Bin Colors: 09 yellow, 12 green, 18 blue. Specify color number-name.

A FLOOR RACK with 13 Mounting Rails—36"Wx12"Dx64"H

Stock Number	No. Bins	Type Bins	LxWxD Bin O.S. Dimen.	Shpg. Wt.	Net Each	Each (lots/2)
4-801/9DA	104	Open	6¾x4x3"	88 lbs.	$169.00	$160.57
4-802/7DA	104	Divided	6¾x4x3"	88 lbs.	180.76	175.34
4-803/5DA	52	Open	6½x8¾x3"	84 lbs.	143.82	139.48
4-804/3DA	52	Divided	6½x8¾x3"	88 lbs.	155.58	150.92

A FLOOR RACK with 10 Mounting Rails—36"Wx12"Dx64"H

4-805/0DA	60	Open	9½x5¾x5"	96 lbs.	$179.82	$174.46
4-806/8DA	60	Divided	9½x5¾x5"	100 lbs.	193.46	187.58
4-807/6DA	40	Open	9½x8¾x5"	96 lbs.	175.36	168.48
4-808/4DA	40	Divided	9½x8¾x5"	96 lbs.	186.92	181.29

B EASY TO MOVE TRUCK WITH BINS

tk. No.	Bins	Size	Lbs.	Net Ea.	Ea. (lots/2)
4-629/4DA	144	6¾"x4"x3"	160	$260.62	$252.81
4-631/0DA	84	9½"x5¾"x5"	163	274.77	267.25

FLOOR STAND WITH BINS
- 64" high rack holds a full inventory
- Stand is sturdy swayproof steel
- Durable baked enamel finish
- Bins are heavy duty, seamless, sanitary

ALL UNITS FURNISHED WITH BINS



(B)



(A)

FOB Ia.

Heavy Duty Steel Storage Systems with Reinforced Hopper Boxes

Specially designed storage system allows easy access and removal of containers and optimum utilization of storage space. **STORAGE RACKS** are constructed of 12-ga. vertical ladders, 14-ga. horizontal tiers, rear diagonals, and wire tie bars. Each rack has a capacity of 150 lbs. per opening—they are designed so container can be slid three-fourths of the way of a compartment without dropping to the floor.

TWO CONTAINER STYLES: Style A Hopper boxes are fiberglass reinforced polyester with extra thickness at stress points. Hopper front design affords easy access to contents, rapid removal, quick inventorying. **Style B** Plastibox bins organize, protect and store parts. One-piece injection molded polypropylene has no sharp edges, won't rust or rot. Full view hopper front, molded-in card holder.

Style A colors: 02 red, 12 green, 27 gray. Style B colors: 09 yellow, 12 green, 18 blue. Specify color number and name.



Easy access in individual compartments

Remove bo three fourt of the way and it wor spill!

Units complete with bins. Specify color name and number for bins when ordering.

RACK DIMENSIONS No. Openings High	Ht. (in.)	Width (in.)	BIN DIMENSIONS Style	L x W x H (in.)	SINGLE DEPTH UNITS 21" D, Two Openings Wide Stk. No.	Openings	Lbs.	Net Ea.	DOUBLE DEPTH UNITS 40¼" D, Two Openings Wide Stk. No.	Openings	Lbs.	Net Ea
3	30	27		18⅛x11⅜x7⅝	52-142/7DA	6	75	$98.83	52-143/5DA	12	136	$163.00
3	30	27		24x11⅜x7⅞	52-144/3DA	6	82	110.00	52-145/0DA	12	149	145.55
3	30	36¾		24x16¼x8	52-146/8DA	6	101	125.48	52-147/6DA	12	183	211.86
6	57	27		18⅛x11⅜x7⅝	52-148/4DA	12	144	176.16	52-149/2DA	24	262	302.67
6	57	27	A	24x11⅜x7⅞	52-152/6DA	12	160	198.08	52-153/4DA	24	293	343.92
6	57	36¾		24x16¼x8	52-154/2DA	12	189	230.29	52-155/9DA	24	348	401.64
8	75	27		18⅛x11⅜x7⅝	52-156/7DA	16	187	224.69	52-157/5DA	32	343	381.91
8	75	27		24x11⅜x7⅞	52-158/3DA	16	208	253.94	52-159/1DA	32	385	425.24
8	75	36¾		24x16¼x8	52-160/9DA	16	246	292.10	52-161/7DA	32	457	505.80
3	27	28		19x12x7⅛	52-720/0DA	6	69	80.85	52-721/8DA	12	123	129.10
6	51	28	B	19x12x7⅛	52-722/6DA	12	126	137.21	52-723/4DA	24	231	231.36
8	67	28		19x12x7⅛	52-724/2DA	16	163	172.54	52-725/9DA	32	301	292.00

Rugged One-piece Steel Pans Nest Neatly for Storage



As low as **$8.65**

When floor space is at a premium, these easy-to-own economical pans nest compactly and solve a lot of problems. Each is 22" long, 11" wide, 6" high. Durable one-piece construction is triple reinforced with welded corners. Hemmed edge on side and ends form sure-grip handles, end handles have ⅞" hole for tagging and pulling. Painted color: Gray. FOB Ill.

Steel Gauge	Approx. Wt.	PLAIN FINISH Stock Number	Net Ea.	PAINTED FINISH Stock Number	Net Ea.
18	8½ lbs.	52-750/7D	$ 8.65	52-760/6D	$10.15
16	11 lbs.	52-755/6D	10.20	52-765/5D	11.70



As Low As **$2.47**

WE SHIP UPS WHEN POSSIBLE

Reinforced Metal Bin Boxes

Almost indestructible! Reinforced rolled edges and embossed sides provide the superior strength needed to withstand hard use. Large built-in label-holders. Phosphatized and finished in durable baked-on gray enamel. Boxes sold only in lots shown; order only in those multiples. FOB Pa.

Key Ltr.	Stock Number	Size (in.)	Wt. ctn.	Lots of . . . Net Ea.	Lots of . . . Each
A	44-710/2DL	5½x12	17 lbs.	12 ..... $2.74	36+ $2.47
B	44-711/0DL	5½x18	23 lbs.	12 ..... 3.88	36+ 3.49
C	44-712/8DL	8¼x12	14 lbs.	8 ..... 3.88	24+ 3.49
D	44-713/6DL	8¼x18	19 lbs.	8 ..... 5.03	24+ 4.52



SIDE-TO-SIDE



BACK-TO-FRONT

DIVIDERS—SOLD 10 PER PACKAGE

Side-to-Side—snap-in and lock in place. Subdivide boxes into as little as 1½" spacing. Built-in label holder.

44-704/5DL—5½" wide. 1 lb./pkg.
Net ea. (lots/10) ..... $.35

44-705/2DL—8¼" wide. 2 lb./pkg.
Net ea. (lots/10) ..... $.57

Back-to-Front—drop in and subdivide boxes into spaces as small as 1" each. Wts.: 3, 4, 3, 4 lbs./pkg.

44-706/0DL—5½x12". Net ea. (lots/10) ..... .69
44-707/8DL—5½x18". Net ea. (lots/10) ..... .80
44-708/6DL—8¼x12". Net ea. (lots/10) ..... .69
44-709/4DL—8¼x18". Net ea. (lots/10) ..... .80



As Low As **$6.97**

Metal Shop Boxes, Baskets with Time-Saving Flip Handles

E COLD ROLLED STEEL SHOP BOXES

Three types: General Purpose (20-ga.) for normal application, Medium-Duty (18-ga.) using spun or welded handles that increase support 50%, Heavy-Duty (16-ga.) with bottom runners for still greater capacity. All painted green. Order from chart below. FOB Ky.

F EXPANDED METAL BASKETS

Available in two sizes, in 18-ga. and 20-ga. with ¼" or ½" mesh. All have spun handles with two lengthwise 13-ga. runners on bottom. Unpainted. Order from chart.

For receiving, tran fering, storing, for pr duction, degreasi small parts

Stock Number	Ga.	Outside Dimensions	Wt. (lbs.)	Max. Tier Load	Net Each	Each (lots/25
E STEEL SHOP BOXES in three body gauges						
52-705/1D	20	12"x7½"x4⅞"	2½	200 lbs.	$7.30	$7.08
52-706/9D	18	18⅛"x9"x6¼"	5½	600 lbs.	11.46	11.12
52-716/8D	18	18⅛"x9"x6¼"	5½	900 lbs.	12.28	11.91
52-718/4D	18	22¾"x12¼"x7⅜"	8	600 lbs.	16.21	15.71
52-762/2D	18	22¾"x12¼"x7⅜"	8	900 lbs.	16.91	16.40
52-766/3D	16	22¾"x12¼"x7⅜"	11	900 lbs.	20.72	20.09
52-767/1D	16	29⅞"x15⅛"x10¼"	19	700 lbs.	39.23	38.15
52-770/5D	16	29⅞"x15⅛"x10¼"	20	1000 lbs.	47.18	45.77
F EXPANDED METAL BASKETS: 20-ga., ¼"; 18-ga., ½" mesh						
52-772/1D	20	18"x9⅜"x6⅜"	4½	600 lbs.	28.34	27.49
52-779/6D	18	18"x9⅜"x7⅛"	4½	600 lbs.	33.94	32.92
52-780/4D	20	22½"x12⅛"x7⅛"	7⅓	600 lbs.	36.51	35.46
52-781/2D	18	22½"x12⅛"x7⅛"	7⅓	600 lbs.	40.38	39.17

Industrial Steel Racks and Totes Modernize and Speed Material Handling . . . for Less!

• Ready to go! • Totes slide like drawers! • Racks stack and lock!

From a leader in the material handling field . . . box, pans, totes, racks and bases manufactured of heavy-gauge sheet steel with reinforced welded seams for extra heavy use and longer life. Only the finest materials used . . . your assurance of long range service that more than pays for itself.

Thanks to interlocking steel drawer racks . . . flexible stockroom arrangements are easy to achieve. Racks set up anywhere in a hurry . . . without tools! Totes act as individual drawers that slide out instantly without disturbing other boxes. They can be quickly rearranged; or moved interlocked to another location by a single man.

Up-date right now . . . consider these quality components to create systems for receiving departments, stockrooms, processing, parts transfer, in-process storage, dipping, cleaning and degreasing, and shipping. FOB Ill. **To match boxes with racks and bases match code letters.**









A MULTI-PURPOSE OPEN END HOPPER BOX

Eliminates parts transfer from boxes to bins. Stacking box has single open hopper end; drop handle at closed end.

Lgth. I.D.	Width I.D.	Over. Ht.	Width O.D.	Lgth. O.D.	Wt. Lbs.	PLAIN Stock No.	PLAIN Net Ea.	PAINTED Stock No.	PAINTED Net Ea.
20"	10"	8"	10½"	20¾"	11	52-293/8D	$11.40	52-300/1D	$12.90
16"	10"	8"	10½"	16¾"	10	52-294/6D	10.05	52-301/9D	11.50
18"	12"	8"	12½"	18¾"	12	52-295/3D	11.65	52-302/7D	13.25
20"	12"	10"	12½"	20¾"	14	52-296/1D	13.80	52-303/5D	15.45
15½"	8¾"	7½"	9¼"	16¼"	9	52-297/9D	9.25	52-304/3D	10.50
16⅜"	11⅞"	9½"	12⅜"	17⅛"	12	52-298/7D	11.75	52-305/0D	13.45
19⅛"	14¾"	11"	15¼"	19⅞"	16	52-299/5D	15.00	52-306/8D	16.80

B SERVICEABLE CLOSED END STACKING BOX

Rigid box for general small parts production handling and storage; interstacks with other models, fits roller or belt conveyors.

Lgth. I.D.	Width I.D.	Over. Ht.	Width O.D.	Lgth. O.D.	Wt. Lbs.	PLAIN Stock No.	PLAIN Net Ea.	PAINTED Stock No.	PAINTED Net Ea.
20"	10"	8"	10½"	20½"	10	52-307/6D	$10.80	52-311/8D	$12.30
16"	10"	8"	10½"	16½"	10	52-308/4D	9.50	52-312/6D	10.95
18"	12"	8"	12½"	18½"	12	52-309/2D	10.95	52-313/4D	12.55
20"	12"	10"	12½"	20"	13	52-310/0D	13.40	52-314/2D	15.00

C VERSATILE NESTING PAN WITH HANDLE

Lowest-priced all steel tote; handles extend 1". Lightweight!

Lgth. O.D.	Width O.D.	Over. Ht.	Lgth. I.D.	Width I.D.	Wt. Lbs.	PLAIN Stock No.	PLAIN Net Ea.	PAINTED Stock No.	PAINTED Net Ea.
16"	11"	6"	14"	10½"	8	52-315/9D	$ 7.25	52-320/9D	$ 8.40
22"	11"	6"	20"	10½"	10	52-316/7D	8.85	52-321/7D	10.50
16"	11"	9"	14"	10½"	10	52-317/5D	9.00	52-322/5D	10.60
22"	11"	9"	20"	10½"	12	52-318/3D	10.85	52-323/3D	12.45
18¼"	12½"	6¾"	16⅛"	10¾"	9	52-319/1D	8.70	52-324/1D	10.30

D INTERLOCKING STEEL DRAWER RACKS

CODE	SINGLE A	B	C	D	E	Lbs.	PLAIN Stock No.	PLAIN Net Ea.	PAINTED Stock No.	PAINTED Net Ea.
A	20"	10½"	8½"	12"	9"	13	52-325/8D	$ 9.45	52-329/0D	$10.80
B	16"	10¼"	8½"	12"	9"	11	52-326/6D	8.75	52-330/8D	10.05
C	18"	12¼"	8½"	14"	9"	13	52-327/4D	9.90	52-331/6D	11.30
D	20"	12¼"	10½"	14"	11"	15	52-328/2D	10.60	52-332/4D	12.20
	DOUBLE						PLAIN		PAINTED	
A	20"	10¼"	8½"	23¼"	9"	26	52-333/2D	$13.75	52-340/7D	$15.40
B	16"	10¼"	8½"	23¼"	9"	22	52-334/0D	12.90	52-341/5D	14.35
C	18"	12¼"	8½"	27¼"	9"	26	52-335/7D	14.95	52-342/3D	16.70
D	20"	12¼"	10½"	27¼"	11"	30	52-336/5D	15.65	52-343/1D	17.45
E	15½"	9"	8"	20¾"	9"	20	52-337/3D	12.40	52-344/9D	13.80
F	16⅜"	12⅛"	10"	27¼"	11"	22	52-338/1D	14.80	52-345/6D	16.40
G	19⅛"	15"	11½"	34⅛"	12½"	30	52-339/9D	18.75	52-346/4D	21.35

E MOVABLE 14-GA. STEEL PALLET BASES

Holds various sizes and quantities of totes and racks off the floor.

CODE	SINGLE Lgth.	Width	Ht.	Lbs.	PLAIN Stock No.	PLAIN Net Ea.	PAINTED Stock No.	PAINTED Net Ea.
A	20¼"	12¼"	5½"	10	52-347/2D	$10.25	52-351/4D	$11.35
B	16¼"	12¼"	5½"	9	52-348/0D	9.45	52-352/2D	10.75
C	18¼"	14½"	5½"	11	52-349/8D	10.25	52-353/0D	11.45
D	20¼"	14½"	5½"	12	52-350/6D	10.85	52-354/8D	12.15
	DOUBLE				PLAIN		PAINTED	
A	20¼"	23½"	5½"	20	52-355/5D	$12.30	52-362/1D	$13.65
B	16¼"	23½"	5½"	18	52-356/3D	11.30	52-363/9D	12.55
C	18¼"	27½"	5½"	22	52-357/1D	12.40	52-364/7D	13.80
D	20¼"	27½"	5½"	24	52-358/9D	13.05	52-365/4D	14.70
E	15¾"	18"	5½"	16	52-359/7D	10.65	52-366/2D	11.75
F	16⅝"	24¼"	5½"	19	52-360/5D	12.15	52-367/0D	13.75
G	19⅜"	30"	5½"	26	52-361/3D	13.90	52-368/8D	15.90

Metal Boxes

Sized to fit all angle shelving! Extra-large beaded full grip drawer pull for added strength, safety, ease. Each with integral built-in safety stop at back. FOB Mich. Order dividers separately.

Heavy-Gauge Steel Shelf Drawers Finished in Gray Enamel

WE SHIP UPS WHEN POSSIBLE



5-9/16" WIDE DRAWERS

Drawers are 4⅝" high; drawers and dividers sold only in quantities indicated.

Stock No.	Depth	Shpg. Wt.	Lots of	Each
52-840/6AL	11"	3 lbs.	36	$3.63
52-843/0AL	17"	4 lbs.	24	4.24
52-846/3DL	23"	5 lbs.	18	4.98
52-849/7AL—Dividers. Each (lots/50)				.38

8⅜" WIDE DRAWERS

Stock up now! Husky drawers are 4⅝" high. Sold only in quantities indicated.

Stock No.	Depth	Shpg. Wt.	Lots of	Each
52-841/4DL	11"	4 lbs.	24	$4.03
52-844/8DL	17"	5 lbs.	15	5.14
52-847/1DL	23"	6 lbs.	12	6.59
52-850/5DL—Dividers. Each (lots/50)				.45

11-3/16" WIDE DRAWERS

Super capacity drawers are 4⅝" high—built to last! Sold only in quantities indicated.

Stock No.	Depth	Shpg. Wt.	Lots of	Each
52-842/2DL	11"	4 lbs.	16	$4.79
52-845/5DL	17"	6 lbs.	12	6.19
52-848/9DL	23"	7 lbs.	6	7.78
52-851/3DL—Dividers. Each (lots/50)				.52

Industrial Containers—at C&H Low Prices!



Your fork truck can stack as many as three at a time

Vertical ribbing with rugged U-channel rim

- 1200 lb. capacity
- Interior volume of 48"x42"x30"
- Approximately 20 cu. ft.
- Stack up to three high with cover



Heavy-Duty Bulk Handlers Protect Contents . . . Accept Forks of Most Trucks . . . Stack for Compact Storage

New plastic containers meet bulk material handling problems . . . their exclusiv design incorporates vertical ribbing for added sidewall stiffness, a rugge U-channel rim to resist outward bowing, and massive barrel-style nesting stops t prevent jamming in storage. Legs are positioned so the forks of most popular han and mechanized pallet trucks fit easily. Tough polyethylene plastic construction easy to clean, super-sanitary—the "food" grade model is approved for dire contact with meat. Interior volume of the 48"x42"x30" container is about 20 cu f or 16 bu. Capacity is 1200 lbs. per container. Can be stacked (cover necessar three high for non-supporting contents. FOB IA.

Stk. No.	Use	Color	Lbs.	Net Ea.	Ea. (lots/
44-714/4D	Food	Natural	75	$172.41	$168.96
44-715/1D	Industrial	Gray	72	172.41	168.96
COVER to protect contents, allow stacking					
44-716/9D	Food	Natural	23	$81.72	$79.11
44-717/7D	Industrial	Gray	23	81.72	79.11

FDA-Approved Molded Poly Bulk Containers

Molded lightweight high-density polyethylene containers are impact-resistant, corrosion-resistant, rustproof—and they'll withstand subfreezing temperatures. Each has 1500-lb. capacity—they stack three high, even when full. Containers nest for storage-space economy! Strong .300" nominal wall thicknesses. All white—ideal for food industry. FOB Pa.

Stock No.	Overall Size	Top I.D.	Capacity	Lbs.	Net Ea.
44-794/6D	36"x36"x24½"	32"x32"	88 gals.	54	$248.00
44-795/3D	51"x41"x28¼"	47½"x37½"	160 gals.	73	290.29
44-796/1D	55"x42"x29"	51½"x38½"	215 gals.	78	299.43
44-797/9D	51"x41"x34½"	47½"x37½"	208 gals.	84	307.46

HEAVY-DUTY COVERS—½" Thick				MEDIUM DUTY COVERS—¾" Thick			
Stk. No.	Fits . . .	Lbs.	Net Ea.	Stk. No.	Fits . . .	Lbs.	Net Ea.
				44-813/4D	88-gal.	20	$121.00
44-810/0D	160-gal.	44	180.00	44-814/2D	160-gal.	34	150.40
44-811/8D	215-gal.	61	199.47	44-815/9D	215-gal.	40	161.76
44-812/6D	208-gal.	44	205.71	44-816/7D	208-gal.	34	172.87

- Four-way entry—for fork or pallet lift moving!
- Sanitary, seamless one-piece poly construction
- Nest containers—save valuable space



Heavy-Duty Welded Wire Containers

FOLD TO STORE

Square Tubing Meets OSHA Requirement . . . Stackable Feet Fit Your Space Need Saves You Time, Work, Money

Heavy-duty wire containers combine high strength with mi mum weight—they cost less to buy and less to ship, too! Squa mesh welded wire construction affords full visibility for ea inventorying, excellent ventilation. Square tube base promot cleanliness—no pockets to collect oil or combustibles. Eye corners add rigidity; solid strap connects wall to base. Le won't scratch floors or handlers. With half drop side gat FOB Mich. Three mesh sizes.



Containers collapse completely for storage between uses . . . or for return shipment.

- Strong square tube construction.
- High visibility and ventilation of contents.
- Positive inside locks.

Stack Containers 4 high to save space in use or storage.



Stock Number	Cap. (lbs.)	Tiered Load	Size (in.) W x D x H	I.S. Ht.	Drop Gate	Wt. (lbs.)	Ne Eac
2"x2" MESH — #2 gauge							
44-910/8D	3,000	12,000#	40x32x34	28	40"	142	$110.
44-911/6D	3,000	12,000#	40x32x34	28	32"	142	115.
44-912/4D	4,000	16,000#	48x40x36	30	48"	186	138.
44-913/2D	4,000	16,000#	48x40x36	30	40"	186	140.
1½"x1½" MESH — ⅛" WIRE							
44-914/0D	500	2,000	32x20x21	16	32"	47	56.
½"x½" MESH — ⅛" WIRE							
44-915/7D	1,000	4,000	32x20x21	16	32"	55	82.

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

FDA-APPROVED

Haul-All Trucks

Save Time, Work, Money

As Low As **$161.60**

Move and Dispose of Food, Merchandise, and Waste — Efficiently

Save manpower, make moving easy . . . Haul-All Trucks are far and away the most practical choice for moving and disposing of food, merchandise, and wastes . . . their body is strong polyethylene with reinforced top and bottom, their wheels are heavy-duty and easy rolling. Colors: 12 green, 27 gray. Specify color number-and-name. FOB New Hampshire.

RUBBER-TIRED TRUCKS						DUST COVERS	
Stock Number	Cu. Yd. Cap.	Cap. (lbs.)	O.S. Size LxDxH (inches)	Shpg. Wt. (lbs.)	Net Each	Stock Number	Net Each
45-430/6DA	5/8	1200	54x26x38	93	$246.85	45-432/2DA	$37.60
45-433/0DA	1.1	2000	67x32x40	132	321.77	45-434/8DA	45.67
45-435/5DA	2.2	2800	75x50x54	320	546.64	45-399/3DA	53.60
45-431/4DA	5/8	350	54x26x38	70	161.60	45-432/2DA	37.60

Mobile Bulk Handling Trucks Banded with Steel

As Low As **$166.72**





Sturdy, lightweight utility trucks meet diverse industrial and institutional needs. Constructed of strong hard vulcanized fiber, reinforced with body bands and heavy-duty galvanized steel top bindings. Solid wood truck bottom withstands heavy loads. Four 4" diameter solid rubber-cushion tread casters roll easily, even on uneven surfaces. **Specify: 01 Without handle or 02 With Handle. FOB N.H.**

Stock Number	Outside Dim. L x W x H	Bu. Cap.	Wt. (lbs.)	W/O Handle Net Ea. (01)	W/Handle Net Ea. (02)
5-498/3DX	38"x20"x31"	7.2	62	$166.72	$181.72
5-499/1DX	38"x26"x31"	9.6	72	181.54	196.57
5-500/6DX	44"x26"x35"	11.8	85	191.96	212.26
5-501/4DX	50"x32"x31"	16	93	205.49	225.77
5-502/2DX	50"x32"x37"	20.7	100	211.38	231.64
5-503/0DX	56"x32"x37"	22.6	115	241.56	261.78
5-504/8DX	62"x32"x43"	30.1	135	254.67	274.93

New Improved Mobile Containers

As Low As **$130.49**

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

A MULTI PURPOSE MEDIUM DUTY TRUCK

Our most popular design, multi-duty truck has wide range of applications. Forbon hard vulcanized fiber weighs half as much as aluminum, yet provides long service life under constant wear and abrasion. All welded angle iron frame painted dark green, comes with standard 4" hard rubber stationary casters. FOB PA.

Stock Number	Cap. (bu.)	I.D. Dimen. L x W x D	Wt. (lbs.)	Net Each	Each (lots/3)
45-028/8D	7	30"x20"x20"	35	$137.14	$130.49
45-029/6D	12	36"x24"x24"	60	163.70	155.83
45-032/0D	13	48"x20"x24"	67	176.53	168.84
45-037/9D	17	42"x24"x30"	88	186.76	177.50
45-038/7D	25	48"x30"x30"	126	211.00	201.24
45-039/5D	31	60"x30"x30"	157	234.31	222.59

B EXTRA HEAVY-DUTY ALL WELDED TRUCK

Rugged workhorse for in-plant or inter-plant transfers. Rust-resistant steel top molding and center bands with welded painted angle iron bottom frame, 4" hard rubber stationary casters. Easy-on-the-eyes green. FOB PA

Stock Number	Cap. (bu.)	I.D. Dimen. LxWxD	Shpg. Wt.	Net Each	Each (lots/3)
45-040/3D	7	30"x20"x20"	49 lbs.	$146.22	$139.00
45-041/1D	12	36"x24"x24"	85	173.71	165.24
45-042/9D	13	48"x20"x24"	94	187.45	178.17
45-043/7D	17	42"x24"x30"	123	197.69	187.92
45-044/5D	25	48"x30"x30"	177	223.24	213.64
45-045/2D	29	54"x26"x36"	207	241.26	229.49
45-046/0D	31	60"x30"x30"	221	247.42	235.70

Molded Tilt Truck On Strong Steel Frame

As Low As **$246.39**

One-piece molded bodies are tough, medium density polyethylene; frames are welded 1" (16-ga.) tubular steel. Cast wheels are neoprene tired; 4" plate type swivel casters. FOB NY. Specify Color Name and Number 27 Gray, 12 Green, 02 Red.

STANDARD-DUTY TRUCK								
Stock Number	Capacity (Yd.)	Capacity (Gal.)	L x W x H (inches)	Max. Load	Wt. (lbs.)	List Price	Each	Each (lots/3)
5-167/4DA	½	100	27x54x41	750 lbs.	60	$275.00	$253.97	$246.39
5-168/2DA	1	200	32x71x43	1000 lbs.	100	355.00	327.76	316.94
HEAVY-DUTY TILT TRUCK								
5-169/0DA	½	100	27x54x41	1200 lbs.	68	$320.00	$297.38	$288.56
5-170/8DA	1	200	32x71x43	2000 lbs.	110	415.00	383.67	372.95

HINGED COVER FOR UNITS ABOVE			
Stk. No.	Fits	Shpg. wt.	Net each
5-171/6DA	½ yd. cap. truck	24 lbs.	$45.00
5-172/4DA	1 yd. cap. truck	24 lbs.	55.00

Mobile Trucks for Shop, Factory, Warehouse

Smooth Finish, Sanitary Polyethylene Trucks

For Meat & Food Handling, For Hospitals

As Low As **$95.30**

Extra liners available. contact Dept. 6

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

Sanitary polyethylene perfectly suited to meat and food handling, hospital uses, etc. There are no seams, crevices or corners to trap dirt in the smooth surface of this white polyethylene truck. It's breakproof, rustproof, dentproof—suitable for use in temperatures from 32° to 180° F. The tough frame is cadmium-plated; rolls on 4 free-wheeling casters. The durable, lightweight poly liners are removable, replaceable and steam cleanable—can be easily cleaned and sanitized. FOB Tenn.

Standard Duty truck of durable polyethylene. Th. Nom. .125".

Stock No.	Bu.	Lbs.	Net Ea.
71-139/0D	6	39	$ 95.30
71-140/8D	8	44	103.48
71-141/6D	10	48	111.56
71-142/4D	12	53	117.47
71-143/2D	14	61	127.84
71-144/0D	16	65	133.00
71-146/5D	20	73	149.24

Extra Heavy gauge polyethylene for tough jobs. Th. Nom. .190".

Stock No.	Bu.	Lbs.	Net Ea.
71-502/9D	6	43	$104.92
71-503/7D	8	48	116.18
71-504/5D	10	54	123.74
71-505/2D	12	59	130.63
71-506/0D	14	67	143.28
71-507/8D	16	72	148.00
71-509/4D	20	93	166.46

Heavy-Duty Material Handling Truck

Sanitary, Washables for Hospitals, For Mills, Stores and Factories

As Low As **$73.45**

STANDARD INSIDE DIMENSIONS			
Bu. Cap.	Lgth.	Width	Depth
4	26"	18"	18"
6	30"	20"	20½"
8	34"	22"	23"
10	36"	24"	25"
12	36"	26"	27½"
14	40"	28"	27½"
16	40"	28"	30"
18	42"	30"	30"
20	48"	32"	30"
24	54"	34"	30"

Available in either heavy-duty cotton canvas (#4 duck-24.55 oz. per sq. yd.) or yellow Glosstex (24-oz. vinyl-coated nylon). Glosstex unit offers superior scuff-resistance, high tear-resistance (tensile strength), and flame-resistance (certified 2-sec. flame-out). Frames are ruggedly built, all welded steel for long service. Liners are replaceable. FOB Tenn.

MULTI-USE TRUCK. Easy to maneuver on 2 swivel and 2 stationary wheels. Indispensable in department stores.

Bushel Capacity	Shpg. Wt.	Glosstex Vinyl Coated Nylon Stock No.	Glosstex Vinyl Coated Nylon Net Each	White Canvas Stock No.	White Canvas Net Each
6	31 lbs.	71-122/6D	$ 75.53	71-493/1D	$ 73.45
8	35 lbs.	71-123/4D	87.55	71-494/9D	84.28
10	36 lbs.	71-124/2D	94.16	71-495/6D	89.66
12	45 lbs.	71-125/9D	102.87	71-496/4D	98.57
14	56 lbs.	71-126/7D	119.47	71-497/2D	116.68
16	58 lbs.	71-127/5D	124.84	71-498/0D	119.61
18	61 lbs.	71-128/3D	130.92	71-499/8D	128.23
20	63 lbs.	71-129/1D	139.19	71-500/3D	132.49
24	78 lbs.	71-130/9D	165.32	71-501/1D	160.00

Molded Poly Containers—FDA-Approved for Food Handling

One-Piece Bin

- **Use for storing, carrying**
- **Or as truck liner replacement**

Seamless, strong, smooth molded polyethylene containers are efficient material handlers with no maintenance or upkeep worries. Fully waterproof, can be used for transporting wet laundry, for refuse pick-up in lunchroom. Resins are FDA-appr. for food handling. Containers are smooth inside and out, no corners or crevices to trap dirt. Moderately priced. Colors: 30 white; 18 blue. Specify color no.-name. FOB Md.



Bu. Cap.	O.S. Dimen. (inches)	.125 Nominal Thickness Stk. No.	Lbs.	Net Ea.	.190 Nominal Thickness Stk. No.	Lbs.	Net Ea.
6	29x19x21	45-148/4DA	14	$42.84	45-155/9DA	21	$57.32
8	33x21x23½	45-149/2DA	16	46.76	45-156/7DA	25	59.45
10	35x23x25½	45-150/0DA	19	52.69	45-157/5DA	27	64.98
12	35x23x28	45-151/8DA	23	56.92	45-158/3DA	30	70.26
14	39x27x28	45-152/6DA	27	58.94	45-159/1DA	33	74.24
16	39x27x30½	45-153/4DA	29	63.48	45-160/9DA	36	78.46
20	47x31x30½	45-154/2DA	36	73.50	45-161/7DA	42	90.77

Seamless Bin Trucks on Casters For Storing, Moving, Processing

As Low As **$98.92**

- **Sanitary, smooth rolling truck**
- **Seamless, cleans up quickly**

Super heavy-duty seamless molde polyethylene (.225 nominal thickness) f long life and service. FDA and USD approved for processing and storage foods . . . also practical for transportin wet laundry, textiles, dyes, powder corrosive chemicals . . . handy in hote motels, restaurants, hospitals, depar ment stores, electronic firms, labs . . . t smooth, snag-free, sanitary surface easily cleaned with hot water and dete gents. Colors: 30 white, 18 blue. Spec color no.-name. FOB Md.

Stock Number	Bu. Cap.	O.S. Dimen. (inches)	Max. Load	Wt. (lbs.)	Net Each
45-162/5DA	6	29x19x21	450#	34	$98.
45-163/3DA	8	33x21x23½	450#	40	109.
45-164/1DA	10	35x23x25½	500#	44	125.
45-165/8DA	12	35x23x28	550#	52	130.
45-166/6DA	14	39x27x28	600#	55	144.
45-167/4DA	16	39x27x30½	600#	58	151.
45-168/2DA	20	47x31x30½	650#	70	171.

ALSO AVAILABLE. More colors, lids, stainless steel drain hole. Call Dept. #

Rubbermaid®

FINE QUALITY PRODUCTS BUDGET PRICED

Seamless Polyethylene Truck On Heavy-Duty Wheels . . .

Meets OSHA and FDA Requirements

Easy to clean and load —trucks tilt, one man can do the job alone!

Be safe, and save! Meet OSHA's rigidly enforced requirements for materials, food, and waste handling. Rubbermaid's seamless polyethylene-constructed containers meet industrial food handling requirements, OSHA section 1910.141 (g) (3). Quiet, one-man handling . . . counter balanced. Heavy-duty neoprene wheels. Seamless construction assures easy cleaning. Meet FDA requirements. Covers available. Write Dept. 45. FOB Va.*

Stock Number	Outside Dimen. L x W x H	Capacity (lbs.)	Cu. Yd.	Wt. (lbs.)	Net Each	Each (lots/2)	Each (lots/6)
UTILITY TILT TRUCKS—Gray color only. Semi-pneumatic tires.							
45-704/4D	52½"x27"x37½"	300	½	62	$181.88	$175.17	$165.19
45-705/1D	70¼"x32"x42"	750	1	98	251.39	240.22	224.40
STANDARD TILT TRUCKS—Colors: 09 yellow; 27 gray. Specify color no.-name.							
45-700/2DA**	55¼"x27"x37½"	1200	½	108	$297.27	$285.95	$273.60
45-701/0DA**	70¼"x32"x42"	2000	1	144	377.45	360.33	341.18
45-702/8DA**	55¼"x27"x37½"	750	½	98	259.57	251.41	239.02
45-703/6DA**	70¼"x32"x42"	1000	1	130	323.37	316.30	296.60
1½ CU. YD. TILT TRUCK—3 load capacities. Gray only.							
45-897/6D**	84"x 42½"x50"	1000	1½	233	$498.20	$484.08	$469.11
45-898/4D**	84"x42½"x50"	2000	1½	250	548.83	533.04	513.35
GIANT 2 CU. YD. TILT TRUCK—3 load capacities. Gray only.							
45-894/3D**	84"x46"x50"	1800	2	249	$594.84	$579.14	$563.50
45-895/0D**	84"x46"x50"	2300	2	259	637.95	623.43	602.75

**Tow bar & hitch available — allow units to be "mule-trained." Write for prices.

ubbermaid loppers or levated elf-Dumping

ne-piece easy-clean polyethylene body is lightweight, on't rust, corrode or pit like steel . . . because it's rong but only 1/3 as heavy as steel it's easy for one an to handle. Tilts 30° below horizontal. Meets SDA/FDA requirements for food processing scrap, for umping food ingredients into cooking or mixing vats, ulk refuse handling. Gray with steel frame and base. OB Va. (Covers not available.)

Stock lumber	Capacity	Cu. Yds.	Dimensions (inches)	Wt. (lbs.)	Net Each	Each (lots/3)
5-298/7D	750 lbs.	½	54½x27x36	143	$358.28	$336.78
5-299/5D	1000 lbs.	1	65x34x41	209	410.20	385.58
5-519/6D	1000 lbs.	1½	84x42½x49¼	294	585.67	550.53
5-520/4D	1000 lbs.	2	84x46x49¾	302	624.48	586.57
5-521/2D	1000 lbs.	2½	84x55x49¾	313	666.56	626.56

lso available on wheels. Write Dept. 45.

Rubbermaid®

Sanitary Poly Truck On Strong Plywood Caster Base for Easy Mobility

- **Nest, stack, or cross-stack to save storage space!**
- **Diamond caster arrangement**

Safe, sanitary, and so serviceable! Constructed of NSF approved and USDA-accepted high density polyethylene—highly sanitary and easily cleaned—no corners or seams to catch dirt. End corrosion and soil problems. This tough poly withstands temperatures from sub-zero coolers . . . to steam cleaning equipment. Strong plywood bases outfitted with diamond patterned casters. Specify 27 gray, 30 white. FOB Va.

MEDIUM-DUTY POLY TRUCKS

Stk. No.	Capacity	Load Capacity	Wt.	Net Each	Ea. (lots/3)
45-753/1DA	8 bu.	500 lbs.	50 lbs.	$114.34	$105.16
45-754/9DA	12 bu.	600 lbs.	60 lbs.	140.46	129.18
45-755/6DA	16 bu.	700 lbs.	75 lbs.	165.20	152.55
45-756/4DA	20 bu.	800 lbs.	90 lbs.	193.79	178.34

HEAVY-DUTY POLY TRUCKS with reinforcing metal frames, heavy-duty casters.

45-757/2DA	8 bu.	700 lbs.	55 lbs.	$131.60	$122.39
45-758/0DA	12 bu.	800 lbs.	70 lbs.	154.30	143.48
45-759/8DA	16 bu.	900 lbs.	85 lbs.	180.80	168.16
45-760/6DA	20 bu.	1000 lbs.	100 lbs.	209.40	194.75

SNUG-FITTING LIDS for all trucks above. Gray only.

Stk. No.	Fits truck size	Shpg. Wt.	Net Each
45-761/4D	8 bu.	12 lbs.	$33.33
45-762/2D	12 bu.	15 lbs.	40.37
45-763/0D	16 bu.	18 lbs.	46.13
45-764/8D	20 bu.	22 lbs.	57.65

Tough 60-Gal. Poly Barrel Moves Up To 500 Lbs. Quickly, Easily



- **Exterior marine plywood base**
- **Won't mar walls or equipment**
- **Won't break, dent or rust**
- **No seams—easy steam cleaning**
- **Silent, finger-tip mobility**

Strong 60-gal. mobile barrel coasts easily—saves lifting! Four 3" diameter soft rubber swivel casters mounted on plywood undercarriage support loads up to 500 lbs. High-density polyethylene container won't freeze, steam up, corrode or rust. Dark gray, 35" high. Big 25¾" diameter—fits through most doorways. FOB Va. 27 lbs.

45-714/3D—List $109.80.
Each **$94.28.** Each (lots/3) .. **$88.32**

FLAT LID in light gray. FOB Va. Wt. 4 lbs.
45-715/0D—List $35.50. Ea. **$32.29**
Ea. (lots/3) **$30.34**

Self-Dumping Hopper with Safety Latch

For Scrap Handlin Foundry Furnace Chargin Refuse Removal, an Many Bulk Handling Job

Constructed of heavy-duty 3/16" steel wi bases of 1/4" formed steel for sizes thru 1 cu. yds, and of 1/4" structural steel for siz from 2 to 4 cu. yds. Hoppers are water-tig with continuous welded seams, fork l bases. All sizes have safety latch. Easy ha dling hopper dumps material when lever pulled, returns to locked position autom tically! Finished with two coats of red oxi primer. As an option, two coats of alk enamel paint can be purchased. Colors: red, 09 yellow, 18 blue. Add to price: For yd to 1 yd. sizes, add $15.00; for 1 1/2 to 2 yd add $20.00; for 3 to 4 yds, add $30.0 Specify color no.-name.

- Heavy-gauge construction
- Continuously welded seams
- Finished colors available



Nine sizes to meet your needs—sizes up to 2 cu. yds. are stackable

00Red oxide primer coat will be shipped if no finished color is specified.

Stock Number	Cu. Yd. Capacity	Specifications (inches) A	B	C	D	E	F	Wt. (lbs.)	Net Each	Eac (lots/
71-166/3DA	1/4	27 1/2	30	31 3/4	23	43 1/4	46	420	$298.77	$289.
71-167/1DA	1/2	33	37	39 1/4	30	43 1/2	46	480	320.00	310.
71-168/9DA	1/2	37 1/2	30	33	23	43	48 3/4	460	320.00	310.
71-169/7DA	3/4	38	39 1/2	41	30 1/2	49	60	570	389.87	378.
71-170/5DA	1	40	39	41	30 1/2	49	62 1/2	610	399.84	387.
71-171/3DA	1 1/2	48	44	46	35	56	67	800	480.00	465.
71-172/1DA	2	48	57	58	32	56	67	940	554.78	538.
71-173/9DA	3	58 1/2	63	56	32	58 1/2	74	1270	880.00	853.
71-174/7DA	4	58 1/2	83	56	32	58 1/2	74	1480	934.84	910.

Heavy-Duty Accessories to Turn Your Hopper into a Dump Truck



A HEAVY-DUTY 14-GA. METAL HOPPER LIDS

For heavy duty hoppers only. Single hinged covers. Back half welded to hopper. Standard red oxide primer will be the finish unless color no.-and-name is specified when ordering (add $10.00 for color).

Stock Number	For hopper . . .	Wt. (lbs.)	Net Each
71-321/4DA	1/2 yd.	50	$100.00
71-328/9DA	3/4 or 1 yd.	59	110.00
71-331/3DA	1 1/2 yd.	80	120.47
71-332/1DA	2 yds.	102	126.80
71-339/6DA	3 yds.	120	157.48

B CASTER SETS—LOAD CAPACITIES TO 3600 LBS.

Added ease in handling loaded hoppers. 4" casters, add 4 1/8" height to hopper, 6" casters add 7 3/8", and 8" casters, add 9 7/8" height to hoppers. Set of 4 casters handles loads from 1640 lbs. to 3600 lbs.—designed for easy mounting. 2 swivel, 2 rigid per set.

Stock Number	Capacity of Set	Description	Net Ea. Set
71-380/0D	1650 lbs.	4" Steel	$64.57
71-382/6D	2900 lbs.	6" Steel	85.54
71-384/2D	3600 lbs.	8" Steel	106.69
71-390/9D	2600 lbs.	6" Titanite	85.39
71-391/7D	1640 lbs.	6" Rubber	106.69
71-392/5D	2000 lbs.	8" Rubber	138.67

C THREE-WAY ENTRY FACILITATES HANDLING

Designed to adapt self-dumping hoppers to accept the kind of equipment you have available to do the job—quickly, economically. Accepts 8" wide forks, 30" wide skids . . . saves countless hours in material handling.

Stk. No.	For hopper . . .	Lbs.	Net E
71-393/3D	1/4-1/2 yd.	90	$89.
71-397/4D	3/4-1 yd.	101	90.
71-399/0D	1 1/2 yd.	115	93.
71-401/4D	2 yd.	113	95.
71-402/2D	3 yd.	120	96.

D PLATFORM LEGS FOR FORK OR PALLET TRUC

Available in a choice of clearances from 1" to 18" . . . designed for use with either fork lift truck or pallet truck, also allows for additional height where required. Specify height desired.

Stock Number	Height Clearance	Wt. (lbs.)	Net Each
71-425/3DM	Up to 7"	46	$58.
71-426/1DM	8" to 11"	60	69.
71-427/9DM	12" to 18"	85	79.

All items above shipped FOB Ind.

Save on Self-Dumping Hopper for Light Duty

Designed to work with in-plant fork lifts or to be mounted on casters for manual handling. Rated for superior performance in light duty situations—can be used to transport, store or dump up to 1600 lbs. Bodies are 12-ga. steel, bases are 7-ga.—all finished in red oxide primer. FOB Ind.

Stock No.	Capacity	H x W x D	Shpg. Wt.	Net Ea.	Ea. (lots/3)
71-556/5D	1 yd.	37"x40 1/2"x60"	417 lbs.	$320.00	$310.40
71-557/3D	1 1/2 yd.	37"x58 1/2"x60"	472 lbs.	357.33	346.61
71-558/1D	2 yd.	44"x58 1/2"x60"	509 lbs.	384.00	372.46

Plenty of strength for everyday uses . . . All units stack to save space!



Self-Dumping Hoppers Offer Safety, Strength

For handling in-process and bulk materials, for collecting and handling scrap materials

- Fork lift adaptability
- Water-tight
- Extra strong
- Automatic dumping

Self-dumping hoppers are made with sturdy 3/16" steel plate body continuously welded to be water-tight and extra strong . . . heavier steel base is fitted with strong uncomplicated latching mechanism, all welded for extra strength. Hoppers are perfectly balanced to roll forward when loaded and dump completely . . . then automatically return to upright locked position ready for reloading. Hoppers have formed smooth edge around top and pouring lip for safety and strength, extended sides on pouring lip prevent sidewise scattering of materials. Use these hoppers with casters (order below) or your fork lift truck. Colors: 27 gray primer, 09 safety yellow. Specify color no.-name. FOB Ohio. Add $15.00 for yellow (09) 1/3 thru 1 cu. yd., $20.00 for 1 1/2 & 2 cu. yd., $25.00 3 & 4 cu. yd.

Stock Number	Capacity (cu. yd.)	Overall Dimen. H	W	L	Fork Openings	Approx. Wt.	Net Each
52-904/0DA	1/3	32 3/4"	28 3/4"	51 1/2"	3 by 18	458 lbs.	$306.79
52-905/7DA	1/2	32 3/4"	37 1/4"	51 1/2"	3 by 26 1/2	526 lbs.	318.69
52-909/9DA	3/4	37 1/4"	39 1/4"	58 1/2"	3 by 28 1/2	598 lbs.	368.00
52-917/2DA	1	39"	39 1/4"	63"	3 by 28 1/2	643 lbs.	386.68
52-918/0DA	1 1/2	38 1/2"	57 1/4"	65"	3 by 28 1/2	782 lbs.	466.81
52-919/8DA	2	45 1/2"	57 1/4"	64 1/2"	3 by 28 1/2	855 lbs.	522.60
52-920/6DA	3	54 1/8"	57 1/4"	74 1/2"	3 by 28 1/2	1250 lbs.	810.00
52-921/4DA	4	54 1/8"	83"	74 1/2"	4 by 42	1650 lbs.	993.46



- Casters available
- Perfectly balanced
- Carefree mobility

CASTERS FOR HOPPERS

Casters are 8" x 2" . . . available in four tough materials for easy mobility on most surfaces. FOB Ohio.

Stock Number	Construction	Net Set/4
52-976/8D	Semi-steel	$115.00
52-977/6D	Rubber tire	115.00
52-978/4D	Plastic	115.00
52-979/2D	Polyurethane	158.00

Heavy-Duty Wood-N-Wire Containers Offer 2000 Lb. Capacity

A TRUCK CONTAINER MANEUVERS EASILY

gh-strength wood-n-wire construction . . . plus four 5" 425-lb. capacity casters ake these truck containers the ideal choice for maneuverability and handling se! Inside truck capacity totals 1700 lbs. —ideal for moving masses of aterials in one trip, thus reducing production costs and saving time. For O.S. mensions, add 2" to length and width, 6" to the height. Specify 01 Knocked-wn, 02 Set-Up. FOB WI.

ock umber	Inside Dimen. L x W x D	Wt. (lbs.)	01 Knocked-Down Net Ea.	Ea. (lots/10)	02 Set-Up Net Ea.	Ea. (lots/10)
-732/2DX	36"x26"x24"	48	$94.30	$91.47	$102.47	$ 98.49
-733/0DX	38"x28"x26"	52	101.24	97.83	108.98	105.74
-734/8DX	43"x28"x28"	57	109.27	105.99	118.25	114.69
-735/5DX	48"x28"x30"	65	111.86	108.53	120.75	117.13

B SKID CONTAINER STACKS SAFELY

reamline your operation and eliminate the need for pallets with these gh-strength industrial skid containers. Tough wood-n-wire construction offers gh capacity—containers can be moved easily, singly, or in batches. They're signed for safe, non-slip stacking. Capacity: 2500 lbs. inside, 16,000 lbs. cking. For O.S. dimensions, add 2" to length and width, 4" to height. Specify Knocked-Down, 02 Set-Up. FOB WI.

Stock Number	Inside Dimen. L x W x H	Wt. (lbs.)	01 Knocked-Down Net Ea.	Ea. (lots/25)	02 Set-Up Net Ea.	Ea. (lots/25)
-716/5DX	26"x18"x13"	27	$27.40	$26.62	$36.15	$35.19
-717/3DX	36"x26"x24"	53	40.66	39.44	49.26	47.72
-718/1DX	38"x28"x26"	58	46.40	45.12	54.94	53.28
-719/9DX	43"x28"x28"	66	55.15	53.57	63.68	61.78
-720/7DX	48"x28"x30"	72	57.68	55.95	66.42	64.31

- High-strength wood-n-wire construction lasts!
- Reduce costs—move and/or store large quantities
- Minimize maintenance and replacement expenses!

As low as $35.19





- High capacity in a minimum amount of storage space!
- High strength wood-n-wire takes the hard knocks of industrial use
- Eliminates pallets—helps reduce costs!

Custom sizes available. Contact Dept. 6. Specify I.S. dimensions and overall height when making inquiry.

Gardner Heavy-Duty Utility 14-Ga. Sheet Steel Trucks

All welded for rigidity, strength . . . 14-ga. sheet steel bodies, finished in durable gray baked enamel . . . ideal for scrap and trash handling, for moving bulk and packaged industrial items. 37 3/4" ht.

ply sloped ted sides easy unloading



Heavy-duty 10x2.75 center wheel, 8x2.50 semi-pneumatic swivel wheels with hardened ball bearings

Key Ltr.	Stock Number	Capacity Cu. Ft.	Bu.	Size LxW	Wt. (lbs.)	Net Each	Each (lots/3)
C	71-175/4D	13.5	11	45"x25"	115	$216.20	$209.71
C	71-176/2D	17.5	14	62 1/4"x25"	135	226.64	219.84
C	71-210/9D	26.25	21	62 1/4"x37"	170	245.66	238.29
D	71-177/0D	22.4	18	77 1/4"x25"	185	271.30	263.26
D	71-219/0D	26.25	21	62 1/4"x37"	180	277.69	269.47

Stackable Working Containers Store and Dispense Parts At Work Site

Unique design relieves all stacking pressure from sides of the container . . . units can be interstacked with portable rack or existing systems

Double Height Tilt Stand with Storage is 40" high to aid flow and provide convenient storage!

2000-4000 LB. CAPACITY



Portable Tilt Stand increases parts flow. Stands 14" in height



Keyhole and chain adjusts hopper

As Low As **$134.88**

Save Space, Reduce Handling . . . Stack Containers 5 High! Hopper Can be Opened to Almost Any Degree for Dispensing Parts Automatically

At last, a heavy-gauge all-welded container with 4-way entry for easy handling and shipping, stacking ease to save floor space and keep parts handy for assembly line or in-line operations. There's no operator fatigue, no bending, no lifting, no loss of time from back bending operations. Productivity improves! Quality engineered throughout with 14-ga. corrugated steel sides and 2½" square corners of strong 12-ga. steel. Flat sheet metal container bottoms allow parts to flow to hopper without hang-ups. Adjustable hopper design features keyhole and chain resulting in positive lock system allowing hopper to be placed in virtually any position. Closed it's a container . . . open, a dispenser. Available in four sizes, each in two capacities. Durably finished in rust resistant gray. FOB Wis.

W x L x H (inches)	2000-LB. CAPACITY				4000-LB. CAPACITY			
	Stock Number	Wt. (lbs.)	Net Each	Each (lots/4)	Stock Number	Wt. (lbs.)	Net Each	Each (lots/4)
30x36x24	46-920/5D	148	$140.50	$134.88	46-924/7D	160	$145.00	$139.25
32x40x24	46-921/3D	160	145.50	139.75	46-925/4D	175	149.00	142.97
36x44x24	46-922/1D	180	156.00	149.77	46-926/2D	190	158.50	152.16
40x48x24	46-923/9D	197	166.00	159.36	46-927/0D	213	171.00	164.20

Fits	PORTABLE TILT STAND			TILT/STORAGE STAND		
	Stock Number	Wt. (lbs.)	Net Each	Stock Number	Wt. (lbs.)	Net Each
30"W	46-928/8D	28	$108.00	46-933/8D	120	$225.00
32"W	46-929/6D	30	111.00	46-934/6D	132	230.00
36"W	46-930/4D	32	114.00	46-936/1D	144	235.00
40"W	46-932/0D	34	117.00	46-937/9D	155	240.00

RAN/BOX 1000-Lb. Capacity Stacking Hoppers Boast All-Welded Construction

Stack these strong hoppers five high . . . save a lot of floor space while storing bulky items, unusual shapes and hard-to-handle parts. Hoppers are 14-ga. heavy-duty steel with 1" x ½" x ⅛" U-channel stacking runners; spot and arc welded throughout for super strength. FOB Ill.

7½" under-clearance for safe, easy fork lift handling





As Low As **$50.79**

Key Ltr.	W x L x H* (Inches)	Wt. (lbs.)	PLAIN			PAINTED GRAY		
			Stk. No.	Net Ea.	Ea. (lots/4)	Stk. No.	Net Ea.	Ea. (lots/4)
A	20x24x20	55	46-938/7D	$56.15	$53.90	46-945/2D	$ 75.60	$ 72.58
	24x30x24	80	46-939/5D	76.70	73.59	46-946/0D	93.30	89.57
	24x36x24	88	46-940/3D	84.25	79.99	46-947/8D	106.95	102.70
B	20x24x20	53	46-941/1D	$52.90	$50.79	46-948/6D	$ 72.35	$ 69.45
	24x30x24	77	46-942/9D	73.45	70.50	46-949/4D	95.05	91.25
	24x36x24	85	46-943/7D	79.90	76.70	46-955/1D	106.95	102.70

*Legs additional 7½" high.

Build It Yourself with All-Steel Modular Decking

24 sizes—from 3' to 8'2" to meet most requirements!

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

C&H MEETS OSHA REQUIREMENTS

EQUIPTO Prefab Steel Stairways Provide Safe, Ready Access To Areas Up to 8'2" High

- Easy do-it-yourself Assembly
- Braced handrails!
- Safety tread steps!

Equipto prefab stairways are designed for safe, sturdy access to storage areas . . . at minimal cost and installation expense! Always tidy and safe — the non-skid safety grate treads have open design so there's no surface accumulations.

Easy to assemble! Stairways come with stringers, tread supports, stair treads, new improved and stronger tubular hand rails and fasteners. FOB Ill.

Stock Number	Adj. Ht.	Horizontal Run	Tread Width	Overall Width	Wt. Lbs.	Net Each
54-154/0D	3'	3'3"	30"	33"	135	$259.86
54-155/7D	to	to	36"	39"	143	267.26
54-156/5D	3'5	3'	48"	51"	160	282.26
54-157/3D	3'6"	4'1"	30"	33"	158	291.04
54-158/1D	to	to	36"	39"	169	300.29
54-159/9D	4'	3'9"	48"	51"	190	319.04
54-160/7D	4'1"	4'11"	30"	33"	198	327.92
54-161/5D	to	to	36"	39"	211	339.02
54-162/3D	4'8"	4'6"	48"	51"	236	361.52
54-163/1D	4'9"	5'8"	30"	33"	221	363.82
54-164/9D	to	to	36"	39"	236	376.77
54-165/6D	5'3"	5'3"	48"	51"	265	403.02
54-166/4D	5'4"	6'6"	30"	33"	264	402.66
54-167/2D	to	to	36"	39"	281	417.46
54-168/0D	5'11"	6'1"	48"	51"	314	447.46
54-169/8D	6'	7'3"	30"	33"	293	439.41
54-170/6D	to	to	36"	39"	312	456.06
54-171/4D	6'6"	6'10"	48"	51"	350	489.81
54-172/2D	6'7"	8'	30"	33"	338	476.31
54-173/0D	to	to	36"	39"	359	494.81
54-174/8D	7'3"	7'6"	48"	51"	401	532.31
54-175/5D	7'4"	8'9"	30"	33"	379	537.17
54-176/3D	to	to	36"	39"	402	557.52
54-177/1D	8'2"	8'2"	48"	51"	448	598.77

C&H MEETS OSHA REQUIREMENTS

PENCO Heavy-Duty Steel Decking for Fast Set-Up and Easy Expansion

Build your own mezzanine with pre-cut, drilled steel decking. Assembly is easy and fast . . . you can relocate or expand as needed. Modular decking allows you to use your space to best advantage. Decking is high yield steel, with welded upright frame supports. "M" 1-pt. floor support beams, integral beam lock for safety. Channel lock safety grate deck. Designed to support 150 lbs. per sq. ft.

HEAVY-DUTY STEEL STAIRWAYS are structurally safe and readily assembled—each consists of two one-piece structural steel channels drilled to accept end plates supporting channel lock safety grating stair treads. Handrails incl.

To Build Your Own, Check the Plan, Then . . .

1. Always order an (A) Starting Unit—No. 54-608/5D
2. To add units in beam direction, order as many 10'3" (B) modules as required—No. 54-609/3D
3. To add units in the frame direction, order as many 7'10" (C) modules are required—No. 54-610/1D
4. When modules have been added in both directions and the remaining "cube" is to be decked, order as many (D) units to fill the space required—No. 54-611/9D
5. Order necessary stairway—it must install on the frame side of the module only. Order No. 54-612/7D or 54-613/5D



3 Basic Modules

Gray finish
All FOB Pa.

A — Basic starting unit for all systems



C — 7'10" deck — to add on in the frame direction

D — To fill out area after as many beam and frame units have been added



E — Stairway with landing



F — Stairway without landing

Key Ltr.	A	C	D
Front Dim.	10'6"	10'6"	10'3"
Depth	12'0"	7'10"	7'10"
To Deck Top	8'2"	8'2"	8'2"
To Rail Top	12'0"	12'0"	12'0"
Under-Clearance	7'6"	7'6"	7'6"

Key	Stock No.	Description	Lbs.	Net Each
A	54-608/5D	10'6"x12'0" Starter Unit	1329	$1259.16
B	54-609/3D	10'3"x12'0" Add-on Beam Direction	1006	932.14
C	54-610/1D	10'6"x7'10" Add-on Frame Direction	713	555.64
D	54-611/9D	10'3"x7'10" Internal Add-on Unit	493	368.70
E	54-612/7D	36"W Stairway with Platform	695	639.86
F	54-613/5D	36"W Stairway 8'0" to 8'10"	361	461.49

Save on Stock Size Wire Partitions by Logan

- Wholesale priced! • Low-cost installation • Quick set-up
- Adapts to your needs • Convenient to move or relocate
- Heavy-gauge wire • Mortised, tenoned corners for rigidity



Wire Panels

YOUR CHOICE OF HEIGHTS
7 ft.
8 ft.
9 ft.
10 ft.

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



Build structurally strong enclosures with Logan pre-engineered wire partitions. Partitions offer low initial cost, easy set-up, quick relocation . . . and virtually no maintenance! In addition to savings, strength, and flexibility . . . you get protection from pilferage with full visibility . . . unrestricted circulation of air, light, heat . . . segregation of storage areas in module plant functions . . . personnel protection in dangerous areas.

Stock-Size Wire Panels . . . 4 heights

Stock No.	Width	Shpg. Wt.	Net Each
7′ HIGH PANELS			
54-001/3D	1′	22 lbs.	$38.14
54-002/1D	2′	32 lbs.	41.51
54-003/9D	3′	42 lbs.	49.14
54-004/7D	4′	51 lbs.	56.20
54-005/4D	5′	60 lbs.	57.39
8′ HIGH PANELS			
54-006/2D	1′	24 lbs.	$38.35
54-007/0D	2′	35 lbs.	45.60
54-008/8D	3′	45 lbs.	53.10
54-009/6D	4′	55 lbs.	59.95
54-010/4D	5′	65 lbs.	61.14
9′ HIGH PANELS			
54-270/4D	1′	27 lbs.	$45.70
54-269/6D	2′	30 lbs.	53.25
54-268/8D	3′	49 lbs.	54.56
54-267/0D	4′	60 lbs.	67.35
54-266/2D	5′	70 lbs.	68.65
10′ HIGH PANELS			
54-011/2D	1′	30 lbs.	$55.75
54-012/0D	2′	44 lbs.	59.24
54-013/8D	3′	57 lbs.	65.85
54-014/6D	4′	70 lbs.	71.52
54-015/3D	5′	82 lbs.	74.97

Adjustable Flex-O-Panels



Gray finished 18-ga. steel sheet panels adjust down to a fraction of an inch . . . to compensate for errors or untrue surfaces. Easy on-the-spot adaptability saves $$$.

Stock No.	Ht.	Lbs.	Net Ea.
SINGLE WIDTH PANELS adjust 1⅛″ to 7⅜″			
54-050/0D	7′	18	$29.19
54-051/8D	8′	21	31.55
54-271/2D	9′	23	35.15
54-052/6D	10′	25	37.32
DOUBLE WIDTH PANELS adjust 7½″ to 1′2″			
54-053/4D	7′	22	$36.24
54-054/2D	8′	25	39.05
54-272/0D	9′	28	43.05
54-055/9D	10′	31	45.52

Installation Components save time



Channel Post with fasteners, for 20′, more. 23, 26, 29, 31 lbs.

Stock No.	For	Each
54-080/7D	7′	$23.74
54-081/5D	8′	26.31
54-360/3D	9′	29.87
54-082/3D	10′	33.20



90° Angle Post required for each corner. 8, 9, 10 Jbs.

Stock No.	For	Each
54-016/1D	7′	$12.71
54-017/9D	8′	13.70
54-361/1D	9′	14.97
54-018/7D	10′	15.55



Adjustable Corner Post with fasteners. 13, 15, 17, 18 lbs.

Stock No.	For	Each
54-077/3D	7′	$18.63
54-078/1D	8′	20.00
54-362/9D	9′	21.93
54-079/9D	10′	24.12



Tee-Joint Assembly needed where 3 panels meet. Floor socket, fittings, hardware incl. 3 lbs.
54-363/7D—Ea. $9.60

How to Order

Make a rough floor plan of area to be enclosed. Note overall measurements. Write us to request help.





Pkg. of 4 Wall Clips with fasteners. 1 lb.
For masonry walls.
54-019/5D—Ea. $3.12
For wood walls.
54-083/1D—Ea. $3.10
For steel walls.
54-084/9D—Ea. $2.97



Angle Clips attach partitions to existing columns. Pkg. of 5 with bolts.
54-364/5D.....$4.40



EACH PANEL INCLUDES THIS HARDWARE AT NO EXTRA COST!
Chan-A-Line Spacer assures fast, positive alignment the full length of panel — eliminates telescoping.



Horizontal Stiffener Channels securely riveted thru continuous wire web at 3′6″ (10′ panels have a second stiffener at 6′8″ height).



Floor Sockets and assembly bolts for connection of wire panels. Stud anchors included for concrete floors.



Top Capping Channel to span more than one panel—ties top of partition together (pre-drilled for machine bolts).

All FOB Georgia.

LOGAN Wire Partitions at Wholesale

stock size Hinged Doors

Designed for hinging left or right, opening in or out. Stock size doors offer the same strong construction as Logan wire panels. Openings are 6'11½" high with transom filling out the panel height of 8', 9', and 10' doors. Single width hinged doors are available with cylinder locks (keys included) or with padlock lugs . . . hinged double width doors are available only with padlock lugs.



FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

SINGLE WIDTH HINGED DOORS

Ht.	W	CYLINDER LOCKS, KEYS Stk. No.	Lbs.	Net Ea.	WITH PADLOCK LUGS Stk. No.	Lbs.	Net Ea.
7'	3'	54-038/5D	74	$141.79	54-044/3D	72	$101.83
7'	4'	54-039/3D	86	159.53	54-045/0D	84	120.14
8'	3'	54-040/1D	82	161.44	54-046/8D	80	121.86
8'	4'	54-041/9D	97	182.60	54-047/6D	95	143.20
9'	3'	54-273/8D	87	170.10	54-296/9D	85	130.44
9'	4'	54-274/6D	102	182.54	54-297/7D	100	153.30
10'	3'	54-042/7D	91	172.53	54-048/4D	89	132.95
10'	4'	54-043/5D	107	202.04	54-049/2D	105	157.05

STOCK SIZE HINGED DOUBLE DOORS with padlock lugs

Ht.	Width	Stock No.	Shpg. Wt.	Net Each
8'	5'	54-182/1D	128 lbs.	$257.04
7'	6'	54-183/9D	126 lbs.	262.00
8'	6'	54-184/7D	136 lbs.	270.68
7'	8'	54-185/4D	147 lbs.	286.90
8'	8'	54-186/2D	161 lbs.	297.60

stock size Sliding Doors for most needs

Sliding doors open and close easily . . . they're designed for mounting outside partition . . . equipped with ball-bearing hangers. Enclosed track comes with guide and keeper. Doors provide standard 6'11½" height opening. A wide assortment of widths, heights, and door arrangements are available to meet your needs.



Channel Post may be used with sliding single door panel — place it at the lock side; order on facing page.



Channel Post V7 supports sliding door panels; supplied with full partition height doors (3 with single, 4 with double).



Ht.	W	SLIDING SINGLE DOOR PANELS WITH TRANSOM (no transom on 7') CYL. LOCKS, KEYS Stk. No.	Lbs.	Net Ea.	WITH PADLOCK LUGS Stk. No.	Lbs.	Net Ea.	SINGLE SLIDING FULL PARTITION HT. DOORS CYL. LOCKS, KEYS Stk. No.	Lbs.	Net Ea.	WITH PADLOCK LUGS Stk. No.	Lbs.	Net Ea.
7'	3'	54-020/3D	88	$192.38	54-065/8D	86	$149.09						
7'	4'	54-021/1D	102	212.34	54-066/6D	100	156.30						
7'	5'	54-022/9D	115	210.00	54-067/4D	113	166.94						
7'	6'	54-023/7D	128	249.65	54-068/2D	126	196.44						
8'	3'	54-024/5D	97	207.00	54-069/0D	95	163.74						
8'	4'	54-025/2D	115	217.35	54-070/8D	113	173.90						
8'	5'	54-026/0D	132	231.21	54-071/6D	130	188.00	54-284/5D	212	346.05	54-290/2D	209	302.95
8'	6'	54-027/8D	148	272.90	54-072/4D	146	224.56	54-287/8D	235	381.74	54-293/6D	232	333.85
9'	3'	54-277/9D	103	215.65	54-281/1D	101	169.30						
9'	4'	54-278/7D	120	227.25	54-282/9D	118	183.79						
9'	5'	54-276/1D	137	242.79	54-280/3D	137	199.69	54-285/2D	227	369.30	54-291/0D	224	326.21
9'	6'	54-279/5D	153	285.30	54-283/7D	151	237.05	54-288/6D	241	410.44	54-294/4D	238	362.30
10'	3'	54-028/6D	107	218.05	54-073/2D	105	174.74						
10'	4'	54-029/4D	125	231.21	54-074/0D	123	187.90						
10'	5'	54-030/2D	142	248.20	54-075/7D	140	205.09	54-286/0D	246	398.50	54-292/8D	243	355.30
10'	6'	54-031/0D	158	291.85	54-076/5D	156	243.50	54-289/4D	280	450.34	54-295/1D	277	402.44

Ht.	W	EXTRA-WIDE SINGLE SLIDING DOORS—FULL PARTITION HT. CYL. LOCKS, KEYS Stk. No.	Lbs.	Net Ea.	WITH PADLOCK LUGS Stk. No.	Lbs.	Net Ea.	SLIDING DOUBLE DOOR PANELS—FULL PARTITION HT. CYL. LOCKS, KEYS Stk. No.	Lbs.	Net Ea.	WITH PADLOCK LUGS Stk. No.	Lbs.	Net Ea.
7'	8'	54-299/3D	267	$432.65	54-333/0D	264	$387.20	54-301/7D	289	$497.55	54-305/8D	287	$454.05
8'	8'	54-300/9D	289	463.65	54-334/8D	286	418.00	54-302/5D	313	532.34	54-306/6D	311	$488.59
9'	8'	54-331/4D	311	494.70	54-335/5D	308	450.50	54-303/3D	339	567.14	54-307/4D	337	524.05
10'	8'	54-332/2D	334	535.30	54-336/3D	331	489.59	54-304/1D	367	611.49	54-308/2D	365	568.29
7'	10'	54-337/1D	296	473.21	54-341/3D	293	430.00	54-309/0D	315	514.00	54-313/2D	315	496.75
8'	10'	54-338/9D	320	512.10	54-342/1D	317	468.84	54-310/8D	342	582.34	54-314/0D	340	539.20
9'	10'	54-339/7D	342	551.10	54-343/9D	339	507.77	54-311/6D	368	625.00	54-315/7D	366	581.95
10'	10'	54-340/5D	367	602.14	54-344/7D	364	558.90	54-312/4D	396	679.90	54-316/5D	394	636.79

Easy-to-Install Door Spacer Post



Spacer Post for installing sliding single door at wall. Combines angle used to make the 90° corner post and hardware. Provides 1½" space between door jamb and wall, required for installation of the pick-proof lock-keeper when door is installed at wall. May also be used to install wire panel at a wall where a minor adjustment is required.

Stock Number	Partition Height	Wt. (lbs.)	Net Each
54-317/3D	7'	7	$14.34
54-318/1D	8'	8	15.39
54-319/9D	9'	9	16.56
54-320/7D	10'	10	17.14

Optional Channel Post provides added strength in door installations . . . may be used either at hinge or lock side of door, or both. For hinged double doors panels, one post is recommended on each side of door opening. Order correct height on facing page.

All LOGAN partitions and accessories are shipped FOB Georgia. Write us for complete LOGAN catalog and planning help!



Planning 7' high partition—Sliding single door panels of 7' require at least 6" clearance for door track suspension above top of partition.



Two wheel bearing hangers roll in enclosed track on Logan sliding doors. Note convenient angle clip mounting.

Consult Us! Call C&H Toll FREE 1-800-558-9966 for help in ordering or to solve partition problems!

Stock Service Windows

WINDOW-SHELF



Opening is 24" wide, 15" high, with 23½x15¾" deep shelf. Window has lift catches—in 5' wide panel. Wts.: 86, 91, 105, 110 lbs.

Stk. No.	Ht.	Net Ea.
54-035/1D	7'	$135.69
54-036/9D	8'	139.50
54-365/2D	9'	166.14
54-037/7D	10'	177.74

SLIDE-UP WINDOW-SHELF

Window is 24x21" high—slides up for servicing, bottom hinged sheet metal closure forms shelf. In 5' wide panel. 98, 103, 114, 122 lbs.

Stk. No.	Ht.	Net Ea.
54-032/8D	7'	$184.20
54-033/6D	8'	186.74
54-366/0D	9'	213.39
54-034/4D	10'	225.00

Steel Folding Gates in Stock Sizes

Single Gate Guards Against Burglary, Vandalism



Folds compactly.

Folding steel gate with locking bar . . . suitable for stores, factories, garages, industrial and commercial uses. Bottom wheel for easy operation. Easily installed—recessed or surface mounting. Made of sturdy ¾ standard-type channel, riveted back to back, painted in gray enamel. Mounting brackets are included for all sizes. Choice of 18 stock sizes (heights shown are those of gate when not in use). Order from chart at right. FOB Ill.

Gates on this page are stock sizes—for special size installations, write our Dept. 54.

Stock No.	Height	Width	Shpg. Wt.	Net Each
54-702/6D	5½′	5½′	55 lbs.	$ 78.88
54-703/4D	6′	5½′	59 lbs.	85.97
54-704/2D	6½′	5½′	61 lbs.	93.11
54-705/9D	7′	5½′	63 lbs.	100.25
54-706/7D	7½′	5½′	65 lbs.	107.39
54-707/5D	8′	5½′	67 lbs.	148.27
54-708/3D	5½′	6½′	60 lbs.	93.13
54-709/1D	6′	6½′	62 lbs.	101.55
54-710/9D	6½′	6½′	64 lbs.	110.09
54-711/7D	7′	6½′	66 lbs.	118.53
54-712/5D	7½′	6½′	68 lbs.	126.97
54-713/3D	8′	6½′	70 lbs.	135.38
54-714/1D	5½′	7½′	65 lbs.	116.99
54-715/8D	6′	7½′	67 lbs.	117.27
54-716/6D	6½′	7½′	67 lbs.	126.98
54-717/4D	7′	7½′	71 lbs.	136.69
54-718/2D	7½′	7½′	73 lbs.	146.53
54-719/0D	8′	7½′	75 lbs.	156.22

For Security—Pair of Folding Steel Gates for Most Areas



Folds compactly.

Extremely convenient, economical gates allow maximum air circulation and visibility—yet deter burglars and vandals. Gates pivot and fold flat to one side . . . ideal for stores, factories, docks, etc. Easily installed with center drop pin, ball bearing wheels. ¾ standard channel, riveted back to back. Recess or surface mount. Gray. FOB Ill.

Stock No.	Height	Width	Shpg. Wt.	Net Each
54-720/8D	6½′	8′	110 lbs.	$135.37
54-721/6D	7′	8′	115 lbs.	145.44
54-722/4D	8′	8′	125 lbs.	166.67
54-723/2D	8½′	8′	130 lbs.	177.09
54-724/0D	6½′	10′	115 lbs.	169.22
54-725/7D	7′	10′	120 lbs.	182.24
54-726/5D	8′	10′	130 lbs.	208.36
54-727/3D	8½′	10′	135 lbs.	220.37
54-728/1D	6½′	12′	120 lbs.	204.07
54-729/9D	7′	12′	125 lbs.	224.77
54-730/7D	7½′	12′	130 lbs.	234.33
54-731/5D	8′	12′	135 lbs.	250.17
54-732/3D	8½′	12′	140 lbs.	265.63
54-733/1D	6½′	14′	125 lbs.	237.29
54-734/9D	7′	14′	130 lbs.	255.31
54-735/6D	7½′	14′	135 lbs.	273.46
54-736/4D	8′	14′	140 lbs.	291.75
54-737/2D	8½′	14′	145 lbs.	309.88
54-738/0D	6½′	16′	130 lbs.	270.75
54-739/8D	7′	16′	135 lbs.	291.73
54-740/6D	7½′	16′	140 lbs.	312.44
54-741/4D	8′	16′	145 lbs.	333.29

Custom sizes available on all gates this page. Contact Dept. 6.

Folding Steel Wind-O-Gate for Maximum Protection



Folds compactly.

All sizes open to cover 24 in. to 48 in. wide window . . . fold compactly when not in use. Ideal for home, office, apartment, garage, service windows, etc. ¾ standard type channel is riveted back to back. May be recess or surface mounted. Easily installed. Finished in gray enamel. Engineered for the ultimate in smooth, easy operation. Order from chart below—22 sizes to choose from. FOB Ill.

Stock No.	Height	Shpg. Wt.	Net Each	Stock No.	Height	Shpg. Wt.	Net Each
54-742/2D	31″	7½ lbs.	$16.44	54-753/9D	59″	19½ lbs.	$26.66
54-743/0D	33″	7½ lbs.	17.13	54-754/7D	61″	18½ lbs.	27.85
54-744/8D	39″	11 lbs.	18.57	54-755/4D	63″	19½ lbs.	28.56
54-745/5D	40″	12 lbs.	19.99	54-756/2D	66″	25½ lbs.	29.98
54-746/3D	43″	12½ lbs.	21.43	54-757/0D	68″	24 lbs.	31.42
54-747/1D	46″	11½ lbs.	22.84	54-758/8D	71″	28 lbs.	32.84
54-748/9D	49″	13 lbs.	23.57	54-759/6D	73½″	26½ lbs.	33.55
54-749/7D	51″	14 lbs.	24.27	54-760/4D	76″	29½ lbs.	34.27
54-750/5D	53″	16 lbs.	24.99	54-761/2D	79″	30½ lbs.	35.69
54-751/3D	55″	17½ lbs.	25.71	54-762/0D	81″	30½ lbs.	36.41
54-752/1D	57″	17½ lbs.	26.43	54-763/8D	83″	32 lbs.	37.13

WE SHIP UPS WHEN POSSIBLE

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



All gates pivot and fold flat to one side.

For Safety—Folding Steel Door Gate Comes with Locking Bar

Definitely a deterrent to unwanted entry. Strong, sturdy gates fold to one side—they're constructed of ¾ standard-type channel steel—riveted back to back and painted with gray enamel. Available in ten heights—each one closes to protect a 24″ to 48″ wide doorway, folds flat to one side when open. Door gate comes complete with locking bar and mounting brackets. They are easy to install—can be surface or recess mounted, and anyone can do it. A low-cost way to provide safe, dependable protection on store, factory, industrial, and garage doorways. FOB Ill.

Stock Number	Gate Height	Gate Width	Shipping Weight	Net Each
54-764/6D	79″	4′	50 lbs.	$43.17
54-765/3D	61″	4′	35 lbs.	38.31
54-766/1D	63″	4′	38 lbs.	38.73
54-767/9D	66″	4′	43 lbs.	39.14
54-768/7D	68½″	4′	45 lbs.	39.57
54-769/5D	71″	4′	46 lbs.	39.98
54-770/3D	73½″	4′	47 lbs.	40.39
54-771/1D	76″	4′	48 lbs.	41.66
54-772/9D	81″	4′	51 lbs.	44.19
54-773/7D	83″	4′	52 lbs.	45.22

Stock Size Folding Steel Gates give you the protection you want without the added cost of custom construction!

LOGAN stock-size steel folding gates for quick installation



Low-cost security and protection for plants, warehouses, commercial and public buildings. Stock sizes fit openings 2'6" to 13" wide; gates are 6'6" high when folded to the side. Each has padlock lug. Constructed of strong ¾" roll formed channel . . . for added strength, hinge and end bars are reinforced with 1" channel. End bars have a smooth rolling, ball-bearing caster. Equipped with handle. On double gates, a steel rod self-locking cane bolt holds left side in position — or both sides may be opening for access. FOB Georgia.

Center Posts

Use with single width stock size gates for openings to 20'l. Posts are fabricated of 2" square tube with 3/16" wall; drilled for two padlock lugs (included). Installs in square steel sleeve (sleeve included).

For 10' wide gate. 45 lbs.
54-136/7D—Net ea. **$50.85**
For all other sizes. 35 lbs.
54-137/5D—Net ea. **$41.50**







GATE TYPE & MOUNTING	Stock Number	Wt. (lbs.)	Norm. OW	Exten. HE	Min. OW	Exten. HE	Max. OW	Exten. HE	Width Folded	Net Each
Single Gates for Recess Mounting	54-056/7D	94	4'0"	6'1½"	2'6"	6'4½"	5'0"	5'10½"	1'2"	$178.50
	54-057/5D	119	6'0"	6'1"	5'0"	6'2½"	7'0"	5'10¾"	1'5"	204.40
	54-058/3D	138	8'0"	6'0"	7'0"	6'1½"	9'0"	5'10¼"	1'7½"	231.20
Single Gates for Surface Mounting	54-059/1D	107	4'0"	6'1½"	2'6"	6'4½"	5'0"	5'10¼"	1'2"	186.60
	54-060/9D	132	6'0"	6'1"	5'0"	6'2½"	7'0"	5'10¾"	1'5"	212.50
	54-061/7D	151	8'0"	6'0"	7'0"	6'1½"	9'0"	5'10¼"	1'7½"	239.25
Double Gates for Recess or Surface Mount	54-062/5D	188	8'0"	6'0½"	7'0"	6'2½"	9'0"	6'0"	1'2"	322.30
	54-063/3D	212	10'0"	6'1"	9'0"	6'3"	11'0"	6'0¼"	1'3½"	363.14
	54-064/1D	239	12'0"	6'1½"	11'0"	6'3¼"	13'0"	6'0½"	1'5¼"	402.30
Single—R.M.	54-085/6D	223	10'0"	7'9"	9'0"	7'11"	11'0"	7'5"	1'7½"	481.65
Single—S.M.	54-086/4D	240	10'0"	7'9"	9'0"	7'11"	11'0"	7'5"	1'7½"	490.15

LOGAN stock-size industrial spiral stairs for heavy-duty use



Complete, ready to install! Designed for constant service —each has steel baluster on every tread, 3" core post for rigidity. Treads adjust from 8⅝" to 10" . . . reverse for right or left hand installation. Tough, heavy-duty reinforced polyethylene hand railing is flexible for easy installation . . . but rigid when installed. Wherever space is at a premium consider Logan spiral stairs—in remodeling jobs, in multi-level plants and garages. Stairs can be adjusted up to 1'4½" for perfect fit. FOB Georgia.

• LOW-COST • ENGINEERED FOR QUICK-N-EASY INSTALLATION • ADJUSTS FOR MINIMUM 8'7½" FLOOR-TO-CEILING HEIGHT TO A MAXIMUM OF 10'0" • PERFECTLY SUITED FOR HEAVY-DUTY APPLICATIONS IN COMMERCIAL BUILDINGS, INDUSTRIAL PLANTS, WAREHOUSES, MEZZANINE OFFICE AREAS • PLATFORM INCLUDES STRONG COLONEL LOGAN IRON RAILING AS AN ADDED SAFETY FEATURE • CHOOSE 4', 5' DIAMETER OR 6' DIAMETER FOR BEST UTILIZATION OF EXISTING FLOOR SPACE • YOUR CHOICE OF TWO TREAD DESIGNS.



PLAIN TREAD of smooth steel—may be covered with rubber, tile, etc.



CHECKERED raised diamond pattern for safety indoor or out. Durable!

Plain Tread Stairs, cover with hardwood, carpeting, rubber.

Stock Number	Diam.	Shpg. wt.	Net Each
54-089/8D	4'	384 lbs.	$624.00
54-090/6D	5'	456 lbs.	809.45
54-194/6D	6'	571 lbs.	995.95

Checkered Plate Spiral Stairs with non-slip raised diamond pattern.

Stock Number	Diam.	Shpg. wt.	Net Each
54-087/2D	4'	442 lbs.	$690.85
54-088/0D	5'	518 lbs.	953.40
54-193/8D	6'	722 lbs.	1205.70



SUPERIOR Steel Portable Gates

Gate locks in collapsed position—rolls!

- **Install anyhere between two walls**
- **Controls traffic, secures goods instantly**
- **Moves easily—no anchoring to walls or floor**

Moves easily from place to place. Locks in instantly to control traffic when and where required. Pressure lock eliminates need for floor or wall anchors. Extra sturdy cold rolled steel construction with smooth glide nylon rollers and electro-galvanized finish. Heavy-duty swivel casters let gate roll freely in any direction. Folds to compact size, moves thru normal door openings. Stores in closet when not in use. FOB Fla.

Compressed rubber bumpers at each caster.

For areas over 18', two or more gates bolt together

Close off counters

Stairwell barrier

Secure entrances



Separate dock and warehouse

For wide malls, terminals, halls

Stk. No.	For Openings	Collapsed	Ht.	Lbs.	Net Ea.
54-627/5D	3'6" to 6'0"	19"x30"	6'6"	202	$541.00
54-628/3D	6'0" to 9'0"	19"x30"	6'6"	206	597.00
54-629/1D	7'0" to 12'0"	24"x30"	6'6"	264	672.00
54-630/9D	11'0" to 15'0"	30"x30"	6'6"	316	772.00
54-631/7D	13'0" to 18'0"	33"x30"	6'6"	364	866.00

CSA APPROVED

WRAP-IT-HEET Electric Heaters Protect Valuable Fluids in Drums and Pails

Acra



1. Snap it around 2. Plug into outlet 3. Get instant heat

Easy-on, easy-off . . . Wrap-it heaters are constructed of rust-resistant aluminized steel with fiberglass insulation to minimize heat loss! Neon pilot light indicates when the heater is "on"!

WE SHIP UPS WHEN POSSIBLE

As Low As **$128.95**

IN STOCK IMMEDIATE SHIPPING

As Low As **$88.95**

UL required receptacles for 115 and 230 volt heaters because of high amperage ratings

74-079/5A	115 Volt—Net Ea.	$9.00
74-080/3A	230 Volt—Net Ea.	$9.00

ELECTRIC DRUM HEATERS—IN SIZES AND WATTAGES TO MEET MANY NEEDS AND TO SAVE YOU TIME, WORK, MONEY.

Efficient, Time-Saving Method of Transferring Solids and Semi-Solids . . . Of Heating, Melting, and Thawing Greases, Mastics, Adhesives, Molasses, Fats, and Similar Viscous Materials! Help Reduce Losses!

Automatic Heater for 55-Gallon Drums. Thermostatically controlled for safety . . . reduces danger of overheating, scorching. 22½" diameter shroud is packed with fiberglass insulation. With 6' cord.

115 VOLTS—2500 WATTS

Stk. No.	Heat	Wt.	Net Ea.
74-091/0A	Low—48° to 250°F	17 lbs.	$128.95
74-062/1A	High—184° to 400°F	17 lbs.	128.95

230 VOLTS—3000 WATTS

74-063/9A	Low—48° to 250°F	17 lbs.	$128.95
74-064/7A	High—184° to 400°F	17 lbs.	128.95

Variable Control Heater for 55-Gallon Drums. For heating materials subject to coking. Variable control—actual heat depends on contents, air. Mica electrical insulation.

Stk. No.	Volts	Watts	Lbs.	Net Ea.
74-611/5A	115	155 to 1750	15	$133.98
74-612/3A	230	265 to 3000	15	133.98

3-Selection Heater for 55-Gallon, 30-Gallon, and 16-Gallon Drums. Switch with three-heat selector lets you meet most of your drum heating requirements with precise accuracy . . . you select the temperature, heater maintains it. Heater consists of metal drum shroud packed with fiberglass insulation that minimizes heat loss, helps to maintain the integrity of the temperature you select. 6' cord.

FITS 55-GAL. DRUM—22½" diam. shroud

Stk. No.	Volts	Watts	Lbs.	Net Ea.
74-065/4A	115	2500	12	$121.98
74-066/2A	230	3000	12	121.98

FITS 30-GAL. DRUM—18½" diam. shroud without thermal insulation

74-067/0A	115	1500	10	$112.88

FITS 16-GAL. DRUM—14½" diam. shroud without thermal insulation

74-068/8A	115	1500	8	$95.98

5-GALLON PAIL HEATER WITH 3-SELECTOR SWITCH

Perfectly sized to heat 5-gallon pails and small containers without heat loss . . . keeps contents fluid and safe. Heater has snap-tight metal shroud with cord, positive 3-heat switch, measures 11¼" in diameter. Operates on 115 volts, 1500 watts.

74-069/6A—Wt. 6 lbs. Net each **$88.95**

OUR BEST Heated Drum Cradle

CSA APPROVED



- **Infinite temperature control**
- **Easy one-man loading, moving, on wheels**

Ideal for heating all types of materials in 55-gallon drums, especially materials subject to coking. Flexible, spring-mounted heater bands assure optimum contact with drum for efficient heat transfer. Infinite heat control facilitates safe, controlled heating; can be set to meet different requirements of different materials. Has pilot light and attached 6 ft. power cord with 3-conductor plug for grounding.

Safe, simple, one-man operation. Handle telescopes into its own housing, out of the way. When in dispensing position unit and drum have 1¼ in. tilt to facilitate thorough drainage. Drum drain is approximately 20 in. above floor, high enough to permit gravity flow into a 5-gallon pail or similar container. 240 volts, 3600 watts. Infinite control switch.

74-090/2A—Wt. 97 lbs. Net each..... **$549.95**

For Explosion Proof Heaters Contact Dept. 72

Flexible Moisture-Resistant Drum Heater for Indoors, Out

WE SHIP UPS WHEN POSSIBLE

IN STOCK IMMEDIATE SHIPPING



As Low As **$56.95**

- **Thermostats located to monitor drum temperature**
- **Easy wrap around installation with spring tension**

Convenient, low-cost way to keep fluids ready for use, protected from freezing. Fiberglass-reinforced silicone rubber construction is moisture resistant for safe outdoor use, chemical resistant for use with most liquids. Easy to clean surface affords neatness. Quick fastening spring tension wrap-around design . . . easy on, easy off; heater remains in close contact for fast heat-up and maximum efficiency. Maximum temperature, 450°F. With 6' cord, plug.

Spring Tension Keeps Silicone Flexible for More Efficient Contact

FITS 5-GAL. DRUM — 11½" Nominal Diameter

Stock Number	Volts	Watts	Band Width	Thermostat Setting	Net Each
74-207/2A	120	650	4"	No Thermo.	$56.95
74-208/0A	120	650	4"	150°F	84.75
74-209/8A	120	650	4"	60°F	84.75

FITS 55-GAL. DRUMS — 22½" Nominal Diameter

74-210/6A	120	1000	2 11/16"	No Thermo.	$61.90
74-211/4A	120	1000	2 11/16"	150°F	88.87
74-212/2A	120	1000	2 11/16"	60°F	88.87
74-213/0A	120	1500	4"	No Thermo.	$88.50
74-214/8A	120	1500	4"	150°F	116.92
74-215/5A	120	1500	4"	60°F	116.92
74-216/3A	240*	1500	4"	No Thermo.	$84.93
74-217/1A	240*	1500	4"	150°F	111.98

*240V units supplied with 6' cord only, no plug.



Graph specifies "temperature rise from ambient" (not drum content temperature). Actual content's temperature and time to reach that temperature depend on drum cotents and total wattage (number of heaters) used on drum.

Make Barrel Handling a Safe One-Man Job!

For 30 or 55 Gal. Drums

As Low As **$78.88**

MECO PRODUCTS

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

- All electrically arc welded
- Telescoping oak handles
- Handles 55-gal. drums
- Rollettes on top of frame allow barrel rotation
- Rocker angle base for easier, safer handling

Tough "Wizard" Barrel Lift-Drain Stand with Retractable Handle

Now one barrel handler does it—lifts, moves, drains and stores 55-gallon drums! Eliminates necessity of maintaining permanent barrel racks. Turns an otherwise 2-man job into a one-man operation . . . use for mixing, draining, moving, up-ending, storing. Selected oak handle extends to 64" for maximum leverage in loading, retracts to 45" for storage space-saving! Hook and replaceable toes are malleable iron. 19" wide; 20" drain ht., 22" overall ht.

Stk. No.	Wheels	Wt.	List Price	Net Ea.	Ea. (lots/3)
74-001/9A	4" steel	53 lbs.	$94.00	$82.95	$78.88
74-002/7A	5" rubber	53 lbs.	94.00	82.95	78.88

For Steel or Fiber Drums

Easy mobility and draining of barrels



Load and move a drum without even touching it

"Rock-It" Barrel Lift-Drain Stand

MECO PRODUCTS

IN STOCK IMMEDIATE SHIPPING

Chime loading lip



Skid-resistor

Exclusive skid-resistor is formed into rocker angle—no danger of rack sliding or rolling away while being loaded. Designed for one-man handling . . . it's the convenient way to move, drain, store barrels. Chime loading lip prevents barrel from slipping off the Rock-It nose during the loading or unloading procedure. Sturdy construction—electrically arc welded rack combines safety and ease . . . untold economy in man-hours saved! Large front wheels on (B) for better maneuverability on uneven floors . . . easier handling of heavy loads. All 30" long. For 30 or 55 gal. drums.

Key Ltr.	Stock Number	Wheels	Width	Drain Ht.	Wt. Lbs.	Net Each	Each (lots/3)
A	74-003/5A	none	18"	18½"	29	$40.90	$38.50
B	74-004/3A	4 steel	20½"	19½"	36	47.96	44.99
B	74-005/0A	4 rubber	21½"	20"	36	50.95	47.60

Slide under barrel chime

Grasp barrel . . . push on stand

Rock-It to horizontal position

Heavy Duty Steel Tilting Drum Racks to 750 lb. cap.

Easy Mobility and Draining for Steel or Fiber Drums

Load and Move Without Touching the Drum

ALL 14 GAUGE STEEL



Hooks engage drum

C&H MEETS OSHA REQUIREMENTS

Rack slips under drum

WE SHIP UPS WHEN POSSIBLE

Drum rests securely

IN STOCK IMMEDIATE SHIPPING

BEAT INFLATION! BUY AT WHOLESALE FROM C&H

Virtually self-loading! Saves manpower! Casters with rubber wheels provide smooth movement and easy positioning. Plastic hand grips end danger of slips when drums are being tilted or transported. Wheel positions can be easily changed to achieve proper balance depending upon size of drum. Rugged welded frame is made of 1" O.D. 14-ga. steel tubing. Distance from floor to bottom of horizontal drum on rack is 15¼" on (C) and (D), 14½" on (E). Center of bung is approx. 3¼" higher. Shpd. K.D. Individually cartoned.

Key Ltr.	Stock Number	Wheels & Casters	Retract. Handle	Wt. (lbs.)	Net Each	Each (lots/3)
C	74-614/9A	5" & 3"	yes	37	$84.98	$78.95
D	74-615/6A	5" & 3"	no	31	66.95	61.98
E	74-616/4A	none	no	25	42.99	39.95

Our Toughest 1000 lb. Cap. Drum Trucks Make Your Job Much Easier, Safer!

GUARANTEE — WESCO — All WESCO Trucks are guaranteed against weld failure for 2 YEARS. All WESCO Trucks are guaranteed against inferior and defective workmanship.

A ECONOMICAL DRUM TRUCK

- **Excellent balance—one man moves 1000 lbs.!**

Dual bar handle with welded heavy wall structural steel pipe frame offers plenty of stamina. 10"x2½" non-marking mold-on rubber wheels. 62" height, 24" wide at handle. 16¼" at nose. 70 lbs.

74-504/2D—List $159.30. FOB Pa. Each **$129.98**

B SELF-STAND 1000-LB. TRUCK

- **Stands unattended during moving and storing**

One man moves up to 1000 lbs., trucks roll on heavy-duty 10"x12½" replaceable non-marking mold-on rubber wheels. Welded 1⅛" 14-ga. steel tube frame. Replaceable floating axle and nose prongs. 22" wide at handle, 16½" at nose. 61" height.

74-502/6D—List $193.40. FOB Pa. 81 lbs. Ea. **$158.95**

C TOUGHEST 4-WHEEL TRUCK

- **One man can load drums on and off pallets**

Save manpower—extraload wheels offer needed barrel support. Quality engineered with replaceable nose prongs, 1" front and 2½" rear axles. Non-marking mold-on rubber wheels—front 10"x2½", rear 6"x1½". 1000-lb. capacity. Unit is 61" high, 29" wide at end of handle.

74-501/8D—List $227.00. FOB Pa. 80 lbs. Ea. **$185.96**

Dollies Roll Smoothly on Ball Bearings

IN STOCK IMMEDIATE SHIPPING

WE SHIP UPS WHEN POSSIBLE

As Low As **$29.82**



As Low As **$34.88**

As Low As **$33.50**

F

D HEAVY-DUTY 30 and 50-GAL. DRUM DOLLIES

Maintenance-free, fine for factory, food processor, chemcial plant, machine shop, shipping area, dock. Quick-responding—tough steel with 2¼" high steel ring. 30-gal. size is 19¼" diameter, 55-gal. is 23¼".

Stock Number	Capacity Gal.	Capacity Lbs.	Wheels Type	Wheels Size	Wt. (lbs.)	List Price	Each	Each (lots/6)
71-440/2A	30	650	Rubber	2½"x1"	14	$41.00	$35.57	$33.88
71-441/0A	30	800	Steel	2½"x1"	14	40.00	34.90	33.50
71-059/0A	55	650	Rubber	2½"x1"	16	43.00	36.88	35.45
71-035/0A	55	1200	Steel	3"x1¼"	23	45.00	40.87	38.98
71-036/8A	55	900	Rubber	3"x1¼"	23	44.00	39.90	37.95

E HEAVY-DUTY WELDED STEEL DRUM DOLLY

Duo-level ball bearing swivel for easy moving under heavy loads. Outrigged casters offer extra stability. Friction stem allows easy replacement. Heavy steel with 18 strong spot welds—for 55- and 30-gal. drums.

Stock No.	Capacity Gal.	Capacity Lbs.	Inside Diam.	Hard Tread Wheels	Wt. Lbs.	List Price	Net Each
71-111/9A	30	800	19"	3"x1¼"	16	$36.81	$29.82
71-060/8A	55	800	23"	3"x1¼"	19	39.26	31.80
71-061/6A	55	1700	23"	3"x1¾"	21	65.43	52.98

F HEAVY-DUTY GALVANIZED STEEL DOLLY

Rolls on 3" neoprene casters with ball-bearing swivels — holds over 500 lbs. 30 or 55-gal. drums. 21¼" diameters, 5½" high. 30 gal. inside ring, 55-gal. over top of ring. Wt. 17 lbs.

71-433/7A—Net. ea. **$34.22**. Ea. (lots/3) **$32.51**. Ea. (lots/6) **$30.88**

Lo-Truck Moves Full Barrels Without Spilling

IN STOCK IMMEDIATE SHIPPING

Low As **$68.50**

Used by canneries, petroleum industries, and others who must handle heavy, awkward containers without spilling or straining. Electrically welded — moves freely on two 6" mold-on rubbert wheels, one 3" swivel caster (bolted to base of tubular handle for easy maneuverability). Carrying frame has sufficient floor clearance — low enough to allow a minimum tilt of barrel for loading. 26" wide opening, 33" wide overall. 31" height. Shpg. wt. 33 lbs.

STATIONARY HANDLE TRUCK boasts strong tubular one-piece construction to take tough use.

74-009/2D—List price $86.00. Net ea. **$71.90**. Ea. (lots/3) **$68.50**

HINGED HANDLE TRUCK stops in vertical pushing position, swings back for pulling.

74-008/4A—List price $103.00. Net ea. **$86.98**. Ea. (lots/3) ..**$82.50**

"Hustler" Moves Steel, Fiber and Wooden Drums with Ease

74-006/8A
74-653/7A
In stock

- **Even moves drums on and off of pallets!**
- **Holds loads on inclines**

Low As **$112.78**

Now available in self-standing model

Drum-barrel truck affords fantastic ease in handling wooden and steel drums of varying heights and diameters—auxiliary chine hook included for handling fiber drums, too! The Hustler is balanced —the truck carries the load, the operator just guides it. One man moves 1000 lbs. with ease. 10x2.50 mold-on rubber wheels have 1" roller bearings. Truck is 24" wide, 60" high—all electrically welded for strength, long service. FOB Neb.

Stock No.	Wheels	Lbs.	List Price	Net Ea.	Ea. (lots/3)
74-006/8A	Vulc. rubber	62	$141.00	$118.98	$112.78
74-075/3D	Steel	72	148.00	122.95	116.98

STAND-ALONE TRUCKS (small view) is 100% accurately balanced to stand by itself, never clogs aisles. **Pre-loaded coil spring helps automatic loading action.**

74-653/7A	Vulc. rubber	65	$153.00	$132.98	$126.50
74-654/5D	Steel	75	161.00	136.95	129.70

Prevent Accidents—Save Time and Money

800-Lb. Barrel-Drum Lift

- Easy automatic tilt lock keeps drum positioned
- Rolls smoothly! Raises, tilts, drains, moves drums!
- Saves time! Reduces spillage! Cuts costs!

Fit saddle

Raise, move

Lifts, drains—swings 360°

74-035/7A and 74-037/3A in Stock Immediate Shipping

For 50 & 30 gallon, steel or fiber drums.

Safest, fastest, easiest way yet found for handling steel drums . . . it raises, transports, tilts and drains fully loaded drums! Easy-set automatic tilt locks right at operator's fingertips, always keep drum in proper position. Adjustable leverage for drums of different weights up to 800 lbs. Floor clearances from 5⅛" to 11½". All steel, welded construction to withstand rough handling. Rolls smoothly on 8" rubber tired roller bearing load wheels; 4" rear swivel caster allows easy moving in tight places. Save labor costs—now one operator can perform 5 operations; reduce spilling, overflowing, leaking; cut down on damage and accidents.

74-035/7A—For handling 55-gal. steel drums. 115 lbs. Net ea. **$224.98**

Same, but adjustable saddles for handling fiber and steel drums.

74-037/3A—Adjusts 21" to 23" in diam. Wt. 117 lbs. Net each $254.90

74-036/5D—For handling 30 gal. 19" dia. steel drums. 115 lbs. Net ea. $234.95

Same, but adjustable saddles for handling fiber and steel drums.

74-038/1D—Adjusts 19"-20½" diam., including 30 gal. steel. 117 lbs. Net ea. $264.96

Balanced 4-Wheel Drum Truck Dispenses Into 5-Gal. Container

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

- Drum may be rotated
- Truck holds 1000 lbs.

MECO PRODUCTS

MODEL 74-643/8A IS IN STOCK FOR IMMEDIATE SHIPPING

NEW LOW PRICE—SAVE!
$159.98

2 YEAR WARRANTY

One man can rotate. Easily moved anywhere.

Rollers for easy rotating of drums

Barrel-truck handles dispensing of liquids with the same ease as moving filled containers. Truck is perfectly balanced with long-life grease fittings on all wheels for smooth rolling. Unique rollers on frame so drums can be rotated without removing them from the truck. Drum may be picked up from any side since spigot can be rotated to the bottom from any position. Special chine hook need not be disengaged during draining operation—it fits beneath spigot, won't interfere with dispensing. Truck moves and holds 1000-lb. capacity, allows one man to do the job of loading, unloading, and draining barrels. FOB Nebr. 85 lbs.

74-643/8A—Moldon rubber tired wheels. List $202.00. Net ea. **$159.98**

74-655/2D—Semi-steel wheels. List Price $208.00. Net each $161.95

2-in-1 Barrel Truck . . . Moves 600 Lbs. Then Doubles as Drum Dispenser

Load weight is placed directly over the wheels . . . the truck does the lifting, not the workman! Long handles sustain and distribute the load; step lever is provided for additional leverage when loading. Sliding adjustable hook rides up and down (18" movement) the two angle iron frame members to engage the chine of the barrel or drum and hold it fast. Double drum saddle raises the drum or barrel to 13½" height in dispensing position for 5-gal. pail and two pipe rockers elevate the drum to a horizontal dispensing position. Large 10" diameter roller-bearing rubber tire wheels ride on ⅞" reinforced axle. Nosepiece is heavy-duty steel—accommodates containers 27" to 45" long, 15" diam. and up. Overall lgth., 61"; width at handles, 24½".

74-018/3A—Wt. 71 lbs. Net each **$159.98**

Save Manpower! Low-Cost Drum Cradle Allows 1-Man Loading

WE SHIP UPS WHEN POSSIBLE

IN STOCK IMMEDIATE SHIPPING

- One man can control 800-lb. drums
- Patented loading bar holds drum
- Load, unload, position in cabinet!

This drum handler-cradle can mean the difference between profit and loss—one man can load drums without help. The patented loading bar engages drum chime, holds drum while operator eases cradle onto curved section and then onto wheels. Now, drum is ready to roll and one man loaded it . . . drum can be moved to another area or placed inside safety cabinet without another person's help. Has 19" faucet drain; 20½" overall width. Shpd. KD. 28 lbs.

74-505/9A—Net each $52.98. Each (lots/6) $49.95

Stacking Hi-Capacity Drum Racks



4-Shelf

3-Shelf

Store drums safely, economically on strong stackable racks . . . stack 3 or 4 layers high, then add on sections as needed. Uprights accept beams on each side; each shelf supports 4000 lbs. Each drum is supported by a full length individual cradle, 12" x 36¼" long, that is also removable. Light green color. Shipped knocked down. FOB Ohio.

Stk. No.	Drum	Shelves	Size	Shpg. Wt.	Net Ea.
74-273/4D	12	3	106"Wx36"Dx96"H	420 lbs.	$532.95
74-274/2D	12	3	Add-on*	378 lbs.	476.90
74-275/9D	16	4	106"Wx36"Dx120"H	552 lbs.	$694.98
74-276/7D	16	4	Add-on*	500 lbs.	627.97

*Add-ons are the same size, less one upright.

Heavy-Duty Double Welded Drum Racks

Easily disassembled for moving

3-Drum Rack

6-Drum Rack

4-Drum Rack

Designed for convenient front and back access, time-saving handling . . . heavy-duty racks are constructed of double welded structural angle steel bolted together for easy assembly, quick disassembly for moving. ¼" x 1½" x 1½" angle is painted bright orange for safety. Racks hold 30-gal. and 55-gal. drums, each weighing up to 750 lbs. FOB Nebr.

Stock Number	Drum Cap.	Lb. Cap.	Overall W x D x H	Wt. (lbs.)	Net Each	Each (lots/3)
74-646/1D	3	2250	33" x 36" x 70"	125	$154.98	$146.88
74-644/6D	6	4500	64" x 36" x 70"	245	225.95	215.50
74-645/3D	4	3000	60" x 36" x 46"	154	161.88	153.90

Vertical Drum Lifter Hoists 17" to 25" Drums Weighing Up to 1000 Lbs.

Cam action gripping. Can even be used with drums that are open! Offers positive lifting, precise positioning . . . cam action arms tightly grip sides of drum under flanges, grasp firmly throughout the lifting operation to insure a "smooth ride." Made of heavy forged steel. See how this handy lifter can help you reduce handling time and damage.

74-024/1A—Wt. 20 lbs. Net ea. **$138.95**

Drum Lifter Converts Hoists, Cranes, Winches

Using the equipment you already own (an overhead hoist, crane or lifting winch) . . . and this ductile iron attachment you can turn drum handling into a one-man operation, save time and salaries. Lifter fits 30-gal. and 55-gal. drums—locks automatically as lifting force is applied . . . has 3000-lb. load capacity. Handles closed and open drums. Wt. 31 lbs.

74-650/3A—Net each **$96.98**

Strong Safe Hooks Lift Barrels or Drums

As Low As **$15.25**

IN STOCK IMMEDIATE SHIPPING

1000-LB. CAPACITY STEEL HOOK consists of 7/16" double steel rods which are attached to malleable iron hooks. Welded lifting ring is 3" in diameter—can be used to lift steel drums as well as barrels.

74-022/5A—Net each **$16.20**
5 lbs. ea. (lots/6) **$15.70.**
Each (lots/12) **$15.25**

750-LB. CAPACITY BRONZE HOOK is safe, nonsparking, a wise choice in potentially hazardous situations. Other features same as above.

74-023/3A—Net each **$40.70.**
Wt. 6 lbs. ea. (lots/3) **$39.75.**
Ea. (lots/6) **$38.50**

Automate Drum Handling . . . Save Manpower

Tipping lever included to help loading operation

Portable Rotators Mix, Blend, Tumble in Closed Drums

Eliminate Risk of Contamination, Evaporation, Hazards of Contents Splashing on Workers

Efficiently handles liquid loads up to 500 lbs., dry loads up to 400 lbs. Liquid loads can be rotated at any speed . . . 400-lb. loads at 10 rpm, 300 at 20, 250 at 30, 200 at 40. Has self-aligning sealed ball bearings. Handles 55-gal. standard or thinwall steel drums, adapts for 15 and 30 gal. Drums roll on 4" adjustable wheels that are paint-and oil-resistant; rotator rolls on 3" tough non-sparking copolymer wheels. Specify motor RPM and (01) 1-ph. 115V, 60 Hz. or (02)* 3-ph. 230/460V, 60 Hz. Wt. 155 lbs. FOB N.Y.

74-046/4DMV—Net each **$654.95**

Variable Speed Rotator offers speeds from 10 rpm to 30 rpm with a turn of the speed selector knob . . . lets you tailor the speeds to the job. Specify motor voltage (01)-1-ph, 115V, 60 Hz or *(02)-3-ph, 230/460V, 60 Hz. Wt. 159 lbs.

74-048/0DV—Net ea. **$804.90**

*(02) model does not include protection, switch, cord, or plug.

STEEL BARREL RACKS At Big Savings



Front entry for fork lift trucks

Side entry for fork lift trucks

R&B 4-Way Welded Racks Save Time!

TWO-DRUM As Low As **$38.50**


THREE-DRUM RACK conserves space

Four-way entry saves time every day . . . fork lift trucks have access to rack from front, back, sides. Helps reduce labor costs because one fork lift operator does the work of several workmen. Racks cradle two or three 55-gal. drums in horizontal position — no upended damage. Racks are welded super-tough 14-ga. steel (3/16"), painted gray. FOB Ohio.

TWO-DRUM RACK is 42"x28"x10"H for 1500-lb. capacity . . . can be stacked 4 high.

74-707/1D — Wt. 45 lbs. Ea. **$43.98**
Each (lots/16) **$40.95.** Each (lots/50+) **$38.50**

THREE DRUM RACK. Same as above but holds 3 drums. 10" high 74" wide and 28" deep. Can be stacked 5 drums high (15 total) 82 lbs. FOB-Ohio.
74-708/9D — Net ea. **$65.90.** Ea. (lots/3) **$61.65**

MECO

Top Value!

Contoured Space-Conserving Racks of Hot Rolled Steel for Strength

- **Strongest 13-ga. 3/16"x1¼" hot rolled steel tubing**
- **Store 55-gal. drums safely, move easily**
- **Four-way access accommodates fork trucks**

TWO-DRUM **$46.50**



74-016/7A In-Stock Immediate Shipping

Contoured cradles hold barrels securely . . . to conserve storage space, facilitate safer transporting. Each rack allows entry clearance on four sides—makes it easier for fork trucks to move and position racks. Racks are constructed of extra-strong 13-ga. steel, painted orange, and shipped ready for instant use. Can be stacked 4 high to save storage. Painted safety orange.

TWO-DRUM RACK holds drums with 1600-lb. capacity. Rack measures 45½" wide, 30" deep, 13" high. Shpg. wt. 46 lbs. In stock.
74-016/7A—List price $70.00. Net ea. **$61.95.** Ea. (lots/16-49) **$57.98**
74-017/5D — FOB Nebr. Net Ea. (lots/50+) **$46.50**

THREE-DRUM RACK measures 72" long, 12½" high, 30" deep — can be stacked 4 high (do not transfer more than 2 stacked). Holds three drums with 2,400 lb. maximum capacity. 68 lbs. FOB Nebr.
74-019/1D—LIST PRICE $110.00. Net ea. **$87.95** Ea. (lots/3) **$83.50**

Outstanding!

Super Strong Drum Racks Can't Be Beat for Safety



74-060/5A 2 drum rack in stock immediate shipping

74-649/5A 3 drum rack in stock in quantities of 1 or 2

TWO-DRUM As Low As **$53.88**

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

JARKE

- **Welded super-strength steel racks**
- **Racks stack four high to save floor space**
- **Easy fork lift entry from all four sides**



Portable drum cradles protect barrels in storage, provide an easily accessible base for fork entry lifting from any of its four sides. Drums are stored horizontally—water and dirt won't collect around openings. Drums and can be loaded and unloaded individually, but racks store four high (holding a total of eight drums in only 46"x30" of floor space). Super strong all welded, gray finish steel. 12" high. 1500 lb., cap, wt—55 lbs. painted gray. FOB Ill.
74-060/5A — Net ea. (lots/1-15) **$60.95**
Net ea. (lots/16) **$57.50**
Ea. (lots 50/+) **$53.88**

THREE-DRUM RACK is 72"x30"x13¼" H, for three drums. Racks can be stacked 4 high. In stock. 118 lbs.
74-649/5A — Net ea. **$91.95**
74-652/9D — Lots 3 or more. FOB Ill. Net ea. **$86.98**

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

Valley-Craft Drum Handler Attaches to Your Fork Lift Truck

Grippers won't release drum while it's suspended
One Man Can Move, Lift, and Stack Drums . . . Using Your Present Power Equipment

Safe To Use and Saves Time, Work, Money

Mechanical drum handler attaches to fork lift truck in seconds . . . allows one man to pick-up transport and unload full steel drums. Lifts loads up to 1200 lbs. — contour recessed grippers lift anything from empty to fully loaded drums with gripping pressure exactly equalized to the weight. Grippers mechanically adjust to any drum size up to 55 gallon. As lifting commences, grippers tighten automatically and can't release drum while it's suspended; rubber lined grippers accommodate ribbed drums. Spreader cams take drum from 18" to 23"; jaw size is 6" x 15", contoured and recessed to prevent distorting or twisting the drum. Unit measures 34" long, 33" wide. Fork tube size up to 2" x 6" x 20". Shpg. wt. 140 lbs. FOB Minn.

74-092/8D—Net each **$308.98**

C&H Automatic Barrelifter Attaches to Your Fork Lift Truck

IN STOCK IMMEDIATE SHIPPING

WE SHIP UPS WHEN POSSIBLE


Attaches Without Drilling Holes
MODEL 74-007/6A
MODEL 74-026/6A
Handles fiber drums to 800 lbs.
Handles Steel Drums Up to 2000 Lbs.

Sturdy, but lightweight attachment for all fork lift trucks . . . installs or removes in seconds without drilling holes or in any way damaging truck. Cam-action level clamps to fork in one easy motion. It's virtually maintenance-free—only two moving parts, nothing to adjust, lose, or service. All welded steel, extends 2" from fork front.

FOR STEEL DRUMS—2000-lb. capacity

Stock Number	Fork Type	Ht.	Width	Wt. (lbs.)	Net Each
74-026/6A	Double	16½"	21"	53	$270.95
74-025/8A	Single	16¼"	7"	37	180.98

FOR FIBER DRUMS—800-lb. capacity. Quick-set adjustment.

74-007/6A	Single	36¼"	7⅞"	41	$270.95

Safe grip with eccentric action . . . easy to attach

As Low As $225

Steel Drum Grabbers

- **Eccentric action gripping arms hold drum securely—vertically**
- **Quick easy attachment—without hydraulic or electric connections**

Drum grabbers slide onto forks and are safety-locked into position by turndown screws . . . they're almost automatic! Fork lift operator moves into the drum, lifts, transfers and deposits any 30 or 55 gallon size, without leaving his seat . . . eccentric cam action applies a firm grip automatically by weight of the loaded drum. Will not slip! Afterward, the operator just relaxes the grip and backs away from the drum for automatic release. Gripping arms are ¾"x3" steel, fit fork pockets 5½"x2" I.D., spaced on 22" center to center. Heavy-gauge ⅓" steel. FOB Tenn.

SINGLE DRUM MODEL—handles one drum at a time

Stk. No.	For Drums	Capacity	Shpg. Wt.	Net Each
74-096/9D	55-gallon	1500 lbs.	125 lbs.	$225.00
74-097/7D	30-gallon	1500 lbs.	118 lbs.	265.00

DOUBLE DRUM MODEL—handles two drums at a time

74-098/5D	55-gallon	2500 lbs.	175 lbs.	$325.00
74-099/3D	30-gallon	2500 lbs.	165 lbs.	365.00

Adapter for larger (7"x2¼") fork pockets.

74-100/9D—Net each **$25.00**

Save on Hydraulic Drum Gripper and Tilter

Fits All Fork Trucks



Lifts drums vertically . . . then tilts hydraulically. Driver unloads contents without ever leaving his seat

The ultimate . . . grips and tilts a drum with controlled hydraulic power to as much as 180° with mast forward . . . and then returns it to its upright position. Drum can be gradually tilted—and stopped in any position as shown in small views at right. Operator can also position the drum in a horizontal or other position. Cylindrical objects or drums of any size can be efficiently handled because clamping jaws adjust instantly . . . and hydraulically apply pressure for safe lifting, transporting, stacking and dumping utilizing fork truck. Has a quick coupler for plugging into the hydraulic system and making it ready for operation in less than a minute.

Weight Capacity	Overall Size Length	Overall Size Width	Fork Tube	Jaw Size	Jaw Opening	Net Weight
2000 lbs.	47"	37"	1½"x6"x22"	6"x17"	9-24"	450 lbs.

74-628/9D—FOB Minn. Wt. 470 lbs. Net each **$1529.95**

HYDRAULIC CONTROLS with ¼" hose, 9' long, valve, brackets.

74-629/7D—FOB Minn. Wt. 1 lb. Net each **$230.63**

Lift Drums Safely, Save Manhours

Kontrol-Karrier for Remote Pouring



- Safer, easier
- Remote control
- One man job
- Cuts spillage
- 1500-lb. cap.



1. Solid vertical main frame
2. Heavy steel base plate
3. Turn chain wheel to tip . . .
4. Activates inner sprocket . . .
5. Which activates larger sprocket
6. Spur gear
7. Pinion shaft
8. Saddle
9. Safety in tipping

Manually operated unit.

Fit saddle . Raise, move . Tilt drum

Geared and chain-operated drum handler that enables the operator to tip accurately at any height or location in the plant—cuts labor time, minimizes spillage, improves safety. Easily operated by one man. All chain-operated units have a 6′ loop chain length. FOB WI. or N.Y. *In Stock.

Stock Number	For Drums Size Type	Cap. (lbs.) Full	½ Full	Wt. (lbs.)	Net Each
74-043/1A	55-gal. Steel*	800	500	75	$244.97
74-623/0D	55-gal. Steel	1500	800	90	366.99
74-054/8D	55-gal. Steel	2000	1000	200	989.95
74-045/6A	21-23″D Fiber + Steel*	800	500	75	274.98
74-624/8D	21-23″D Fiber + Steel	1500	800	90	397.90
74-039/9D	30-gal. Steel	800	500	75	254.95
74-040/7D	19-20½″D Fiber + Steel	800	500	75	284.94
MANUALLY OPERATED—For tipping at low levels.					
74-047/2A	55-gal. steel*	800	500	50	$96.98
74-049/8D	21-23″D Fiber + Steel	800	500	50	116.95
74-041/5D	30-gal. Steel	800	500	50	106.99
74-042/3D	19-20½″D Fiber + Steel	800	500	50	127.90

Morse Hydra-Lift Karrier Handles 55-Gal. Drums containing Up to 800 Lbs.

- One man can load, move, tilt and drain drum!
- Reduces labor costs! Improves quality control
- Welded steel—for precise control, super strength

Pays for itself in fewer accidents, man-hours saved! One man can handle, lift, move, drain 55-gallon drums—with safety to himself and the contents!
Saddle accommodates 55-gal. size. Saddle cinches for safe loading. 800 lb. full, 500 lb. half-full capacity. Easy-action hydraulic lift—25 strokes rapid position, 35 standard! Pump the handle just a few times—drum raises to 60″ height. Hydraulic ram and controlled release valve ensure precise height adjustment. Hand crank easily tilts drum through 360°!
Heavy-duty, welded all-steel frame for rugged service. Rolls on two 8″ rubber wheels, two 4″ swivel casters.

BEAT INFLATION! BUY AT WHOLESALE FROM C&H

74-076/1A in Stock Immediate Shipping

- Portable! Use anywhere—Karrier rolls to the job
- Safely handles full 800-lb. 55-gal. drums
- Loads, moves, tilts and drains 'em!
- One-speed hydraulic heavy-duty lift
- Lifts drum to 84″ above the floor
- Saves time! Ends back-breaking work!

Stk. No.	Lift Ht.	Lbs.	Net Ea.
74-076/1A	60″	285	$846.90
74-077/9D	72″	294	886.95
74-078/7D	84″	300	948.95

SADDLE ADAPTER for use with 30-gal.
74-034/0D—25 lbs. Net ea. $68.00



Attaches fast . . . lifts . . . dumps smoothly

YOU GET MORE FOR YOUR MONEY AT C&H

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

1 Grasps drum at ground level
2 Operator can raise drum
3 Operator uses chain wheel to tilt drum
4 Turns it 180° to empty—then rotates 360°

- Transports, lifts, tilts, drains drums

IN STOCK IMMEDIATE SHIPPING

Morse Fork Lift Carrier—Converts Fork Lift Into Barrel Handler—Saves Time, Work, Money

Lets fork truck operator transport, raise, tilt, and drain fully loaded drums . . . from the safety of his operator's seat. Karrier includes a safety, spring-loaded pawl on a hinged steel plate which is snapped between the chines of the drum and cinched tightly. The chain used to manipulate drums is 20′ long with a 10′ drop. Fork pocket size is 6½″ wide, 2″ high, 30″ deep. The two pockets are spaced 24″ apart, but the inside width between forks must be 24½″ minimum. Designed for 55-gal. drums, 22½″ diam. . . . these pockets take fork section 30″ from tip, not more than 6½″ wide, 2″ thick.

For 55-gal. drums.

Stock No.	Type	Full Cap.	Half Full	Wt.	Net Ea.
74-030/8A*	Standard	800 lbs.	500 lbs.	205	$458.90
74-032/4A*	Heavy-duty	1500 lbs.	800 lbs.	200	549.95
74-052/2D**	Super heavy-duty	2000 lbs.	1000 lbs.	310	1620.90

Same, but for 30-gal. drums; 19½″ diameter. FOB N.Y.

Stock No.	Type	Full Cap.	Half Full	Wt.	Net Ea.
74-031/6D	Standard	800 lbs.	500 lbs.	205	$499.95
74-033/2D	Heavy-duty	1500 lbs.	800 lbs.	200	590.98

Saddle Adapter—Converts 74-030/8D and 74-032/4D to fit 30-gal. drums.
74-034/0D—FOB N.Y. Wt. 25 lbs. Net each $68.00
*In-stock for immediate shipment **FOB N.Y.

BUY AT WHOLESALE FROM C&H—YOU GET MORE FOR YOUR MONEY!

Compartmented Double-Wall Drum Safety Cabinets

Flammable liquids a problem? Store them safely in a double wall cabinet that conforms to OSHA and Fire Underwriters requirements . . . and is approved by the N.Y.C. Board of Standard and Appeals. It's all welded of 18-ga. steel with 1½" air space and closely fitted door that has self-closing hinges and 3-point locking. Door sill is raised 2" above bottom (bottom is 14-ga.); 4" high legs keep cabinet safely off floor. Fully vented—(4" dia.) top exhaust outlet for venting to outer air, vent pipe cross sectional area of 10 sq. in. compartments vented top and bottom. Each unit is crated for safety.

(A) Store up to 200 gallons in one four-section cabinet. Includes two removable shelves—holds 55 gal. drums plus 5-gal. cans. Overall size: 60"x49"x55" high.
74-648/7D—Wt. 630 lbs. Net each **$840.00**

(B) Store one 55-gal. drum upright. Vent outlet, 4" diameter. Permits pumping directly from drum to small containers. Overall cabinet size: 32"x32"x75" high.
74-668/5D—Wt. 400 lbs. Net each **$517.00**

(C) Store up to 100 gallons in cabinet with one removable shelf. Holds one 55-gal. drum and 5-gal. cans. 30"x49"x55" high.
74-658/6D—Wt. 395 lbs. Net each **$532.00**

Double-Wall Drum Cabinets for Storing Flammables

Holds 55-Gal.
Drum with Cradle

D AUTOMATIC-DOOR DRUM CABINET

Store drum horizontally, right on its own cradle . . . be assured that in case of fire fusible door latch will allow door to slam shut. Double-wall safety cabinet is 18-ga. welded steel, measuring 34" x 50" with 45" x 27¼" opening for easy one-man drum loading. Cabinet meets Natl. Fire Code. Vents prevent vapor build-up. Lock and key discourage pilferage. Outfitted with 2" leakproof sill at bottom; four adjustable feet for easy leveling. Finished in high visibility yellow with "Flammable—Keep Fire Away" stenciled in red on door. Wt. 410 lbs.
74-134/8D—FOB Ind. List $710.00. Each **$532.50**

Same, but with two self-closing doors. Wt. 400 lbs.
74-148/8D—FOB Ill. List $742.00. Each **$507.75**

Same, but with two doors—not self-closing. Wt. 400 lbs.
74-138/9D—FOB Ill. List $690.00. Each **$474.95**

DRUM CRADLE FOR CABINET ABOVE

Designed for easy one man loading. Saves time. Shpd. KD.
74-505/9A—Wt. 40 lbs. Net each **$52.98**

E SPACE-SAVING DRUM CABINET

Vertical drum storage saves valuable floor space! Compact 34" x 34" x 65" high cabinet takes only 9 sq. ft. . . . holds a 55-gal. drum with transfer pump intact. Cabinet conforms to OSHA regulations. Double-wall 18-ga. welded steel construction; double doors for easy access . . . doors have 3-point door lock with key. Wt. 400 lbs.
74-617/2D—FOB Ill. List $737.00. Each **$484.95**

Same, but with self-closing double doors. Wt. 400 lbs.
74-149/6D—FOB Ill. List $798.00. Each **$521.85**

Similar, but sliding door, fusable door latch. 401 lbs.
74-140/5D—FOB Ind. List $710.00. Each **$532.50**



Well-Designed Faucets Lower Maintenance Costs



F SELF-CLOSING DRUM FAUCET

Automatic safety shut-off, internal explosion-proof flame arrestor. Lightest weight zinc die-cast faucet has heavy-duty handle for padlocking in closed position, precision machine valve seat, all-weather Celcon valve. ¾" tapered pie thread. Static ground hook. (Not for use with clorinated solvents, high acids, or alkalines.) Wt. 1 lb.
74-021/7A—Net ea. **$12.98.** Each (lots/12) **$11.90**

G BRASS FAUCET WITH RIGID SHANK

Self-closing faucet with built-in fire baffle, long-lasting Teflon seal. Hand pressure regulates flow. FM approved. Handles up to 30 weight motor oil. ¾" IPT. Fine value at this price.
74-155/3A—Net ea. **$23.90.** Each (lots/6) **$21.70**

Same, but for more viscous liquids—40 wt. motor oil to 70° F.
74-150/4A—Net ea. **$23.98.** Each (lots/6) **$21.75**

H BRASS FAUCET WITH ADJUSTABLE HEAD

Self-closing; hand pressure permits flow. Has built-in fire baffle with Teflon seal. ¾" IPT. For up to 30 wt. motor oil. FM apprd.
74-154/6A—Net ea. **$33.88.** Each (lots/6) **$30.98**

Same, but stainless steel for use with flammables. FM apprd.
74-151/2A—Net ea. **$88.95.** Each (lots/6) **$83.90**

Portable American-Made Stainless Steel Mixers Priced for Savings at C&H

C LOW COST BUNG ENTERING MIXER

As Low As $231.95





A DIRECT DRIVE STANDARD MIXER

As Low As $162.92





Electric, Air Powered, or Explosion Proof, Mixers Make Blending of Fluids Fast and Easy

Take the hard work out of mixing with a compact but thoroughly dependable electric or air-powered mixer . . . C&H offers a big selection to meet your particular mixing requirements. All boast finest quality 316 stainless steel construction and easy handling. Choose 01 single prop mixers for stirring light viscosity fluids such as water base mixtures, light oil, syrups . . . or 02 dual prop mixers for large volumes of fluids to assure dispersion of heavier materials into lighter and to assure adequate blending with minimum effort. When ordering specify prop number and name. All mixers FOB Pa.—shipped UPS if under 50 lbs. to save you money. *For explosion proof motors, see bottom left hand corner of section for ordering information.

A DIRECT-DRIVE ECONOMY MIXERS

316 stainless steel construction—for low viscosity fluids. 1725-rpm operation, with universal clamp. Wt. 30 lbs.

Stock Number	Motor Description	Net Each 01 Prop	Net Each 02 Prop	*Explosion Proof
74-176/9DX	¼ HP/1/115/TE	$162.92	$179.90	$ 77.00
74-177/7DX	¼ HP/1/115-230/TE	185.93	202.88	N/A
74-178/5DX	⅓ HP/1/115-230/TE	199.90	217.92	97.00
74-179/3DX	½ HP/1/115-230/TE	223.91	241.95	100.00
74-180/1DX	½ HP/3/230-460/TE	219.95	237.85	133.00
74-181/9DX	⅓ to ½ HP Air Motor	190.96	208.86	



B OUR FINEST BUNG ENTERING MIXER

As Low As $315.97

B BUNG ENTERING MIXERS

Screw-in style mixer for 2" bung. 316 stainless steel construction. 1725-rpm operation . . . provides efficient vertical circulation and high shearing action—dispenses solids effectively, blends all liquids. Wt. 20-25 lbs. Specify 01 reg. or 02 explosion proof motor.

Stock Number	Motor Description	Net 01 Each	*Explosion 02 Proof
74-182/7DX	¼ HP/1/115-230/TE	$315.97	$ 84.00
74-183/5D	¼ HP/3/230-460/TE	320.98	N/A
74-184/3DX	⅓ HP/1/115-230/TE	328.90	104.00
74-185/0DX	⅓ HP/3/230-460/TE	326.99	143.00
74-186/8D	¼ HP to ½ HP Air Motor	429.90	

C LOW-COST BUNG ENTERING MIXERS

Clamp-to-drum style for 2" bung. 316 stainless steel construction. 1725-rpm operation. Wt. 20-25 lbs. Specify 01 regular or 02 explosion proof motor.

Stock Number	Motor Description	Net 01 Each	*Explosion 02 Proof
74-187/6DX	¼ HP/1/115-230/TE	$231.95	$ 95.00
74-188/4DX	¼ HP/3/230-460/TE	234.96	131.00
74-189/2DX	⅓ HP/1/115-230/TE	253.88	196.00
74-190/0DX	⅓ HP/3/230-460/TE	253.88	142.00
74-191/8D	¼ HP to ½ HP Air Motor	230.90	

***FOR EXPLOSION PROOF MOTORS ADD PRICE SHOWN TO BASE PRICE.**

WE SHIP UPS WHEN POSSIBLE

YOU GET MORE FOR YOUR MONEY AT C&H!

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

***Explosion Proof Motors**
For adding explosion proof motors onto standard mixers in sections A and B specify 03 for adding explosion proof to the single propeller models or 04 for the dual propeller models.



Drum Safety Vents Prevent Accidents

- **Prevent explosion, fire, airlock in drums holding flammables**

Don't take chances! Low-cost safety drumvents provide protection far in excess of their price. Vents protect drums holding flammable liquids—automatic pressure relief at 5 psi, venting capacity, 18 CFM at 40 psi. Made of brass, fits standard 2" bung opening, 2" IPT thread . . . releases explosive pressure and recloses, prevents external fire or sparks from reaching contents, opens to "vent" in outside air, closes tightly when not in use. Both carry Factory Mutual approval.

(D) Vertical Drum Vent with automatic pressure and vacuum relief.
74-131/4A—List $55.60.
Ea. **$47.95.** Ea. (lots/6) **$44.50**

Elbow for horizontal storage. 2 lbs.
74-132/2A—For 2" opening. Net **$6.70**
74-133/0A—For ¾" opening. Net .. **$7.50**

(E) Horizontal Drum Vent with automatic pressure relief and manual vacuum relief—meets the needs of horizontal drum storage needs, provides safety—needs no adjustment.
74-656/0A—List $35.20.
Each $29.98 Each (lots/6) **$27.50**

Thompson Heavy-Duty Automatic Portable Transfer Pumps

Available with Air Drive



Available with Air Drive

CHOOSE TYPE AND MOTOR TO MEET YOUR NEEDS!

- CPVC/Hostelloy C shaft
- All 316 stainless steel shaft
- All Hostelloy C shaft
- Standard and special tube lengths
- Electric, air, explosion proof motors



Fast, Portable, Economical Pumps Up to 25 GPM, Up to 32'

Empties a 55-gal. drum in just 2 min.! Available for all corrosive materials, water to liquids up to 200 centipoise. Specific gravity of 1.4 available with electric or air motor drive. Each motor includes 36" flexible vinyl tubing and wall mounting handle; double ball bearings, long life mechanical seal and hardened drive pin, quick disconnect. Teflon impeller, 1" hose connection.

PERFORMANCE GRID



CPVC SHAFT with 1⅜" TUBE

Stock Number	Motor Type-Size	RPM	Wt. (lbs.)	Net Each
74-194/2D	½ HP Elec.*	7500	19	$348.95
74-195/9D	Air	6000	20	386.92
316 STAINLESS STEEL with 1⅜" TUBE				
74-196/7D	½ Hp Elec.*	7500	20	$382.85
74-197/5D	Air	6000	21	418.88

*110/115 AC/DC, 50/60 cy.

Continuous Duty Workhorse Pumps Up to 18 GPM, to 22' Head

Handles acids and chemicals up to 400 CPS with electric motors, up to 2000 CPS with air motor drive—1.85 specific. Teflon impeller, 1" hose connection. With double ball bearing motor, 36" tubing.

PERFORMANCE GRID



CPVC SHAFT with 1⅜" TUBE

Stock Number	Motor Type-Size	RPM	Wt. (lbs.)	Net Each
74-198/3D	¼ HP Elec.*	3450	31	$424.93
74-199/1D	Air Drive	6000	20	453.97
74-200/7D	½ HP Exp. Prf.*	3600	40	559.90
316 STAINLESS STEEL with 1⅜" TUBE				
74-201/5D	¼ HP Elec.*	3450	32	$441.91
74-202/3D	Air Drive	6000	21	475.85
74-203/1D	½ HP Exp-Prf.*	3600	41	572.96
HASTELLOY SHAFT with 1⅜" TUBE				
74-204/9D	¼ HP Elec.*	3450	32	$1176.89
74-205/6D	Air Drive	6000	21	1233.86
74-206/4D	½ HP Exp-Prf.*	3600	41	1298.97

*115V, 60 cy.

All FOB Penn.

WE SHIP UPS WHEN POSSIBLE

MOTOR CHOICES FOR TRANSFER PUMPS
- **ELECTRIC MOTOR**, single phase with 3-wire grounded 10' cord, on-off switch
- **AIR MOTOR**, 50-90 psi operating range, with flow regulator valve, airline-oil lub., ⅛" connection.
- **EXPLOSION PROOF MOTOR**, single phase, with heavy-duty cord.



All FOB Penn.

WE SHIP UPS WHEN POSSIBLE

Sethco Carboy and Drum Pumps w/3450-RPM Magnetic Drive

- Efficient Liquid Handling
- Corrosion-Resistant
- Automatic and Non-Toxic
- Choice of CPVC or SS
- Leakproof
- Lightweight
- Self-Priming

Automatic lightweight self-priming—imperative where safety is a factor. Two powerful permanent ceramic magnets drive pump—no leakage because there's no contact between drive and driven magnets. No packings or seals to wear or replace. Fixed and free-wheeling diffusers and impellers on shaft deliver high flow and pressure with half the motor speed. Lower speed and smoother, vibration-free performance assure longer pump life. Easy access to all parts. Choice of motors: Enclosed motor is thermally-protected fan-cooled ¼-HP, 115V, 60/50 Hz, 1-ph. 3200/2750 RPM with 15' 3-wire cord and grounded plug . . . or air-powered motor with valve for flow rate control (needs average 40-60 lbs., pressure from 5' to 7' per min.) and hazardous duty UL listed portable Class 1, Groups C and D, 115V, 60 Hz, 1-ph. with built-in switch. Polypropylene pumps have 10' Vinyl hose. FOB N.Y.

Up to 14 GPM w/water based solutions





WE SHIP UPS WHEN POSSIBLE

Flow Regulator. 74-128/0D— Net ea. **$38.25**

Pump MOTOR	Size	CPVC/POLYPROPYLENE for acids, alkalies, corrosives, aqueous to 160° F. 10' vinyl hose incl. Stk. No.	Lbs.	Net Each	STAINLESS STEEL/KYNAR for solvent pharmaceuticals, solutions to 200° F Stk. No.	Lbs.	Net Each
Enclosed	28"	74-107/4D	11	$295.90	74-114/0D	13	$365.88
	40"	74-109/0D	12	305.95	74-115/7D	14	375.90
Air	28"	74-112/4D	6	$285.98	74-126/4D	7	$355.98
	40"	74-113/2D	7	295.92	74-127/2D	8	365.95

Grease Lube Pumps and Guns

WE SHIP UPS WHEN POSSIBLE

A CHASSIS GREASE PUMP SAVES TIME

Convenient portable air powered pump for 120-lb. full-open head drums. Has pump cover, air motor oiler, coupler. 6" high pressure hose, "Z" swivel control handle and drum dolly. 100 PSI max. recommended air pressure. FOB Ia.

72-749/5D—List $570.26. 31 lbs. Each **$435.90**

For 5-Gal. Pails (open head). With pump, cover, clamping ring, air motor oiler, coupler, follower plate, 6' high pressure hose, "Z" swivel, control handle. 100 PSI maximum. Wt. 24 lbs.

72-750/3D—List $472.89. Each **$360.50**

B GREASE-GUN FILLER PUMP

Fits open head pails through 6½-gal. size; includes pump pail cover, follower plate and loader nipple.

72-757/8D—List $19.21. FOB Ia.
Each **$16.99.** Each (lots/3) **$15.88**

C ZEEMATIC GREASE GUN

Standard lever style can develop 10,000-lb. pressure, finished in blue. Spring primed filled by 14½-oz. cartridge, filler pump or suction. Wt. 4 lbs.

72-771/9D—Net ea. **$7.95.** Ea. (lots/3) **$6.99**

Drum Pumps Save Time, Prevent Accidents

Dispense and Transfer Liquids Without Waste or Damage!

WE SHIP UPS WHEN POSSIBLE

FOR ORDERS ONLY Phone Toll Free 800-558-9966 For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



FM-Appr. Complies with OSHA

Free-Flowing 10-GPM/115 REV. Rotor Pump

No jam-ups. Floating rotor design permits easy clearing of clogged pump. Built-in pressure, vacuum relief. Cast iron pump, sintered rotor, durable vanes. Holds high suction lift with little self-primping loss. Intake tube is adjustable 22" to 40". 20 psi maximum pressure with 2" lung adapter. FOB Ill.

Stk. No.	Description	Lbs.	List	Each
74-269/2D	Transfer pump for petroleum and general solvents w/8-ft antistatic hose, ¾-in. nozzle.	24	$165.00	$126.92
74-270/0D	Transfer pump for noncorosive chemicals, petroleum and general solvents w/6-ft lined antistatic hose, ¾-in. nozzle	23	205.00	157.69
74-272/6D	Dispensing pump for noncorrosive chemicals, petroleum and general solvents, w/¾-in. threaded spout, return tray	28	180.50	138.84

OPTIONAL 20-GAL. COUNTER KIT w/10,000 Totalizer
74-277/5D—1 lb. List Price $49.50
Net Each $39.00

High Speed Rotary Pump

Only **$52.75** In quantity

- **Easy 6 gpm manual pump**
- **Cast iron body**

High speed efficiency at low cost! Simple syphon action occurs after several turns of the handle—eliminates drum pump work. Pumps 6 gallons per minute—use on petroleum fuels, light oils, waxes, hydraulic oils, antifreeze, etc. Cast iron body with brass blades, steel tube suction pipe and PVC plastic tubing. Wt. 9½ lbs.
74-141/3A—Net now $59.98 Each
(lots/3) **$52.75**

SYPHON Drum Pump

Low As **$9.88** in quantity

- **5.1 gpm max. delivery**
- **For acids, oil, wax**
- **Cleansers, disinfectants**

Fits 55-gal., adapts for 15-gal. or 30-gal. drums. No leakage. Powerful delivery is U.S. maximum. Permits dispensing acids, corrosives, caustics, oils, waxes, disinfectants. For steel drums having 2" female IPS opening. Wt. 4½ lbs.
74-136/3A—
Net ea. $12.98.
Ea. (lots/3) $10.90
Same, but for 5-gal. containers. Tapered adaptor fits most containers. Wt. 3½ lbs.
74-139/7A—
Net ea. $10.98.
Ea. (lots/3) $9.88

All-Steel Drum Pump

low as **$15.88**

- **For non-corrosive liquids**
- **Tough Uni-weld design**

Low-cost performance—saves countless hours! Equipped with telescoping tube assembly to fit 15 to 55-gallon drums. Unique Uni-Weld design provides greater strength and reduces the possibilities of leakage. Self-priming, efficient — pumps nearly a pint of SAE 30 oil per stroke. Dual brass piston rings; 2" pipe threaded base, ¾" threaded spout. 6 lbs.
74-618/0A—Net ea. $17.95
Each (lots/3) $15.88



Rotary-Vane Barrel Pump

low as **$41.88**

- **5 gals. at 100 rpm!**
- **Tough cast-iron**

Time-saving rotary vane pump for use on 15-gal. to 55-gal. drums . . . transports light to medim weight oils, petroleum fuels and similar non-corrosive materials ¾" discharge spout, 1¼"x40" suction pipe. 2" adjustable bung adapter. Extremely serviceable cast-iron construction. Wt. 17 lbs.
74-659/4A—Net ea. $44.90
Ea. (lots/3) $41.88



Extra High Volume DIAPHRAGM PUMP

IN STOCK IMMEDIATE SHIPPING

Low As **$68.95**

- **For oil, lubricants**
- **For water solutions**
- **For gasoline, diesel fuel**

Lots of leverage—just 9 strokes deliver a gallon through the hose. Low-friction design, with minimum moving parts. Extra-big fuel-resistant nitrile diaphragm has 30% greater action surface. Telescoping suction pipe with neoprene O-ring seal. Wire mesh screen removes particles over 3/32". 8' hose with ¾" couplings, plain nozzle. 14 lbs.
74-620/6A—Net ea. $71.98
Each (lots/3) $68.95

Polyvinyl chloride bodies
DuPont Viton seals, valves
Copolymer poly hose



Designed to withstand most acids (except those listed in chart below). Pumps are 36" long, with 1½" diam. . . . pump a gallon of liquid in 6 strokes. Made to withstand temperatures to 135°F.

Key Ltr.	Stock Number	Adapter	Hose Lgth.	Net Each
B	74-600/8A	none	3'	$22.95
B	74-601/6A	none	6'	25.95
A	74-602/4A	Std.2"IPS	3'	23.95
A	74-603/2A	Bung	6'	26.95
A	74-604/0A	Buttress	3'	23.95
A	74-605/7A	"Del Drum"	6'	26.95
D	74-606/5A	Glass	3'	24.95
D	74-607/3A	Carboy	6'	27.95
C	74-608/1A	Poly	3'	24.95
C	74-609/9A	Carboy	6'	27.95

NOT FOR THE FOLLOWING CHEMICALS: Acetone; Amyl acetate; Aniline; Benzaldehyde; Benzoly chloride; Butyraldehyde; Bromine, anhydrous liquid; Butyl acetate; Carbon tetrachloride; Chromic acid; Ethyl acetate; Ethyl chloride; Lacquer solvents; Naphthalene; Toluene; Trichloroethylene Hydrocarbons. Please notify us and we will provide proper seals at no extra charge for chemicals below. Acetic acid; ammonia anhydrous; methyl alcohol; nitric acid; hydrochloric acid. Not recommended for lacquers, solvents or Hydrocarbons.

Stainless Steel Pump

Low As **$74.50**

- **Dripless design**
- **For most liquids**
- **Ideal for solvents and thinners**

Corrosion-proof stainless steel drum pump meters full 8 ounces on each upstroke — fits 55, 30 or 15-gal drums . . . also 5-gal. pails with 1¾" openings. Threaded vented plastic bung locks pump to drum. No danger of spillage and bung leaks. Leakproof Teflon packing and polyethylene piston provide long life. Elliptical handle may be locked. 3 lbs. List $85.90.
74-610/7A—Net ea. $78.98
Each (lots/3) $74.50
Not recommended for Aqua Regia, Bromine Water, Chloroacetic Acid, Chlorine Water, Ferric Chloride, Ferrous Chloride, Freon 12, Hydrobromic Acid, Hydrochloric Acid, Stonnic Chloride and Sulfuric Acid.



VANE-TYPE Barrel Pumps



- **For liquids to 300°F**
- **Tough cast iron**
- **Pumps up to 2000 SSU or 30W lube oil and up to 10,000 SSU (below)**

Low as **$58.95**

For transferring light to medium non-corrosive liquids. Rated at 10 gals. per 115 revolutions. Has ¾" discharge spout, ¾x40" telescoping suction pipe, 2" bung adapter.
74-014/2A—19 lbs.
Net each $61.98.
Each (lots/3) $58.95
8' of ⅝" neoprene hose with a non-sparking nozzle and nozzle hanger. Makes pump suitable for volume liquid transfer. 5 lbs.
74-015/9A—Net ea. $10.98.
Same, but for rapid transfer of fuel, lubes, non-corrosive industrial process liquids with maximum viscosities to 10,000 SSU . . . or for permanent in-plant system. Has 1¼" discharge spout, 40" suction pipe, 2" bung adapter. 14 gals. per 115 revolutions.
74-059/7D—Shpg. wt. 31 lbs. FOB Mich.
Net each $81.95. Each (lots/3) $77.98

Zip Off Barrel Tops Fast — Save Time, Labor, Money!



3-Way Drum Opener . . . Use with Electric or Pneumatic Drill or Manually

Heavy-duty performance, but only 30 lbs. in weight! Use 400-700 RPM ½" electric or pneumatic industrial grade drill with constant 90 PSIG air supply—convert to manual operation by removing the drill and attaching crank arm. Has adjustable cutting depth, cutter and drive rollers tool-steel hardened to 58-60 Rockwell C scale. Bronze gear, hardened steel worm, sealed worm gear.

74-053/0D—Wt. 33 lbs. FOB Wis. Net each **$445.98**

74-500/0D—Extra cutting wheel. 1 lb. Net each **$60.00**

Low-Cost Drum Top Opener—One Man Can Open It With One Hand

As Low As **$47.50**

Quick, easy opening. Speedily zips the lid off any size or any gauge drum . . . takes only 30 seconds, needs only one hand to do it! Leaves a smooth edge; drums are reusable. No danger of cut or mashed fingers, no danger of explosive fires from sparks or from torching, no danger of damaging expensive power tools trying to remove stubborn lids. Made of forged steel with alloy steel blade. 6 lbs.

74-122/3A—Net ea. $49.95. Ea. (lots/3) **$47.50**

74-123/1A—Blade. Net ea. **$13.87.** Ea. (lots/3) **$12.93**

Our Best Quality Plug Wrench Is Guaranteed To Open Every Size Drum

Low As **$16.89**

Opens virtually all types of metal or plastic, male and female bung nuts or plugs . . . this tough annealed ductile iron plug wrench is guaranteed not to bend or chip under normal pressure. Offset handle makes this plug wrench exceptionally easy and safe to use—protects operator's knuckles in all positions. Drum opening is almost automatic.

74-625/5A—Net each **$17.98.** Wt. 4 lbs. Each (lots/3) **$16.89**

Hevi-Duti Model of non-sparking manganese-bronze alloy for really tough jobs.

74-626/3A—Net each **$32.95.** Wt. 4 lbs. Each (lots/3) **$30.95**

Wizard Drum Deheader Leaves Clean Safe Edge So Drums Are Re-Usable

Manual drum deheader is easy to use

Don't discard empty drums—turn them into convenient waste and/or storage receptacles. The cost is practically nil! You don't have to be an expert to do it—just put the Wizard to work. It's patented horizontal continuous cutting principle zips off drum tops in one easy operation. Top edge of container is smooth and safe. Deheading tool is lightweight, easy to handle and store. Shpg. wt. 20 lbs. FOB Wis.

74-641/2D—Net each **$219.50**

Extra Cutting Wheel for above. FOB Wis.

74-642/OD—1 lb. Net ea. **$60.00**

LARGE SIZE

SMALL SIZE

Durable All-Steel Strap Cutters In Two Easily Managed Sizes

As Low As **$24.98**

...dy, safety cutter snip strapping and ...anding with one quick motion! Flat undersurface lets you slide cutter neatly under tight strapping—precision machine jaws grasp both ends of the strap while cutting to eliminate danger of rebound. Made of heat-treated alloy steel to last—simple two-piece construction ends danger of foul-ups. Treated to resist rust, corrosion, plastic-coated handles give a sure grip.

72-418/7A—13" size. For bands up to ¾" wide and .030 thick. Net. ea. **$26.95.** Ea. (lots/3) **$24.98**

72-419/5A—18" size. For bands up to 2" wide and .050 thick. Net. ea. **$89.95.** Ea. (lots/3) **$81.98**

Wizard/Schinker Drum Wrenches at Savings

Wrenches to open 180 U.S. and foreign made bungs; hexagonal or square plugs, bungs, and fittings, male or female types; plugs with crossbars or lugs. Rugged cast construction—angled to clear chines and protect operator's knuckles.

NON-SPARKING, rustproof, manganese bronze for maximum service. 4½x18" long, 3½ lbs.

74-028/2A—Net ea. **$22.75.** Ea. (lots/3) **$20.98**

SHOCK-RESISTANT Wizaloy, high-strength 60-45-15 ductile iron for durability. 4½x18". 3½ lbs.

74-029/0A—Net ea. **$16.98.** Ea. (lots/3) **$15.75**

Non-Sparking Alloy Bronze Plug Wrench with Easy Offset Handle

As Low As **$17.88**

Here's triple to quadruple the yield strength and hardness of aluminum . . . yet bronze alloy is non-sparking, safer in explosive situations. It's highly resistant to corrosion. Offset handle minimizes knuckle busting, lets you get in tight spots.

74-124/9A—Net ea. **$19.98.** 2 lbs. Each (lots/3) **$17.88**

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Free-Wheeling Dollies Save Time, Manpower

A FLUSH-PLATFORM 900-LB. WOOD DOLLY

Ideal for furniture moving! Extra-strong, completely varnished, seasoned, hard wood platform. Four countersunk ball-bearing race swivel casters; 3" hard rubber wheels, ball bearings in swivels. All bolted; 5½" high. FOB Wis.

Stk. No.	Platform	Shpg. Wt.	Net Ea.	Ea. (lots/6)
71-040/0D	24x18"	16 lbs.	$43.95	$40.98
71-041/8D	30x18"	19 lbs.	44.60	41.50
71-042/6D	36x24"	20 lbs.	47.50	43.98

B SOLID-PLATFORM 900-LB. WOOD DOLLY

Plenty of strength for all types of loads up to 900 lbs.! Completely varnished. Seasoned hard wood platform on four countersunk ball-bearing race swivel casters, 3" hard rubber wheels. Bolted construction assures long, trouble-free service. 5½" high. FOB Wis.

Stk. No.	Platform	Shpg. Wt.	Net Ea.	Ea. (lots/6)
71-043/4D	24x18"	18 lbs.	$45.60	$42.63
71-044/2D	30x18"	24 lbs.	46.90	43.85
71-045/9D	36x24"	30 lbs.	52.70	49.27

C BUDGET-PRICE 900-LB. BALL-BEARING DOLLY

Open-type, bolted platform constructed of completely varnished hard wood; mounted on countersunk ball-bearing race 3" hard rubber swivel casters for easy maneuvering. Capacity to 900 lbs.! Low-cost solution to shop-garage-factory moving jobs! FOB Wis.

Stk. No.	Platform	Shpg. Wt.	Net Ea.	Ea. (lots/6)
71-459/2D	24x18"	14 lbs.	$40.98	$38.50
71-460/0D	30x18"	17 lbs.	41.95	39.00
71-461/8D	36x24"	19 lbs.	42.99	39.98
CARPET-COVERED DOLLY (Same as C but with carpeting.)				
71-236/4D	24x18"	16 lbs.	$51.50	$48.48
71-237/2D	30x18"	19 lbs.	52.75	49.52
71-238/0D	36x24"	21 lbs.	53.80	49.99

D 2000 LB. ARC-WELDED STEEL FLUSH DOLLY

2,000-lb. capacity! 16x27x5½" high platform for big loads! Arc-welded steel angles provide a smooth top; mounted on four swivel casters with 4" steel wheels. 30 lbs. FOB Ohio.

71-037/6D—Net ea. **$79.98.** Each (lots/3) **$74.95**

Same, but rubber-tired wheels. 1600-lb capacity.

71-038/4D—Net ea. **$76.90.** Each (lots/3) **$72.50**

E-Z Mover Dollies Hold the Load Securely . . . Move 2000 Lbs. of Big, Bulky Crates, Cabinets, and Desks

Moves big bulky loads when nothing else will! Easy to use — place a dolly at each end of the load, slide the lifting plates or forks underneath and operate jack until load clears the floor. Screw-jacks automatically hold the load at any position and provide positive lowering control. Maximum lift is 13" to allow lifting loads which are on legs. Lifting mechanism glides up and down on enclosed low-friction rollers — no metal sliding on metal! Heavy-gauge steel dolly units have elevating load plate notched at the centers and measuring 28" wide, 3½" deep, and ½" thick. No straps are needed — unit fits snugly to both sides of the load. Use a pair to lift a 2000-lb. load. Unit is 44" high (Order casters below — specify type when ordering basic unit.) FOB Fla.

71-052/5D—Pr. of dollies.
Shpg. wt. 66 lbs.
Net ea. pr. **$279.95**

5" CASTERS for dollies above. Sold in sets of four, be sure to specify type desired.

Stock Number	Specify No. & Name	Wt. (lbs.)	Net Ea. Set/4
71-053/3DX	01-Phenolic resin	18	$60.00
	02-Polyurethane	22	99.00
	03-Semi-steel	22	81.00

Big Capacity Hydraulic Rol-A-Lifts

ROL-A-LIFT
Sold only in pairs.
One man can move big machinery, big motors, racks of shelving, stacks of plywood, big presses, and mining screens

Lift and move big, bulky machinery or fragile computers, plate glass, electrical panels with cost-cutting ease. Rol-A-Lift moves in any direction! Reduces damages, protects floors. Saves time! Hand-actuated hydraulic jack raises and lowers at controlled speeds—operates easily. Safety adjustable forks adapt for various width loads. All welded, reinforced steel frame. 71-062/4DP has phenolic swivel wheels, the rest have steel. FOB Minn. Sold only in pairs.

Stock Number	Pair Cap.	Hydr. Lift	Fork Size	Fork Adjusts	W	Overall D	H	Wt. (lbs.)	Net Ea. Pair
71-062/4DP	2,000 lbs.	5⅛"	5x¾"	7¼-17½"	22"	12½"	47½"	170	$590.93
71-063/2DP	4,000 lbs.	12"	6x1⅛"	5-19½"	22½"	16½"	44"	296	762.67
71-064/0DP	6,000 lbs.	6"	6x1⅛"	6-19½"	22½"	16¾"	42½"	325	853.90
71-065/7DP	8,000 lbs.	6"	6x1⅛"	7¼-19½"	25"	17¼"	45"	400	933.88
71-066/5DP	10,000 lbs.	6"	6x1⅛"	9¼-19½"	25"	18"	45½"	466	1050.95

Fairbanks Easy-Action Lever Trucks

As low as **$73.88**



IN STOCK IMMEDIATE SHIPPING

Up to 5000 lb. capacity

Gets under extremely heavy loads

For riggers, truckers, stevedores, freight handlers. Selected perfect grain oak handles, rounded and smoothed. Beveled nose is iron bolted to handle for greatest strength. Truck rolls on 5" x 1½" semi-steel wheels with grease fittings. Three capacities.

3500-LB. CAPACITY with 60" handle, 5" nose. 26 lbs.
71-385/9A — List $120.00. Ea. **$77.76.** Each (lots/3) **$73.88**

4250-LB. CAPACITY with 72" handle, 6" nose. 32 lbs.
71-386/7A — List $135.00. Ea. **$87.98.** Each (lots/3) **$83.68**

5000-LB. CAPACITY with 84" handle, 7" nose. 39 lbs.
71-387/5A — List $143.00. Ea. **$92.96.** Each (lots/3) **$87.99**

Finest Quality Swivel and Rigid Casters

WE SHIP UPS WHEN POSSIBLE

Strong Low-Cost Casters for a Multitude of Uses



Pictured with Soft Rubber

Countless uses in warehouse, shop, industry. **Swivel Casters** — Hardened steel balls roll in large diameter lubricated raceway. Corrugated top plate eliminates bending. **Rigid Casters** — Caster horn, top plate of 1-piece heavy-gauge steel. When nut is tightened, rim gives a lock washer effect.

Stock numbers ending in "A" are in stock for immediate shipping. All others are FOB NJ.

SWIVEL CASTERS—PLAIN BEARINGS

Stock Number	Wheel Diam. & Face	Mounting Holes (in.)	Ht.	Type	Rate Load	Wt. (lbs.)	Each	Each (lots/12)
71-248/9D	2x1"	15/16x21/8	2 1/2"	Semi-Steel	125#	.5	$2.30	$2.19
71-249/7D	2x1"	15/16x21/8	2 1/2"	Soft Rubber	90#	.4	1.95	1.85
71-067/3A	2x1"	15/16x21/8	2 1/2"	Hard Rubber	125#	.4	1.95	1.85
71-250/5D	2 1/4x1 1/4"	1 3/4x3	3 1/2"	Semi-Steel	200#	1.0	5.15	4.89
71-251/3D	2 1/4x1 1/4"	1 3/4x3	3 1/2"	Soft Rubber	100#	1.0	5.00	4.75
71-068/1A	2 1/4x1 1/4"	1 3/4x3	3 1/2"	Hard Rubber	200#	.8	5.00	4.75
71-252/1A	3x1 1/4"	2 3/4x3 7/16	3 13/16"	Semi-Steel	250#	1.9	5.70	5.42
71-253/9D	3x1 5/16"	2 3/4x3 7/16	3 13/16"	Soft Rubber	150#	1.9	5.95	5.65
71-069/9A	3x1 5/16"	2 3/4x3 7/16	3 13/16"	Hard Rubber	225#	1.3	5.95	5.65
71-254/7D	4x1 1/4"	3x4	5"	Semi-Steel	400#	2.8	8.70	8.27
71-255/4D	4x1 1/4"	3x4	5"	Soft Rubber	240#	2.8	9.80	9.31
71-070/7A	4x1 1/4"	3x4	5"	Hard Rubber	400#	2.6	9.80	9.31

RIGID CASTERS—PLAIN BEARINGS

Stock Number	Diam. & Face	Mounting Holes (in.)	Type	Load (ea.)	Wt. (lbs.)	Each	Each (lots/12)
71-256/2D	2x1"	31/32x21/8	Semi-Steel	125#	.5	$2.15	$2.04
71-257/0D	2x1"	31/32x21/8	Soft Rubber	90#	.4	1.75	1.66
71-071/5A	2x1"	31/32x21/8	Hard Rubber	125#	.4	1.75	1.66
71-258/8D	2 1/4x1 1/4"	1 1/16x3 15/32	Semi-Steel	200#	1.0	3.55	3.37
71-259/6D	2 1/4x1 1/4"	1 1/16x3 15/32	Soft Rubber	100#	1.0	3.40	3.23
71-072/3A	2 1/4x1 1/4"	1 1/16x3 15/32	Hard Rubber	200#	.8	3.40	3.23
71-260/4A	3x1 1/4"	1 3/4x4	Semi-Steel	250#	1.9	4.90	4.66
71-261/2D	3x1 5/16"	1 3/4x4	Soft Rubber	150#	1.9	4.90	4.66
71-073/1A	3x1 5/16"	1 3/4x4	Hard Rubber	225#	1.3	4.90	4.66
71-262/0D	4x1 1/2"	2x5	Semi-Steel	400#	2.8	8.10	7.70
71-263/8D	4x1 5/16"	2x5	Soft Rubber	240#	2.8	7.60	7.22
71-083/0A	4x1 5/16"	2x5	Hard Rubber	400#	2.6	7.60	7.22

SIDE BRAKING CASTERS

71-074/9D	2x1"	15/16x21/8	Soft Rubber	90#	.5	$ 2.95	$ 2.80
71-075/6D	2x1"	15/16x21/8	Hard Rubber	125#	.6	2.95	2.80
71-076/4D	3x1 5/16"	2 3/4x3 7/16	Soft Rubber	150#	1.6	6.95	6.60
71-077/2A	3x1 5/16"	2 3/4x3 7/16	Hard Rubber	225#	1.7	6.95	6.60
71-078/0D	4x1 5/16"	3x4	Soft Rubber	240#	3.15	10.80	10.26
71-079/8A	4x1 5/16"	3x4	Hard Rubber	400#	3.4	10.80	10.26

Overall heights are the same on rigid casters as on swivel



Side Braking Available for all models.

SAVE as much as 50%

Light-Duty Casters

Pictured with Soft Rubber

Ideal for chests, utility trucks, etc. Ruberex tires, plain bearing wheels, zinc finish. **Swivel Casters** — Two full rows of hardened ball bearings in lubricated, hardened raceways. Large corrugated steel top plate 2¾x4"; mounting hole spacing c-c 1¾x3". **Rigid Casters** — Quality heavy-gauge steel.

SWIVEL CASTERS

Stock Number	Wheel Diam. & Face	Ht.	Load Rate (ea.)	Wt. (lbs.)	List Price	Each	Each (lots/12)
71-188/7A	3x13/16"	3¾"	90#	.8	$5.30	$4.50	$3.98
71-189/5A	4x15/16"	4¾"	115#	1.5	7.44	6.50	5.85
71-190/3A	5x15/16"	5¾"	125#	1.8	8.56	7.40	6.75

RIGID CASTERS

71-191/1A	3x13/16"	3¾"	90#	.8	$3.80	$3.50	$3.15
71-192/9A	4x15/16"	4¾"	115#	1.5	5.89	4.95	4.49
71-193/7A	5x15/16"	5¾"	125#	1.8	7.06	5.90	5.45

SIDE BRAKING CASTERS

Stock Number	Wheel Diam. & Face	Tire Type	Load Rate (ea.)	Wt. (lbs.)	List Price	Each	Each (lots/12)
71-080/6A	3x13/16"	Soft Rubber	90#	1.1	$6.21	$5.50	$5.10
71-081/4A	4x15/16"	Soft Rubber	115#	1.6	8.35	6.94	6.40
71-082/2A	5x15/16"	Soft Rubber	125#	2.0	9.47	7.98	7.25

High-Quality Medium-Duty Casters for Many Needs

Pictured with Rubber Tire

FOB N.J.

Sizes and load capacities for many needs. **Swivel Casters**—For many types of industrial and commercial floor trucks, portable equipment. Heavy-gauge, first-quality steel parts. **Rigid Casters**—For industrial plants, warehouses, commercial firms, etc. Rugged formed steel horn welded to heavy-gauge top plate. Top plate 3¾"x4⅝". Hole spacing 2⅝"x3⅝" to 3"x3" Roller bearing.

SWIVEL CASTERS

Stock Number	Wheel Diam. & Face	Ht.	Type	Load (ea.)	Wt. (lbs.)	Each
71-202/6D	5x1 1/2"	6 3/8"	Semi-Steel	500#	6.3	$18.90
71-203/4D	5x1 1/2"	6 3/8"	Rubber	500#	4.3	27.15
71-204/2D	5x1 1/2"	6 3/8"	Hard Phenolic	500#	3.8	19.15
71-086/3D	5x1 1/2"	6 3/8"	Poly-Tred	480#	9.5	30.40
71-205/9D	6x2"	7-11/16"	Semi-Steel	750#	8.8	23.00
71-206/7D	6x2"	7-11/16"	Rubber	420#	7.4	20.10
71-207/5D	6x2"	7-11/16"	Hard Phenolic	750#	4.8	19.85
71-087/1D	6x2"	7 1/2"	Poly-Tred	750#	7.5	34.75
71-208/3D	8x2"	9-9/16"	Semi-Steel	750#	11.3	26.45
71-209/1D	8x2"	9-9/16"	Rubber	750#	8.3	29.30
71-088/9D	8x2"	9-9/16"	Poly-Tred	500#	11.5	42.65
71-197/8D	8x2"	9 1/2"	Hard Plastic	650#	6.5	22.55

RIGID CASTERS

71-211/7D	5x1 1/2"	6 3/8"	Semi-Steel	500#	6.3	$14.30
71-212/5D	5x1 1/2"	6 3/8"	Rubber	500#	4.3	21.75
71-213/3D	5x1 1/2"	6 3/8"	Hard Phenolic	500#	3.8	13.40
71-090/5D	5x1 1/2"	6 3/8"	Poly Tred	480#	5.0	24.50
71-214/1D	6x2"	7-11/16"	Semi-Steel	750#	8.8	16.40
71-215/8D	6x2"	7-11/16"	Rubber	420#	7.4	15.55
71-216/6D	6x2"	7-11/16"	Hard Phenolic	750#	4.8	15.05
71-092/1D	6x2"	7 1/2"	Poly-Tred	750#	7.5	32.45
71-217/4D	8x2"	9-9/16"	Semi-Steel	750#	11.3	21.25
71-218/2D	8x2"	9-9/16"	Rubber	750#	8.3	22.88
71-093/9D	8x2"	9-9/16"	Poly-Tred	500#	11.5	35.65
71-201/8D	8x2"	9 1/2"	Hard Plastic	650#	6.5	19.05

71-046/7D-WHEEL BRAKE for above ..... Net Ea. $8.40

Light-to-Medium Duty Casters for Long Service



Pictured with Rubber Tire

General purpose casters for hotel and institutional trucks, industrial dollies, stock trucks, etc. All have hardened roller bearings running on hardened ground bushings. All lubricated. All with 1¾x2⅞" mounting holes.

FOB Ill.

SWIVEL CASTERS

Stock Number	Wheel Diam. & Face	Ht.	Tire Type	Load Rate Ea.	Wt.	Each	Each (lots/12)
71-220/8D	4x1 1/8"	5"	Rubber Tire	200	2.0	$19.37	$18.21
71-221/6D	4x1 1/4"	5"	Soft Rubber	150	2.2	13.16	12.37
71-222/4D	4x1 1/4"	5"	Hard Rubber	255	1.8	12.29	11.55
71-223/2D	5x1 1/8"	6-1/16"	Rubber	200	2.5	20.93	19.67
71-224/0D	5x1 1/4"	6-1/16"	Soft Rubber	175	2.8	14.85	13.96
71-225/7D	5x1 1/4"	6-1/16"	Hard Rubber	280	2.5	15.80	14.85

RIGID CASTERS

71-226/5D	4x1 1/8"	5"	Rubber Tire	200	2.0	$15.26	$14.34
71-227/3D	4x1 1/4"	5"	Soft Rubber	150	2.2	9.25	8.69
71-228/1D	4x1 1/4"	5"	Hard Rubber	255	1.8	8.37	7.87
71-229/9D	5x1 1/8"	6-1/16"	Rubber	200	2.5	16.88	15.87
71-230/7D	5x1 1/4"	6-1/16"	Soft Rubber	175	2.8	10.80	10.15
71-231/5D	5x1 1/4"	6-1/16"	Hard Rubber	280	2.5	11.75	11.05

SIDE BRAKING CASTERS

Stock Number	Wheel Diam. & Face	Ht.	Tire Type	Load Rate Each	Wt.	Each	Each (lots/12)
71-018/6D	4x1 1/8"	5"	Rubber Tire	200	2.3	$22.37	$21.03
71-084/8D	4x1 1/4"	5"	Soft Rubber	150	2.3	16.16	15.19
71-021/0D	4x1 1/4"	5"	Hard Rubber	255	2.3	15.29	14.37
71-022/8D	5x1 1/8"	6-1/16"	Rubber	200	2.6	23.93	22.49
71-085/5D	5x1 1/4"	6-1/16"	Soft Rubber	175	3.3	17.85	16.79
71-033/5D	5x1 1/4"	6-1/16"	Hard Rubber	280	2.6	18.80	17.67

YOU GET MORE FOR YOUR MONEY AT C&H!

Industrial Heavy-Duty Casters for Big Trucks and Carts . . . Better Maneuverability and Wear



Durable roller bearing casters have two full rows of hardened ball bearings in separate hardened and lubricated raceways. Horn deeply formed for trouble-free operation. Lower raceway adjusts. King bolt is solidly welded to top plate. Tough and serviceable! Top plate 5"x6¾". Hole spacing 3⅜"x5¼". FOB Ill.

SWIVEL CASTERS—Semi-Steel Type

Stock Number	Wheel Dia. and Face	Ht.	Load (ea.)	Wt. (lbs.)	Each
71-274/5D	6x2½"	6 13/16"	1200	14.5	$42.50
71-275/2D	8x2½"	10 1/16"	1200	21.2	50.88
71-621/7D	10x3"	12 1/16"	1500	35.0	78.90
SWIVEL CASTERS—Hard Plastic					
71-276/0D	6x2"	7 13/16"	700	14.5	$28.90
71-277/8D	8x2½"	10 1/16"	1500	21.2	35.63
71-622/5D	10x3"	12 1/16"	1500	20.0	68.98
SWIVEL CASTERS—Polyurethane					
71-625/8D	6x2"	7 13/16"	820	22.0	$41.75
71-624/1D	8x2½"	10 1/16"	1340	22.0	88.25
71-623/3D	10x3"	12 1/16"	1500	30.0	104.75
RIGID CASTERS—Semi-Steel					
71-626/6D	6x2½"	7 13/16"	1200	15.8	$29.25
71-627/4D	8x2½"	10 1/16"	1200	45.0	37.99
71-628/2D	10x3"	12 1/16"	1500	79.0	56.75
RIGID CASTERS—Hard Plastic					
71-630/8D	6x2"	7 13/16"	700	10.5	$15.50
71-631/6D	8x2½"	10 1/16"	1500	28.0	22.81
71-633/2D	10x3"	12 1/16"	1500	39.0	47.63
RIGID CASTERS—Polyurethane					
71-634/0D	6x2"	7 13/16"	820	15.8	$29.80
71-629/0D	8x2½"	10 1/16"	1340	43.0	67.90
71-632/4D	10x3"	12 1/16"	1500	60.0	83.38

71-047/5D-WHEEL BRAKE for 2" and 2½" face wheels above ..... Net Ea. $10.00

C & H — SINCE 1937 THE OLD RELIABLE SOURCE FOR BUSINESS AND INDUSTRY.

Save on New or Replacement Casters at C&H

Top plate 4x4½" with slotted bolt holes for 2⅝x3⅝" or 3x3" centers FOB Wis.

Forged Medium to Heavy-Duty Steel Casters

Double ball-bearing swivels are cold forged from ¼" material; rigid ¼" plate casters take overload and shock loading. All have hardened roller bearings running on hardened, ground bushings. All lubricated.

SWIVEL CASTERS

Stock Number	Diam. Face	Ht.	Wheel-type	Capacity	Lbs.	Net Each
71-922/9D	4x1½"	5⅝"	Semi-steel	700 #	6½	$18.98
71-923/7D	4x2"	5⅝"	Moldon rubber	290 #	7	19.99
71-924/5D	4x2"	5⅝"	Phenolic	700 #	4¾	16.95
71-925/2D	4x2"	5⅝"	Polyurethane	700 #	6½	22.88
71-927/8D	5x2"	6½"	Semi-steel	900 #	7¼	20.48
71-928/6D	5x2"	6½"	Moldon rubber	350 #	7¼	18.50
71-929/4D	5x2"	6½"	Phenolic	900 #	6¼	14.96
71-930/2D	5x2"	6½"	Polyurethane	900 #	7¼	24.78
71-932/8D	6x2"	7¼"	Semi-steel	900 #	9¾	20.94
71-933/6D	6x2"	7¼"	Moldon	410 #	8	19.80
71-934/4D	6x2"	7¼"	Phenolic	900 #	6¼	16.40
71-935/1D	6x2"	7¼"	Polyurethane	900 #	9	26.66
71-937/7D	8x2"	9½"	Semi-steel	900 #	12½	23.62
71-938/5D	8x2"	9½"	Moldon rubber	500 #	10¾	20.30
71-939/3D	8x2"	9½"	Phenolic	900 #	7¾	19.58
71-940/1D	8x2"	9½"	Polyurethane	900 #	11¾	30.86

RIGID CASTERS

71-941/9D	4x1½"	5⅝"	Semi-steel	700 #	5½	$13.98
71-942/7D	4x2"	5⅝"	Moldon rubber	290 #	6	15.60
71-943/5D	4x2"	5⅝"	Phenolic	700 #	3¾	11.98
71-944/3D	4x2"	5⅝"	Polyurethane	700 #	5½	17.68
71-946/8D	5x2"	6½"	Semi-steel	900 #	6¼	14.74
71-947/6D	5x2"	6½"	Moldon rubber	350 #	6¼	15.99
71-948/4D	5x2"	6½"	Phenolic	900 #	5¼	10.48
71-949/2D	5x2"	6½"	Polyurethane	900 #	6¼	19.84
71-951/8D	6x2"	7¼"	Semi-steel	900 #	8¾	15.60
71-952/6D	6x2"	7¼"	Moldon rubber	410 #	7	14.82
71-953/4D	6x2"	7¼"	Phenolic	900 #	5¼	11.32
71-954/2D	6x2"	7¼"	Polyurethane	900 #	8	21.98
71-956/7D	8x2"	9½"	Semi-steel	900 #	11½	18.72
71-957/5D	8x2"	9½"	Moldon rubber	500 #	9¾	17.86
71-958/3D	8x2"	9½"	Phenolic	900 #	6¾	14.56
71-959/1D	8x2"	9½"	Polyurethane	900 #	10¾	26.44

FOB Ill.

Heavy-Duty Forged Steel Casters At Big Savings

Top plate 4½x6¼" with slotted bolt holes for 3⅜x5¼" or 2-7/16"x 4-15/16" . . . for ½" attaching bolts

Heavy-duty casters designed for manual operation up to 5600 lbs. per truck or 4700 lbs. for power drawn loads. Swivels are cold forged from ¼" plate with large diameter ball bearings. Rigid casters are formed from ¼" plate to withstand overload and shock loading. All wheels are equipped with hardened roller bearings running on hardened, ground bushings. All lubricated.

SWIVEL CASTERS

Stock Number	Diam. Face	Ht.	Wheel-type	Capacity	Lbs.	Net Each
71-960/9D	5x2"	7"	Semi-steel	1000 #	9½	$32.56
71-961/7D	5x2"	7"	Moldon rubber	350 #	8¾	33.95
71-962/5D	5x2"	7"	Phenolic	1000 #	6¾	26.94
71-963/3D	5x2"	7"	Polyurethane	1050 #	8½	39.60
71-964/1D	6x2"	7½"	Forged steel	1200 #	11	47.50
71-965/8D	6x2"	7½"	Semi-steel	1200 #	11¼	33.94
71-966/6D	6x2"	7½"	Moldon rubber	410 #	9¾	32.38
71-967/4D	6x2"	7½"	Phenolic	1200 #	7¾	28.90
71-968/2D	6x2"	7½"	Polyurethane	1200 #	10½	41.75
71-969/0D	8x2"	10⅛"	Semi-steel	1200 #	14½	37.75
71-970/8D	8x2"	10⅛"	Moldon rubber	500 #	12¼	36.69
71-971/6D	8x2"	10⅛"	Phenolic	1200 #	9½	32.38
71-972/4D	8x2"	10⅛"	Polyurethane	1200 #	13½	48.31

RIGID CASTERS

71-973/2D	5x2"	7"	Semi-steel	1000 #	7¾	$19.99
71-974/0D	5x2"	7"	Moldon rubber	350 #	7	21.56
71-975/7D	5x2"	7"	Phenolic	1000 #	5	14.44
71-976/5D	5x2"	7"	Polyurethane	1050 #	6¾	26.69
71-977/3D	6x2"	7½"	Drop forged	1200 #	9¼	34.63
71-978/1D	6x2"	7½"	Semi-steel	1200 #	9½	21.31
71-979/9D	6x2"	7½"	Moldon rubber	410 #	8	19.75
71-980/7D	6x2"	7½"	Phenolic	1200 #	6	15.50
71-981/5D	6x2"	7½"	Polyurethane	1200 #	8¾	29.13
71-982/3D	8x2"	10⅛"	Semi-steel	1200 #	12½	24.63
71-983/1D	8x2"	10⅛"	Moldon rubber	500 #	10½	23.56
71-984/9D	8x2"	10⅛"	Phenolic	1200 #	7¾	19.25
71-985/6D	8x2"	10⅛"	Polyurethane	1200 #	11¾	35.90

PEDAL-OPERATED WHEEL BRAKE for above.
71-740/5D—FOB Net each **$13.40**



Press-Formed Welded Steel Floor Lock For Platform Trucks

Tough press-formed and welded steel construction with finest quality spring, brake and lever-lock—quality you can depend on to hold when the going gets tough. Available for any platform truck from 5⅝" to 10½" underside height. Please specify underside height desired.
71-741/3DM—Net each **$32.50**

Top plates are 4½x6¼"; bolt holes are 3⅜x5¼" centers for ½" attaching bolts (not included)

Heavy-Duty Casters to Help Protect Floors

FOB Ill.

Heavy-duty casters particularly well-suited to use with rubber-tired wheels and wide-faced wheels for floor protection. Swivel model has two sets large diameter ball bearings, oversize ¾" bolt; rigid model is formed from heavy plate.

SWIVEL CASTERS

Stock Number	Diam. Face	Ht.	Wheel-type	Capacity	Lbs.	Net Each
71-753/8D	8x3"	10⅛"	Semi-steel	1650 #	26½	$76.94
71-754/6D	8x3"	10⅛"	Polyurethane	1650 #	25½	91.95
71-755/3D	8x3"	10⅛"	Phenolic	1650 #	18	62.56
71-756/1D	8x3"	10⅛"	Moldon	840 #	22¼	68.99
71-758/7D	10x3"	11½"	Semi-steel	1650 #	30¼	78.90
71-759/5D	10x3"	11½"	Polyurethane	1650 #	32¼	104.75
71-760/3D	10x3"	11½"	Phenolic	1650 #	21¼	68.95
71-761/1D	10x3"	11½"	Moldon	1000 #	26	76.50
71-764/5D	12x3"	13½"	Polyurethane	1650 #	40½	118.94
71-766/0D	12x3"	13½"	Moldon	1140 #	31¼	84.97

RIGID CASTERS

71-772/8D	8x3"	10⅛"	Semi-steel	1650 #	23	$55.88
71-773/6D	8x3"	10⅛"	Polyurethane	1650 #	22½	58.50
71-774/4D	8x3"	10⅛"	Phenolic	1650 #	14½	41.50
71-775/1D	8x3"	10⅛"	Moldon	840 #	19	59.75
71-781/9D	10x3"	11½"	Semi-steel	1650 #	17	56.75
71-782/7D	10x3"	11½"	Polyurethane	1650 #	19	83.38
71-783/5D	10x3"	11½"	Phenolic	1650 #	18	47.63
71-784/3D	10x3"	11½"	Moldon	1000 #	22½	54.88
71-787/6D	12x3"	13½"	Polyurethane	1650 #	37¼	98.60
71-789/2D	12x3"	13½"	Moldon	1140 #	28	63.69

Similar but swivel top plate: 5¼"x7¼", rigid, 5"x7¼". Bolt holes slotted for 3⅜"x5¼" or 4⅛"x6⅛" centers for ½" attaching bolts.

SWIVEL CASTERS

Stock Number	Diam. Face	Ht.	Wheel-type	Capacity	Lbs.	Net Each
71-578/9D	8x3"	10½"	Semi-steel	2500 #	29½	$92.95
71-579/7D	8x3"	10½"	Polyurethane	2520 #	30¼	108.50
71-581/3D	8x3"	10½"	Phenolic	2500 #	21	78.63
71-584/7D	8x3"	10½"	Moldon	840 #	25½	84.98
71-587/0D	10x3"	12½"	Semi-steel	2500 #	34	93.95
71-591/2D	10x3"	12½"	Polyurethane	3000 #	36	120.69
71-604/3D	10x3"	12½"	Phenolic	2600 #	25	84.94
71-611/8D	10x3"	12½"	Moldon	1000 #	29½	92.70
71-642/3D	12x3"	15½"	Polyurethane	3000 #	45	133.94
71-648/0D	12x3"	15½"	Moldon	1140 #	35½	180.45

RIGID CASTERS

71-706/6D	8x3"	10½"	Semi-steel	2500 #	24½	$58.44
71-711/6D	8x3"	10½"	Polyurethane	2530 #	15¼	73.56
71-712/4D	8x3"	10½"	Phenolic	2500 #	16	44.65
71-713/2D	8x3"	10½"	Moldon	840 #	20½	50.50
71-722/3D	10x3"	12½"	Semi-steel	2500 #	29	59.63
71-723/1D	10x3"	12½"	Polyurethane	3000 #	31	86.25
71-724/9D	10x3"	12½"	Phenolic	2600 #	20	50.50
71-725/6D	10x3"	12½"	Moldon	1000 #	24½	57.75
71-728/0D	12x3"	15½"	Polyurethane	3000 #	40	100.75
71-730/6D	12x3"	15½"	Moldon	1140 #	30½	166.95

C&H Wholesale Prices Help You Save on Replacement Wheels 150 to 3500 Lbs. Capacity

MOLDON floor protective, cushioned treads. Vulcanized to semi-steel or aluminum.

MOLDED PLASTIC wheel is canvas and phenolic resin wheel to resist water, oil.

IRON and steel alloy casting construction; wheel face machined flat.

POLYURETHANE wears like metal, protects floors like soft rubber.

FOB Ill.

Diam. Face (in.)	Hub Lgth. (in.)	Brg. I.D. (in.)	MOLDON Cap. (lbs.)	MOLDON Stock Number	MOLDON Net Each	MOLDED PLASTIC Cap. (lbs.)	MOLDED PLASTIC Stock Number	MOLDED PLASTIC Net Each	IRON Cap. (lbs.)	IRON Stock Number	IRON Net Each	POLYURETHANE Cap. (lbs.)	POLYURETHANE Stock Number	POLYURETHANE Net Each
4x1½	1⅝	½, ⅝ or ¾	200	72-281/9DM	$11.69	600	72-297/5DM	$ 5.06	500	72-310/6DM	$ 7.25	600	72-341/1DM	$14.19
4x2	2 3/16	½, ⅝ or ¾	290	72-282/7DM	12.88	800	72-298/3DM	5.44	700	72-311/4DM	9.38	700	72-342/9DM	15.56
5x1½	1⅝	½, ⅝ or ¾	240	72-283/5DM	12.00	600	72-299/1DM	5.75	600	72-312/2DM	9.63	720	72-343/7DM	18.00
5x2	2 3/16	½, ⅝ or ¾	350	72-284/3DM	13.44	1000	72-300/7DM	6.31	1000	72-313/0DM	11.94	1050	72-358/5DM	18.56
6x2	2 3/16	½, ⅝ or ¾	410	72-285/0DM	11.63	1200	72-301/5DM	7.38	1200	72-314/8DM	13.19	1230	72-345/2DM	21.00
8x2	2 3/16	½, ⅝ or ¾	500	72-288/4DM	15.44	1400	72-302/3DM	11.13	1200	72-315/5DM	16.50	1500	72-346/0DM	27.06
8x2½	2¾	¾, 1 or 1¼	670	72-292/6DM	22.56	1600	72-303/1DM	16.06	1600	72-316/3DM	28.25	1600	72-347/8DM	41.50
8x3	3¼	1 or 1¼	840	72-293/4DM	28.94	2500	72-305/6DM	22.50	2500	72-359/3DM	36.88	2520	72-348/6DM	52.00
10x2½	2¾	¾, 1 or 1¼	790	72-294/2DM	29.75	1600	72-306/4DM	24.06	1800	72-336/1DM	36.00	2370	72-349/4DM	58.44
10x3	3¼	1 or 1¼	1000	72-295/9DM	35.63	2600	72-307/2DM	28.38	2500	72-339/5DM	37.50	3000	72-350/2DM	64.13
12x3	3¼	1 or 1¼	1140	72-296/7DM	43.50	3500	72-309/8DM	31.94	2500	72-340/3DM	42.75	3420	72-351/0DM	77.19

*Specify bearing I.D. size 01 ½", 02 ⅝", 03 ¾", 04 1", 05 1¼"

Other Types, Sizes, and Capacities Are Available . . . Write Dept. 72



SEMI-PNEUMATIC rubber tires with service-duty steel disc wheels . . . feature arc welded construction for hand trucks

SEMI-PNEUMATIC

8"x1.75" Diameter Face

Cap. (lbs.)	Stock Number	Bearing I.D.	Bearing Type	Hub Width	Net Each
150	72-401/3A	½"	Ball	2 3/32"	$4.98
150	72-402/1A	⅝"	Ball	2 3/32"	5.90

10"x2.75" Diameter Face

200	72-403/9A	⅝"	Ball	3¼"	$ 9.95
300	72-404/7A	⅝"	Roller	3¼	14.98

Big Savings on Commercial Grade Hand Trucks

SUPER-STRENGTH 1" X 14-GA. STEEL TUBING TAKES YEARS OF STRESS | **All Trucks on this page shipped via motor freight**

IN STOCK IMMEDIATE SHIPPING — Loop Handle Up to 300-Lb. Capacity Truck

As Low As **$29.98**

- 46½" high
- 8"x14" toe plate is 3/16" thick
- 19" wide at axle—fits tight spots
- Ball bearing wheels
- 8"x1.75" semi-pneumatic tires

71-376/8A—Shpg. wt. 24 lbs.
Net each **$32.90**
Ea. (lots/3) **$29.98**

Twin Handle Up to 400-Lb. Capacity Truck



As Low As **$41.95**

- 45½" high
- 8"x14" toe plate is 3/16" thick
- 20½" wide at axle
- Easy rolling 10"x2.75" ball-bearing wheels
- Semi-pneumatic tires

71-583/9D—Shpg. wt. 32 lbs.
Net each **$44.90**
Ea. (lots/3) **$41.95**

FOB Ind.

IN STOCK IMMEDIATE SHIPPING — Loop Handle Up to 400-Lb. Capacity Truck

As Low As **$41.50**

- 46½" high
- Toe plate is 8"x14"x3/16"
- Truck is 20½" wide at axle
- Wheels are 10"x2.75" with ball bearings
- Semi-pneumatic tires assure a smooth ride

71-378/4A—Shpg. wt. 32 lbs.
Net ea. **$43.81**
Ea. (lots/3) **$41.50**

P-Handled Up to 400-Lb. Capacity Truck



As Low As **$43.98**

- 51" high
- 8"x14" toe plate, 3/16" thick
- 20⅝" wide at axle
- Ball-bearing wheels are 10"x2.75"
- Semi-pneumatic tires

71-582/1D—Shpg. wt. 41 lbs.
Net ea. **$46.91**
Ea. (lots/3) **$43.98**

FOB Ind.

Up to 600-Lb. Cap. Truck with Sure-Grip Handle

As Low As **$48.70**

- Easier handling
- 46" high
- Toe plate 8" x14"x3/16" thick
- Roller bearing 10"x2.75" wheels have Zerk fittings
- Semi-pneumatic tires

71-381/8D—Shpg. wt. 32 lbs.
Net ea. **$51.95**
Ea. (lots/3) **$48.70**

FOB Ind.

IN STOCK IMMEDIATE SHIPPING — Loop Handled Up to 600-Lb. Capacity Truck

As Low As **$49.90**

- Rolls smoothly
- 46½" high
- Toe plate is 8"x14"x3/16"
- Roller bearing 10"x2.75" wheels have Zerk fittings
- Semi-pneumatic tires

71-377/6A—Shpg. wt. 41 lbs.
Net ea. **$53.92**
Ea. (lots/3) **$49.90**

Twin Handled Up to 600-Lb. Capacity Truck



As Low As **$49.95**

- Better control
- 48" high
- 8"x14"x3/16" toe plate
- Wheels with roller bearings, Zerk fittings are 10"x2.75"
- Tires are semi-pneumatic

71-523/5D—Shpg. wt. 38 lbs.
Net ea. **$54.96**
Ea. (lots/3) **$49.95**

FOB Ind.

Convertible Truck Up to 300 Lb. Capacity

As Low As **$55.88**

- 300-lb. cap. 2-wheeler
- 400-lb. cap. 4-wheeler
- 9"x14"x3/16" toe plate
- 17" wide at axle
- Two 8"x1.75" ball bearing semi-pneumatic tired wheels
- Two 3"x¾" swivel solid rubber wheels

71-400/6D—Shpg. wt. 38 lbs.
Net ea. **$59.90**
Ea. (lots/3) **$55.88**

FOB Ind.

Four-Wheel Pallet Truck Lets One Man Load and Unload Cargo

One man can load and unload pallets without lifting or transferring goods—four wheels allow truck to get under load. Moves 650 lbs., rolls on ball-bearing 10"x2¾" and 6"x2" wheels. 48½" high, 21" wide. 8"x14" nose. 52½ lbs. FOB — Kan., N.J. or Cal.

71-855/1D—List $142.59.
Net each **$111.95.** Ea. (lots/3) **$106.98**

900-LB. CAPACITY with 13"x17" nose; 8"x2¼" balloon cushion. 6"x2" rubber ball-bearing wheels. 51¼" high, 21½" wide. Wt. 57 lbs.

71-856/9D—List price $166.48.
Net ea. **$129.90.** Ea. (lots/3) **$122.95**

Truck tips back on second set of wheels — one man can load and unload pallet safely

Save on WESCO Welded Magnesium Appliance Trucks — Last for Years!



Stair climber attachments on both.

Super-strong but lightweight. Exclusive completely welded frame—can take tough treatment, too. Non-marking rubber facing on all contact surfaces protects cargo . . . ratchet belt tightener secures it fast! 17" wide, with 14' web belt, 60" high.

(A) 750-Lb. Cap. Appliance Truck weighs only 35 lbs. Rolls on 6x2" non-marking cushion rubber ball-bearing wheels. Invaluable for all big appliance moving! FOB Pa.

71-395/8D—List price $196.10. Net each **$135.96**

(B) 550-Lb. Cap. Appliance Truck weighs only 50 lbs. . . . rolls extra easily on 10x2.75 semi-pneumatic wheels. FOB Pa.

71-396/6D—List price $230.80. Net each **$159.98**

Industrial Hand Trucks at Wholesale Prices

A CONTINUOUS HANDLE TRUCK

Up to 500-lb. capacity . . . with easy-rolling wheels for almost any surface. Ideal for loading dock, retail store, small shop. Big 7"x14" steel toeplate handles many size loads. 46½" high loop handle provides leverage. Constructed of 1"x14-ga. steel tubing, finished in green enamel, truck rolls on semi-pneumatic tires.

Stock Number	Load (lbs.)	Wheel Sizes	Shpg. (lbs.)	Net Each	Each (lots/3)
71-540/9A	300	8"x1.75"	27½	$41.78	$38.98
71-541/7A	400	10"x2.75"	33½	49.98	47.50
WITH ZERK FITTING					
Features as above, but extra long wear fittings.					
71-542/5A	500	10"x2.75"	43	$64.95	$61.97

B TWO-HANDLED TRUCK

Up to 600-lb. capacity . . . with separate handles for maximum maneuverability. Truck frame is 1"x14-ga. steel tubing, welded throughout for extra stamina. Big 7"x14" toeplate for handling big loads. Truck is 19" wide, 45½" high. Finished in green enamel. 300-lb. and 400-lb. capacity trucks have semi-pneumatic tires; 600-lb. truck has pneumatic (air filled) tires.

Stock Number	Load (lbs.)	Wheel Size	Wt. (lbs.)	Net Each	Each (lots/3)
71-886/6A	300	8"x1.75"	27	$40.92	$38.50
71-887/4A	400	10"x2.75"	33	49.88	47.60
71-888/2A	600	10"x3.5"	30	76.95	73.70

Shipped UPS to Save You Money
(wheels and axles are removed and boxed to reduce freight costs)

Harper TRUCKS Inc.

IN STOCK IMMEDIATE SHIPPING

Easy rolling wheels

As Low As $38.98

As Low As $38.50

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

WESCO MANUFACTURING CO

Perfect when you need both a hand truck and a platform truck —occasionally!

45½"x14" wide bed

As Low As $104.95

Convertible Hand Truck

• 450-lb. two-wheeler, 800-lb. four wheeler

Double-duty truck does two jobs . . . keeps your equipment investment down without restricting service. Outfitted with two 10"x2.75" semi-pneumatic wheels and two 3" bolted-on swivel casters. Two lengthwise straps strengthen truck plus help control small, heavy loads. As hand truck, it's 55" high. FOB Pa. 52 lbs.

71-442/8D—List price $153.50. Net ea. **$109.98.** Ea (lots/3) **$104.95**

Same, but magnesium for lightness. 36 lbs.

71-443/6D—List price $250.20. Net ea. **$165.95.** Ea. (lots/3) **$157.65**

Shovel Style Freight Truck Climbs Stairs

Gets under crates and cartons

IN STOCK IMMEDIATE SHIPPING

Stair climber attachment

It's high—moves 1200 lbs.!

2 YEAR WARRANTY

As Low As $99.95

MECO

Double welded 1¼" pipe frame truck has curved cross straps to support all loads . . . 14" deep heavy-duty 5/16" steel base plate (17" wide at rear tapering to 11") to get under all loads. On heavy-duty 8"x2" moldon rubber wheels, ¾" roller bearings, grease fittings. 50" high. 1200 lb. cap.

71-588/8A—Wt. 46 lbs. In stock. List price $118.00. Net ea. **$99.95**

Same as above, but steel wheels. FOB Neb.

71-688/6D—Wt. 51 lbs. List price $120.00. Net ea. **$108.95**

Continuous Handle Two Cylinder Truck Gives a Smooth Ride

As Low As $91.98

Holds two cylinders totaling 23" in diameter. 14" diameter semi-pneumatic rubber tires on ball-bearing wheels provide a cushioned ride over curbs and rough ground. Has tool box and cylinder-hold chain. Frame is 45¾"x31" with stable 24"x13" base. 55 lbs. FOB-Kan. N.J. or Cal.

71-858/5D—Net ea. **$94.90.** Ea. (lots/3) **$91.98**

Same as above, but wide-laced steel wheels. 24" diameter plain bearings. 64 lbs.

71-863/5D—Net ea. **$99.97.** Ea. (lots/3) **$96.95**

FAIRBANKS Hand Trucks with Strong Solid Oak Handles



C BIG CAPACITY HAND TRUCK

Moves 800-lb. loads . . . truck rolls effortlessly on big 8"x2" wheels, cargo sits securely on 20" wide noseplate. Steel frame truck has solid oak handles. It's strong and durable, but practical for lifting on and off delivery trucks. 51" high overall. Please specify 01- rubber wheels or 02- steel wheels. 65 lbs. FOB Ill. or Ga.

71-388/3DX 01- Net Each **$145.74; 02-** Net Each..**$135.83**

Same, but 900 lb. capacity, 22" wide noseplate, 54" high. 80 lbs.

71-389/1DX 01- Net Each **$164.77; 02-** Net Each..**$153.74**

D COMPACT HAND TRUCK

Construction features same as (C) but rolls on 6"x1⅝" wheels, moves 250 lbs. 46" high truck has 13½" wide noseplate. Please specify 01- rubber wheels or 02- steel wheels. 41 lbs.

71-559/9DX 01- Net Each **$85.75; 02-** Net Each..**$74.88**

SAVE 40% and More on Fairbanks® High Quality Platform Trucks

Popular Tongue and Grooved Oak Platform Trucks

800 to 4000-LB. CAPACITY— CHOICE OF RUBBER OR STEEL WHEELS

2000-lb. Capacity

Famous "Commander" Non-Tilt Truck

Low as **$227.50**

- Won't buckle under heavy loads!
- Double angle iron steel framing
- Vulcanized rubber or steel wheels

NON-TILT STEEL FRAMED TRUCK

Strength, mobility and simplicity in one husky truck—deck is seasoned oak squarely jointed, sanded and varnished. Semi-steel corner bumpers protect doorways, equipment. Bolted construction; absorbs shocks. Wheels are 8x2½", casters are 6x2". Platform ht., 9½"; overall ht., 27". FOB IL or GA. Specify (01) vulcanized rubber or (02) semi-steel wheels.

Stock No.	Platform Size	Wt. Lbs.	01 Net Each	02 Net Each
71-345/3DX	24x48"	197	$246.86	$227.50
71-346/1DX	27x42"	194	246.86	227.50
71-347/9DX	27x48"	199	256.57	235.98
71-348/7DX	27x54"	209	259.83	239.74
71-349/5DX	30x60"	212	274.96	254.89
71-667/0DX	36x72"	228	302.78	286.68

1000-lb. Capacity

Low as **$264.57**

- Tough seasoned oak decking
- Four wooden stakes remove
- For furniture, lumber, textiles

TILT-TYPE FACTORY TRUCK

Effortless way to move parts, materials and unfinished goods through manufacturing, production, shipping departments. It's built to last! Seasoned oak deck overhangs sturdy oak frame; wood stakes are set in steel pockets. 12x2" center load wheels, single ball race 5x1⅜" swivel casters. Platform ht., 14"; overall ht., 30". 1000-lb. load capacity. FOB IL or GA. Specify (01) vulcanized rubber or (02) semi-steel wheels.

Stock No.	Size	Wt. Lbs.	01 Net Each	02 Net Each
71-350/3DX	24x48"	142	$297.84	$264.57
71-351/1DX	27x48"	146	314.96	281.96
71-352/9DX	30x60"	165	342.88	309.71
71-353/7DX	36x60"	173	361.71	327.50



4000-lb. Capacity

Low as **$375.43**

- For heaviest stock, motors, etc.
- Two swivel casters, two wheels
- Steel-framed oak deck material

HEAVY-DUTY NON-TILT TRUCK

This high platform, heavy-duty model has been proven practical for tough industrial applications. Steel-framed oak deck has full length center batten. Heavy-duty 8x2½" swivel casters mounted to frame by angle from structure; two large 16x3" wheels attached by strong axle boxes. Platform ht., 18"; overall ht., 24". 4000 lbs. capacity. FOB IL or GA. Specify (01) vulcanized rubber or (02) semi-steel wheels.

Stock No.	Size	Wt. Lbs.	01 Net Each	02 Net Each
71-668/8DX	24x48"	250	$394.88	$375.43
71-669/6DX	27x48"	255	402.78	382.75
71-354/5DX	27x54"	261	410.70	391.98
71-355/2DX	30x60"	282	428.57	409.81
71-356/0DX	36x60"	298	443.90	423.91
71-357/8DX	36x72"	312	456.57	437.84



Your Choice 800 lb. to 1200 lb. Capacity

800 & 1000 lb. Cap. Trucks in stock

Low as **$116.83**

- Easy to push and maneuver
- Rubber-tired casters
- Reinforced oak decking

"BANTAMWEIGHT" NON-TILTING

Popular "bantamweight" model combines sturdy construction with lightweight and easy movement. Deck tongued-and-grooved seasoned oak, reinforced with cross-battens: a strong platform that will not warp or part. Offset pipe rack has channel iron crosspieces fitted with angle iron brackets for bolting. Swivel and rigid casters with vulcanized rubber-tired wheels—swivel easily for fast handling.

800 and 1000 lb. CAP. UNITS ARE IN STOCK.

Stock Number	Cap. Lbs.	Platform WxLxH	Wheels	Wt. Lbs.	List Price	Each Price	Each (Lots/3)
71-358/6A	800	24x42x7¼"	4"x1½"	61	$232.00	$122.98	$116.83
71-359/4A	1000	27x48x8½"	5"x1⅝"	85	286.00	151.93	144.83
71-651/4A	1000	27x54x8½"	5"x1⅝"	102	298.00	157.85	149.98
71-360/2A	1000	30x60x8½"	5"x1⅝"	114	323.00	171.85	162.99
71-652/2D	1200	30x60x12"	8"x2"	141	432.00	246.86	234.98
71-666/2D	1200	36x72x12"	8"x2"	172	480.00	274.88	261.90

2500-lb. Capacity

Low as **$163.52**

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

HEAVY-DUTY LIFT-JACK TRK.

Save time, eliminate transferring! Platform truck with seasoned oak deck has double angle iron on side, single at ends and full length center batten—holds raw materials, pieces in work, parts, etc. Steel framed platforms won't buckle under uneven loading. Maneuvers on 8x2" wheels. 11" high. FOB IL or GA. Specify (01) vulcanized rubber or (02) semi-steel wheels.

Stock Number	Platform W x L	Wt. Lbs.	01 Net Ea.	02 Net Ea.
71-707/4DX	30"x48"	118	$168.77	$163.52
71-708/2DX	30"x60"	127	184.57	174.86
71-709/0DX	36"x72"	158	211.99	203.62

Lift Jack for above. Wt. 27 lbs.
71-710/8DX—Each ..... (01) $88.87
(02) 80.77



1000-lb. Capacity

Low as **$94.86**

- Quick loading and release
- Turns in tight areas!
- Solidly built, long lasting

LIFT-JACK PLATFORM TRUCK

Solidly built for quick loading of jack and platform and quick-release. Well-seasoned oak deck strengthened with heavy cross battens. Small turning radius—maneuvers easily in confined areas. With 6x2" wheels, roller bearings. Platform ht. 9½ in. 1000 lb. capacity. FOB IL or GA. Specify (01) vulcanized rubber or (02) semi-steel wheels.

Stock Number	Platform W x L	Wt. Lbs.	01 Net Each	02 Net Each
71-803/1DX	24"x36"	50	$106.98	$ 94.86
71-804/9DX	24"x48"	61	109.84	97.74
71-403/0DX	30"x54"	79	118.86	107.82
71-404/8DX	30"x60"	83	127.53	114.86

Lift Jack for above. Wt. 25 lbs.
71-405/5DX—Each ..... (01) $73.81
(02) 62.98

Treadplate Platform Trucks Moves up to 2200 Lbs.

Lightweight, easily maneuvered aluminum truck has heavy-duty deck and extra-strong wrap-around integral bedframe for long-life and snag-proof protection. Casters are of 6"x2" Phenolic resin or 02 8"x2" moldon rubber, bolted to strong girders. Please specify 01 or 02 casters. Galvanized handle. FOB Fla.

Number Stock	W x L (inches)	Wt. 6"x2" Caster	01 6"x2" Phen. Resin Net Ea.	Wt. 8"x2" Caster	02 8"x2" Moldon Rubber Net Ea.
71-019/4DX	24x48	61	$226.95	74	$250.71
71-819/7DX	24x60	69	254.98	82	278.75
71-020/2DX	30x48	66	243.90	79	266.79
71-988/0DX	30x60	75	275.50	88	298.93
71-989/8DX	36x48	73	264.64	86	288.90
71-820/5DX	36x60	82	298.93	95	322.50
71-821/3DX	36x72	92	333.70	105	356.79

As Low As $226.95

Super-strong, slipproof top surface

Other sizes, wheels and capacities available, write us

Maneuverable Stock Carts of Tough Welded Tubular Steel

As Low as $86.95

Moves up to 1400 lbs.

(A) 1200-LB. CAPACITY CART. 8"x1.5" mold-on center wheels and four 5"x1.5" ball-bearing swivel casters allowing it to turn in its own radius. Frame is 1" square tubular steel, finished in green enamel. Removable handle. Deck is 41"x18" wide, 11" high. 80 lbs.

71-371/9D—Net ea. **$117.90.** Ea. (lots/3) **$112.96**

Same, but 53"x18"; 1400-lb. capacity. 70 lbs.

71-370/1D—Net ea. **$119.95.** Ea. (lots/3) **$114.98**

(B) 2-SHELF CART. 36"x16" bed, 1-1/16" diam. 26¼" bed height. Wt. 41 lbs.

71-779/3D—5"x1½" casters, 700-lb. cap. **$86.95**

Quality Platform Trucks—Specially Priced at C&H

Arc-Welded Steel Platform Truck Moves up to 2000-Lb. Loads Easily

As Low as $135.90

Long-lasting rigidity. Base is heavy-gauge steel, channel formed on all sides. 36" high removable handle is 1" pipe. Gray baked on enamel finish. Easy maneuvering with 2 swivel, 2 rigid casters. FOB Ohio.

Choice of casters: 01 welded or 02 bolted for easy replacement (add $18.00 for bolted). Specify number and type desired when you place your order.

lted on casters e easily replaced

SIZE	6"x2" Semi-Steel Casters			8"x2" Mo Rubber Casters		
W x L	Stk. No.	Lbs.	Net Ea.	Stk. No.	Lbs.	Net Ea.
27"x48"	71-612/6DX	110	$135.90	71-428/7DX	110	$159.90
27"x60"	71-613/4DX	121	155.96	71-444/4DX	121	166.95
27"x72"	71-614/2DX	133	162.90	71-445/1DX	133	186.84
30"x48"	71-615/9DX	118	137.98	71-446/9DX	118	161.88
30"x60"	71-616/7DX	131	155.93	71-456/8DX	131	179.66
30"x72"	71-617/5DX	144	166.95	71-457/6DX	144	190.67
36"x48"	71-618/3DX	130	150.85	71-458/4DX	130	174.87
36"x60"	71-619/1DX	144	162.71	71-481/6DX	144	186.94
36"x72"	71-620/9DX	160	178.91	71-508/6DX	160	202.84

C&H's Exclusive Heavy-Duty Shop Wagon Hauls up to 1000 Lbs.

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

As Low As $81.98

Available with or without bed Strong handle

IN STOCK IMMEDIATE SHIPPING

Shipped Knocked Down Via UPS.

Smooth-roll 10" tires

Built by C&H to do the job of wagons selling for far more—don't miss this opportunity to save on a heavy-duty mover that's designed to make transporting jobs easier around warehouse, shop or garage . . . big 1000-lb cap. makes it handy most anywhere. Easy to maneuver with 1" steel tube handle. 11½" high, 17x41" frame constructed of 1½" channel iron. ⅝" steering plate. Smooth rolling 10x2.75" semi-pneumatic rubber tires are long lasting. (Bed not incl.)

71-406/3A—List $102.48. 55 lbs. Net each **$81.98**

Same, but with 21x42" plywood bed.

71-407/1A—List $114.96. 62 lbs. Net each **$91.97**

Perfect for Medium Duty! Low-Cost All-Steel Truck Moves up to 500 Lbs.

IN STOCK IMMEDIATE SHIPPING

BEAT INFLATION! BUY AT WHOLESALE FROM C&H

As Low as $79.90

Our low price makes this a smart time to replace old equipment or add new. Here's what you get: easy-loading 6" high platform, 24x42" size of heavy-gauge reinforced steel sheeting . . . with removable 1" steel pipe handle and non-mar rubber bumper. Two 5x1" wide bolted-on ball-bearing rubber swivel casters, two rigid casters for maneuvering. Shpd. KD. 55 lbs.

71-522/7A—List $108.71

Each **$87.49**

Each (lots/3) **$79.90**

Heavy-Duty All-Steel Workhorse Platform Truck Moves up to 2000 Lbs.

Three platform sizes, all offer easy mobility on 8"x1.5" heavy-duty moldon rubber ball-bearings casters. Constructed of 1¼" steel pipe, 12-ga. reinforced steel deck (11½" high). Handle is welded to frame. Finishes: 01 green enamel, 02 galvanized—please specify.

Stk. No.	Deck	Lbs.	01 Enamel	02 Galvanized
71-368/5DX	24"x48"	110	$153.89	$184.85
71-369/3DX	27"x54"	120	163.98	204.58
71-373/5DX	30"x60"	130	174.86	223.83

As Low As $153.89

C&H Makes Truckin' Easier, More Economical

Fairbanks Bantamweight Tilt Truck Moves 1000-Lb. Loads

As Low As **$178.98**

Specify Rubber or Semi-Steel Wheels

Maneuverable! Tilting Bed for Narrow Aisles

Two "lock-weld" double ball race swivel casters and two matching rigid casters to turn in their own length, wheels that roll smoothly. Platforms are finest quality seasoned oak that's tongued and grooved with countersunk bolts to assure a smooth, level surface. Reinforced racks need no gussets so you get full use of the platform surface. Racks are 26" high from top of platform. 1000-lb. cap. FOB Ill. or Ga. Specify (01) Rubber or (02) Semi-Steel Wheels.

Stock Number	Lgth. (in.)	Platform W x L x H	Wheels (in.)	Wt. (lbs.)	01 Net Each	02 Net Each
71-543/3DX	56	27x48x8½	5x1⅝	112	$193.94	$178.98
71-544/1DX	56	27x48x9½	6x2	119	205.84	189.74
71-545/8DX	62	27x54x8½	5x1⅝	126	198.86	183.42
71-546/6DX	62	27x54x9½	6x2	132	210.88	193.71
71-547/4DX	62	27x54x12	8x2	148	258.86	243.99
71-548/2DX	68	30x60x8½	5x1⅝	139	215.43	199.83
71-549/0DX	68	30x60x9½	6x2	152	234.88	219.95
71-550/8DX	68	30x60x12	8x2	168	282.86	266.76

Wesco Easy-Handling Aluminum Truck

Tough design coupled with lightweight, non-corrosive, maintenance-free aluminum construction adds up to long, dependable service. Load-bearing surfaces are reinforced and supported. Heavy die cast corners form-fit as bumpers. Wheels have roller bearings (two are swivel, two are rigid). FOB Penn.

1200 lb. capacity
2000 lb. capacity

As Low As **$158.60**

SIZE	5"x2" Solid Rubber Wheels—1200-Lb. Capacity Stk. No.	Lbs	List Price	Net Ea.	8"x2" Mold-On Rubber Wheels—2000-Lb. Capacity Stk. No.	Lbs.	List Price	Net Ea
24"x36"	72-200/9D	73	$246.70	$158.60	72-209/0D	31	$299.10	$192.8
24"x48"	72-201/7D	79	296.60	191.88	72-210/8D	87	349.00	225.8
30"x48"	72-202/5D	85	336.10	216.80	72-211/6D	93	388.50	249.7
30"x60"	72-203/3D	93	384.70	247.81	72-212/4D	101	437.10	280.9
36"x48"	72-204/1D	90	396.10	254.64	72-213/2D	98	448.50	288.8
36"x60"	72-205/8D	99	416.70	267.89	72-214/0D	107	469.10	301.5
36"x72"	72-206/6D	106	444.80	285.94	72-215/7D	114	497.20	319.6
48"x72"	72-207/4D	135	515.20	331.80	72-216/5D	143	567.60	364.8
48"x84"	72-208/2D	150	557.00	358.87	72-217/3D	158	609.40	391.7

Heavy-Duty Stacking Pallet

Model 72-145/6D Bin Section
24" x 24" Pallet As Low As $55.98
Model 72-143/1D 24"x24" Pallet
Combine pallets and bin sections for added space utilization

Versatile 4000-Lb. Capacity Pallets Save Floor Space, Reduce Handling Costs . . . 8-Way Fork Lift Access Saves Time!

Stack 'em to save space . . . get at 'em without complicated maneuvering. Fork lift truck can pick up pallet 8 ways from any side or corner, each pallet is 9½" high overall with under clearance of 7½". Legs are 2" x 2" x ¼" angle and have webbed offsets at base for stacking and interlocking. Fully welded construction with ¼" steel angle frame, angles of frame turned in and 1⅝" selected plank deck inserted and riveted into frame. Bin sections also available to turn stacked pallets into stacked bins. Pallets with bin sections in place can be stacked only 4 high; bins are 9¼" high with 12-ga. pressed steel corners, ¾" planks securely riveted to corners. FOB Wis.

Stk. No.	Description	Wt.	Net Ea.	Ea. (lots/3)
72-143/1D	24" x 24" pallet	59 lbs.	$ 59.95	$ 55.98
72-145/6D	Bin section for above	20 lbs.	20.90	19.95
72-147/2D	33¼"x33¼" pallet	85 lbs.	$ 73.88	$ 68.99
72-149/8D	Bin section for above	25 lbs.	24.92	23.50
72-151/4D	48"x48" pallet	138 lbs.	$114.96	$108.76
72-153/0D	Bin section for above	34 lbs.	30.90	28.73

Other sizes and styles available. Contact Dept. 72.

All-Steel Pallet Stand

Heavy-Duty Pallet Stands Allows One Man to Adjust Wo to Comfortable Height!

Solve material handling problems . . . put work with easy reach, at a convenient height. One man c easily adjust height from 22" to 35"—torsion sprin are built into the hinge, stands fold flat (6"x40"x4 to store compactly. Each supports 4000 lbs. thanks their heavy-gauge steel all welded construction. P fect for operators working at press brake, lathe, pun press, drill press, etc.—It reduces operator fatig (and consequently accidents!) and relieves e ployees of the time-wasting job of having to look other, possibly unsafe, ways to support materi 40"x44" top surface. FOB No. Dakota.

- Adjusts 22" to 35"
- 1-man adjustment
- Welded steel
- Stand folds flat

71-158/0D—Wt. 220 lbs.
Net each $318.50. Each (lots/3) $302.9

As Low As **$302.95**

Save Time, Money with Precision Lift Tables

ECONOMY Movable Elevating Table in 17 Sizes to Suit Your Needs

eavy Duty for Dies, Sheet ock, or Tools Up to 1 Ton . Big 5" Casters Move eely, Lock Securely for ading or Transferring ontents

Easy hand crank

Save time, help reduce accidents . . Elevating mechanism lift one ton from 24" to 42" high . . . helps you position the load. Loads can't fall or drift. Two crank studs located at each end — high speed stud for light load (3/8" per turn), low speed stud for full capacity loads (1/8" per turn). Top plate travels a full 18" so you can move and raise loads right from the floor. Unit constructed of structural steel, electrically arc welded for maximum strength. Top plate, shelf and bottom plate are 3/16" thick steel for maximum strength. Top plate is reinforced on all four sides. Base wheels are 5" plastic with rolled bearings (2 fixed, 2 swivel) — includes floor lock to hold table securely.

Base and table-top dimensions are the same. Wt. 300 lbs. FOB Ill.

Stock Number	Size W	Size L	Net Each	Stock Number	Size W	Size L	Net Each
71-295/0D	24"	24"	$ 725.90	71-304/0D	30"	48"	$1100.95
71-296/8D	24"	30"	785.50	71-305/7D	30"	54"	1175.65
*71-297/6D	24"	36"	525.95	71-306/5D	30"	60"	1350.85
71-298/4D	24"	42"	875.70	71-307/3D	36"	36"	950.95
71-299/2D	24"	48"	950.60	71-308/1D	36"	42"	995.70
71-300/8D	24"	60"	1150.90	71-309/9D	36"	48"	1175.50
71-301/6D	30"	30"	820.75	71-310/7D	36"	54"	1195.60
71-302/4D	30"	36"	875.60	71-311/5D	36"	60"	1400.80
71-303/2D	30"	42"	955.70	Sizes to 48"x108" available.			

*STANDARD SIZE



Meyer Hydraulic Die Table

Back-saving table . . . lifts up to 2000 lbs. Hand-operated hydraulic system— easy, effortless and sure!

Mobile die table takes the hard work out of many moving and lifting operations . . . 2000-lb. capacity table lowers to 30" from the floor. Lifts load a full 18"—to 48" high. Easy pump-action hydraulic handle does the work. Table is 24x24"—adequate for dies, tools, machines, etc. Move about ease on four all-steel 4" swivel casters—locking-type wheels stand steady for loading and unloading. Wt. 110 lbs. FOB Mich.

71-383/4D—Net each **$399.50.**
Each (lots of 3) **$379.98**



2-Post Lift Table

Table travels from a low of 30" to 48" raised . . . a total of 18" overall!

For positioning dies and fixtures, lifting and transporting, feeding presses. Has two rigid, two swivel 4" hard plastic casters, floor lock, handle. FOB Wis.

Stock No.	Cap.	Table	Shpg. Wt.	Net Ea.
FOOT-PEDAL OPERATED				
71-889/0D	500-lb.	18x18"	100 lbs.	$233.50
71-890/8D	1000-lb.	18x36"	200 lbs.	385.98
ELECTRIC MOTOR				
71-891/6D	500-lb.	18x18"	250 lbs.	$685.95
71-892/4D	1000-lb.	18x36"	325 lbs.	831.84



4-Post Lift Table

Post-type table provides greater stability . . . reduces friction on post channels

Foot-operated hydraulic lifting cylinder raises table from 36" to 59" — a total of 23" travel. Unit includes floor lock, 2 swivel and 2 rigid hard plastic wheels. FOB Wis.

Stock No.	Table	Cap. (lbs.)	Wt. (lbs.)	Wheel (in.)	Net Each
71-893/2D	24"x36"	2000	250	4"	$510.49
71-894/0D	32"x48"	2000	250	4"	549.53
71-895/7D	24"x36"	4000	250	5"	562.90
71-896/5D	32"x48"	4000	275	5"	658.99
71-897/3D	24"x36"	6000	275	6"	636.97
71-898/1D	32"x48"	6000	275	6"	752.94

Available with electric or air motor; write Dept. 71.



Safety Platform Turns Your Fork Lift Into A Maintenance Vehicle—Saves You Time and Money, Increases Your Productivity



Protection on all four platform sides

YOU GET MORE FOR YOUR MONEY AT THIS SPECIAL LOW PRICE!

As Low As **$269.95**

- **Extra service from the fork life truck you already own**

Put your fork lift to good use 1/8" hot rolled steel platform is the ideal answer to safety in high-rise stocking and maintenance. Workers can concentrate on getting the job done rather than on safety — safety is almost automatic because this rugged platform has a large 32"Wx36"L slip-resistant diamond plate surface, safety chain, guard rails (42" high), hand-hold and foot curb on all four sides. Truck side of platform side has safety screen shield that protects operator from fork lift hydraulic mechanism. Painted gray with orange trim, outfitted with fork pockets, 5½"Wx2¼"H to fit most sizes. 32"x36" platform has a 28" O.D. of the fork pockets and 22½" center to center. 48"x36" platform has a 32" O.D. and 26½" center to center. FOB Ohio.

71-601/9D—Wt. 130 lbs. net each **$269.95**

Same as above, but 48" wide, 36" long platform. 170 lbs.
71-232/3D—Net each **$319.00**
71-602/7D—Wheel and casters. 10 lbs. Net each set of 4 ..... **$34.00**

Others sizes, styles are available . . . write our Dept. 72

WESCO

Hydraulic Peda-Lift Hand Trucks Work Like Fork Lifts . . . Cost Less!

Lift and Move Heavy, Bulky Loads Without Changing Equipment!



Stair Climber
Available on (A) and (C). Makes curb more manageable, upper and lower levels more accessible.
71-797/5D—Net ea. $54.00

Positive Brake
Stop a load instantly from rolling down steps and inclines. Available on (A) (B) (C).
71-788/4D—Net ea. $32.00

Magnesium construction . . . light enough to carry

750-LB. CAPACITY Lowers to ground

A

As Low As $259.90

750-LB. CAPACITY With 3" front casters

B

400-LB. CAPACITY in lightweight magnesium

As Low As $382.86

C

A MULTI-USE PEDA-LIFT

Gets into areas too narrow and congested for a lift truck. Saves countless manhours each day, ends dangerous back-breaking and straining lifting jobs—it's convenient in shop, maintenance department, production line, warehouse, stockroom, parts department. Only 60 lbs. of effort handily lifts 750-lb. loads. Simple hydraulic system assures easy positioning—each downstroke of the pedal lifts load vertically 1¼". Automatic leveling platform lowers to 0". Steel Truck rolls on 8"x2" Mold-on rubber wheels. FOB Penn.

Stock No.	Lift Ht.	Platform	Lbs.	List Pr.	Net Ea.
Foot-Operated					
71-462/6D	40"	16"x20"	96	$502.80	$308.96
71-463/4D	54"	22"x22"	125	571.00	356.98
71-464/2D	54"	22"x30"	135	622.90	385.99
Winch Operated					
71-736/3D	40"	16"x20"	92	$425.40	$259.90
71-737/1D	54"	22"x22"	117	487.10	298.86
71-738/9D	54"	22"x30"	127	537.50	331.85

B PEDA-LIFT WITH CASTERS

Capacity of 750 lbs. with all the fine features of (A) plus the additional advantage of 3" casters in front. FOB Penn.

Stock No.	Lift Ht.	Platform	Lbs.	List Price	Net Ea.
Foot Operated					
71-739/7D	40"	16"x20"	105	$546.10	$336.79
71-790/0D	54"	22"x22"	135	613.50	379.97
71-791/8D	54"	22"x30"	145	664.10	412.64
Winch Operated					
71-792/6D	40"	16"x20"	102	$472.30	$289.86
71-793/4D	54"	22"x22"	127	539.70	332.65
71-794/2D	54"	22"x30"	137	590.40	365.82

C MAGNESIUM PEDA-LIFT

The ultimate in easy handling with all the conveniences of the steel model above . . . plus the ease of "take-along" light-weight that makes it perfect for service calls and deliveries. FOB Penn.

Stock No.	Lift Ht.	Platform	Lbs.	List Price	Net Ea.
71-471/7D	40"	20"x22"	55	$617.80	$382.86
71-472/5D	54"	20"x22"	62	702.10	436.90

C&H and Genie Beat Your High Cost of Lifting

Lightweight Stacker Lets One Man Move Big Loads and Lift to 13'2" Heights

D

As low as $349.95

400 LB. CAPACITY

It rolls like a hand truck, maneuvers easily in tilt-back or upright positions, lifts to heights of 13'2" in seconds, and it's lightweight and compact enough to fit in tool locker or panel truck. Constructed of strong, lightweight aluminum—has safety brake winch to "hold" load whenever handle is released, aircraft cable with minimum breaking strength of over 6 times the load capacity, heavy-gauge steel forks 22" long overall (width of 18½"). Large 8x1½" wheels roll over rough surfaces, molded rubber tires won't mar floors. 12" load centers on all units. FOB Wash.

Removable forks and outriggers . . . transporting, storing ease for one man

Reversible forks can be changed quickly from up or down position—no tools needed!

Outrigger extensions come with 74½" and 86½" lowered ht. models. Maneuverable swivel casters

Outriggers retract 4" in base casting for reaching shelves or in openings!



D

E

Genie Mix-N-Match Moves 800-Lb. Loads and Lifts Them Effortlessly Up to 9'7" High

E

Universal base design lets you mix-n-match wheels and casters to facilitate easier loading and maneuvering. Mix-N-Match is ideal for unloading trucks, for stocking in narrow aisles, for general material handling and lifting jobs. Legs and forks remove so unit can be transported in vehicle easily by one person. The 5' lift unit is one-section, non-telescoping; the 9½' lift has two telescoping sections of lightweight heat-treated aluminum, unique extruded interlocking design is rigid, strong, and non-corrosive. Built-in automatic safety brake eliminates accidental load release—it's always engaged when cranking up or down. Forks adjust in width from 10" to 21"; 26" fork length accommodates wide, bulky loads. Forks fold up for storage, both models have 13" load center. FOB Wash.

As low as $469.93 with outriggers

Order base unit from chart—order Kit A or B to customize . . . optional platform for stacking.
*** Basic unit has to have one set of outriggers to be operational.**

Stk. No.	Capacity	Lift Ht.	Overall Ht.	Lbs.	Net Ea.
71-880/9DX	800 lbs.	5'	74½"	109	$399.95*
71-881/7DX	800 lbs.	9'7"	74½"	146	599.90*

D

Stock Number	Load Cap.	Ht. Lowered	Fork—Lift Ht. Down	Fork—Lift Ht. Up	Fork—Loading Ht. Down	Fork—Loading Ht. Up	Wt. (lbs.)	Net Each
71-670/4D	400#	62½"	4'0"	5'2"	3½"	17½"	75	$349.95
71-671/2D	350#	62½"	8'0"	9'2"	3½"	17½"	95	439.90
71-672/0D	350#	74½"	10'0"	11'2"	3½"	17½"	101	499.96
71-673/8D	250#	86½"	12'0"	13'2"	3½"	17½"	106	539.88

71-674/6D Load platform for all models. Net each $35.00

Kit	Stock Number	Front Outriggers	Rear Wheels	W x D (inches)	Loading Height	Lbs. Lbs.	Net Each
OUTRIGGERS							
A	71-882/5D	4" with brake	4" w/brake	29¾"x42½"	5⅜"	24	$69.98
B	71-883/3D	2" casters	8"x1⅝"	33½"x43½"	3¼"	31	79.90

71-884/1D—Steel Platform, 22"Wx26¼"D. Clips to forks. Net ea. $28.00

Peda-Lift Hydraulic Hand Truck Lowers Flush to the Floor

Save Time, End Manual Lifting!

Simple hydraulic system assures easy lifting . . . lifts heavy items to work levels, lowers to the floor for easy loading! Rugged design provides load stability; center of gravity assures perfect load balance. 1000-lb. capacity. Fold-away, foot-operated hydraulic pedal leaves the operator's hands free. Rolls on 8x2" mold on wheels—moves parts to work stations, operates easily in narrow areas, and it's handy for stocking shelves and racks. Also useful as hand truck for large packages, cartons, etc. Allows one man to handle many jobs—lifts 1¼ vertical inches with each pedal downstroke; platform levels automatically. FOB Fla.



Stock Number	Lift Ht.	Platform	Wt. Lbs.	Net Each
71-145/7D	41"	16x20"	113	$339.97
71-148/1D	53"	22x22"	144	433.93
71-147/3D	53"	22x30"	167	475.88
WINCH HAND TRUCKS				
71-149/9D	53"	20x22"	142	$333.89
71-151/5D	53"	30x22"	170	375.95

No hand lifting . . . loads heaviest items

Moves parts to machines and racks

Handy for stacking shelving

As Low As **$333.89**

Fork-Type Peda-Lift Hydraulic Hand Truck Moves Pallets Safely

As Low As **$294.98**

Now, a Peda-Lift Specially Designed to Move Fully Loaded Pallets Weighing Up to 750 Lbs.

A simple hydraulic system with pallet capabilities . . . especially practical in small warehouses, on loading docks and in service areas . . . anywhere you need to lift pallet loads up to 750 lbs. and a platform lift is not available, not adequate, or not convenient. Forks adjust up to 22" wide (maximum); each fork is 18" long and lowers to within 3" of the floor. Each ¾" thick fork is 3" wide with an 11" load center. Simplified hydraulic system keeps the cost low without compromising convenience. Truck rolls on 8" x 2" moldon rubber wheels, handles loads up to 750 lbs. Available in two lift heights: 40" or 54". FOB Penn.

18" FORKS WITH AN 11" LOAD CENTER

Stock Number	Maximum Lift Height	Maximum Fork Adjustment	Shpg. Wt. (lbs.)	List Price	Each
71-054/1D	40"	20"	115	$481.30	$294.98
71-055/8D	54"	22"	135	543.00	334.95

Also available with two (3") swivel casters in front along with 8" wheels in back. Stk. No. 71-056/6D wt. — 160 lbs. List Price $583.80 Net Ea. $360.95

Keep Materials Moving, End Lifting by Hand

ortable Elevators Lift and Move Heavy Equipment One Quick and Easy Operation— ave You Time, Work and Money!

ow-cost stackers keep labor costs low! Move 500-lb. capacity loads n one easy operation—you don't have to transfer load from one piece f equipment to another to move it and lift it! Ideal for stamping lants, warehouses, storerooms, tool and die makers. Hevi-duty steel velded frames with sturdy lifting mechanisms and large wheels.

[A] WINCH-OPERATED PORTABLE ELEVATOR

xtra compact—only 20" wide. Lifts 20"x20" platform 2" per crank evolution—winch has automatic brake to hold platform at any deired height. Platform lowers to 3¼", raises to 58½". Rolls on 6"x2" emi-pneumatic wheels. 20'x27"x66" overall. 500 lb. cap.
1-805/6D—Wt. 88 lbs. FOB Fla. Net each **$249.90**

[B] FOOT-OPERATED HYDRAULIC TRUCK

Compact 500-lb. capacity elevator truck has foot-operated hydraulic fts—lifts approximately 1⅜" per pump stroke, pump holds load at desired eight. Foot lever folds away for moving or storing. 20"x20" platform with ⅛ high backplate—lowers to 3¼" from floor, lifts as high as 52½". 20" ide truck rolls on 6"x2" semi-pneumatic rear wheels and 2"x1" nose heels. 27" long, 66" high overall.
1-288/5D—Wt. 125 lbs. FOB Fla. Net each **$369.95**

[C] PORT-A-SWIVEL HYDRAULIC LIFT

asiest maneuvering elevator truck made—four 4"x1½" semi-steel swivel casters allow precise positioning, can be turned on its own xis. Unit is outfitted with two 8"x1⅝" Mold-on rubber transport wheels. Foot-operated hydraulic mechanism lifts 500 lbs. 24"x20" latform with 12" high backplate lowers to 6¼" from floor, raises o 55½" height. Fold-up foot pump lever—pump holds load at deired height. Unit is 24" wide, 32" long, 70" high.
1-375/0D—Wt. 168 lbs. FOB Fla. Net each **$525.92**

WINCH-OPERATED PORT-A-SWIVEL (not shown) is similar to (C) but perated by mechanical winch. 59½" is maximum height—auto brake olds it at desired height.
1-159/8D—Wt. 139 lbs. Net each..... **$415.96**

Easy winch action. . . does the job at a very low price!

As Low As **$249.90**



Positions easily—ideal for close quarters.

EQUIPMENT COMPANY OF AMERICA

Safe . . . Speedy Elevating Work Platforms

14'7" ht. full extended!

Welded steel!

300-lb. capacity

Skid-resistant platform has 4" toe boards on all four sides—and 42" high railings

E-Z to extend outriggers . . . and screw jacks to stabilize and level extended unit

E-Z elevating . . . telescoping mast sections glide on low-friction enclosed rollers

As Low As **$1175.90**

The easy-operating, energy-saving elevating system you can afford . . . and can't afford to be without! Three means of elevating to choose from: Winch, Hydraulic, or Electric/Hydraulic. Lifting cables are rated at 6 times required strength. Two independent brakes provide added safety. Good height-to-width ratio insures stability, even when fully elevated. Telescoping mast sections glide on low-friction rollers enclosed in tracks for safety and low maintenance—no metal sliding on metal! Moldon rubber wheels are 8" in diameter, 2" wide (2 are rigid, 2 swivel). Two platform sizes.

Safe sloping ladder and E-Z-to-erect handrails—captive sliding bolts hold it in place!

FOB Fla.

WITH HAND-OPERATED WINCH:

Stk. No.	Platform	Lbs.	Net Ea.
73-630/6D	29"x20"	527	$1175.90
73-631/4D	29"x62"	842	1625.88

WITH HAND-OPERATED HYDRAULIC PUMP:

Stk. No.	Platform	Pump at . .	Lbs.	Net Ea.
73-632/2D	29"x20"	Bot. base	589	$1595.92
73-633/0D	29"x62"	Bot. base	904	2050.96
73-634/8D	29"x20"	Top plat	600	1695.89
73-635/5D	29"x62"	Top plat	915	2160.97

WITH BATTERY-OPERATED HYDRAULIC PUMP:
Built-in charger. Push button controls located on platform safety railing. Uses 100-amp. hour industrial battery (not incl.).

Stk. No.	Platform	Lbs.	Net Ea.
73-636/3D	29"x20"	599	$1995.98
73-637/1D	29"x62"	914	2450.93

HEIGHT EXTENDERS ADD 4' TO HEIGHT
73-638/9D — For Winch, Batt., & Hyd. Bot. Models. Wt. 67 Lbs. Net Ea. **$120.75**
73-639/7D — For Hyd. Top Models. Wt. 87 Lbs. Net Ea. **$160.90**

Fiberglass Bucket — Extra safety for electrical workers. Bottom reinforced with embedded steel plate, and heavy fiberglass insulation. 23" W, 22" L, 38" H. 77 lbs.
73-668/6D — Net Each **$275.00**

Large roller bearing casters

Conforms to ANSI Standard A92.3

LARGER 29" x 62" PLATFORM . . . extends 36" beyond base — operator is then within safe reaching distance of work located over obstacles spread out below. Counterweight included.

Folds for storage—rolls to work area, fits thru 2'8"x6'8" doors and elevators . . . use indoors or out, for maintenance, construction, inventorying, sign changing, cleaning, repairs!

PORTABLE STEEL

Workstages

Instantly convert fork trucks to elevator platforms

C&H MEETS OSHA REQUIREMENTS

Low as **$360.88**

EQUIPMENT COMPANY OF AMERICA

Mobilize your maintenance . . . Speed stock picking and inventorying . . . Service hard-to-reach areas -- Safely, Comfortably, and Economically when you utilize your own fork lift truck.

Slip the forks of your lift truck into the sleeves of the Workstage . . . safely and speedily complete an infinite variety of overhead work requirements. One-piece deck has skid-resistant treadplate with integral 4" high toe boards on all four sides . . . 42" high handrails with intermediate rails . . . and 60" high backguard with chain link fence insert to prevent accidental contact with lift truck mechanism. Double-acting safety gate can't open accidentally. Safety chain anchors unit to forklift. Full length tine sleeves: 7½"x3¾" high, 26" centers. Shipped with handrails demounted to save shipping charges — only 8 bolts needed to assemble! Tine lock included to hold workstage in place on fork lift. Spring loaded pin holds it in locked and unlocked position.

FOB Fla.

Stk. No.	Platform Size	Shpg. Wt.	Net Each
73-640/5D	36"x48"	178 lbs.	$360.88
73-641/3D	52"x52"	220 lbs.	480.95

PLATFORM With Ladder Base For Added Heights

Stk. No.	Platform	Added Ht.	Shpg. Wt.	Net Each
73-642/1D	36"x48"	2'	360 lbs.	$704.95
73-643/9D	52"x52"	2'	402 lbs.	824.90
73-644/7D	36"x48"	4'	385 lbs.	724.96
73-645/4D	52"x52"	4'	427 lbs.	844.98
73-646/2D	36"x48"	6'	410 lbs.	744.95
73-647/0D	52"x52"	6'	452 lbs.	864.97
73-648/8D	36"x48"	8'	435 lbs.	759.95
73-649/6D	52"x52"	8'	477 lbs.	879.90

OPTIONAL TINE LOCK

EXTRA SAFETY . . . Quick-acting Tine Lock replaces safety chain to hold Workstage in place.

ACCESSORIES FOR WORKSTAGES ABOVE

SET OF 4 SWIVEL CASTERS—5" size, welded to bottom of sleeves. Specify: 01 Moldon rubber, 02 Phenolic resin, 03 Polyurethane; 04 Semi-steel. Sold only in sets of 4.

Stk. No.	Wheel Type	Shpg. Wt.	Net Each Per Set
73-651/2DX	01 Molden Rubber	21 lbs.	$72.00
73-651/2DX	02 Phenolic resin	19 lbs.	55.00
73-651/2DX	03 Polyurethane	25 lbs.	79.00
73-651/2DX	04 Semi-steel	27 lbs.	72.00

TOOL TRAY—Slips on handrails, keeps tools and parts within easy reach. Two sizes—both 8" wide, 2" deep.
73-652/0D—For 36" Workstage. Wt. 12 lbs. Net each $27.00
73-653/8D—For 52" Workstage. Wt. 16 lbs. Net each $30.00

OVERHEAD GUARD protects occupant from falling objects, overhead hazards.
73-654/6D—For 36" Workstage. Wt. 53 lbs. Net each $85.00
73-655/3D—For 52" Workstage. Wt. 65 lbs. Net each $105.00

FRONT ENTRANCE GATE is standard on all units, for additional gates or other locations, contact Dept. 72.

ROL LIFT Pallet Trucks American-Made Workhorse Now in More Sizes, Styles

HAND CONTROL speeds load lowering safely — can be used as a brake, too.

FOOT CONTROL has 3 positions for raise, neutral and lowering speeds.





GUARANTEE
6-month guarantee on frame and pump with a factory re-manufactured pump exchange program to save $$$.

As Low As
$444.95

Special widths and lengths available, write or call Dept. 72.

Safety engineered . . . with fork sizes, controls, capacities and design to meet your warehousing needs. Pallet trucks boast heavy-duty construction with polyurethane wheels, sealed grease-for-life ball bearings. Improved steering and pulling. All welded steel frame with safety loop handle. 6-month guarantee on frame and pump with a factory remanufactured pump exchange program. Fork sizes: 01-21"x32", 02-21"x36", 03-21"x42", 04-21"x48", 05-27"x32", 06-27"x36", 07-27"x42", 08-27"x48". Specify fork number and size. (Low profile model has foot control lowering as standard feature). FOB Ark. or Ill

STANDARD PROFILE PALLET TRUCKS								
Type of	Height		4500-LB. CAPACITY Shpg. wt. 210 lbs.		5500-LB. CAPACITY Shpg. wt. 234 lbs.		6500-LB. CAPACITY Shpg. wt. 267 lbs.	
Control	Lowr'd	Ras'd	Stk. No.	Net Each	Stk. No.	Net Each	Stk. No.	Net Each
Foot	3¼"	7¾"	71-340/4DX	$444.95	71-341/2DX	$479.98	71-413/9DX	$649.90
Hand	3¼"	7¾"	71-057/4DX	444.95	71-058/2DX	479.98	71-107/7DX	649.90
LOW-PROFILE TRUCK								
Foot	2¼"	6¾"	71-108/5DX	$651.92	71-109/3DX	$732.80		

ACCESSORIES-ADAPTERS FOR TRUCKS ABOVE

71-342/0D—Automotive-style brake. Net each $140.00
71-343/8D—Galvanized frame (for wet applications) $295.00
71-344/6D—Skid adapter. Net each $80.00

Mobile Lift Trucks At Rock Bottom Prices



Safety loop handle with fingertip control

5000 LB. CAPACITY

As Low As
$441.50

- **Safety loop handle**
- **8" raised height**
- **3¼" lowered height**
- **More capacity per $$$**

Fingertip control which is easily accessible to both left and right handed operators, ends operator acrobatics—load is lifted with short pumping strokes, lowered smoothly with fingertip control, even while load is in motion . . . can be used to act as a brake, avoids collisions, prevents runaways. Uniform lowering at all handle positions prevents load damage. 8x2" front wheels, 3x3⅞" load roller of tough nylon. 200° pivot action with self-lubricated bearings. Body lgth., 15½". Fork sizes: 01—20½x36", 02—20½x42", 03—20½x48", 04—27x36", 05—27x42", 06—27-48". FOB Ill. Specify fork size choice and number. Special fork widths & lengths available. Write Dept. 72.

Stock No.	Capacity	Shpg. wt.	Net Each	Each (lots/2)
71-852/8DX	5000 lbs.	210 lbs.	$459.90	$441.50

With 2" lowered height, 5000-lb. capacity. In fork sizes above—specify fork size choice and number. Wt. 210 lbs.
71-333/9DX—Net ea. **$738.95.** Ea. (lots/2) **$709.90**

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

BEAT INFLATION! BUY AT WHOLESALE FROM C&H

Single Stroke Truck Speeds Material Handling

GUARANTEE
6-month guarantee on frame and pump with a factory remanufactured pump exchange program to save $$$.

210° steering for safe and easy maneuvering

Articulated axle smooths ride on uneven floors

As Low As
$447.95

up to 5500-lb. CAPACITY

Exclusive Rapid-Lift device allows forks to be mechanically raised to 6" height in one easy stroke—then hydraulic pump takes over and raises load to 7⅞" height. Saves time when lifting empty pallets or when bringing fork up into contact with skids. Spring-action handle returns to upright position when released. Quality engineered truck has dual thrust bearings, wide polyurethane wheels. See specifications at the right . . . trucks are available in two lifting capacities, in standard and low profile models. All FOB Fla.

SPECIFICATIONS		
Description	Standard	Low-Profile
Fork Ht. Lowered	3¼	2"
Rapid-Lift Ht.	6+	5"+
Fork Ht. Raised	7⅞"	5½"
Steering Wheels	7"x2¼"	7"x2¼"
Load Wheels	3"x4"	2"x4"

STANDARD PALLIFTS (5500-Lb. Cap.)				
Stock Number	Truck Width	Fork Length	Wt. (lbs.)	Net Each
71-524/3D	20½"	36"	192	$447.95
71-525/0D	20½"	42"	202	447.95
71-526/8D	20½"	48"	214	447.95
71-527/6D	27"	36"	204	447.95
71-528/4D	27"	42"	214	447.95
71-529/2D	27"	48"	227	447.95
LOW PROFILE PALLIFT (3000-Lb. Cap.)				
71-530/0D	27"	48"	213	$547.90
GALVANIZED PALLIFT (5500-Lb. Cap.)				
71-531/8D	27"	48"	227	$694.98



Presto Hydraulic Trucks Save Time, Save $$$

Hydraulic Hand Trucks Let One Man Move and Lift 1000-Lb. Loads Effortlessly, Inexpensively

Simplify your warehousing and material handling operations with these ruggedly constructed extremely maneuverable hydraulic lift trucks that not only do all kinds of lifting but move merchandise from one spot to another. Simple to operate foot pedal lets you hydraulically lift objects from 52" to 78" high. These manually propelled trucks with adjustable forks are extremely easy to operate and move about. C&H prices make them exceptional buys. FOB R.I.

Key Ltr.	Stock Number	Lift Ht.	Low'd Ht.	Overall Dimensions Ht.	Width	Lgth.	Base Legs I.D.	O.D.	Wheel Diam. Front	Rear	Wt. (lbs.)	Net Each
	A Platform (24" wide x 24" long)—15" load center											
(A)	71-807/2D	52"	5¼"	66"	26"	38"	15"	21"	5"	4"	240	$538.00
	71-808/0D	66"	5¼"	80"	26"	38"	15"	21"	5"	4"	260	618.00
	71-809/8D	78"	5¼"	92"	26"	38"	15"	21"	5"	4"	280	688.00
	B Adjustable 25" forks (non-straddle)—15" load center											
(B)	71-818/9D	52"	5¼"	66"	27"	42"	15"	21"	5"	4"	240	$598.00
	71-811/4D	66"	5¼"	80"	27"	42"	15"	21"	5"	4"	260	678.00
	71-812/2D	78"	5¼"	92"	27"	42"	15"	21"	5"	4"	280	748.00
	A Platform (32" wide x 30" long)—18" load center											
(A)	71-864/3D	52"	5¼"	66"	32"	44"	24"	30"	5"	4"	290	$628.00
	71-865/0D	66"	5¼"	80"	32"	44"	24"	30"	5"	4"	300	708.00
	71-866/8D	78"	5¼"	92"	32"	44"	24"	30"	5"	4"	320	778.00
	B Adjustable 30" forks (straddle)—18" load center											
(B)	71-867/6D	50"	3¼"	66"	32"	48"	26"	32"	5"	4"	290	$648.00
	71-868/4D	64"	3¼"	80"	32"	48"	26"	32"	5"	4"	300	728.00
	71-869/2D	76"	3¼"	92"	32"	48"	26"	32"	5"	4"	320	798.00

As Low As $598.00

As Low As $538.00

Counterweight Lift Truck Gets Right Up To Work Surfaces . . . To Lift Loads Up to 1000 lbs.

Cleverly designed to get right up to the work surfaces . . . there are no base legs or straddles to interfere with position. Lift truck can be used to feed presses or machinery. Hydraulic pressure is developed by powerful 12-volt battery—raises 1000-lb. loads to 62" and 74" heights. Adjustable 25" long forks lower down to the floor. 13" load center. Truck moves smoothly — saves countless hours for the operator, makes lifting and moving virtually one operation. Order from chart below. How to acquire capacity up to 1000 lbs. go to chart at right. FOB R.I.

To Use Counterweights

Needed Cap. Lbs.	Load Center	Add. Counter-Weights Needed
200-399	13"	300 lbs.
400-599	13"	400 lbs.
600-799	13"	500 lbs.
800-1000	13"	600 lbs.

Counterweights to meet these requirements are readily available in customer's home town.

Stock Number	Lift Ht.	Low'd Ht.	Overall Dimen. Ht.	Width	Lgth.	Wheel Diam. Front	Rear	Wt. (lbs.)	Net Each
71-813/0D	62"	1"	80"	26"	33"	5"	4"	460	$1398.00
71-814/8D	74"	1"	92"	26"	33"	5"	4"	480	1498.00

As Low As $1398.00

Gets right up to machinery . . . saves time and unneeded lifting!

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Rugged New Pallet Straddle Stackers

Ruggedly designed . . . with extra heavy hydraulic system and extra large 12-volt battery . . . to handle the 48" pallets that have become the standard of many industries. Constructed with extra stamina, extra power for high capacity performance . . . mast, base, and hydraulic system are extra heavy duty; battery is heavy-duty 12-volt with built-in charger, heavy-duty cord, and Amp. meter; capacity of 2000 lbs. at 24" load center. Adjustable 36" forks to floor; lift heights of 62", 74", and 86". This high capacity, high performance stacker requires no special training to operate — the 5th wheel (an 8" polyurethane wheel with spring loaded handle) affords the maneuverability and stability needed for handling large, fully loaded pallets. High strength construction also helps keep maintenance to a minimum even under the most rugged and constant use. Base legs available in two widths. FOB R.I.

Battery-Powered Stackers with 2000-Lb. Capacity At 24" Load Centers . . . for 40" and 48" Wide Pallets

As Low As $1638.00

Choose fixed or telescopic mast

Stock Number	Lift Ht.	Low'd Ht.	Overall Dimensions Ht.	Width	Lgth.	Base Legs I.D.	O.D.	Wheel Diam. Front	Rear	Wt. (lbs.)	Net Each
FIXED MAST STACKERS											
42" Inside Diam. Straddle — For 40" W x 48" L Pallets											
71-990/6D	62"	2"	80"	48"	64"	42"	48"	5"	4"	670	$1638.00
71-991/4D	74"	2"	92"	48"	64"	42"	48"	5"	4"	710	1738.00
71-992/2D	86"	2"	104"	48"	64"	42"	48"	5"	4"	750	1838.00
50" I.D. Straddle — For 48" x 48" L Pallets											
71-993/0D	62"	2"	80"	56"	64"	50"	56"	5"	4"	695	$1738.00
71-994/8D	74"	2"	92"	56"	64"	50"	56"	5"	4"	735	1838.00
71-995/5D	86"	2"	104"	56"	64"	50"	56"	5"	4"	775	1938.00
TELESCOPIC MAST STACKERS											
42" Inside Diam. Straddle — For 40" W x 48" L Pallets											
71-097/0D	107"	2½"	137"/83"	48"	70½"	42"	48"	5"	4"	1160	$2398.00
71-098/8D	127"	2½"	157"/95"	48"	70½"	42"	48"	5"	4"	1220	2598.00
50" Inside Diam. Straddle — For 48" W x 48" L Pallets											
71-099/6D	107"	2½"	137"/83"	56"	70½"	50"	56"	5"	4"	1185	$2498.00
71-100/2D	127"	2½"	157"/95"	56"	70½"	50"	56"	5"	4"	1245	2698.00

In overall height for telescopic units the mast has a telescopic height and lowered height.



5th wheel for better maneuverability in tight spots . . . 8" poly wheel has spring-loaded handle

Lift heights from 62" to 107"

For 40" and 48" pallets

All Models come with a 12 Volt, 130 A.H. Battery and 10 amp Automatic Taper Charger

Lift and Position Loads— Save Time, Work and Money!

All Rol-Lift Stackers are warranted for 90 days against mfg. and/or component defect. Batteries for manual electric trucks are unconditionally guaranteed against defective materials or workmanship for 90 days and carry an additional 9 month pro-rata warranty. All batteries can be recharged in 14 hrs. after 50 lift cycles of approximately 60" lift height. FOB Ark.

MANUALLY MOVED— BATTERY POWERED LIFTING

Battery Powered Hydraulic Rol-Lift Stackers

SPEED STOCKING . . . IMPROVE PRODUCTIVITY
ASSURE LOADING DOCK SAFETY . . . INCREASE SERVICE

Rigid Fork Series

A fantastic value for the industrial user . . . choice of two capacities (load centers at 18", lifting heights from 50" to 84"). Industrial quality hydraulic and electrical systems, outfitted with industrial 12V 130 A.H. battery and 10 amp automatic taper charger. Infinitely variable throttle valve lowering. High efficiency pump, motor with heavy-duty lift cylinder. Forks are 5⅜" wide, 7 gauge thick, and extend 2" beyond straddle.

RIGID FORKS AT 18" LOAD CENTERS

Stock Number	Capacity (lbs.)	Lift Ht. (in.)	Overall Ht. (in.)	Overall Lgth. (in.)	Width (in.)	Steel Wheels Frt.	Steel Wheels Rear	Distance Between Straddle I.D.	Distance Between Straddle O.D.	Lowered Ht. of Forks	Lgth. of Forks	Dist. Between Forks I.D.	Dist. Between Forks O.D.	Turn Radius	Wt. (lbs.)	Net Each
72-831/1D	1500	50	67⅝	46⅛	27½	4"	6"	19½"	26"	4¼"	26"	15¼"	26"	43"	580	$1072.90
72-832/9D	1500	60	77⅝	46⅛	27½	4"	6"	19½"	26"	4¼"	26"	15¼"	26"	43"	610	1173.88
72-833/7D	1500	72	89⅝	46⅛	27½	4"	6"	19½"	26"	4¼"	26"	15¼"	26"	43"	625	1232.50
72-834/5D	1500	84	101⅝	46⅛	27½	4"	6"	19½"	26"	4¼"	26"	15¼"	26"	43"	640	1376.95
72-835/2D	2000	50	67⅝	46⅛	27½	4"	6"	19½"	26"	4¼"	26"	15¼"	26"	43"	610	1205.60
72-836/0D	2000	60	77⅝	46⅛	27½	4"	6"	19½"	26"	4¼"	26"	15¼"	26"	43"	640	1306.67
72-837/8D	2000	72	89⅝	46⅛	27½	4"	6"	19½"	26"	4¼"	26"	15¼"	26"	43"	690	1408.92
72-838/6D	2000	84	101⅝	46⅛	27½	4"	6"	19½"	26"	4¼"	26"	15¼"	26"	43"	740	1509.95

Non-Telescopic with Adjustable Forks

Extra versatility with adjustable forks. Two capacities at 0" load center. Lift height from 50" to 84". Industrial ydraulic and electrical systems. Industrial 12V 130 A.H. attery and 10 amp automatic taper charger. Infinitely ariable throttle valve lowering. High efficiency pump, otor; heavy-duty lift cylinder. A fine performer, reaonably priced. Forks are 4" wide, 1¼" thick, and xtend 2" beyond the straddle.

NON-TELESCOPIC WITH ADJUSTABLE FORKS @ 20" LOAD CENTERS

Stock Number	Lb. Cap.	Lift Ht. (in.)	Overall Ht. (in.)	Overall Lgth. (in.)	Width (in.)	Steel Wheels Frt.	Steel Wheels Rear	Distance Between Straddle I.D.	Distance Between Straddle O.D.	Lowered Ht. of Forks	Lgth. of Forks	Distance Between Forks I.D. O.D.	Turn Radius	Wt. (lbs.)	Net Each
72-839/4D	1500	50	67⅝	53⅛	34	4"	6"	27½"	34"	1¼"	30"	1½" to 26"	50"	610	$1237.85
72-840/2D	1500	60	77⅝	53⅛	34	4"	6"	27½"	34"	1¼"	30"	1½" to 26"	50"	640	1312.87
72-841/0D	1500	72	89⅝	53⅛	34	4"	6"	27½"	34"	1¼"	30"	1½" to 26"	50"	670	1408.91
72-842/8D	1500	84	101⅝	53⅛	34	4"	6"	27½"	34"	1¼"	30"	1½" to 26"	50"	700	1509.86
72-843/6D	2000	50	67⅝	53⅛	34	4"	6"	27½"	34"	1¼"	30"	1½" to 26"	50"	640	1376.75
72-844/4D	2000	60	77⅝	53⅛	34	4"	6"	27½"	34"	1¼"	30"	1½" to 26"	50"	690	1440.84
72-845/1D	2000	72	89⅝	53⅛	34	4"	6"	27½"	34"	1¼"	30"	1½" to 26"	50"	750	1541.96
72-846/9D	2000	84	101⅝	53⅛	34	4"	6"	27½"	34"	1¼"	30"	1½" to 26"	50"	810	1642.70

Telescopic Trucks

No job too difficult, no maneuver too complicated. Adjustable forks on telescopic model make this the most versatile truck going. Lifts from 7' to 12' high in one foot increments. Two capacities at 20' load center; industrial 12V 130 A.H. battery and 10 amp automatic taper charger. Infinitely variable throttle valve lowering. High efficiency pump and motor; heavy-duty lift cylinders. Forks are 4" wide, 1¼" thick and extend 2" beyond the straddle.

ALL SHIPPED FOB ARKANSAS

TELESCOPIC MODEL WITH ADJUSTABLE FORKS @ 20" LOAD CENTERS

Stock Number	Lb. Cap.	Lift Ht. (in.)	Overall Ht. (in.)	Overall Lgth. (in.)	Width (in.)	Steel Wheels Frt.	Steel Wheels Rear	Distance Between Straddle O.D.	Distance Between Straddle O.D.	Lowered Ht. of Forks	Lgth. of Forks	Distance Between Forks I.D. O.D.	Turn Radius	Wt. (lbs.)	Net Each
72-847/7D	1500	84	63½	53⅛	38	4"	6"	31½"	38"	1¼"	30"	1½" to 26"	53"	890	$1877.78
72-848/5D	1500	96	69½	53⅛	38	4"	6"	31½"	38"	1¼"	30"	1½" to 26"	53"	920	1941.83
72-849/3D	1500	108	75½	53⅛	38	4"	6"	31½"	38"	1¼"	30"	1½" to 26"	53"	950	2037.87
72-850/1D	1500	120	81½	53⅛	50	4"	6"	43½"	50"	1¼"	30"	1½" to 26"	58¾"	980	2133.80
72-851/9D	1500	132	87½	53⅛	50	4"	6"	43½"	50"	1¼"	30"	1½" to 26"	58¾"	1010	2229.98
72-852/7D	1500	144	98½	53⅛	50	4"	6"	43½"	50"	1¼"	30"	1½" to 26"	58¾"	1040	2325.65
72-853/5D	2000	84	63½	53⅛	38	4"	6"	31½"	38"	1¼"	30"	1½" to 26"	53"	900	2037.87
72-854/3D	2000	96	69½	53⅛	38	4"	6"	31½"	38"	1¼"	30"	1½" to 26"	53"	935	2101.83
72-855/0D	2000	108	75½	53⅛	38	4"	6"	31½"	38"	1¼"	30"	1½" to 26"	53"	960	2202.67
72-856/8D	2000	120	81½	53⅛	50	4"	6"	43½"	50"	1¼"	30"	1½" to 26"	58¾"	985	2298.77
72-857/6D	2000	132	87½	53⅛	50	4"	6"	43½"	50"	1¼"	30"	1½" to 26"	58¾"	1020	2394.97
72-858/4D	2000	144	93½	53⅛	50	4"	6"	43½"	50"	1¼"	30"	1½" to 26"	58¾"	1050	2490.50

MACHINERY MOVER DOLLIES

MOVE LOADS UP TO 400 TONS





FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

WE SHIP UPS WHEN POSSIBLE

As low as $80.95

EXPRESS ROLLERS to 400 tons



Express Extra Heavy-Duty Rollers and Swivel Tops Move Everything, Even Over Irregular or Pitted Surfaces

Sturdily built rollers have quality smooth cast frames of highest tensile steel with roll riveted washer assembly and extra heavy-gauge chain links. Each size carries over 1000 times its weight. Load moves with caterpillar action—load is carried on rollers between frame and floor, it moves without axle or journal friction. Lets you move and spot big, unwieldy equipment with ease and speed. Swivel attachments fit on top of rollers to facilitate turning and exact position while in motion, or turning of rollers when stationary. Diamond serrated chrome steel plate on ball bearings makes swiveling extremely easy. Two swivels allow a 35° turn while in motion; four swivels allow 90° turns. FOB New Jersey.

EXPRESS ROLLERS								SWIVEL ATTACHMENT			
Stock Number	Ton Capacity Each	Ton Capacity Set/4	Dimensions (in.) H x W x L	Wt. (lbs.)	Roller Diam.	Roller Contacts	Net Each	Stock Number	Attl. Wt.	Attl. Ht.	Net Each
71-001/2D	3¾	15	2¾x4⅝x8⅝	17	15/16"	5	$ 80.95	71-006/1D	13"	1⅜"	$ 59.99
71-050/9D	5	20	2¾x5⅝x8⅝	20	15/16"	5	88.92	71-006/1D	13"	1⅜"	59.99
71-002/0D	10	40	3⅜x5-1/16x10⅜	28	1-3/16"	5	101.91	71-007/9D	20"	2"	72.96
71-051/7D	12½	50	3⅜x5½x10⅜	32	1-3/16"	6	110.93	71-007/9D	20"	2"	72.96
71-003/8D	25	100	4¾x6-9/16x14¾	80	1⅝"	5	235.98	71-008/7D	40"	2½"	165.91
71-004/6D	44	175	5⅝x7½x21	150	2"	7	430.90	71-009/5D	51"	2¾"	242.97
71-005/3D	100	400	5⅝x7⅞x21	160	2"	7	499.95	71-009/5D	51"	2¾"	242.97

CONNECTOR STEERING HANDLE

Finest steel construction. Scoop design for easy handling. Two sizes; shgp. wts.: 8, 10 lbs.

71-010/3D—36" T-style for 2, 3 tons. Ea. $21.50
71-011/1D—48" T-style for all sizes. Ea. $25.00

As Low As $114.94

SET OF 4 MOVES up to 60 TONS

Heavy-Duty Flat-Top Rollers Move 60 Tons— In Choice of Rigid, Swivel or Swivel-Lock Design

High-grade B-carbon steel design with rugged steel grip teeth that bite into the load. Exceptionally low height design gets under equipment easily. Rollers can be permanent or portable—either weld or bolt to mount. Tough triple strength design with lubricated sleeve bearings. Swivel tops lock every 45°. FOB N.J.

Stock Number	Roller Type	Ton Capacity Each	Ton Capacity Set/4	Dimensions (in.) H x W x L	Wt. (lbs.)	Roller Diam.	Roller Contacts	Net Each
71-023/6D	Swivel Lock	3¾	15	4⅛x6x10	31	15/16"	5	$134.82
71-012/9D	Swivel	3¾	15	4⅛x6x10	30	15/16"	5	128.99
71-015/2D	Rigid	3¾	15	3¼x6x10	26	15/16"	5	114.94
71-024/4D	Swivel Lock	7½	30	4⅝x5¾x10½	37	1-3/16"	5	$149.68
71-013/7D	Swivel	7½	30	4⅝x5¾x10½	36	1-3/16"	5	142.79
71-016/0D	Rigid	7½	30	3¾x5¾x10½	32	1-3/16"	5	126.86
71-025/1D	Swivel Lock	15	60	4¾x7x12	51	1-3/16"	6	$187.92
71-014/5D	Swivel	15	60	4¾x7x12	50	1-3/16"	6	179.94
71-017/8D	Rigid	15	60	3¾x7x12	47	1-3/16"	6	160.83

SCOOP HANDLES FOR SWIVELERS

To fit swivel lock and swivel rollers.

71-026/9D—36" length. Net each $21.50
71-027/7D—48" length. Net each $25.00

Up To 50 TON Set of 4



All-Steel Mighty Movers with Large Wheels . . . One Man Can Do the Work of Several! Can't Be Clogged by Gravel

A HEAVY-DUTY 50 TON MOVER

5x7" swivel top pivots the load 360° to make turning simple. Virtually maintenance-free—only occasional greasing is necessary—no small parts or chains to wear out, break or jam. Unitized construction complete with turning bar. Can be attached permanently! Smooth ride—axle moves up and down as one ½x4" ball-bearing wheel negotiates rough surfaces.

71-028/5D—48 lbs. FOB Colo. Net ea. $158.95
71-029/3DP—Set of 4. Wt. 190 lbs.* Net ea. set $594.95

B MEDIUM-DUTY 6 TON MOVER

Economical performance—capacity to 12,000 lbs. in set of 4. All steel frame, axle, wheels; built for long life. Ideal for moving all kinds of equipment and machinery, loaded skids, etc. Swivel tops are included, attach easily to load for 360° turning; also as permanent casters.

71-030/1D—18 lbs. FOB Colo. Net ea. $98.73
71-031/9DP—Set of 4. Wt. 72 lbs.* Net ea. set $377.98
71-032/7D—Steering handle. 5 lbs. Net each $22.97

Model	Cap. Lbs. Each	Wt. Lbs.	Ht.	Overall Lgth.	Overall Width	Wheel Width	Wheel Diam.
Heavy-Duty	25,000	45	5½"	9"	7"	4¾"	4"
Medium-Duty	3,000	18*	4⅜"*	7½"	6¼"	4"	3½"

*With swivel top



Direct attachment . . . bolt passes thru machine and into dolly

Use angle iron base instead of drilling in frame. Save time

Wooden skid or pallet for 9/16" hole. Shorter bolt may be used



Oscillating axle action—dolly moves over rough surfaces

Sturdy case holds four dollies

3-Ton Moving Kit

Low profile to keep center of gravity low. One roller spans imperfect area while four others maintain contact with floor and continue chain's rotation. All lifetime steel with rubber padded tops, thick bronze swivel track. Sturdy steel case, which holds four dollies, is included in price. Wts.: 52, 54 lbs. FOB N.J.

71-034/3D—2 swivel, 2 rigid. Net $281.85
71-039/2D—4 swivel. Net each $299.89

WESCO

Heavy-Duty Trucks Transport and Store 1000-Lb. Drums More Safely, At Lower Cost, With Less Spillage

Self-Stander Drum Truck

TWO-YEAR GUARANTEE

As Low As **$158.95**





Designed for easy one-man loading of full drums to 1000 lbs.

Well-balanced for easy transporting

Stands alone . . . chime hook holds drum securely

Superbly engineered safe, efficient one-man handling of fully loaded drums weighing up to 1000 lbs. New improved features include replaceable hard-faced nose prongs to get under barrel . . . spring-loaded replaceable floating axle gives a smooth ride. Has self-storing chime hook, plastic handle grips. Truck stands alone, unsupported for storing. Rolls on heavy-duty replaceable 10″x2½″ Moldon rubber wheels. It's 61″ high, 22″ wide with 16½″ nose. FOB Pa.

74-218/9D—Wt. 81 lbs. List $193.40. Ea. **$158.95**

Four-Wheel Drum Truck

As Low As **$185.96**

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



Enables operator to load barrels on and off pallets

Four-wheel design allows operator to easily load and unload 1000-lb. drums on and off pallets with safety. Extra load wheels means truck rolls smoothly without operator support. Continuous handle bar and dual handles offer better control and leverage. Quality engineered: ¾″ diameter rear axle with 6″x1½″ Moldon rubber wheels, replaceable 1″ diameter front axle with 10″x2½″ Moldon rubber wheels. Truck is 61″ high, 25″ wide — 16¼″ wide at nose prongs. FOB Pa.

74-219/7D—Wt. 80 lbs. List $227.00. Ea. **$185.96**



WESCO

Big Savings on Easy Assembly Drain-Store 800 lb. Drum Cradle

Without Lever
As Low As
$37.95

With Tipping Lever
As Low As
$42.66

WE SHIP UPS WHEN POSSIBLE

74-226/2A with outboard wheels. IN STOCK. IMMEDIATE SHIPPING.



21½ OVERALL WIDTH.

19" OVERALL WIDTH.

74-225/4D with inboard wheels.

Easy-to-assemble drum cradle kits are boxed compactly for UPS shipping . . . you save on freight!

Protect drum and contents . . . save maximum dollars by assembling these extremely versatile cradles yourself. These money-saving, space-economizing cradles have the convenience and strength features you want. Load tipping lever for easier, safer draining — lever is self-storing, always ready for use. Specially designed so one man can load and unload 55-gal. drums with up to 800 lbs. capacity. Four non-sparking aluminum wheels assure safety and strength. Drain height with wheels, 19"; without wheels, 17".

Stock Number	Wheels Rigid	Wheels Swivel	Wt. (lbs.)	Net Each	Each (lots/3)
WITH TIPPING LEVER					
74-225/4D	4	—	28	$51.96	$48.95
74-226/2A	4	—	29	52.98	49.95
74-227/0D	—	—	23	44.90	42.66
74-266/8D	2	2	37	68.98	65.53
WITHOUT TIPPING LEVER					
74-228/8D	4	—	25	$48.92	$46.47
74-229/6D	4	—	26	50.65	47.98
74-230/4D	—	—	20	39.95	37.95
74-265/0D	2	2	34	66.50	62.90

WESCO

All-Welded Magnesium Appliance Trucks





SAVE:
- TIME
- LABOR
- MONEY

- Easier appliance handling — Saves backs, protects finish
- Fully welded — free from maintenance or breakdown problems
- Lightweight magnesium — strength without increasing load!
- Professional features including rubber-faced surfaces

As Low As
$128.98

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Safe for the movers, safe for the appliances! Fully welded construction takes the bumps and jolts of moving — ideal for the rental market. Trucks are lightweight but tough measuring 60" high, 17" deep, 24" wide with 14' web belt, welded top handles, ratchet belt tightener to speed things up. Rubber facing on contact surfaces protects appliance finishes — helps put an end to filing time-consuming insurance claims because the danger of scratches is eliminated. Easy-rolling rubber-tired wheels with strong toe-plate. Available in two load capacities — 750-lb. load capacity with 6" x 2" cushioned rubber-tired wheels and 550-lb. load capacity with 10" x 2.75" semi-pneumatic tired wheels. Both units have stair climbers. FOB PA.

As Low As
$151.98

Key Ltr.	Stock Number	Load Capacity	Wheels Size-Type	Wt. (lbs.)	List Price	Each	Each (lots/3)
A	74-231/2D	750 lbs.	6"x2" — cush. rub.	35	$196.10	$135.96	$128.98
B	74-232/0D	550 lbs.	10"x2.75" — semi-pn.	50	230.80	159.98	151.98

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

Peda-Lift®

. . . the hydraulic lift hand trucks that save countless manhours, fits in areas too narrow and congested to use a fork lift. Handy for shop work, maintenance, production, warehouse, delivery vehicles.

As Low as **$289.86** WINCH-OPERATED

As Low as **$308.96**

Positive-Action Brake . . . available on (A) (B) (C)

Stair Climber

Available on (B) and (C) . . . increases Peda-Lift's versatility. Makes curb manageable, upper and lower levels more accessible.

As Low as **$259.90**

Steel Peda-Lifts Fit Where Fork Lifts Won't. Save Manpower

Easy Hydraulic Lift

. . . convenient, cost-effective method for handling warehouse stock, production materials, shop and maintenance equipment in crowded or congested areas. Easy foot pedal or winch operation lifts 750 lbs. of load with only 60 lbs. of effort . . . each pedal downstroke lifts 1¼" vertical inches. Available in two lift heights — 40" and 54". Large 8"x2" moldon rubber wheels with ball bearings . . . Peda-Lift moves easily, even with full load. Order Stair Climber and Positive Action Brake accessories separately. FOB Pa.

71-687/8D—Stair Climber. Fits all (B) and (C) models. Net each **$54.00**
71-689/4D—Positive Action Brake. Fits (A) (B) (C). Net each **$32.00**

[A] FOOT PEDAL OPERATED PEDA-LIFT ON DOLLY

Two 3" casters on front of unit convert Peda-Lift into a dolly, allows the load to be pushed horizontally. Ideal for parts transportation. Strong steel construction — platform lowers to 3½" from floor. Available with 40" or 54" lift height — allows you to position 750-lb. loads with amazing ease. One man can do the work of two or more . . . in addition to manhours saved, Peda-Lifts put a high priority on safe handling of merchandise and safe operation by worker.

Stock Number	Lift Height	Platform Size Depth x Width	Wt. (lbs.)	List Price	Each
71-681/1D	40"	16" x 20"	112	$ 546.10	$336.79
71-682/9D	54"	22" x 22"	140	613.50	379.97
71-683/7D	54"	22" x 30"	151	664.10	412.64

WINCH-OPERATED PEDA-LIFT (Not Shown)

Stock Number	Lift Height	Platform Size Depth x Width	Wt. (lbs.)	List Price	Each
71-684/5D	40"	16" x 20"	109	$472.30	$289.86
71-685/2D	54"	22" x 22"	132	539.70	332.65
71-686/0D	54"	22" x 30"	143	590.40	365.82

[B] FOOT PEDAL OPERATED STEEL PEDA-LIFTS

Easy hydraulic lift — each pedal downstroke lifts platform 1¼". These strong steel hand trucks take plenty of punishment. Each platform lowers flush to floor.

Stock Number	Lift Height	Platform Size Depth x Width	Wt. (lbs.)	List Price	Each
71-675/3D	40"	16" x 20"	103	$502.80	$308.96
71-676/1D	54"	22" x 22"	130	571.00	356.98
71-677/9D	54"	22" x 30"	141	622.90	385.99

MAGNESIUM PEDA-LIFT (Not Shown) has all the features of the steel model above . . . plus the convenience of "take-along" light-weightness that allows you to use it for service calls, deliveries.

Stock Number	Lift Height	Platform Size Depth x Width	Wt. (lbs.)	List Price	Each
71-690/2D	40"	20" x 22"	55	$617.80	$382.86
71-691/0D	54"	20" x 22"	62	702.10	436.90

[C] WINCH-OPERATED STEEL LIFT TRUCK

Exceptionally versatile hydraulic lift hand truck with winch-operated platform offers the ultimate in cost-saving efficiency. Lowers flush to the floor . . . raises to 40" or 54" heights.

Stock Number	Lift Height	Platform Size Depth x Width	Wt. (lbs.)	List Price	Each
71-678/7D	40"	16" x 20"	99	$425.40	$259.90
71-679/5D	54"	22" x 22"	122	487.10	298.86
71-680/3D	54"	22" x 30"	130	537.50	331.85

Save $$$ . . . Mix, Drain, Move, Store Barrels On "The Wizard"

MECO

Easy loading! Place toeplates against chime and hook over top chime, extend handles . . . pull back. To store, retract handles and remove hook

As Low as $78.88

SAVE as much as $15.12

IN STOCK IMMEDIATE SHIPPING

- **1000-lb. capacity!** • **Guaranteed 2 full years**
- **Use 4 ways . . . save time and manpower costs**

Now, one piece of equipment does the work of several! Reduces labor costs, too — one person can move, mix, drain, and store fully loaded drums! Retractable oak handles provide the leverage for easy loading . . . handles telescope into channel frame when barrel is to be stored. Unique rollers attached to barrel cradles allow drum to be rotated while in a horizontal position for draining or mixing. Frame is 22" high, 19" wide — double-welded for strength and stamina, with offset bend formed into frame ahead of front wheels to act as skid resistor preventing it from sliding forward during loading. Handles are 64" long extended, 45" retracted. Drain height is 20". Choice of wheels.

Stock Number	Wheels	Shpg. Wt.	List Price	Each	Each (lots/3)
74-220/5A	5" x 1" Hard Rubber	53 lbs.	$94.00	$82.95	$78.88
74-221/3A	4" x 1" Steel	53 lbs.	94.00	82.95	78.88

- **Tough skid-resistor frame**
- **Double-welded toeplates**
- **Strong, secure hook**

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

"The Rock-It" . . . Low Cost Barrel Lift-and-Drain Stand

ONE MAN CAN LOAD "THE ROCK-IT" SAFELY

Slide nose of stand under chime

Grasp top and bottom chime . . . push drum back

Rock-it to horizontal position for storing



IN STOCK IMMEDIATE SHIPPING

As low as $38.50

- **Three styles — 1000-lb. capacities to meet most barrel-handling needs**
- **Double-welded frame takes tough use — guaranteed 2 full years**

Exclusive skid-resistor frame eliminates possibility of the unit sliding away while loading. Rock-It is designed for easy one-man loading and draining. The chime hook formed into the nose plate hooks over the barrel chime eliminating the danger of the drum sliding off during loading. It's the ideal, inexpensive way for the individual worker to safely and easily handle fully loaded drums weighing up to 1000 lbs. One man merely tilts drum and slides the nose of Rock-It under the barrel chime . . . the chime hook fits over barrel chime so that barrel is positioned allowing the individual to push the drum back onto the stand while grasping top and bottom chimes. Choice of three designs to meet most moving-storing needs. . . . **Wheel-less Rock-It** is ideal for inexpensive permanent storage. . . . **Steel Wheeled Rock-It** is ideal for use on smooth surfaced floors . . . . **Rubber-Wheeled Rock-It** takes the punishment of rough or uneven surfaces. All In-Stock for immediate delivery.

Three Styles to Meet Your Drum Storage-Moving Needs

Stock Number	Wheels	Casters	Rock-It Size L x W x H	Drain Ht.	Shpg. Wt.	Net Each	Each (lots/3)
74-222/1A	None	None	30"x18"x21½"	18½"	29 lbs.	$40.90	$38.50
74-223/9A	2-4" Steel	2-2½" Steel	30"x20½"x23"	19½"	36 lbs.	47.96	44.99
74-224/7A	2-5" Rubber	2-3" Rubber	30"x20½"x23½"	20"	35 lbs.	50.95	47.60

Skid-resistor frame

Chime hook formed into noseplate

Two-Barrel Rack As Low As **$46.50**



Three-Barrel Rack As Low As **$83.50**

MECO



Full fork lift access speeds barrel handling

Portable Drum Racks
For Space-Saving Vertical Storage

- Use a fork lift to move and store drums
- Double welded heavy-wall structural steel
- Racks stack 4 high to save floor space
- Racks have 4-way access to speed work
- Shipped assembled, ready to use!

Conserve your floor space and keep drums always available for fork lift handling yet cradled in contoured berths for safety. Cradles are ¼" formed hot rolled steel, double welded to welded steel structural steel racks. Racks stack four high and provide full fork lift access — individual drums may be loaded or unloaded, or one rack or the whole stack may be moved. Choice of 2- or 3-drum racks.

Meco Drum Racks Help Convert Space to Dollars

Key Ltr.	Stock Number	Rack Capacity	Load Capacity (lbs.) Individual	Load Capacity (lbs.) Stacked	Rack Size L x D x H	Wt. (lbs.)	Shipping Information	Net Each	Each (in lots of . . .)
A	74-233/8A	2	1600	4800	45½"x30"x13"	46	In-Stock	$61.95	(Lots/16-49) . . . $57.98
	74-234/6D						FOB Nebr.	—	(Lots of 50+) . . $46.50
B	74-235/3D*	3	2400	9600	70"x30"x13"	69	FOB Nebr.	87.95	(Lots/3) . . $83.50

*74-235/3D has 2-way (front, rear) fork lift access. Due to increased length it is recommended that it not be moved stacked more than 2 racks high because an unbalanced load condition could result.

MECO

Four-Wheel "Drainer" Drum Truck Moves, Stores, Rotates, Dispenses

As Low As **$159.95**

One Person Can Transport Full Drum . . . Rotate It in Storage

- One man moves 1000-lb. drum
- Perfect balance prevents accidents
- Rollers for on-truck rotating
- Dispenses into 5-gal. container

Now, one man can pick up and transport a fully loaded 1000-lb. drum and move it to storage or work area, rotate it daily, and dispense the contents as needed. This 4-wheel drum truck combines the convenience of drum handler with the efficiency of a dispenser. Unique rollers on the frame allow drum rotation without removing drum from truck. It's cost-efficient and convenient! Drum may be picked up from any side and rotated so spigot is in bottom position; chime hook fits beneath spigot and will not interfere with operation. Truck is double welded with choice of wheel construction — heavy-duty design with roller bearings and grease fittings assure long life. FOB Nebr.

Meco Makes One Drum Truck Do It All!

Stock Number	Truck W x H	Wheel Size 2 Front	Wheel Size 2 Rear	Wheel Construction	Wt. (lbs.)	List Price	Each
74-236/1A	24"x60"	10x2.50	6x2	Moldon Rubber	85	$202.00	$159.95
74-237/9D				All Steel	89	208.00	161.95

As Low As
$846.90

Hydra-Lift Karrier Car
Lift, Load, Move, Tilt, Drain 800-Lb. Drums

DRUM HANDLING EQUIPMENT MORSE MFG CO INC





Safe, sure, sensible way for one man to load, move, tilt, and drain a fully loaded 55-gal. drum weighing up to 800 lbs. without back-breaking labor. The Hydra-Lift Karrier combines incredible strength with easy inexpensive maintenance. Heavy-duty rectangular tubing and all-steel rigidly welded frame ensure its rugged long-life service . . . and easy ingenious handling. To load drum, simply push it against Karrier and cinch saddle. To move drum, simply pump jack handle two or three times to clear floor and wheel it where you want it. To lift drum, just pump jack handle a few times (a hand lever provides manual control of the hydraulic cylinder for precise height adjustment). To tilt and empty drum, turn the hand crank . . . to set drum down again, crank it back into upright position and open the controlled release valve. Karrier saddle fits 55-gal. drums of 22½" diameter.

Items with "A" in stock number are In-Stock for immediate shipping; items with "D" are shipped FOB N.Y.

POWER-LIFTS make manual hydraulic units faster. Available installed on Hydra-Karriers above or as attachment to the Hydra-Karrier you now own.
74-246/0D—Installed.
Net ea. **$605.00**
74-247/8D—Attachment.
Each **$660.00**

Stk. No.	Lift Ht.	Lbs.	Net Ea.
74-238/7A	60"	285	$846.90
74-239/5D	72"	294	886.95
74-240/3D	84"	300	948.95

Saddle Adapter for 30-gal. drums
74-241/1D—25 lbs. Net Ea. **68.00**

Cinch drum tightly in saddle

Lower handle to raise drum

Move fully loaded drum to dispensing area

Tilt lock holds drum for draining

DRUM HANDLING EQUIPMENT MORSE MFG CO INC

Mobile-Karrier Allows One Man to Move and Drain 800-Lb. Drums

Cut your material handling costs! Get C&H's low prices on safe, easy-moving Mobile-Karriers of welded structural steel. They raise, transport, rotate, tilt and drain fully loaded drums weighing up to 800 lbs. Karriers are easily maneuvered on front 8" diam. rubber-tired roller bearing load wheels and one 4" ball-bearing swivel caster. Fingertip safety locks on Karrier's handle will not release to lower drum unless both safety locks are deliberately and simultaneously opened, one with each hand.

Stock Number	For Drums... Size	Type	Drum Diam.	Wt. (lbs.)	Net Each
74-242/9A	55-gal.	Steel only	22½	115	$224.98
74-243/7A	55-gal.	Steel or fiber	21"-23"	117	254.90
74-244/5D	30-gal.	Steel only	19"	115	234.95
74-245/2D	30-gal.	Steel or fiber	19"-20½	117	264.96

74-242/9A and **74-243/7A** are in stock for immediate shipping.

Fork Lift Operator Can Transport, Raise, Tilt and Drain 55-Gal. Drums Safely

The truck driver is in full command . . . in the safety of his seat . . . during travel and draining operations. Fork-Lift Karrier saves manpower, reduced the danger of industrial accidents, and conserves your $$$ investment by utilizing the fork lifts you already own. Attachment is easy and secure . . . Karrier has fork pockets to accommodate forks not exceeding 6½" wide, 30" deep, 2" high (inside distance between forks must be at least 24½"). Karrier saddle snaps between chines of the drum and cinches tightly; chain used to manipulate drum is 20' long with a 10' drop. Standard Karrier accommodates 55-gallon drums, 22½" in diameter . . . also available with saddle for 30-gallon, 19' diameter drums.

DRUM HANDLING EQUIPMENT MORSE MFG CO INC

FORK LIFT-KARRIER

74-248/6A and 74-249/4A In Stock. Immediate Shipping.



By means of chain, operator can rotate drum a full 360° degree

FORK LIFT KARRIER FOR 55-GALLON DRUMS					
Stk. No.	Type	Full Cap.	Half-Full Cap.	Lbs.	Net Ea.
74-248/6A*	Standard	800 lbs.	500 lbs.	205	$ 458.90
74-249/4A*	Heavy-duty	1500 lbs.	800 lbs.	214	549.95
74-250/2D	Super heavy-duty	2000 lbs.	1000 lbs.	310	1620.90
FORK LIFT KARRIER FOR 30-GAL. DRUMS					
74-251/0D	Standard	800 lbs.	500 lbs.	205	$ 499.95
74-252/8D	Heavy-duty	1500 lbs.	800 lbs.	214	590.98

SADDLE ADAPTER converts 74-248/6A and 74-249/4A Fork Lift Karrier to lift 30-gallon drums. FOB N.Y.
74-241/1D—Wt. 25 lbs. Net each **$68.00**
*In-stock for immediate shipment. Others are F.O.B. New York.

Karrier-equipped fork lift snaps on-to drum chines at ground level


Operator raises drum preparatory to transport or tilt-and-drain operation.

From the safety of his seat on the fork lift, operator uses wheel to tilt drum

Driver can rotate drum a full 360° before returning it to storage or start position

DRUM HANDLING EQUIPMENT MORSE MFG CO INC

As low as $93.95

VERTI-KARRIER

Low-Cost, Fail-Safe Drum Handling! Verti-Karrier Safely Lifts and Transports 1000-Lb. Closed Drums Anywhere Your Crane Will Go . . . Saves Time, Prevents Accidents

Grips open to grasp drum


Grips close automatically to lift drum

Verti-Karrier lifts drums up, sets 'em down . . . anywhere! Simplifies difficult lifting jobs into hard to reach places . . . just attach it to your hoist, move closed steel drums into hard-to-reach areas without having an operator present at the starting or destination points. Saves manpower, reduces dangerous climbing, utilizes your equipment time efficiently. Verti-Karrier grips automatically, grip pads won't release until drum is safely down. Operator remains out of the way during entire operation. Safety-designed grip pads assist in aligning drums while loading. Entire unit is balanced to stand alone on floor or on top of drum; unit can load and unload drums packed four to a pallet regardless of the number of placement of pallets. Unit is assembled, ships UPS. 50 lbs. FOB NY.
74-253/6D—Net Ea. **$99.98**. Ea (lots/3) **$93.95**

WE SHIP UPS WHEN POSSIBLE

KONTROL-KARRIER

Remote Control, High-Level Drum Pouring Offers Improved Safety, Less Spillage Waste

As Low As **$244.97**





Hook Kontrol-Karrier to your monorail, hoist, crane or chain block . . . snap the saddle between drum chines.

- **High-level pouring combines accuracy, safety**
- **No tools needed — operator can cinch drum**

Cost-efficient drum handler saves you labor time, reduces waste due to spilling, and improves plant safety . . . Kontrol-Karrier eliminates many of the drawbacks and dangers of overhead pouring and adds the accuracy and smooth control of hand tipping. Pours materials above a man's reach . . . tipping is performed by a single operator at floor level holding both sides of the chain loop. Pulling one side or the other rotates drum as desired. Chains can be guided into locking slots to hold drum attitude, allowing operator to let go! Easy set up . . . just snap saddle between drum chines and hook unit to your existing monorail, hoist, crane or chain block. No. 74-254/4A and 74-257/7A are In-Stock for immediate shipping; all other models FOB N.Y.

Stock Number	Designed for Drums . . . Size	Type	Cap. (lbs.) Full	Half	Wt. (lbs.)	Net Each
74-254/4A	55-gal. 22½"	Steel	800	500	75	$244.97
74-255/1D	55-gal. 22½"	Steel	1500	800	90	366.99
74-256/9D	55-gal. 22½"	Steel	2000	1000	200	989.95
74-257/7A	21-23" diam.	Fiber & Steel	800	500	75	274.98
74-258/5D	21-23" diam.	Fiber & Steel	1500	800	90	397.90
74-259/3D	30-gal.-19"	Steel	800	500	75	254.95
74-260/1D	19-20½" di.	Fiber & Steel	800	500	75	284.94

FOR ORDERS ONLY
Phone Toll-Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

DRUM-KARRIER

Safely Transports Loaded Drums for Manual Dumping, Dispensing

As Low As **$96.98**

- **Transports drums by monorail, crane, chain block**
- **Tilt lock holds drum in position for discharging load.**

Fast, easy way to position drums for manual low-level dumping and dispensing . . . attached to your hoist Drum-Karrier can handle drum loads up to 800 lbs. o drums half full weighing up to 500 lbs. Drum can be locke at horizontal or turned 360° in either direction. Positiv lock holds drum in vertical position to avoid accidenta spills during transit. Releasing tilt lock allows operator t control tilt as required for discharging load. 74-261/9A In-Stock for immediate shipment; other sizes FOB N.Y.

Stock Number	Designed for Drums . . . Size	Type	Wt. (lbs.)	Net Each
74-261/9A	55-gal.	Steel	50	$ 96.98
74-262/7D	21-23" diam.	Fiber & Steel	50	116.95
74-263/5D	30-gal.	Steel	50	106.99
74-264/3D	19-20½" diam.	Fiber & Steel	50	127.90

Easy attachment without tools . . . operator cinches it securely

Positive tilt locks drum in vertical position for transit

Release tilt lock to dispense contents at horizontal or 360°



For Hook Suspended Hand Chain Hoists



For Hook Suspended Wright-Way Hoists



Self-Aligning, Adjustable Trolleys for Hook Suspended Hand Hoists or Wright-Way Hoists

Quality-engineered trolleys adjust to most needs, self-align easily. Overhead hoist carrier for horizontal travel on the lower flange of sloped beams . . . lifetime prelubricated bearings assure smooth movement, deep flanges prevent trolley from climbing the track. Designed for easy use with short trolley approachments, easy hook removal . . . accommodates hook suspended hand hoists and Wright-Way hoists. Two types of bearings — ball bearing trolleys have pressed steel wheels, offer exceptional economy on ½ to 1 ton capacity trolleys; roller bearing trolleys have cast iron trolley wheels thus requiring less travel effort. (Beam flange widths given in chart below are for clearance purposes only and do not imply that lower flange of beam will support hoist with load.) ½ ton to 6 ton capacities — available in plain or geared design. FOB Ill. or Penn., whichever is closest to you.

PLAIN TROLLEY TYPE for pushing or pulling load

Key Ltr.	Stock Number	Cap. (tons)	Bearing	Beam Width	Head-room*	Min. Radius	Wt. (lbs.)	Net Each
A	72-943/4D	½	Ball	2⅝-4⅝	1⅞″	18″	19	$ 68.75
A	72-944/2D	1	Ball	3-5	2⅛″	21″	29	79.98
B	72-945/9D	2	Roller	3⅜-5½	5⅜″	21″	44	171.95
B	72-946/7D	3-4	Roller	3⅝-6	6⅜″	36″	79	268.75
B	72-947/5D	5-6	Roller	4⅝-7	8⅜″	42″	140	381.90

GEARED TROLLEY TYPE for precision spotting and higher elevations

C	72-948/3D	½-1	Roller	3-5½	5⅜″	21″	65	$269.95
C	72-949/1D	2	Roller	3½-5½	6½″	36″	74	362.50
C	72-950/9D	3-4	Roller	3-6	6½″	36″	101	433.75
C	72-951/7D	5-6	Roller	4-7	8⅜″	42″	174	562.50

*Headroom is trolley measurement from underside of running beam to saddle of hook.

TROLLEY FOR SLOPED FLANGE BEAM



For trolleys being placed on American Standard "I" beam ¼ order from chart at left

TROLLEY FOR FLAT FLANGE BEAM



For trolleys being placed on "H" or wide flange beams, contact Dept. 72 with specifications

BEAT INFLATION — BUY AT WHOLESALE FROM C&H AND SAVE MORE!

Pull-A-Way "R" Lever Hoist

Only $98.75



Wire Rope Type: Single or Double Line

The rope type hoist has ratchet and pawl load holding with heavy-duty aluminum frame and drum — handle bends on excessive overloads. Compact and lightweight for easy portability, storage . . . has short handle for close-quarter work, low handle effort for easy use, handwheel for quick take-up. Spring-type latched hooks, permanently attached wire rope cable. Built in accordance with OSHA. FOB Ill. or Penn., whichever is closer.

Stock Number	Cap (tons)	Reeving	Distance Between Hooks Min.	Distance Between Hooks Max.	Wt. (lbs.)	Net Each
352/5D	¾ 1½	Single line Double line	1′6″ 1′11″	14′ 7′6″	9	$98.75

Pull-A-Way "C" Lever Hoist

As Low As $163.75





Link chain type lever hoist works efficiently where others won't . . . gearing allows fast lowering with less effort, full 360° rotatable handle for close quarter work, accurate load spotting. Easy handling with positive automatic disc load brake for added safety, free-wheeling button, spring latch hooks top and bottom. Compact and lightweight for easy portability and storage; aluminum alloy frame with operating parts enclosed for dirt protection. Has thumb control up/down lever, heat treated alloy steel load wheel. Built in accordance with OSHA. FOB Ill. or Penn., whichever is closer.

Stock Number	Cap (tons)	Standard Reach	Min. Dist. Between Hooks	Max. Pull (lbs.)	Net Each	ADDITIONAL REACH Stock Number	ADDITIONAL REACH Net Ea. Addl. Ft.
72-953/3D	¾	5′10″	10½″	60	$163.75	72-954/1DM	$3.65
72-955/8D	1½	6′1½″	13½″	83	228.90	72-956/6DM	5.05
72-957/4D	3	6′8½″	20½″	84	285.96	72-958/2DM	10.05
72-959/0D	6	6′11½″	23½″	90	572.50	72-960/8DM	20.20

Hand Chain Hoists

Wright-Way Aluminum Frame Hand Chain Hoists at Big Savings

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

- Lightweight
- Rugged
- Compact
- Overload protection
- Automatic brake

½, 1 and 2 ton with 8′ lift in stock. Immediate shipping.

As Low As **$259.95**

Portable Hook Suspended Hoist for Precision Spotting, Heavy-Duty Service, Infrequent Lifting . . . An Inexpensive Answer to Lifting!

Easy to operate hand chain hoist is ideal for machine shops, foundries, powerhouses, and construction sites . . . they fit in cramped spaces and require little headroom, their flexible non-kinking welded link-type chain flexes freely in all directions. Spur geared hoist has overload limiting device that helps prevent lifting of excessive overloads and an automatic disc load brake that you can depend on. Hoist is fully enclosed and protected, extremely rugged . . . featuring lifetime lubrication, precision pocket chain wheel, swivel hook mounting. Use it anywhere, then move it to other locations . . . 8′ standard-lift hand chain hoist has spring latch hook top and bottom with 6′ of flexible link hand chain. Needs just minimum of headroom so it can be used in close quarters. Hoist frame is made of lightweight aluminum, exceptionally easy to move about. FOB Penn.

Spring latch hooks for safety and easy operation



Cap. (tons)	Headroom (inches)	To Lift Load 1 Ft. Chain Pull	To Lift Load 1 Ft. Chain Overhaul	Shpg. Wt. (lbs.)	STD. 8′ LIFT Stock Number	STD. 8′ LIFT Net Each	PRICE PER FT. OVER 8′ Stock Number	PRICE PER FT. OVER 8′ Price Per Addtl. Ft.
½	13	26 lbs.	46 lbs.	35	72-961/6A	$259.95	72-962/4DM	$ 7.60
1	13	53 lbs.	46 lbs.	36	72-963/2A	310.72	72-964/0DM	8.37
2	17¾	91 lbs.	53 lbs.	58	72-965/7A	476.90	72-966/5DM	8.87
3	23⅜	71 lbs.	106 lbs.	95	72-967/3D	655.94	72-968/1DM	9.81
4	23⅜	94 lbs.	106 lbs.	95	72-969/9D	760.91	72-970/7DM	13.32
5	25¼	81 lbs.	159 lbs.	125	72-971/5D	903.93	72-972/3DM	18.00
6	25¼	97 lbs.	159 lbs.	125	72-973/1D	909.97	72-974/9DM	18.00



UNIQUE COMBINATION TROLLEY/HOIST SAVES TIME LABOR, AND MONEY

Famous Wright-Way Hand-Operated Army-Type Trolley Hoist Needs Little Headroom, Adjusts to Many Beams . . . Available Plain or Geared

Push or hand geared type trolleys meet special requirements in the lifting and moving of equipment, merchandise, parts and large tools. Wright-Way trolley hoists are lightweight, rugged, easy to operate . . . plus they offer better minimum distance from bottom of runway to load hook in fully raised position, they traverse curves with minimum radius shown in chart below, and they offer the long-life low-maintenance features required of cost-efficient equipment. Trolley hoists have 6′ flexible non-kinking welded link chain that flexes in all directions, lifts 8′ high. These army-type trolley hoists offer the best in low headroom versatility and they can be adjusted to many beam sizes (see chart). Choice of ½ ton to 6 ton capacities. FOB Penn.

Famous Wright-Way
As Low As **$516.92**

Cap. (tons)	Headroom (in.)	Min. Radius Curve	Flange Width Range	PLAIN TROLLEY HOIST Stock Number	Wt. (lbs.)	Net Std. 8′ Lift	Addtl. Lift Over 8′ Stk. No.	Addtl. Lift Over 8′ Net Ea. Ft.	GEARED TROLLEY HOIST Stock Number	Wt. (lbs.)	Net. Std. 8′ Lift	Addtl. Lift Over 8′ Stk. No.	Addtl. Lift Over 8′ Net Ea. Ft.
½	11¼	36″	3″-5″	72-975/6D	78	$ 516.92	72-976/4DM	$ 8.45	72-989/7D	99	$ 585.98	72-990/5DM	$12.75
1	11¼	36″	3″-5″	72-977/2D	80	597.90	72-978/0DM	9.30	72-991/3D	101	636.92	72-992/1DM	13.60
2	15¼	38″	3¼″-5½″	72-979/8D	128	784.92	72-980/6DM	9.85	72-993/9D	157	918.96	72-994/7DM	14.15
3	20⅞	42″	4″-6½″	72-981/4D	236	1065.00	72-982/2DM	10.90	72-995/4D	273	1168.85	72-996/2DM	15.20
4	20⅞	42″	4″-6¼″	72-983/0D	236	1428.90	72-984/8DM	14.80	72-997/0D	273	1739.95	72-803/0DM	19.10
5	22⅜	54″	4⅝″-7″	72-985/5D	314	1592.95	72-986/3DM	20.05	72-804/8D	350	1999.90	72-805/5DM	24.35
6	22⅜	54″	4⅞″-7″	72-987/1D	314	1652.88	72-988/9DM	21.10	72-806/3D	350	2097.69	72-807/1DM	24.35

Famous WRIGHT-WAY



Hard-Working Electric Chain Hoists Combine Economy, Portability

Economical, compact, portable hoist . . . designed for safe, frequent lifting. Built-in electro mechanical "overload cutoff" for dependable safety. High torque dual voltage motors are thermostatically protected. Fully adjustable, reversible . . . with upper and lower geared limit switch. Mechanical load brake and disc-type brake offer dual braking protection. Flexible non-kinking link chain is welded and long wearing . . . flexes freely in all directions. Fully enclosed and protected with sealed in lubrication, lifetime bearings. Full swivel forged spring latch hooks. Units with 10′ lift and 16 FPM are in-stock, others shipped FOB Penn.

- 10′ lift
- Flexible link chain
- 15′ power cord
- 6′7″ control cord
- 115V push-button control



CAP (tons)	Motor HP	Lift Speed	Headroom Dim. A	Wt. (lbs.)	SINGLE PHASE 115/230 VOLT Stock Number	Net 10′ Lift	Addtl. Lift Over 10′ Stk. No.	10′ Net	Ea. Ft.*	THREE PHASE 230/460 VOLT Stock Number	net 10′ Lift	Addtl. Lift Over 10′ Stk. No.	10′ Net	Ea. Ft.*
¼	⅓ ½	16 FPM 32 FPM	19⅛	100	73-826/0A 73-828/6D	$548.95 594.95	73-827/8DM 73-829/4DM	$563.95 609.95	$ 7.10 7.10	73-838/5A 73-840/1D	$550.97 605.98	73-839/3DM 73-846/8DM	$565.97 620.98	$ 7.10 7.10
½	½ 1	16 FPM 32 FPM	19⅛	100	73-830/2A 73-832/8D	$663.90 731.90	73-831/0DM 73-833/6DM	$678.90 746.90	7.10 7.10	73-847/6A 73-847/2D	675.95 731.89	73-848/4DM 73-850/0DM	690.95 746.89	7.10 7.10
1	1	16 FPM	19⅛	100	73-834/4A	$781.96	73-835/1DM	$796.96	7.85	73-851/8A	781.96	73-852/6DM	796.96	7.85
2	1	8 FPM	24½	130	73-836/9A	949.80	73-837/7DM	964.90	13.45	73-853/4A	949.90	73-854/2DM	964.90	13.45

Chain Bucket for Greater Efficiency

Stores the chain away from the load . . . reduces the possibility of interference, improves safety factor, and promotes efficient operation. Installs easily. Low-cost answer to what to do with excess chain during lifting operation.



As Low As $34.90

Stock Number	Lift (Ft. For Capacities) Up to 1 Ton	2 Ton	Net Each
73-855/9D	10	10	34.90
73-856/7D	20	10	34.90
73-857/5D	30	15	36.95
73-858/3D	40	20	36.95
73-859/1D	50	25	40.00

Automatic Cable Reel

Automatically rewinds, keeps power cable taut and out of the way. Supplies power to hoist on beam or crane. Heavy-duty power take-up cable. FOB Penn.

As Low As $258.50



Stock Number	Designed For	Cord Lgth.	Cable Size & No.	Max. Amps.	Wt. (lbs.)	Net Each
73-860/9D	Single Phase	25 ft.	14-3	15	38	$258.50
73-861/7D		35 ft.	12-3	20	40	304.00
73-862/5D		50 ft.	14-3	15	41	280.90
73-863/3D	Three Phase	25 ft.	14-4	15	34	$327.92
73-864/1D		30 ft.	12-4	20	40	305.75
73-865/8D		45 ft.	14-4	15	41	312.88

Save on Motor Driven Trolley on Hoists Up to 2 Tons

Only $815.95

TYPES OF BEAMS



Sloped Flange Beam American Standard "I"

Flat Flange Beam "H" or Wide Flange

For rapid and efficient load movement especially where long or repetitive travel distances are involved. Easy to operate with 115-volt control circuitry, two-button mechanical interlock station; weather-resistant control housing. Push-button cord is 8′2″ from beam; power cord is 3′ long. Designed for Wright-Way hoists using sloped flange beams or flat flange beams. Let this motor-driven trolley speed up your production. Available in four cable sizes to meet most needs. FOB Penn. (For extra lgth. of power or push-button cord, add $15 base charge plus $2.25 for one or $4.50 for both cords per foot to trolley price.)

Stock Number	Travel Speed	Flange Width (In.)	Power Supply	Wt. (lbs.)	Net Each
73-866/6DM	65 FPM	3¼ to 6¼	115-1-60	96	$815.95
73-867/4DM			230-1-60	96	815.95
73-868/2DM			230-3-60	96	815.95
73-869/0DM			460-3-60	96	815.95

For extra beam widths (6⅜″ to 8″), add $47.00 to trolley price.
For top lug suspension conversion kit, add 421.00 to price of hoist

WRIGHT-WAY





Headroom



Use anywhere . . . swivel hook for easy portability, 360° movement

Air Chain Hoists
Offer Positive Control and Low Maintenance

As Low As **$967.98**

Good Speed Control, Smooth Lift and High Efficiency Make Wright-Way the Most Preferred Hoist

Dependable air chain hoist meets Federal Standards for nois levels . . . suitable in most applications involving high ambie temperatures and dusty locations. Rotary vane motor minimize maintenance. Long-life welded non-kinking chain flexes in a directions. Offers smooth inching movements, multiple disc brak offers positive load control with upper and lower limit stops. Ful enclosed sealed-in lubrication lifetime bearings; independe access allows serving motor and gearing. High torque motor unaffected by external dirt, fumes, or heat under normal condition Comes with 10′ lift flexible link chain, hand precision pocket chain wheel, full swiveling forged, spring-latched hooks. Has ½ female pipe inlet, 7′1″ pull rope control. Swivel hook (suspensio type) is designed for portability. Available in four capacities. FO Penn.

Handy Chain Bucket

Improve efficiency, prevent accidents — bucket stores chain away from the load. Easy to install, inexpensive. FOB Penn.

Lift (Ft.)		Stock	Net
For up to 1 Ton	For 2 Ton	Number	Each
10 ft.	—	73-878/1D	$27.00
20 ft.	10 ft.	73-879/9D	27.00
30 ft.	15 ft.	73-880/7D	27.00
40 ft.	20 ft.	73-881/5D	54.00
50 ft.	25 ft.	73-882/3D	55.00

WRIGHT-WAY Air Chain Hoists Meet Federal Standards for Noise Levels

Cap. in Tons	Stk. Lifting Speed (FPM)	Reqd. Air CFM	Head-room (in.)	Shpg. Wt. (lbs.)	STANDARD 10′ LIFT Stock Number	STANDARD 10′ LIFT Net Each	ADDTL. LIFT OVER 10′ Stock Number	ADDTL. LIFT OVER 10′ With 20′	ADDTL. LIFT OVER 10′ Price P Addtl. F
¼	29	60	19⅛	105	73-870/8D	$ 967.98	73-871/6DM	$ 982.98	$ 7.1
½	29	40	19⅛	105	73-872/4D	967.98	73-873/2DM	982.98	7.1
1	15	45	19⅛	105	73-874/0D	1310.95	73-875/7DM	1325.95	7.8
2	7	40	24½	130	73-876/5D	1609.90	73-877/3DM	1624.90	13.4

Prices available on request for lug-type suspension and spark resistant air hois



Bridge Push-Pull Crane Kit

Quick, economical way to build your own cranes . . . secure I-beams locally and then put this easy-to-assemble kit to work. Build push-pull type, underhung, single beam crane with fabrication instructions included. Operate on flat or sloped beams, spans up to 25′. Pressed steel wheels have lubrication fittings; requires minimum of 6′′ runway height. Order now and save. FOB Ill. or Penn, whichever is closer.

As Low As **$205.90**

Stock Number	Capacity	Wheelbase	Wt. (lbs.)	Net Per Pair
73-883/1D	1 ton	36′′	216	$205.90
73-884/9D	2 ton	42′′	290	300.98

As Low As **$309.71**

180° Rotation Swing Boom





Four capacities to choose from, with rea up to 18′. Furnished with fabrication structions including recommendation beam and rod sizes and layout. Castings highest quality carbon steel and offer m imum resistance to shock and wear. A friction bearings with lubrication fittin assure heavy-duty industrial service. Sec other components locally. FOB Ill. or Pen

Stock Number	Capacity (tons)	Wt. (lbs.)	Net Each
73-885/6D	½-1	57	$ 309.
73-886/4D	1½-2	125	500.
73-887/2D	3	170	669.
73-888/0D	5	227	1374.

World Famous Heavy-Duty Steeltree Racks at C&H's Low Wholesale Prices



Offers easy fork lift accessibility to pipe, barstock, and tubing



Store up to 72,000 lbs. on a customized cantilever rack

Simple bolt and pin lock construction for braces and arms

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

EACH SINGLE COLUMN

Ht.	Capacity
8′	12,000 lbs.
10′	16,000 lbs.
12′	18,000 lbs.



Single Arm Base

SINGLE ARM BASE

Stock Number	Ht.	Base	For Arms	Shpg. Wt.	Net Each	Each Lots/11
47-170/6D	8′	31″	12″, 18″	155 lbs.	$152.35	$147.79
47-171/4D	8′	37″	24″	164 lbs.	156.65	151.95
47-172/2D	8′	46″	30″, 36″	182 lbs.	163.05	158.27
47-173/0D	8′	58″	42″, 48″	198 lbs.	171.25	166.91
47-174/8D	10′	31″	12″, 18″	233 lbs.	194.55	188.77
47-175/5D	10′	37″	24″	232 lbs.	199.00	193.43
47-176/3D	10′	46″	30″, 36″	249 lbs.	205.75	199.87
47-177/1D	10′	58″	42″, 48″	266 lbs.	214.40	207.97
47-178/9D	12′	31″	12″, 18″	292 lbs.	231.20	224.79
47-179/7D	12′	37″	24″	301 lbs.	235.70	228.77
47-180/5D	12′	46″	30″, 36″	318 lbs.	242.40	235.72
47-181/3D	12′	58″	42″, 48″	355 lbs.	249.65	242.56

Order Bases, Arms, and Brace Sets Separately . . . Customize As Desired

EACH DOUBLE COLUMN

Ht.	Capacity
8′	24,000 lbs.
10′	32,000 lbs.
12′	36,000 lbs.



Double Arm Base

DOUBLE ARM BASE

Stock Number	Ht.	Base	For Arms	Shpg. Wt.	Net Each	Each Lots/11
47-182/1D	8′	53″	12″, 18″	195 lbs.	$176.75	$171.45
47-183/9D	8′	65″	24″	212 lbs.	186.40	180.84
47-184/7D	8′	82″	30″, 36″	237 lbs.	201.90	195.87
47-185/4D	8′	108″	42″, 48″	277 lbs.	215.60	209.43
47-186/2D	10′	53″	12″, 18″	262 lbs.	211.00	204.77
47-187/0D	10′	65″	24″	279 lbs.	220.60	213.98
47-188/8D	10′	82″	30″, 36″	305 lbs.	236.70	229.74
47-189/6D	10′	106″	42″, 48″	345 lbs.	249.85	242.36
47-190/4D	12′	53″	12″, 18″	331 lbs.	247.45	240.27
47-191/2D	12′	65″	24″	348 lbs.	257.10	249.48
47-192/0D	12′	82″	30″, 36″	374 lbs.	272.55	264.47
47-193/8D	12′	106″	42″, 48″	414 lbs.	286.30	277.86

Ready for fast, easy, rigid assembly . . . no special tools needed, all hardware is included. Rugged arm construction boasts rigidly constructed column, heavy arm saddle for efficient load support. Secure pin lock permits instant adjustability of arms, pin is easily inserted and removed for easy arm height adjustment . . . can't work loose in service. Cantilever design allows easy fork handling of unwieldy loads . . . or of one piece of stock! You can use overhead cranes to load or unload with slings . . . and because steeltree arms are adjustable you can accommodate most tubes, bars, stocks, heavy and long items. Bolted base construction for rigidity. FOB Ill.



Straight Arm

STANDARD STRAIGHT ARM

Stock No. Without Lip	Stock No. With Lip	Lgth.	Capacity lbs. Per Arm	Wt. (lbs.)	Net Each	Each Lots/11
47-200/1D	47-201/9D	12″	3000 lbs.	11	$13.55	$13.14
47-202/7D	47-203/5D	18″	2500 lbs.	13	14.30	13.87
47-204/3D	47-205/0D	24″	2000 lbs.	15	15.15	14.73
47-206/8D	47-207/6D	30″	1600 lbs.	17	17.05	16.73
47-208/4D	47-209/2D	36″	1300 lbs.	20	17.40	16.89
47-210/0D	47-211/8D	42″	1145 lbs.	22	18.85	18.28
47-212/6D	47-213/4D	48″	1000 lbs.	24	19.80	19.21

Inclined Arm

INCLINED ARM

Stock Number	Lgth.	Depth	Capacity Per Arm	Wt. (lbs.)	Net Ea.	Each Lots/3
47-214/2D	12″	5″	3000 lbs.	12	$13.75	$13.34
47-215/9D	18″	7″	2500 lbs.	14	14.55	14.19
47-216/7D	24″	9″	2000 lbs.	16	15.60	15.13

Heavy Duty
Arm also available for 10′ and 12′ columns only

HEAVY-DUTY ARM for 10′ and 12′ COLS.

Stk. No. Without Lip	Stk. No. With Lip	Lgth.	Capacity Per Arm	Wt. (lbs.)	Net Ea.
47-217/5D	47-218/3D	36″	2175 lbs.	28	$25.05
47-219/1D	47-220/9D	42″	1865 lbs.	31	26.65
47-221/7D	47-222/5D	48″	1630 lbs.	34	28.25



Brace for 8′ Column

BRACES FOR 8′ COLUMNS

Stock Number	Column Centers	Shpg. Wt. Per Set/2	Net Each Set of 2	Ea. Set Lots/11
47-194/6D	3′	34 lbs.	$29.35	$28.47
47-195/3D	6′	62 lbs.	53.80	52.19
47-196/1D	8′	82 lbs.	73.20	71.00

Brace for 10′ & 12′ Columns

BRACES FOR 10′ & 12′ COLUMNS

Stock Number	Column Centers	Shpg. Wt. Per Set/3	Net Each Set of 3	Ea. Set Lots/11
47-197/9D	3′	51 lbs.	$ 46.75	$ 45.35
47-198/7D	6′	93 lbs.	76.80	74.50
47-199/5D	8′	123 lbs.	109.75	106.46

ARM SPACING—NUMBER PER COLUMN SIDE

COLUMN HT.	8′ COLUMN	10′ COLUMN		12′ COLUMN	
ARM TYPE	STANDARD ONLY	STD.	HEAVY	STD.	HEAVY
Max. Arms/Side	9	12	9	14	11
Smallest Space Between	6″	6″	8″	6″	8″

Note: column capacities must be observed; column accept more of lower capacity arms and fewer of higher capacity

Button-On Steel Cantilever Racks For Pipe, Tubing, Lumber, Bar Stock

JARKE





IN STOCK IMMEDIATE SHIPPING



For loads a man can reach and lift. . . . Stock is organized, always accessible!

Load 2000 lbs. at one time with lift truck . . . or deposit materials manually for quick, organized storage and retrieval. Practical for maintenance areas, tool rooms, pipe shops . . . for storing turret-lathe and screw-machine stock. Use single or double columns alone . . . or assemble into continuous system that can grown as needed. Arms "button on" . . . each arm holds 1000 lbs., adjusts on 4" centers. Units are 7' high, with braced width of 6'. FOB Ill.

Stock Number	Inclined Arms No.	Inclined Arms Lgth.	Wt. (lbs.)	Net Each	Each (lots/3)
SINGLE COLUMN UNIT — 12,000 LB. CAPACITY					
47-124/3D	12	12"	316	$402.78	$390.62
47-125/0D	12	16"	334	410.50	398.19
DOUBLE COLUMN UNIT — 24,000 LB. CAPACITY					
47-126/8D	24	12"	408	$576.90	$559.59
47-127/6D	24	16"	444	592.50	574.73

Stock Number	Inclined Arms. No.	Inclined Arms. Lgth.	Wt. (lbs.)	Net Each	Each (lots/3)
ADD-ON SINGLE COLUMN UNIT — 6000-LB.					
47-128/4D	6	12"	193	$239.45	$232.27
47-129/2D	6	16"	202	243.35	236.05
ADD-ON DOUBLE COLUMN UNIT — 12,000-LB.					
47-112/8D	12	12"	239	$236.55	$316.75
47-113/6D	12	16"	257	334.35	324.32

Just "button" arms into position . . . no nuts or bolts required. Each arm has 1000-lb. capacity

Brace Set

Double Arm Column

Single Arm Column

Straight and Inclined Arms also available

Components for Customizing Units

Description	Stk. No.	Lbs.	Net Ea.	Ea. (lots/6)
Single Arm Column	47-130/0D	96	$ 93.05	$ 90.46
Double Arm Column	47-131/8D	115	109.95	106.89
3' Brace Set	47-132/6D	40	57.50	55.84
6' Brace Set	47-133/4D	70	76.20	73.94
12" Straight Arm*	47-134/2D	4⅛	11.70	11.35
16" Straight Arm*	47-137/5D	6	12.35	11.98
12" Inclined Arm*	47-138/3D	4⅛	11.70	11.35
16" Inclined Arm*	47-139/1D	6	12.35	11.98

*Max. No. per column side, 8.

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Height adjusts 32" to 42"





IN STOCK IMMEDIATE SHIPPING

Moves 6000-lb. loads easily





IN STOCK IMMEDIATE SHIPPING

Steelmobile for One-Man Stock Handling

Brings steel stock and materials from storage to machine at just the right height and angle . . . ends transferring, reduces manpower! Constructed of strong tubular welded steel mounted on 5" casters . . . transports and positions 2000 lbs. loads. Height adjusts from 32" to 42". Top tilts to 45° angle. Overall cart width, 30"; bed is 20" wide with 6" lip. Available in three lengths. FOB Ill.

47-140/9D—6' long. Wt. 252 lbs. Net each **$341.75**
47-141/7D—8' long. Wt. 280 lbs. Net each **$354.55**
47-142/5D—10' long. Wt. 308 lbs. Net each **$367.30**
47-143/3D—Floor Lock optional for above **$31.40**

New Extra-Heavy-Duty Barmobile

Versatile truck facilitates movement and transfer of bar, tubing, and other materials from storage areas to production stations. Barmobile moves up to 6000 lbs. in one trip . . . saves time, reduces labor costs by keeping bar and tubing available for production almost instantly. Designed for handling ease, for pushing and maneuvering effortlessly . . . 8" diam. swivel casters on each end facilitate turning. high side stanchions are rounded for efficient and safe gripping. 7' long bed is 23" wide inside. mounted on 10" diam. forged steel wheels.

47-144/1D—Shpg. wt. 475 lbs. FOB Ill. Net each **$748.55**

Flexible Storage System for Easy One-Man Set-Up

Easily Stacked to Desired Ht. for Saving Space and Steps



JARKE

Mini-Module Storage Racks





Use Mini-Modules to design storage areas of any length, height

Single and Multiple Mini-Modules Offers the Ultimate in High-Density, Flexible Storage Systems

Jarke Mini-Modules are sturdy yet lightweight and easy to handle . . . provide a flexible, high density storage system for pipe, tube, structurals, and extrusions. They take only minutes to set up . . . you can create storage areas of almost any length and height. Then, expand your storage area at any time . . . and when no longer needed, Mini-Modules can be stored for future use. Each Mini-Module is pre-assembled, constructed of welded steel . . . and can be stacked safely (for average materials stacks should be positioned approx. 6' apart for most materials). Stored materials are available individually. Individual pieces can be removed quickly, cut-off lengths can be returned to storage and quickly identified next time they are needed. FOB Ill.

When ordering be sure to consider length, weight, and pliability of stock to be stored. Total capacity of a layer equals individual capacity multiplied by number of stacks used.

20 Standard Mini-Module Sizes











1-Section Mini-Module

Stock Number	Overall Size L	W	H	Capacity Per Opening	Shpg. Wt.	Net Each
47-145/8D	16″	12″	13½″	2500 lbs.	17 lbs.	$18.50
47-146/6D	19″	14″	17″	3700 lbs.	28 lbs.	24.75
47-147/4D	22″	15″	20½″	5600 lbs.	34 lbs.	28.25
47-148/2D	26″	16″	23½″	7500 lbs.	62 lbs.	43.40

2-Section Mini-Module

Stock Number	Overall Size L	W	H	Capacity Per Opening	Shpg. Wt.	Net Each
47-149/0D	30″	12″	13½″	2500 lbs.	32 lbs.	$29.15
47-150/8D	36″	14″	17″	3750 lbs.	70 lbs.	64.40
47-151/6D	42″	15″	20½″	5600 lbs.	94 lbs.	82.45
47-152/4D	50″	16″	23½″	7500 lbs.	121 lbs.	102.00

3-Section Mini-Module

Stock Number	Overall Size L	W	H	Capacity Per Opening	Shpg. Wt.	Net Each
47-153/2D	44″	12″	13½″	2500 lbs.	48 lbs.	$42.05
47-154/0D	53″	14″	17″	3750 lbs.	97 lbs.	87.75
47-155/7D	62″	15″	20½″	5600 lbs.	130 lbs.	106.35
47-156/5D	74″	16″	23½″	7500 lbs.	168 lbs.	134.70

4-Section Mini-Module

Stock Number	Overall Size L	W	H	Capacity Per Opening	Shpg. Wt.	Net Each
47-157/3D	58″	12″	13½″	2500 lbs.	64 lbs.	$ 53.60
47-158/1D	70″	14″	17″	3750 lbs.	124 lbs.	110.10
47-159/9D	82″	15″	20½″	5600 lbs.	166 lbs.	136.75
47-160/7D	98″	16″	23½″	7500 lbs.	216 lbs.	173.00

5-Section Mini-Module

Stock Number	Overall Size L	W	H	Capacity Per Opening	Shpg. Wt.	Net Each
47-161/5D	72″	12″	13½″	2500 lbs.	80 lbs.	$ 69.30
47-162/3D	87″	14″	17″	3750 lbs.	151 lbs.	133.00
47-163/1D	102″	15″	20½″	5600 lbs.	201 lbs.	173.60
47-164/9D	122″	16″	23½″	7500 lbs.	264 lbs.	208.40



IN STOCK
IMMEDIATE SHIPPING

Use fork lift truck —stack drums up to five high

Hi-Drum Rack Holds Two Drums Weighing 1500 Lbs. . . Stacks 5 High

The easiest to use, most cost-efficient drum storage system you could choose . . . strong all-welded steel rack holds 55-gal. drums, allows front and back fork entry for quick loading, transporting, and stacking. Each rack holds 1500 lbs., drum ends remain accessible for easy installation of drain cocks. Rack measures 46" long, 30" wide, and 12" high . . . racks are shipped ready for use, no set-up or bolting necessary. Stack 5 racks, each holding 2 barrels, and you've stored 10 drums with a maximum weight of 7750 lbs. in just 11½ sq. ft. FOB Ill. Shpg. wt. 55 lbs.

47-165/6A—Net ea. **$60.95.** Lots/16+ **$57.50.** Lots/50+ **$53.88**

JARKE

Strong Steel Storage Racks for Speedier Material Handling in Less Space

As Low As **$53.88**



IN STOCK
IMMEDIATE SHIPPING

Store 15 drums in the space needed for three

Tri-Drum Rack Maximizes Storage Without Impeding Accessibility

Especially designed for drum storage systems requiring super fast stock movement . . . each rack holds three drums with a capacity of 2250 lbs. . . . racks stack up to 5 high, allowing you to store 11,250 lbs. in 15 drums while only 15 sq. ft of floor space is needed. Racks are constructed of strong all-welded stee designed for both front and back fork entry to maximize inventory flow and immediate use because racks are complete, need no set up or bolting. Each rack is 72" long, 30" wide, 13" high. FOB Ill. Wt. 118 lbs.

47-166/4A—Each **$91.95**

Removing sheets, plates, panels is fast, easy

3-Bay Speedstore Vertical Storage Racks for Awkward-to-Handle Materials

Offers fast vertical access to sheet steel, light plate, and flat panel materials eliminates time-consuming re-stacking of horizontal bundles and piles. Materials are stacked on edge, all items are fully visible and easily handled. 3-bay unit has three 6" angled compartments, each rated at 6000 lbs. per opening . . . stores sheets ranging from 8' to 12' in length to 3' to 6' in width. Easy assembly, all you need is a wrench. 3-bay unit measures 30" long, 84" wide, 30" high. FOB Ill. Wt 926 lbs.

47-167/2D—Each **$721.20**

47-168/0D—Add-on 1-bay unit (adds 2 spaces) **$354.30**

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

One man can position and feed sheet materials

New Pressmobile Positions and Feeds Sheet Materials, Saves Handling

Holds 1000 lbs. of sheet materials . . . mobile stand positions and feeds she materials into press brakes, shears, turret presses and formers. Adjustable heig casters permit leveling stand to match machine heights. Three ball-transfer ra adjust on 6-in. centers to support material varying from short to long. Pressmobi measures 96" long with 53" ball rails, can be adjusted from 38" to 44" high. Unit shipped KD for easy assembly. FOB Ill. Wt. 530 lbs.

47-169/8D—Each **$764.8**

Placing An Order

By Phone: Dial our toll-free number — 800-558-9966 — from any of the continental United States, except Wisconsin. In Wisconsin, dial 414-271-2250. If it is your policy to issue a confirming order following phone orders, be certain the order is clearly marked as *confirming*.

By Mail: When ordering by mail, please be sure to include the following information:

- Purchase order number or name of person authorized to purchase.
- "Ship to" address if different from "Bill to" address.
- Zip code with your address and area code with your phone number.
- Complete catalog description including catalog number, quantity, size, color, etc.

Customer Service/Order Inquiry

If you have questions concerning an order you have placed, wish to return merchandise, inquire about an invoice you have received, etc., please call 414-271-2250 for prompt and courteous service.

NOTE: Our phone system will not permit the transfer of calls from our "800" numbers to customer service. To avoid any inconvenience or delay of your inquiry, please use the "414" number.

PLEASE NOTE: We hope that you find the products in this Buyers Guide of use to you and to your company.
If you feel that any of your co-workers would like a copy, please send us their names and address or phone us toll free 800-558-9966, and we will be happy to mail them their own personal copies without charge.

TERMS AND CONDITIONS

Pricing: All prices in this catalog reflect your net wholesale cost. However, these prices do not include freight, applicable Federal, State, and Local Taxes, or special crating requirements for export shipment. Although we cannot guarantee published prices for the life of this catalog, you will always receive the benefit of price decreases and any increases will be noted on your order acknowledgment.

Terms of Sale: Open account terms of Net 10 days are extended to firms listed and satisfactorily rated by Dun and Bradstreet. A service charge of 1%, where allowed by law, may be imposed on any Deliquent Balance. Unrated or unlisted firms are requested to submit two major trade references and the name of their local bank. If you would like to expedite an order while we establish your open account status, please include payment with your order. NOTE: We also accept Master Charge and VISA.

Warranty & Limitations of Liability: Products which we manufacture are warranted to be free of defects in material and workmanship under normal use and service for a period of one year. At our option, we will repair, replace, or provide a refund for any product manufactured by us and found to be defective during such time. All other products are warranted to the extent of the manufacturers' express warranties to us. **This warranty is in lieu of any other warranties, express or implied, including, without limitation, any implied warranty of merchantability or fitness for a particular purpose, and is in lieu of any and all other obligations or liability on our part. Under no circumstances will we be liable for any incidental or consequential damage or expense of any kind.**

Shipping: All items with the letter *A* following the catalog number are F.O.B. our Milwaukee warehouse. All other items are F.O.B. the point of origin indicated in the catalog. Whenever possible we ship via UPS. (Maximum of 50 lbs. per item, 100 lbs. per shipment with a maximum width and girth of 108 inches.) Items or quantities exceeding these maximums are shipped freight collect via Motor Freight.

Damaged Shipments: We thoroughly inspect all items prior to shipment. To protect your interests we suggest that you also thoroughly inspect the items before accepting delivery. If damage has occurred, it should be noted on the freight bill and a claim filed immediately with the carrier. Although we take special care to insure the safe arrival of your merchandise, our responsibility for damages ceases when the shipment is accepted by the carrier.

Returns: Please write or phone our Customer Service department for authorization and shipping instructions prior to returning any merchandise. *Without prior authorization, all return merchandise will be refused.* All returns must be sent pre-paid and are subject to inspection for damage or mis-use prior to issuance of a credit or refund. Special order or custom made items may be subject to restocking charges.

Our Promise to You: Since 1937, C&H has been providing quality products at wholesale prices. Our growth and reputation have been based on customer trust and satisfaction. We are certain that you will find our products to be of excellent quality, designed to provide the service you expect. However, if for any reason, you are dissatisfied with any product you receive from C&H, merely let us know within 30 days of receipt and follow our returned goods procedure to receive a credit or refund.

INDEX

CATALOG 801

A

rasive Blasters....242-244
rasive Test Kits 249
oustical Booths 222
ding Machines 218
rosol Paints 178
Circulators 167, 238,239
Cleaners 240-241
Compressor Guide..252
Compressors 253-258, 260-264, 274-278
Equipment:
Aftercoolers 260, 268
Air Separators..261, 269
Blow Guns 272
Chippers 249
Couplers 273
Drain Traps 261
Drain Valves 265
Drills 248, 249
Dryers 268
Filters 270, 271
Grinders 249
Guns 247, 272
Hammers 248
Hose-Line Oiler 249
Hoses 245, 253, 273
Hour Meters 255
Low-oil Switch 258
Lubricators 270
Motor Starters 259
Mufflers 249
Paint Sprayers..246, 247
Pressure Switches ..271
Pumps 233-235
Receivers 259, 265
Regulators 270
Sanders 248
Solenoid Switches ..260
Start-stop Switches..255
Tank Drains 258, 271
Tanks 259, 265
Tool Lubricant 249
Tools 248, 249, 269
Valves 265, 267
Velocity Fuses 272
Vises 247, 261
Vibration Mounts 253
Wrenches 248
Air Dryers 268
Air Purifiers 224
Air Tanks 259, 265
Alarms 193
Alternators 166
Angle Cutters 29, 74
Angles, Slotted 29, 74
Anvils 33
Appliance Trucks....120, 134
Aprons 196
Arbor Presses 237
Arm Chairs ..205, 211, 213
Artists' Equipment:
.....208, 209, 216, 217, 223
Ash Trays 232
Auxiliary Lighting 192

B

Back-up Alarms 193
Band Saws 236
Banding, Strap 55
Bar Storage Racks 26, 27, 76, 145
Trucks 27, 45, 146
Barrel Hdlg. Equipment:
.....105-117, 133, 134, 136-140
Barrels 93, 94
Baskets, Wire 21, 92
Battery Chargers 166
Bench Cabinets 70
Cans 191
Grinders 37
Vises 37
Benches 12, 207
Benches, Work 3, 4, 32-36, 70, 75
Bin-Box Shelving 1, 10, 14, 18, 65, 66
Blasters, Sand 242-244
Blowers 233, 241
Blueprint Cases .. 216, 217
Boat Winches 153
Bookcases 213
Boosters, Battery 166
Booths, Lunchroom 204
Boots 196
Box Trucks 93-97
Boxes, Bin..10, 57-59, 86-91
Storage 59, 87
Brushes 227
Bubblers 194
Buckets, Cleaning 227
Building Systems..29-31, 74
Buildings, Outdoor 179
Relocatable 5-8, 203
Bulk Storage
Containers 50, 92-97
Racks 24, 25
Bulletin Boards 221
Burn Stations 195

C

Cabinets:
Bench 70
Bin 16, 17, 53
Blasters 242-244
Blueprint 216, 217
Clothes 11, 13, 19
Cylinder 189
Drafting 216, 217
Drawer 18, 36, 52, 53, 54, 56, 66-71
Drum 112
File 213-218
First Aid 194
Flammable 1, 112, 186, 189
Key 225
Mobile 40, 41, 45, 49, 70, 71
Parts 18, 40, 41, 44, 45, 49, 51-54, 56, 57
Safety 1, 112, 189
Shop..2, 35, 40-44, 49, 98
Storage-Supply 1, 11, 19, 45
Tool 41, 45, 70, 71
Tray 53
Wall 41
Wardrobe 11, 19
Work 42-45, 49
Cables, Electric 38
Welding 188
Cafeteria Furniture..204,207
Calculators 218
Cantilever Racks 26
Car Stops 173

(Continued on next page)

INDEX

CATALOG 801

(Continued)

Card Files 218
Cargo Slings 165
Stabilizers 173
Carpet Protectors 198-200, 210, 228, 229
Carpets 198-200, 228, 229
Carts, Food 22, 23, 43, 48, 93-95
Mail 220
Material Hdlg. 3, 43, 45-48
Casters 22, 23, 74, 118, 119
Ceiling Fans 167
Centrifugal Pumps 233, 235
Chain Hoists 142-144, 154-156
Chains 165
Chair Caddies 206
Mats 210
Chairs, Folding 2, 206
Meeting Room 204-206
Office 210-212
Shop 209, 210, 212
Stacking 206
Chalkboards 221
Chargers, Battery 166
Chippers, Air 248
Chocks, Wheel 173
Cigarette Urns 232
Circuit Breakers 38
Clamps 30, 31
Cleaners, Parts 9, 189-191
Vacuum 200, 226, 227
Cleaning Fluid 190
Tanks 191
Clocks 2, 222
Clothing 196, 197
Clothing Cabinets 11-13, 197
Coat-Hat Racks 224
Compressors, Air 253-258, 260-264, 274-278
Conduit Racks 26, 27, 76
Conference Furniture 205
Control Valves 234
Conveyor Containers 97
Conveyors 175-177
Coolers, Water 194
Cord Reels 245
Cords, Electric 38
Corkboards 221
Corrugated Bin-Boxes 58, 59, 87, 88
Couches 207
Counters, Numerical 39
Couplers, Hose 273
Pipe 30, 31
Cradles, Drum 104, 105, 159, 162, 163
Cranes, Electric 164
Floor 159, 160, 162-164
Jib 158, 159
Lift Truck 161
Portable 162, 163
Pallet Lifter 161, 164
Wall 160
Winch 84
Credenzas 212, 213
Cushions, Dock 171
Cut-Off Saws 37
Cutters, Angle 29, 74
Paper 225
Strap 116
Cylinders 234

D

Decking 67, 99
DeGreasers 189, 191
Deheaders, Drum 116
Desk Lamps 222
Toppers 220
Desks, Office 212, 213
Shop 4, 42, 43, 212, 225
Directory Boards 221
Disposable Uniforms 196
Dock Boards 168
Bumpers 171
Car Stops 173
Door Seals 166, 170
Heaters 166, 167
Jacks 173
Ladders 172
Levellers 170
Lights 171
Loads Stops 172
Plates 169
Ramps 168, 169
Seals 170
Strip Doors 167
Wheel Chocks 173
Docks, Portable 170
Dollies 79, 106, 117, 230
Door Alarms 193
Mats 198, 199, 228, 229
Doors, Strip 167
Drafting Files 216, 217
Lights 128
Stools 208, 209
Drawer
Boxes 34, 45, 54, 91
Cabinets 54, 56, 57, 62, 63
Racks 61, 63
Drawers 63, 65, 66
Drench Showers 195
Drill Presses 236
Drills 248, 249
Drum Cabinets 112
Cradles 2, 105, 107, 134, 136
Dollies 79, 106, 117, 230
Faucets 112
Heaters 104
Lifters 81, 104, 110, 111, 138-140
Mixers 113
Openers 116
Pumps 113, 114
Racks 80, 108, 109, 148
Rotator 108
Tops 230, 231
Trucks 106, 107, 133, 137
Vents 113
Wrenches 116
Dry Blasters 242-244
Dryers, Air 268
Hand 194
Drying Rack Carts 45
Dumpers 93, 95-97
Dust Collectors 240, 241

E

Ear Protectors 197
EDP Files 214
Electric Cable 38
Outlets 38
Electric Hydraulic Systems 234
Elevating Tables 125
Trucks 126, 127, 130, 131
Work Platforms 160
Emergency
Lights 2, 192, 193
First-Aid 194, 195
End Trucks 158
Energy Savers 167
Entry Mats 198, 199, 228, 229
Exhausters 239-241
Exit Alarms 192
Extension Cords 38
Ladders 185
Extinguishers, Fire 193
Eyeglasses 197
Eye Washes 195

F

Face Shields 197
Fans 167, 218, 239
Faucets, Drum 112
Safety 195
Files, Blueprint 216, 217
Card 218
EDP 214
Flat 216, 217
Insulated 214
Lateral 214
Letter-Legal 213, 215
Roll 216, 217
Storage 59
Transfer 59
Tray 53
Vertical 216
Filters, Air 270, 271
Fire Extinguishers 193
Fireproof Cabinets 1, 12, 186, 189
Files 214
Receptacles 9, 187, 189, 232
First Aid Supplies 194, 195
Fittings, Pipe 30, 31
Flashing Lights 192, 193
Flat Files 216, 217
Floor Mats 198, 199, 228, 229
Slats 229
Flooring 72, 73, 99
Fluorescent Lamps 38, 223
Folders, File 214
Folding Furniture 2, 206, 207
Food Containers 93-95
Fork Lift Trucks 126, 127, 130, 131
Attachments 108, 110, 111, 161, 164, 170, 178
Fume Exhausters 240, 241
Furnture, Folding 2, 206, 207
Office 210, 213, 214, 216-218, 220, 223
Shop 2, 42, 43, 212, 225

G-H

Gantry Cranes 160, 162
Gas Caddies 182
Cans 9, 187
Heaters 166
Gates 102, 103
Gear Pumps 234
Gloves 197
Goggles, Safety 197
Grating 72, 73
Grease Pumps 114
Grinders 37, 249
Grinding Discs 249
Guns, Air 247, 272
Grease 114
Heat 39
Gym Lockers 11-13, 19
Hammers, Air 248
Hand Dryers 194
Hand Trucks 77, 120, 121
Hard Hats 197
Hat Racks 224
Heat Guns 39
Heaters 104, 166, 167, 171
Helmets, Safety 197
Hoists, Chain 142-144, 154-157
Hopper Boxes 91, 98
Hoppers 96-98
Hose Arms 241
Couplers 273
Line Oilers 249
Reels 245
Hoses, Air 245, 253, 273
Welding 245
Hour Meters 39, 255
Hydraulic Controlled
Cranes 162, 163
Cylinders 234
Docks 170
Fork Lifts 126, 127, 130, 131
Jacks 173, 236
Presses 237
Tables 125
Valves 234
Hydroscales 174
Hydrovane Compressors 255

I-J-K

Jacks 173, 236
Jib Cranes 158, 159
Job Ticket Racks 221
Junction Boxes 38
Kee Klamps 31
Key Cabinets 225

L-M-N

Lab Carts 3, 43-45, 49
Clothing 196
Labels, Packing 55
Ladders, Dock 172
Step-Extension 69, 180-185
Lamps 171, 223
Lateral Files 214
Laundry Trucks 93, 94
Legs, Bench 24
Levellers, Dock 170
Lever Hoists 141
Mounts 253
Trucks 117
Lift Tables 125
Trucks 126, 127, 129-131
Lighting, Clamp-On 223
Emergency 2, 192, 193
Fluorescent 38, 223
Trouble 38
Warning 192, 193
Line Markers 178
Liquid Sprayers 243, 246, 247
Literature Racks 87, 219
Litter Containers 201, 230-232
Lock Alarms 193
Lockers 11-13, 19
Locks 9, 193
Lounges 207
Lubricators 249
Lunchroom Furniture 2, 206, 207
Machine Mounts 250
Movers 120, 132
Stands 4, 36, 43, 44, 47
Magnifying Lamps 223
Mail Carts 220
Scales 225
Sorters 220
Tape 55
Maintenance Equipment:
Cleaning Supplies 227
Ladders 69, 180-185
Vacuums 200, 226, 227, 272
Markerboards 220
Markers, Felt Tip 220
Masking Tape 55
Masks, Protective 197
Material Hdlg. Equipment 92-97
Material Tanks 9, 245
Mats, Chair 210
Floor 198, 199, 228, 229
Truck 229
Measuring Tools 39
Medical Supplies 194, 195
Meters, Hour 39, 255
Mirrors, Protection 180
Mixers 113
Molded Chairs 205, 206
Mop Wringers 227
Motor Cars 83
Starters 166, 254, 259
Motors 233, 250
Moving Equipment 120, 132, 214
Mufflers, Pneumatic 272
Numerical Counters 39

O-P

Office Furniture 210, 213, 214, 216-218, 220, 223
Offices 5-8, 203
Oil-Less Compressors 264
Oily Waste Cans 9, 182, 187
Order Blank 151
OSHA Signs 181
Padlocks 13
Paints 178
Paint Sprayers 246, 247
Stripers 178
Pallet Frames 124
Lifters 127, 130, 164
Pullers 172
Racks 24, 27, 28
Stands 124
Trucks 120, 129-131
Paper Cutters 225
Shredders 218
Parking Lot Needs 178, 179
Partitions 5-8, 203
Wire 100, 101
Pallet Lifter Scales 174
Parts Bins 10, 51, 58, 61, 63, 65, 90
Cabinets 52-57, 62, 63, 65, 66
Cleaners 9, 189-191
Drawers 18, 45, 52, 54, 63, 65, 66
Pans 60
Phone Booths 223
Pick Racks 10, 86, 88
Picnic Tables 204
Pipe Racks 26, 27
Fittings 30, 31
Platform Ladders 184
Trucks 120-124
Plug Wrenches 123
Pneumatic Tools 248, 249
Polybins 93
Postage Scales 225
Power Hoists 155-157
Winches 153, 154
Prefab Offices 5-8, 203
Presses, Arbor 237
Drill 236
Hydraulic 237
Print-Map Files 216, 217
Production Guns 247
Pry Bars 117
Pumps 114, 115, 235, 266, 267

R

Racks — See item desired
Rail Wheel Chocks 173
Railings 79
Ramps, Truck 168, 169
Receivers, Air 259, 265
Reels, Cord 38
Hose 245
Reception Rooms 205
Refuse Containers 202, 229, 230
Respirators 194
Revolving Lights 192, 193
Rinse Tanks 189
Roll Files 216, 217
Roller Cabinets 40, 41, 70, 71, 98
Rope Slings 165
Rotary Bins 50
Compressors 256
Storage Systems 57
Runners, Rug 198, 199, 228, 229

S

Safe Vaults 218
Safety Equipment:
Alarms 193
Burn Stations 213
Cabinets 112, 189
Containers 9, 186, 187
Drum Cabinets 112
Drum Vents 113
Ear Protectors 197
Emergency Lighting 2, 192, 193
Eye Washes 195
Face Shields 197
Fireproof Files 214
Fire Extinguishers 193
First Aid Kits 194
Goggles, Glasses 197
Gloves 197
Hard Hats 197
Mats 229
Mirrors 180
Receptacles 9, 186, 187
Respirators 197
Screens 186
Showers 197
Signs 181
Smoking Urns 232
Warning Lights 192, 193
Waste Cans 9, 185, 186
Sand Blasters 242-244
Sanders 248
Saws 36, 236
Scaffolds 99, 184
Scales 36, 236
Screens, Welding 189
Scrub Pails 227
Sealing Tape 55
Seals, Dock Door 166, 170
Secretarial Furn 210-212
Security Trucks 21
Service Carts 3, 21, 44, 43, 48
Jacks 236
Shelf Trucks 21, 23, 46, 47, 94
Shelving, Bin-
Box 12, 13, 51, 86, 87
Bulk Storage 24, 25
Modular 14, 15, 18
Open Wire 20, 21
Pallet Racks 24, 25, 28
Tray 45
Shipping Tape 55
Shop Benches 3, 4, 32-36, 45
Cabinets 4, 36, 41, 42, 44, 45, 70, 71
Showers, Drench 195
Shredders, Paper 218
Shutters, Fan 239
Signs, OSHA 181
Slings 165
Slotted Angles 29, 74
Spiral Stairs 103
Spray Booth Fans 239
Guns 247
Spreader Beams 158
Stabilizing Jacks 173
Stackers 126, 127, 130, 131, 135
Stairs 68, 69, 99, 103
Step Ladders 69, 180-185
Stock Cart 45
Racks 26, 27
Stockroom Carts 2, 4, 21, 27, 43-47
Enclosures 100, 101
Stools 208, 209
Storage Files 59, 87
Sheds 179
Strap Binding 55
Cutters 116
Strip Doors 167
Stripers, Paint 178
Submersible Pumps 235
Sump Pumps 235
Supply Cabinets 1, 11, 21, 45
Swivel Casters 22, 23, 74, 118, 119
Chairs 205, 210-212

T

Tables, Folding 2, 204, 207
Hydraulic 12
Machine 4, 36, 44
Office 2, 204, 207
Picnic 204
Tailgate Ramps 168, 169
Tank Drains 27
Tanks, Air 259, 265
Materials 9, 24
Tape Measures 3
Tapes, Shipping 55
Telephone Booths 22
Terms & Policies 14
Tilt Trucks 93-95
Time Clocks 22
Tool Boxes 10, 41, 55
Cabinets 2-4, 40, 45, 70, 71
Chests 4
Sheds 179
Stands 4, 36, 43, 44, 47
Tools, Air 248, 249, 270
Tote Trays 5
Transfer Files 59, 87
Pumps 114
Trash Can Covers 23
Trash Cans 201, 230, 232
Tray Cabinets 5
Trimboards 22
Trolleys 142, 156, 157
Trouble Lights 38
Truck Alarm 192
Flooring 72
Tool Boxes 4
Trucks, Appliance 120, 157
Bar Stock 27, 45, 144
Barrel 105, 107, 109, 133, 137, 138
Bin-Box 93-95
Dump 93, 95-97
Hand 120-122
Hopper 96-98
Hydraulic, Hand 120, 127, 130, 131
Hydraulic, Battery 130, 131
Lever 117
Pallet 120
Platform 122-125
Shelf 21, 23, 46, 47, 94
Stockpicker 7
Wire 21, 23

U-V-W-Y

U-Racks 27, 144
Uniforms 196
Urns, Smoking 232
V-Grip Racks 6
Vacuum Cleaners 200, 226, 227
Pumps 4
Valves, Drain 26
Safety 26
Vaults 218
Vehicle Lights 192, 193
Ventilators 239-241
Vents, Drum 113
Vibration Mounts 25
Vises 3
Walkramps 168-169
Wardrobes 11, 12
Warning Lights 192, 193
Washer-Sprayers 181
Washers, Parts 9, 189-191
Washroom Dryers 194
Waste Containers 18
201, 230-232
Wastebaskets 23
Water Coolers 194
Welding Needs 188, 246
Wheel Chocks 173
Wheels 118, 119
Winch Cranes 84
Winches 152, 153
Wire Baskets 3
Carts 21-23
Containers 3
Partitions 100, 101
Shelving 20-22
Trucks 21-23
Work Benches 3, 4, 32-34
Clothes 196, 197
Lights 4
Platforms 16
170, 182, 183
Wrapping Tape 55
Wrenches, Air 248
Drum 117
Wringers, Mop 227
Yard Sheds 179

C&H ORDER BLANK CATALOG # 801

Office Use Only 2 – 9

Since 1937 **C & H DISTRIBUTORS, INC.** Milwaukee, WI 53204 ● (414) 271-2250 — TELEX 26-697

Street Address — Please Use Address on Front of Cover

— PLEASE TYPE OR PRINT —

COMPANY NAME (11–30)

ADDRESS (32–51)

CITY | STATE | ZIP (74–78)

COMPANY NAME (10–29)

ADDRESS (30–49)

CITY (50–62) | STATE (63–64) | ZIP (65–69)

Terms of Sale: Open account terms of Net 10 days are extended to firms listed and satisfactorily rated by Dun and Bradstreet. A Service Charge of 1%, where allowed by law, may be imposed on any Delinquent Balance. Unrated or unlisted firms are requested to submit two major trade references and the name of their local bank. If you would like to expedite an order while we establish your open account status, please include payment with your order. NOTE: We also accept Master Charge and VISA.

YOUR ORDER NO.

YOUR PHONE AREA CODE

PURCHASING AGENT FIRST INITIAL (49) LAST NAME (50–63)

AMOUNT ENCLOSED $ (10 – 15)

☐ CHECK
☐ MONEY ORDER
DO NOT SEND CASH

ANTITY – 36	STOCK NUMBER 9 – 14	DESCRIPTION AND/OR MISCELLANEOUS INFORMATION 33 – 67	PRICE EACH 45 – 50	TOTAL
		SIZE/COLOR		
		SIZE/COLOR		
		SIZE/COLOR		
		SIZE/COLOR		
		SIZE/COLOR		

SPECIAL INSTRUCTIONS: GRAND TOTAL

r Promise to You: Since 37, C&H has been providing ality products at wholesale ces. Our growth and reputan have been based on cusner trust and satisfaction. are certain that you will our products to be of exent quality, designed to vide the service you expect. never, if for any reason, are dissatisfied with any duct you receive from C&H, ely let us know within 30 s of receipt and follow our rned goods procedure to re- e a credit or refund.

☐ MASTER CHARGE CHARGE CARDS WELCOME

☐ VISA

NAME ON CARD GOOD THRU MONTH YEAR

TRADE REFERENCES Company Names

1	Street		
	City	State	Zip
2	Street		
	City	State	Zip
3	Street		
	City	State	Zip

TEAR OFF ALONG THIS LINE, FILL IN, AND MAIL YOUR ORDER TODAY

Industrial Power Winches Lift and Hold

These Winches Are Not For Liftin
People and Things Over People

Heavy-Duty, TEFC, 1750-RPM Positive Stopping Power Winc

Thern



72-011/0DX Shown

Compact, quiet, durable—designed with alloy steel shafts, bronze bearing. Ball thrust bearings on worm shaft. Drum-type reversing switch. Ball-bearing motor with 8′ power cord. For vertical lifting and positive holding—for quick stops, an electric brake (order separately below) is mandatory. Has enclosed machine cut gears, totally enclosed motor chain. **01** 115 or 230, 1 ph. or **02** 230 or 460V., 3 ph. please specify only one voltage. FOB Minn.

Stock Number	HP	Shpg. Wt. (lbs.)	Approx. Lift Cap. Single line (lbs.) 2 Layers on Drum	Approx. Lift Cap. Single line (lbs.) Full Drum	Approx. Pull Cap.* Single line (lbs.) 2 Layers on Drum	Approx. Pull Cap.* Single line (lbs.) Full Drum	Approx. Line Speed (FPM) Two Layers	Approx. Line Speed (FPM) Full Drum	Drum Dimensions (Inches) Diam.	Lgth.	Flange Diam.	Drum RPM	Drum Capacity 3/16″	Drum Capacity 1/4″	List Price	Each
72-009/4DX	½	76	700	400	3500	2000	14	23	2½	5	5	18	145	75	$655.00	$505.98
72-010/2DX	¾	80	1000	600	5000	3000	14	23	2½	5	5	18	145	75	696.00	536.91
72-011/0DX	1	100	1300	800	6500	4000	14	23	2½	5	5	18	145	75	746.00	575.69
72-360/1DX	¾	135	1300	700	6500	3500	12	20	4	6½	8½	9, 4	550	300	1010.00	779.80
72-361/9DX	1	161	1700	1000	8500	5000	12	20	4	6½	8½	9, 4	550	300	1052.75	812.82
72-362/7DX	1½	184	2400	1400	12,000	7000	12	20	4	6½	8½	9, 4	550	300	1110.00	856.92
72-363/5D	2	204	3200	1900	16,000	9500	12	20	4	6½	8½	9, 4	550	300	1188.00	916.95

2-HP model only in 3-ph. 230 or 460V. *Pull capacity—single line to a rolling load on a 10° incline with 10% friction.

72-012/8D—Electric brake for winches above. 5 lbs. FOB Minn. Net each $148.0

Strong, Durable "My-Te" Winches with Positive Holdin



- **Positive load holding, self-lock worm gear**
- **Anti-friction bearings at pressure points**
- **Roller bearings sealed in oil to end wear**
- **Easy operating friction-less bearings**
- **Fully sealed aluminum gear housing**
- **Forward-reverse switch, 10′ electric cord**
- **12V-DC's have clutch—for no-load free wheeling**
- **110V-AC's have electronic braking without free wheeling**

STANDARD POWER WINCH. Available battery powered and 110 volt power models. Cab drum sizes: 5½″ flange diam., 2″ drum shaft diar 7½″ lgth. between flanges. 12x22x14″ high overa

SUPER POWER WINCH. Extra power tough lifting jobs! 110V AC and available in b tery-powered 12V for handling heavy loads remote locations. Drum: 9⅜″ flange, 2⅜″ dru shaft, 9½″ between flanges. 13½″ x 30½″ x 15½

Model	Stock Number	Power Supply	Capacity (lbs)* Lift	Capacity (lbs)* Pull	Cable Cap.	FPM	Drum Speed	Gear Ratio	Wt. (lbs.)	Net Each
Standard	72-259/5A	12V-DC	1,250	5,000	¼″-125′	8	30 RPM	175 to 1	65	$529.9
	72-260/3A	110V-AC	1,000	4,250		18	59 RPM	286 to 1	60	666.9
Super	72-416/1A	12V-DC	3,000	12,000		3.5	9RPM	700 to 1	146	$936.9
	72-262/9A	110V-AC	3,000	12,000	⅜″-285′	4	15 RPM	1144 to 1	141	1077.9

*Single line operation. Pull rating based on 10% decline (10′ up over distance of 100′) and 10% friction factor. DC units have a clutch for free wheeling and 110V units have electronic brakes for instant stopping.

IN STOCK IMMEDIATE SHIPPING

Clutch for free playout of cable on the 110V units has to be put on by the manufacturer making the winch and clutch. FOB Ind. Capacities can be doubled with the use of a pulley block.

CABLE GUIDE (not illus.) to protect reel flanges when angle of pull is not predetermined or when there's a shift of 2°. Boasts a sturdy steel frame with rollers on all 4 sides.

For Standard Winches.
72-268/6A—Wt. 25 lbs. Ea. $35.95
For Super Winches the cable guide has to be installed by the manufacturer so the winch and cable guide would be F.O.B.-IND.

Tough 2-Speed Gear Winches with Quick Disconnect Handle

WE SHIP UPS WHEN POSSIBLE

- **Free wheeling in neutral**
- **Stainless steel ratchet spring**
- **2-speed double reduction gears**
- **Permanently lubricated bearings**
- **Hardened drive gears and reel**
- **Can be converted to electric**

IN STOCK IMMEDIATE SHIPPING

Copper brazing add extra strength to this winches' hardened drive gears and reel assemblies. 2000 and 2500 lb. units have hand brakes. Two-speed double reduction gear system (except on 72-386/6A) plus hunting tooth designs for more uniform wear. Rope or cable mounts through gear side plate. Baked enamel finish in metallic copper-bronze tone. Includes quick disconnect handle.

SPECIFICATIONS

Lift Cap.	Gear Ratio	Hub Diam.	Drum Capacity ⅛″	Drum Capacity 3/16″	Drum Capacity 7/32″
1000 lbs.	3.9:1	⅞″	150′		
1600 lbs.	8.5:1 - 5.5:1	1⅛″		90′	
2000 lbs.	12.5:1 - 5.5:1	1⅛″		125′	
2500 lbs.	17.5:1 - 5.5:1	1⅛″			95′

Stk. No.	Lift Cap.	Shpg. Wt.	Net Each
72-386/6A	1000 lbs.	6 lbs.	$19.50
72-387/4A	1600 lbs.	11 lbs.	36.85
72-388/2A	2000 lbs.	12 lbs.	56.94
72-389/0A	2500 lbs.	14 lbs.	63.96

Thern Worm Gear Winches Ensure Efficienc



72-096/1D Shown

Can be mounted horizontally—easily converted to verti mount. Machine cu. gears for dependable performance y after year. Handles have free turning sleeve—adjust for li loads with fast rewind, adjust for heavier loads and slo operation. Rated with the ample safety factors that clas them for industrial use 4,000-lb. winch.

Stock Number	Lift Cap. Empty	Drum Diam.	Drum Lgth.	Drum Capacity ⅛	Drum Capacity ¼	Drum Capacity ⅜	Gear Ratio	Wt. Lbs.	List Price	Ne Eac
72-096/1D	4000 lbs	4″	6½″	.....	300′	34′	31:1	90	$421.60	$350
72-097/9A	2000 lbs	2½″	5″	325′	75′	35′	24:1	30	166.00	149
72-098/7A	1000 lbs	1½″	2¾″	125′	30′	....	15:1	15	104.30	93
72-099/5A	750 lbs	1½″	2¾″	125′	30′	....	20:1	13	63.15	56

750, 1000 and 2000 lb. capacity in stock. 4000 lb. unit is FOB—Minn.

Thern



72-095/3D Shown

Double Gear Winches for Extra Pow

Heavy-duty industrial-type winches have machine cut s gears, sealed ball bearings on drive shaft. Double gear winc provide extra power with less effort. Heavy fabricated s drum has bronze bearing and grease fittings. Recessed c anchorage for smooth cable winding on drum. Large bra capacity. Positive spring controlled ratchet, easy to engag disengage. FOB Minn. Wts. 32, 78, 156 lbs.

Stock Number	Lift Capacity	Drum Capacity ⅛	Drum Capacity ¼	Drum Capacity 5/16	Drum Capacity ⅜	Drum Capacity ½	Drum Capacity ⅝	Gear Ratio Sing.	Ratio Dbl.	List Price	Net Eac
72-141/5D	2,000 lbs.	600	150	90	70			3.83	14.70	$149.60	$124.
72-094/6D	4,000 lbs.	1250	300	200	140	140		4.42	19.54	466.20	387.
72-095/3D	10,000 lbs.				445	445	160	5.00	25.00	750.00	622.

Portable AC & DC Power Winches

These winches are not for lifting people or lifting things over people.



Model 72-631/5D

WE SHIP UPS WHEN POSSIBLE

000 Lb. Single Line Lift Capacity

10V-AC Powerwinch. Self-contained motor operates pull cable in only, free wheeling and braking in verse. Holds load when power is shut off. Can be perated manually in case of power failure with the nergency hand crank (inc.). Has 17 FPM no-load peed, 14 FPM full load. 50′ of 3/16″ aircraft cable with afety hook. 10′ remote control cord and switch in a eather-resistant, Super-Tuf ABS housing.
hpg. wt. 30 lbs. FOB Conn.
2-631/5D—List $279.00. Each **$205.98**
ame as above, but 3500 lb. single line lift capacity. 11 PM no-load speed and 9 FPM full-load speed. 50′ of ″ cable.
2-686/9D 35 lbs. List Price $299.00. Net Each **$219.85**

2V-DC Powerwinch. Works off auto or truck batteries. urnished with wiring kit, 80-amp. circuit breaker, ulti-purpose adaptor kit, emergency hand crank, cable nd safety hook . . . in a weather-resistant Super-Tuf BS housing. All units have free-wheeling out and hold ad when power is off . . . power only for pulling cable . Pulley blocks for double line lifting.

	Lift Cap. Lbs.		Line Speed-FPM			50′
	Single	Double	No-Load	Full	Amps.	Cable
2-632/3D	2500	5000	18	12	38	5/16″
2-633/1D	2000	3500	18	12	38	1/4″
2-634/9D	4500	9000	12	8	58	11/16″
2-635/6D	3500	6000	16	10	58	1/32″

ulley blocks not supplied

k. No.	Controls	Lbs.	List	Each
2-632/3D	25′ lanyard operation	34	$289.00	$212.95
2-633/1D	10′ cord and switch	36	279.00	205.98
2-634/9D	25′ lanyard operation	39	329.00	241.91
2-635/6D	10′ cord and switch	42	329.00	241.91



Model 72-003/7A

IN STOCK IMMEDIATE SHIPPING

WE SHIP UPS WHEN POSSIBLE

1000-Lb. Single Line Lift Capacity

12V-DC Superwinch. Powered by 1⅓-HP permanent magnet and self-locking gearbox. Cable powers out and in, locks in "off." Simple differential planetary gearing provides 123:1 reduction. Gears are ¼″ thick steel, roll-on hardened chromium ball bearings. Gearbox is permanently lubricated and sealed. Motor gearbox and drum mounted on ¼″ steel frame. Supplied with two 40-amp. circuit breakers and 45′ of 5/32″ cable. Hoists 2000 lbs. (double line), 4000 lbs. rolling loads. 12 FPM full load speed, 25 FPM no-load. Has switch, power harness, ⅜″ mounting bolt kit, emergency hand crank, galvanized aircraft cable, forged safety latch hook and pulley block. Wt. 21 lbs.
72-003/7A — List $209.95. Each **$171.95**
Remote Control Kit with switch plate, pair of 10′ wires.
72-128/2A — Net each **$12.50**

*	10% (6°)	20% (11°)	30% (17°)	50% (26°)	70% (35°)	Vertical Lift Cap.
Cap.	9000	4500	3000	1800	1300	1000

*10% grade is rise of 1′ in 10′. Slope of 30% is equal to steepest ski trail.

115V-AC Superwinch. Designed for use as winch, not for overhead hoisting. 500 lb. (single line) capacity; full-load speed, 15 FPM, no-load, 30 FPM. 115V, 60 cy., 1-ph. motor — power in both directions, locks and holds in any position. Unit comes complete with remote push button control box, 45′ of 5/32″ cable, and pulley block for 1000 lb. double line operation. Wt. 17 lbs.
72-139/9A — List $299.95. Each **$162.98**

WE SHIP UPS WHEN POSSIBLE

As Low As **$184.89**

Strong-Arm Winches with PowerSwitch

When "Off", two brakes keep the load securely in place — one is a dynamic motor brake in the electrical switch circuit, the second is a mechanical friction brake. Strong-Arm design features power-in, power-out and controlled free-wheeling winch action. Outer case of high-impact weatherproof molded polyethylene covers all moving parts to protect both operator and winch. Light load bearings are permanently lubricated sintered iron; precision needle bearings are used in high-load areas for low friction and long life. Heavy-gauge steel one-piece die-formed base has three keyhole mounting slots for use with quick mounting shoulder studs. Chrome-plated heavy-gauge steel front frame protects cable from abrasion. Formed spring steel plate ensures level winding of cable onto reel. FOB Nebr.

SPECIFICATIONS

Motor Type	Approximate Lift Capacity (Lbs.) Single Line: 2 Layers On Drum	Single Line: Full Drum	Double Line: 2 Layers On Drum	Double Line: Full Drum	Approx. Pull Cap. 10° Incline 10% Friction	Cable Size Lgth.	Pulley Block
DC	3000	2000			15,000 lbs.	3/32″ 25′	No
110V-AC	2700	1750			13,500 lbs.	7/32″ 25′	No
DC			4500	3000	22,600 lbs.	7/32″ 50′	Yes
110V-AC			4000	2500	20,100 lbs.	7/32″ 50′	Yes

Motor Type	Stock Number	Appx. Line Speed (FPM) No Load: Full Reel	No Load: Empty Reel	Full Load: Full Reel	Full Load: Empty Reel	Shpg. Wt. (lbs.)	List Price	NET Each
DC	72-587/9D	11	5	4	2.5	35	$241.95	$184.89
110V-AC	72-588/7D	16	7	8	4	33	259.71	197.98
DC	72-589/5D	5	2.5	2	1.5	38	255.20	194.84
110V-AC	72-590/3D	8	3.5	4	2	36	272.53	207.88



Portable AC Weatherproof Motor

WE SHIP UPS WHEN POSSIBLE

Also available with remote cable

- **Powerful 115V AC Universal motor**
- **Push-button forward and reverse switch**
- **Weatherproof aluminum—only 43 lbs.**

Take-along convenience . . . electric power winch moves, pulls, lifts. One switch operates motor, changes direction of drum rotation . . . prevents accidental reversing. Built-in electrodynamic braking with self-locking worm gearing. Pulls 1,000 lbs. on 5% incline; lifts 1200 lbs. dead-weight with single line, 2400 lbs. with double line. Special drum design eliminates cable stacking, holds up to 325′ of 5/32″ cable. Ball and roller bearings throughout maintain precise alignment of gearing. Line speed: first layer, 17 FPM in and 27 FPM out, 28 FPM no-load; full drum: 25 FPM in, 34 FPM out, 41 FPM no-load. Takes 14 amps. Fully portable. FOB Mich.
2-080/5D—Wt. 43 lbs. Net each **$783.95**
Portable Motor with 10′ Flexible Remote Cable.
2-081/3D—Wt. 46 lbs. Net each **$826.90**



As Low As **$375.92**

Drum size: 5¼″ long x 2½″ diam.

IN STOCK IMMEDIATE SHIPPING

Low-Cost! Boat House Winch with Reversing Drum Switch

- **Save time! Protect costly boats!**
- **Quality engineered! Works smoothly**

Worm gear type with ball bearings. Drum capacity: 40′ of 5/16″ cable; 65′ of ¼″ cable; 125′ of ⅛″ cable. Cable speed: 10 ft./min. Single phase 115 volt, 60 cycle. Requires no brake; self-locking because of worm gear. Shipped from our Milwaukee factory. ¼ hp. Does not have capacitor motor.

Stock No.	Pull	H.P.	Wt.	Net Ea.
72-270/2A	500 lb.	¼	52 lbs.	$375.92
72-271/0A	1000 lb.	½	56 lbs.	405.95
72-272/8A	1500 lb.	¾	64 lbs.	417.90
72-273/6A	2000 lb.	1	75 lbs.	463.98

WE SHIP UPS WHEN POSSIBLE

Electric Winches

- **Reversible permanent magnet motor**
- **Three way switch; forward, neutral, reverse**
- **Spring-loaded—it returns to neutral**
- **Touch-control brake—holds full load**

Excellent for boathouses. Two-way ratchet offers extra protection—when engaged it locks when power is off. 1⅛″ drum hub diam. Two-way ratchet with an off position can be used to lock the winch in position when the power is off. Free wheeling position on gear train for fast release of cable. Not designed for continuous use. 72-393/2D and 72-397/3D are not supplied with pulley block and hook. Three way switch is not remote. FOB Nebr.

12 VOLT DC

Stock Number	Lift Cap. Lbs. Sgle.	Dble.	No Load FPM	Includes Cable 3/16″	7/32″	Shpg. Wt. (lbs.)	Net Each
72-393/2D	1600	.....	23	25′		30	$162.98
72-394/0D	1800	3600	21	50′		34	187.95
72-395/7D	2000	4000	18	50′		35	189.90
72-396/5D	2500	5000	13		50′	37	196.93

110V-AC-FIELD WOUND MOTOR with an external switch

72-397/3D	900	.....	38	25′		30	$177.86
72-398/1D	900	1800	36	50′		34	201.74
72-399/9D	1000	2000	33	50′		35	203.95
72-400/5D	1200	2400	28		50′	37	211.97

Industrial Chain Hoists Offer Quality and Safety



ACCO-WRIGHT American-Made Heavy-Duty Hand Chain Hoists

- **Lightweight lpc. aluminum alloy frame**
- **Spur geared • Automatic disc load brake**
- **Overload limiting device . . . helps to prevent lifting of excessive overloads**

Easily portable unit for inexpensive use almost anywhere . . . for precision spotting, heavy-duty service even in low headroom places. Fully enclosed and protected with flexible link-load chain and 6' hand chain, precision pocket chain wheel, lifetime lubrication, swivel hook mounting, spring latch hook top and bottom. Handy for machine shops, warehouses, foundries.

½, 1 and 2 Ton Models with 8' lift are in stock for Immediate Shipping

Stock Number	Cap. (tons)	Std. Lifts	Headroom (inches)	To Lift Load One Foot: Chain Pull (lbs.)	To Lift Load One Foot: Chain Overhaul	Wt. (lbs.)	Net Each
72-783/4A	½	8'	13"	26	46'	34½	$259.95
72-784/2A	1	8'	13"	53	46'	36	310.92
72-785/9A	2	8'	17¾"	91	53'	58	476.90
72-786/7D*	3	8'	23⅜"	71	106'	95	655.94
72-787/5D*	4	8'	23⅜"	94	106'	95	760.91
72-788/3D*	5	8'	25¼"	81	159'	125	903.93
72-789/1D*	6	8'	25¼"	97	159'	125	909.97

*FOB ILL and PENN.



WE SHIP UPS WHEN POSSIBLE

Additional Lift Over Standard 8'

Stock Number	Hand, Load Chain Adder to Fit . . .	Net Each Addtl. Foot
72-790/9DM	72-783/4A	$ 7.60
72-791/7DM	72-784/2A	8.37
72-792/5DM	72-785/9A	8.87
72-793/3DM	72-786/7D	9.81
72-794/1DM	72-787/5D	13.32
72-795/8DM	72-788/3D	18.00
72-796/6DM	72-789/1D	18.00

WE SHIP UPS WHEN POSSIBLE

SAFETY HOOKS ARE STANDARD

Coast to Coast Shpg.
- Tacoma, WA
- San Francisco, CA
- Houston, TX
- Philadelphia, PA
- Atlanta, GA
- Chicago, IL



JET Easy-Operating Triple Spur-Geared Chain Hoists Fit Low Headroom Areas

The most widely used in the industry. All are quality-built for safety, serviceability; overload-tested at 150% capacity. Over 150 authorized service stations nationwide. Hoists with added lift shipped from Wash. 2, 3, 5, 10-ton hoists shipped by truck. Specify choice of lift in feet—10' is standard for units up to 5-ton capacity. 11½' is standard for 10-ton unit. For lift over standard see right of chart.

Stock Number	Cap. (ton)	Wt. (lbs.)	No. of Falls	Headroom Hook To Hook	Std. Lift Each	ADDITIONAL LIFT (over 10'): Stock Number	Installed Price	Per Foot
72-239/7D	½	27	1	11"	$ 91.98	72-433/6DM	$104.58	$ 4.33
72-240/5D	1	33	1	12½"	124.58	72-434/4DM	137.00	5.47
72-241/3D	1½	47	1	14"	164.70	72-435/1DM	177.00	6.80
72-242/1D	2	63	1	16"	193.50	72-436/9DM	205.83	8.53
72-243/9D	3	80	2	22¾"	264.98	72-437/7DM	277.50	12.80
72-244/7D	5	149	3	25"	404.95	72-438/5DM	417.50	25.00
72-669/5D	10	306	5	43-5/16"	962.96	72-680/2DM	974.65	31.87

These Hoists Are Not For Lifting People Or Things Over People.

IN STOCK IMMEDIATE SHIPPING

Winchoist For Heavy Duty Loads Up to 2000 lbs.

Has a multitude of uses! Lifts like hoist . . . pulls like a winch!

CH MEETS OSHA REQUIREMENTS

Low as $33.88

Safest designed! Rated realistically! It's versatile, lightweight, portable! Converts difficult jobs to easy one-man tasks! Hooks are drop-forged, heat-treated steel. Alloy steel frames, handles—easy-operating, spring-action lever and ratchet mechanism; large aluminum alloy drum gives strength with ample cable capacity; retainer spring keeps cable tightly wound on drum. Tough aluminum alloy ratchet teeth. Load can be ratcheted up to 1 to 3 notches at a time. Top and bottom safety hooks on 1,000 and 2,000 lb. winchoists. Shipped UPS when possible.

Stock Number	Cap. Pull	Ft. of Lift	Min. Dist. Btwn. Hks.	Cable Diam.	Wt. (lbs.)	List Price	Each
72-327/0A	500	36	14½"	1/8"	8	$59.80	$49.85
72-332/0A	1000	12	16½"	3/16"	9	41.90	34.92
72-333/8A	1000	15	16½"	3/16"	9	43.00	35.93
*72-334/6A	1000	18	22"	1/4"	10	66.50	55.91
*72-335/3A	2000	7½	24"	5/16"	11	49.00	40.83

*Includes Additional Pulley Block (Not Shown)

Lever-Operated Tacklers

AMERICAN-MADE WEATHERIZED!

Low as $69.98

- **For production!**
- **For lifting**
- **For moving**

SINGLE REEVED

Guaranteed precision! Highest safety factor (4.7 for both models) of any tool in its class! These work-saving, back-protecting tools may be operated horizontally, vertically, or at any angle . . . short 12" handle allows operation in extremely close quarters and packing in the average tool box. Constant handle pull permits lifting, lowering! Ratchet pawl provides positive braking action at any point. Flexible 3/16" alloy steel link chain. Rust-free! Shipped UPS when possible.

Stock Number	Cap. (lbs.)	Min. Dist. Between Hooks	Lift in ft.	Wt. (lbs.)	Net Each
72-417/9A	1000	8¾"	4	6	$69.98
72-420/3A	2000	10⅞"	4	10	91.67

JET Ratchet Lever Hoists for up to 6 Tons



- **Needle bearings for smooth operation and long life!**
- **Top and bottom safety hooks standard!**
- **New mechanical brake—positive acting!**
- **Load chain can be pulled rapidly to any length!**

Safest, most effective way to lift, pull, stretch or drag heavy loads—saves manhours in moving machinery, pulling engines and cables, etc. Free-wheeling hand wheel makes it easy to operate—no need to use the lever when taking up slack or positioning hook! Extra strong—with needle bearings for smooth operation and long life. Clutch system is safe and slip-proof—accurate spotting assured. Quick release—thumb lever controls the direction of pull. FOB Wash., Tex., Calif., Pa., Ga., or Ill. Specify choice of life in ft.—5' is standard. Shipped UPS when possible.

Stock Number	Ton Cap.	Wt. (lbs.)	Net Each
72-353/6D	½	21	$121.95
72-354/4D	¾	23	138.75
72-355/1D	1½	40	183.35
72-356/9D	3	55	261.67
72-637/2D	6	109	554.90

EXTRA LIFT: Stock Number	Ton Cap.	Hoist Price	Addtl. Foot Lift
72-685/1DM	½	$132.92	$ 4.93
72-681/0DM	¾	149.58	4.93
72-682/8DM	1½	195.83	7.50
72-683/6DM	3	272.50	13.73
72-684/4DM	6	565.85	29.50

Electric Hoists Save Time

ortable PEC Electric Chain Hoists et Up Quickly . . . Swivel a Full 360° . . . ft and Position Loads to 450 Lbs.

• Lightweight • Adaptable • Positive Brake

Husky little lifter! Weighs only 19 lbs., can be set up by one person wherever needed . . . lifts at 5′ per min. (no load). Hand-held control allows safe one-hand operation—reverse switch on top of control handle for handy use! Built-to-last high-strength aluminum casting is lightweight, too! Has oilite and ball thrust bearings, 6-wire control cable, 10′ long ⅜″ roller chain. Designed for intermittent duty. Only 4½x6x8″ 110V AC with 6′ control cord. FOB Ill. 21 lbs.

72-471/6D—Net ea. **$173.98 Ea.** (lots/3) **$163.95**
Chain bucket for above. Wt. 1 lb.
72-472/4D—FOB Ill. Net each **$12.00**

As Low As **$163.95**

WE SHIP UPS WHEN POSSIBLE

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

BEAT INFLATION! BUY AT WHOLESALE FROM C+H



ow eadroom lectric oist with Trolley

ift 1000 lbs. within 12″ of beam
ift 2000 lbs. within 13″ of beam
emoves from trolley for other uses
lectronic brake for instant stops
or single or double line lift

72-739/6A in stock

My-te

dy for use, and easily installed on existbeam. Lifts and moves weighty or bulky ls—1000 lbs. on single line, 2000 lbs. on ble with only two layers on drum. Quality with frictionless bearings at all pressure nts. Roller bearings sealed in oil to inate wear on end thrust. Final stages controlled by 286:1 ratio worm and worm — for positive load holding. Standard ures include sheave block, 30′ of ¼″ 0-lb. cable, safety hook, shackle for ble line operation. 10′ cord with ford-reverse remote; 15′ 115-volt with heavy duty male plug. Trolley is made of ½″ steel and hoist is bolted on. Loaded travel speeds: 27 fpm and 18 fpm for weights up to 1000 lbs., 8 fpm for weights up to 2000 lbs. Cable drum capacity 80′ of 5/16″, 125′ of ¼″. Specify width and height of I-Beam. FOB Ind.

72-737/0DD—Wt. 100 lbs. Net ea. **$895.95**
72-739/6A—In stock as above for 4″ width I-Beam—Special **$855.90**

"Hi" Hoist



3-PHASE 230-VOLT only

6′ Push-Button Cord is standard. Price per foot if extra cord is required. **72-432/8D**—Ea. **$5.00/ft.**

Jet Two-Speed Electric Hoists

- **Precise control at fast or slow**
- **More versatile than other 2 speeds**
- **For machine shops, motor plants**
- **For textile mills, electronic firms**

In any application where fast movement of materials and critical inching and positioning operations are combined, you'll appreciate the versatility of the Jet 2 Speed. Four to 1 speed ratio offers greater speed variance than most other 2-speed hoists. Two-speed push-button station assures single hand operation and precise control, ideal for raising and/or lowering of material at fast or slow speeds. Two models—with 1¼-HP 3-phase 230-volt motors, 10′ lift, 21¼″ headroom and 16½′ power cable . . . an extra safety feature is the 10W/24V wiring in the control unit. Meets OSHA requirements. FOB Wash., Calif., Texas, Pa., Ga., Ill. Wt. 93 lbs.

Stock Number	Rated Capacity	Hoist Speed Fast	Hoist Speed Slow	Net Each
72-430/2D	1100 lbs.	30	7.5	$895.92
72-431/0D	2200 lbs.	16	4	944.90

ADDITIONAL LIFT OVER 10′

Stk. No.	Cap. Lbs.	Net Ea.	Load Chain
72-572/1DM	1100	$911.70	$4.35/ft.
72-573/9DM	2200	959.95	5.65/ft.

ightning Fast uperHoist Lifts

00 or 1000 lbs.

Outstanding weight to capacity
Needs only 12″ headroom
Fail-Safe load compensating brake

WE SHIP UPS WHEN POSSIBLE

Full 360° swivel safety load hook

avy-duty ¼-HP motor helps you position loads safety and speed . . . lifts 12 ft. per min. der full load. Safety engineered with positive king system, 35-pitch 10′ roller chain with 0-lb. tensile strength. Easy operating pushton control station. Has forced air cooling, manently lubricated transmission. 115V, 1ph, Hz. Duty cycle of 15 min. per hour. Meets all propriate OSHA and ANSI standards. 6′ con- and power cords. 16 lbs. FOB Conn.

755/2A—In Stock. Net ea **$376.98**
ne as above, but with double limit switch.
756/0D—Wt. 16 lbs. Net each **$387.65**
ne as above, but with variable speed control upper limit switch.
424/5D—Wt. 16 lbs. Net each **$398.81**
ne as above, but with variable speed control double limit switch.
426/0D—Wt. 16 lbs. Net each **$408.99**
nversion Kit for 1000-lb. capacity. Installed to ic unit by factory only — FOB-Conn.
428/6D — Net each **$86.00**

Heavy-Duty 550-Lb. Industrial Hoist

- **Chain bucket standard**
- **All steel**
- **10′ standard lift**

WE SHIP UPS WHEN POSSIBLE



Built with the stamina, strength, and convenience features needed to make it indispensable in demanding industrial settings. All-steel construction is your assurance of long life and dependability under stress. Requires only 15¾″ headroom . . . ideal in close quarter areas. Lifts loads to 550 lbs. at 11 FPM. Comes with both upper and lower limit switches and top and bottom safety hooks. Six foot push-button controls assure instant response, easy operation. Also outfitted with chain container. 115 Volt motor. Meets OSHA requirements for hoists. Shipped UPS. FOB Wash., Calif., Tex., Pa., Ga. or Ill., whichever is closest. Shpg. wt. 47 lbs.

72-550/7D—Net each **$488.95**

Same as above, but with extra lift factory installed. Extra lift @ 4.35 per ft. chain and control cord @ $5.20 per ft., add to installed price and specify footage. FOB Wash. only.
72-551/5DM—Net each **$503.90**

Save $$$, Reduce Manpower, Prevent Accidents

1/2 to 10 Ton Trolleys—Choice of Ball or Friction Bearing

COAST-TO-COAST SHIPPING POINTS • Tacoma, WA • San Francisco, CA • Houston, TX • Philadelphia, PA • Atlanta, GA • Chicago, ILL

Dependable trolleys designed for flexibility . . . they may be used on straight or curved track. They can be installed or removed at any point along the track. And they're easily adjusted to fit various I-beam sizes—just remove a cotter pin and shift spacers to fit your I-beam. Wheels have easily lubricated Zerk-type grease fittings. FOB nearest shipping point (see above).





Cap (tons)	Fits I-Beam Flange Width	A	B	C	Min. Radius	BALL-BEARING TROLLEYS Stk. No.	Lbs.	Net Ea.	FRICTION BEARING TROLLEYS Stk. No.	Lbs.	Net Ea.
½	3"-5"	3⅜"	8¼"	8⅜"	40"	72-130/8D	15	$ 59.98	72-194/4D	13.5	$ 42.92
1	3"-5"	4"	9¾"	9"	40"	72-131/6D	24	84.58	72-195/1D	22.5	66.50
1½	3"-5"	4⅜"	11⅝"	9⅛"	60"	72-132/4D	34	114.95	72-196/9D	34.3	90.75
2	4"-6"	5"	13⅜"	10⅝"	60"	72-133/2D	52	147.92	72-197/7D	45	98.99
3	4"-6"	5¼"	15"	11⅛"	70"	72-134/0D	65	168.50	72-198/5D	61.8	138.75
5	5"-7"	6"	16⅜"	12⅝"	80"	72-135/7D	99	263.33	72-199/3D	95	183.33
10	5"-7"	11"	24"	15"	118"	72-137/3D	351	624.95	10 TON N/A		

Includes top safety hook

JET Power Electric Chain Hoist

- Fan cooled motor—with sealed housing
- Push-button stations for quick response

includes chain bucket

CH MEETS OSHA REQUIREMENTS

Meets OSHA requirements! Top and bottom hooks are drop forged alloy with safety latches. All steel construction, even the cover—it reinforces overall rigidity and provides protection against shock. Unique electromagnetic brake is coupled to main motor shaft—holds the load, prevents slippage, absorbs inertia. Limit switches absorb stopping inertia and prevent damage to hoist mechanism and chain. Unique gauge quickly detects possible abuse due to overloading. Controls are low-24-voltage type. Power Chain provides less wear, better protection in case of overload or load shock. 10' lift standard. (460V 3-ph. and extra lift. F.O.B. Wash.) Specify voltage and lift in feet.

Stock Number	Cap. (lbs.)	Speed (FPM)	Head room	Wt. (lbs.)	Hoist with extra lift —Installed Net Ea.	Stock Number	Hoist Price	Addtl. Ft. Lift
SINGLE PHASE—Specify 01-115V or 02-230V 1-ph.								
72-813/9DV	1100	13.5	18⅞"	67	$669.90	72-822/0DD	$684.75	$ 4.35
72-814/7DV	2200	9	21¼"	115	752.95	72-823/8DD	768.90	5.61
72-815/4DV	4400	4.5	25 3/16"	150	990.93	72-824/6DD	1006.50	11.25
72-816/2DV	6600	3	31"	195	1312.88	72-825/3DD	1327.82	16.83
72-817/0DV	11,000	1.75	32 11/16"	235	1617.92	72-826/1DD	1633.60	28.15
THREE PHASE—Specify 03-230V or 04-460V								
72-814/7DV	2200	18	21¼"	105	$694.75	72-823/8DD	$709.58	$ 5.61
72-815/4DV	4400	9	25 3/16"	138	955.85	72-824/6DD	971.50	11.25
72-816/2DV	6600	6	31"	180	1348.95	72-825/3DD	1364.90	16.83
72-817/0DV	11,000	3.5	32 11/16"	280	1701.70	72-826/1DD	1716.85	28.15

Coast-to coast shipping points
- Tacoma, WA.
- San Francisco, CA.
- Houston, TX.
- Philadelphia, PA.
- Atlanta, GA.
- Chicago, IL.

6' P.B. cord is standard on standard speed hoists. Price per foot, if extra is needed.
72-811/3D
Net Ea. Per Ft. **$4.75**

Overload Gauge

Includes bottom safety hook

High Speed Electric Chain Hoists

- Helps you work faster, better
- Strong all-steel plate frame



CH MEETS OSHA REQUIREMENTS

Save time and money with this high speed electric chain hoist. Frame is all steel plate. Employs dual braking wheels, 4 braking surfaces, to increase brake torque. The electromagnetic brake insures braking even if power fails during operation. Buckets are standard on all models. Standard 13' lift. Three-phase motor—specify 03-220 volt or 04-440 volt. FOB nearest shipping point (see above). (04-440V and extra lift. F.O.B. Wash.)

Stock Number	Cap (lbs.)	Speed (FPM)	Head Room	Wt. (lbs.)	Net Each
72-818/8DV	2200	29.5	21"	126	$875.90
72-819/6DV	4400	27	24"	225	1228.95
72-820/4DV	6600	16	34"	294	1658.85
72-821/2DV	11,000	11	40"	376	2114.80

Hoist with extra lift installed Cap. (lbs.)	Stock Number	Hoist Price	Per Addtl. Ft. Lift
2200	72-827/9DD	$890.82	$ 6.96
4400	72-828/7DD	1242.95	8.99
6600	72-829/5DD	1673.94	18.10
11,000	72-830/3DD	2129.98	27.00

8' P.B. cord is standard on high speed hoists. Price per foot, if extra is needed.
72-812/1D
Net Ea. Per Ft. **$4.75**

2 72-826/1DD—25' LIFT in stock — Repaired — Full 90 Day Warranty $1500.00 ea.

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

Wright Electric Hoist Needs Minimum Headroom

CH MEETS OSHA REQUIREMENTS

IN STOCK IMMEDIATE SHIPPING

Only 17½" clearance needed for 500 and 2000-lb. models

Safety latch on tops and bottom swivel hooks

AMERICAN MADE

Frame is ductile high-strength ferrous alloy. Pr cision ball bearings support both ends of all shaft Sur gears are heat-treated. Brakes: mechanical bral which is an integral part of the gear train. Mot brake under the gear module end cover. The brak augment each other as either one will sustain tl rated load alone. Regenerative braking provides third method of retarding movement. Motors are bu to NEMA specifications. Fully enclosed, ball bearir equipped—for 115/230 volt and 3-phase 230/4 volt, 60 cycle operation. Fully magnetic contro completely enclosed. 7 ft. long protected push bu ton cord and station. Lubrication from liberal reservoir. Chain hoists have accurately formed poc ets, reversible. Load chain is electrically welde heat-treated alloy steel. Safety latch on top a bottom swivel hooks. Hoists with other than standa lift shipped FOB Pa. Specify choice of lift in feet 10' is standard. For hoists with other than standa lift, order from right of chart. Net price includ installation charge.

16 FPM HOIST SPEED

Stock Number	Cap. (lbs.)	Motor HP	Ph.	Volts	Wt. (lbs.)	Net Each	EXTRA LIFT—Specify Lgt Stock No.	Net Ea.	Per
72-108/4A	500	¼	1	115 230	91	$544.45	72-445/0DM	$574.86	$ 4
72-110/0A	500	¼	3	230 460	92	544.45	72-447/6DM	574.86	4
72-112/6A	1000	½	1	115 230	94	659.50	72-449/2DM	689.70	4
72-114/2A	1000	½	3	230 460	95	669.80	72-451/8DM	699.50	4
72-116/7A	2000	1	1	115 230	100	774.50	72-453/4DM	809.50	5
72-118/3A	2000	1	3	230 460	99	774.50	72-455/9DM	809.50	5

8 FPM HOIST SPEED
Double Chain Models — headroom requirements increased to 23"

72-120/9A	4000	1	1	115 230	125	$943.45	72-457/5DM	$979.85	1
72-122/5A	4000	1	3	230 460	124	943.45	72-459/1DM	979.85	1

Also available at C&H; air, lever, or electric hoists and troll Write us for specifications, prices.

6' P.B. cord is standard. Price per foot, if extra is needed.
72-461/7D
Net Ea. Per Ft. **$2.50**

Outstanding Value! Harrington Heavy-Duty Electric Chain Hoists for Extra Safety . . .

C&H MEETS OSHA REQUIREMENTS


HOOK SUSPENSION HOIST
A
All units come standard with a chain bucket (not shown)
6' Push Button cord is standard. Price per foot if extra is needed. 72-903/8D Net ea. per ft. $1.40
3-PHASE
B
All units come standard with a chain bucket (not shown)
6' Push Button cord is standard. Price per foot if extra is needed. 72-903/8D Net ea. per ft. $1.40
PLAIN TROLLEY
FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250
C
All units come standard with a chain bucket (not shown)
3-PHASE
6' Push Button cord is standard. Price per foot if extra is needed. 72-903/8D Net ea. per ft. $1.40
GEAR TROLLEY
D
All units come standard with a chain bucket (not shown)
MOTORIZED TROLLEY HOIST
6' Push Button cord is standard. Price per foot if extra is needed. 72-904/8D Net ea. per ft. $2.25

Totally Enclosed Electric Hoists Designed for Indoor/Outdoor Use . . . Move Equipment and Merchandise Smoothly and Surely. Full 1-Year Warranty on Parts and Service

HOOK SUSPENSION ON PLAIN TROLLEY . . . the easy-action electric chain hoists preferred for moving and lifting heavy, awkward machinery or big items! Easy-to-install unit. Choice of I-beam widths—spacers with universal trolleys for adjusting central shaft length to accommodate various widths. Special contour wheels fit any I-beam channel or flat bar. Pivot mounted control weight shaft reduces friction. Non-reversing relay prevents engine from burning out if wired incorrectly. Safety hooks are drop forged alloy steel. Both upper and lower limit switches. Lift of 10′ is standard. Both with 3-ph. 60 cy. 220V or 440V motors. 15′ of 4-conductor power cord standard. FOB Pa. Be sure to specify lift in feet (if over 10′). I-Beam width, and voltage.

A HOOK SUSPENSION ELECTRIC HOIST

Stock Number	Load Capacity (tons)	Lifting Speed (FPM)	Headroom—Min. Dist. from top to bottom hook	Shpg. Wt. (lbs.)	Net Each	Addl. Lift Per Ft. Load Chain
72-860/0DD	½	16	23½″	73	$ 834.00	$ 7.30
72-861/8DD	½	27	22⅝″	90	930.00	3.90
72-862/6DD	1	13	27½″	103	1011.00	7.80
72-863/4DD	1	27	25½″	125	1174.00	4.10
72-864/2DD	1½	34	30½″	220	1539.00	6.00
72-865/9DD	2	13	32½″	145	1287.00	8.20
72-866/7DD	2	26	30⅞″	220	1539.00	6.00
72-867/5DD	2½	21	32″	229	1635.00	7.10
72-868/3DD	3	17	37¼″	288	1738.00	11.80
72-869/1DD	5	10	39⅛″	306	2043.00	14.20
72-870/9DD	10	10	52⅜″	682	4826.00	28.40

B ELECTRIC HOIST WITH BALL BEARING TROLLEY

Stock Number	Load Capacity (tons)	Lift Speed (FPM)	Headroom—Min. Dist. from I-Beam to Bottom Hook	I-Beam Flange Adjust.	Shpg. Wt. (lbs.)	Net Each	Addl. Lift Per Ft. Load Chain
72-871/7DD	½	16	25⅜″	2¼″-5″	105	$ 913.00	$ 7.30
72-872/5DD	½	27	24⅝″	2¼″-5″	123	1009.00	3.90
72-873/3DD	1	13	29½″	2¼″-5″	136	1114.00	7.80
72-874/1DD	1	27	27½″	2¼″-5″	158	1277.00	4.10
72-875/8DD	1½	34	33¼″	4″-6″	269	1695.00	6.00
72-876/6DD	2	13	35½″	4″-6″	194	1443.00	8.20
72-877/4DD	2	26	33⅝″	4″-6″	269	1695.00	6.00
72-878/2DD	2½	21	35¼″	4″-6″	295	1868.00	7.10
72-879/0DD	3	17	40½″	4″-6″	355	1953.00	11.80
72-880/8DD	5	10	43″	5″-7″	412	2413.00	14.20

UNIVERSAL GEAR OR MOTORIZED TROLLEY. Fast travel won't impair the abrasion-resistance of these special manganese alloy chain links. Special anti-rust treatment has been applied to each link; extra high strength and cutability prevent snapping of links due to brittleness. For operator safety, power supply to push-button control is only 50 volts. Standard lift is 10′. All 3-phase with 220V or 440V, 15′ of 4-conductor power cord. Specify additional lift if desired; specify voltage and I-Beam width.

C ELECTRIC HOIST WITH GEARED BALL-BEARING TROLLEY allows for easy maneuvering of heavy loads, hand chain hangs 8.5′.

Stock Number	Load Capacity (tons)	Lift Speed (FPM)	Headroom—Min. Dist. from I-Beam to Bottom Hook	I-Beam Flange Adjust.	Shpg. Wt. (lbs.)	Net Each	Addl. Lift/ft. Load Chain and Hand Chain
72-881/6DD	½	16	25⅜″	2¼″-5″	107	$1039.00	$ 9.70
72-882/4DD	½	27	24⅝″	2¼″-5″	125	1135.00	6.30
72-883/2DD	1	13	29½″	2¼″-5″	138	1216.00	10.20
72-884/0DD	1	27	27½″	2¼″-5″	160	1379.00	6.50
72-885/7DD	1½	34	33¼″	4″-6″	271	1814.00	8.40
72-886/5DD	2	13	35½″	4″-6″	196	1562.00	10.60
72-887/3DD	2	26	33⅝″	4″-6″	271	1814.00	8.40
72-888/1DD	2½	21	35¼″	4″-6″	297	1998.00	9.50
72-889/9DD	3	17	40½″	4″-6″	357	2083.00	14.20
72-890/7DD	5	10	43″	5″-7″	414	2569.00	16.60

D ELECTRIC HOIST WITH MOTORIZED TROLLEY. Powered by integral motor with controls at safe low voltage push-button station. Available with 30′ power cord. Trolley speed 39.4 FPM standard, 78.8 FPM optional at no charge.

72-891/5DD	½	16	25⅛″	2¼″-5″	185	$1745.00	$ 7.30
72-892/3DD	½	27	24⅜″	2¼″-5″	202	1841.00	3.90
72-893/1DD	1	13	29⅜″	2¼″-5″	216	1922.00	7.80
72-894/9DD	1	27	27⅜″	2¼″-5″	238	2085.00	4.10
72-895/6DD	1½	34	33″	4″-6″	350	2552.00	6.00
72-896/4DD	2	13	35″	4″-6″	275	2300.00	8.20
72-897/2DD	2	26	33¼″	4″-6″	350	2552.00	6.00
72-898/0DD	2½	21	34⅞″	4″-6″	396	2785.00	7.10
72-899/8DD	3	17	40⅛″	4″-6″	456	2870.00	11.80
72-900/4DD	5	10	42⅞″	5″-7″	531	3324.00	14.20
72-901/2DD	7½	7	47⅝″	6″-7.5″	705	4445.00	21.30
72-902/0DD	10	10	46½″	6″-7.5″	948	6858.00	28.40

Low-Cost Jib Cranes Solve Lifting Problems



Self-Supporting 360° Medium-Duty Jib Crane with Pillar Base Mounting

- **Ideal for light assembly, welding or general duty!**
- **Welded steel base plates provided for rigid mounting**

Well-designed, well-constructed jib crane at an economical price! Rotates 360°—rolled steel I-beam boom fits most standard hoist trolleys (removable end stops furnished). Bottom thrust rollers consist of two self-aligning heavy-duty sealed follower-type bearings . . . head is heavy wall pipe with roller axles and boom connection plates. Assembly is jig welded to assure squareness. Heavy pipe mast column has top bushing and housing; welded steel base plate and gussets are provided for rigid mounting. Other sizes and capacities available. Write or call dept. 72. FOB Wis. Square base cranes do not have gussets.

BASE PLATE DIMENSIONS

Model	D	R	Hole	Bolt
5A	1'0"	4½"	⅞"	¾"
5B	1'3"	6"	⅞"	¾"
8A	2'0"	10¼"	⅞"	¾"
8B	2'6"	1'1"	⅞"	¾"
8C	2'6"	1'1"	1-1/16"	⅞"



Capacity	S.	Base Plate	Dimensions are for 10' ht.—Write or call for 8' and 12' dimen. G	F	I	Width of Flange	Stock Number	Shpg. Wt. 10'	Net Each 8' Ht.	10' Ht.	12' Ht.
250 LB.	6'	5A	10'7"	8"	5"	3.0	72-607/5DM	420 lbs.	$357.00	$378.00	$ 399.00
	8'	5A	10'7"	8"	6"	3.33	72-608/3DM	442 lbs.	368.00	388.00	417.00
	10'	5B	10'8"	8"	6"	3.33	72-609/1DM	510 lbs.	378.00	421.00	439.00
	12'	5B	10'8"	8"	6"	3.33	72-610/9DM	530 lbs.	412.00	433.00	662.00
	14'	8A-1	10'9"	10"	7"	3.66	72-611/7DM	766 lbs.	623.00	649.00	676.00
500 LB.	6'	5B	10'7"	8"	5"	3.0	72-612/5DM	425 lbs.	357.00	387.00	406.00
	8'	5B	10'7"	8"	5"	3.0	72-613/3DM	447 lbs.	368.00	396.00	427.00
	10'	8A-1	10'9"	10"	7"	3.66	72-614/1DM	699 lbs.	393.00	621.00	645.00
	12'	8A-1	10'9"	10"	7"	3.66	72-615/8DM	733 lbs.	609.00	636.00	755.00
	14'	8A-1	10'10"	10"	8"	4.0	72-616/6DM	817 lbs.	623.00	654.00	951.00
750 LB.	6'	5B	10'8"	8"	6"	3.3	72-617/4DM	444 lbs.	357.00	394.00	615.00
	8'	8A-1	10'9"	10"	7"	3.66	72-618/2DM	666 lbs.	388.00	604.00	631.00
	10'	8A-1	10'9"	10"	7"	3.66	72-619/0DM	699 lbs.	594.00	621.00	645.00
	12'	8B-1	10'10"	10"	8"	4.0	72-620/8DM	860 lbs.	745.00	788.00	852.00
	14'	8C-1	10'10"	10"	8"	4.0	72-621/6DM	1064 lbs.	841.00	897.00	1004.00
1000 LB.	6'	8A-1	10'9"	10"	7"	3.66	72-622/4DM	632 lbs.	376.00	591.00	615.00
	8'	8A-1	10'9"	10"	7"	3.66	72-623/2DM	666 lbs.	425.00	604.00	645.00
	10'	8A-1	10'10"	10"	8"	4.0	72-624/0DM	737 lbs.	457.00	637.00	942.00
	12'	8C-1	10'10"	10"	8"	4.0	72-625/7DM	1160 lbs.	823.00	880.00	978.00
	14'	8C-2	11'	10"	10"	4.66	72-626/5DM	1194 lbs.	892.00	950.00	
2000 LB.	6'	8B-1	10'10"	10"	8"	4.0	72-627/3DM	739 lbs.	411.00	710.00	880.00
	8'	8B-2	10'10"	10"	8"	4.0	72-628/1DM	795 lbs.	696.00	739.00	898.00
	10'	8C-2	11'	10"	10"	4.66	72-629/9DM	1082 lbs.	765.00	899.00	

COLLECTOR UNIT TO FIT ALL MODELS ABOVE. 72-630/7D—FOB Wis. Net each..... **$244.00**



Push-Pull End Trucks

Build your own overhead crane in just a few hours — just weld or bolt on I-beam between end trucks. Fully adjustable to most beam sizes. Wheels are caburized and hardened heavy steel for safety and strength, ride smoothly on easy-rolling hardened and polished balls. Axles have fittings for easy lubrication. Up to 25' maximum span. Specify Runway (I-beam size) and Bridge I-beam (for pre-drilling of holes) and weight (lbs per ft.). 1000-lb. capacity. FOB Wis.

Stk. No.	Capacity	Shpg. Wt.	Net/Pair
72-940/0DDP	1000 lbs.	75 lbs.	$236.93
72-941/8DDP	2000 lbs.	85 lbs.	279.95
72-942/6DDP	4000 lbs.	105 lbs.	329.98

Save More on Heavy-Duty Spreader Beams At C&H

An excellent, inexpensive way to handle loads with chain, wire rope, and nylon slings, to lift long, hard-to-handle loads. The heavy-duty spreader beam has countless uses in industry, in mills and construction, in stevedoring and in other commercial endeavors. Beams have standard swivel safety hooks on each end. Beams are painted in safety yellow. Adjustable and special application beams are available for any job. Write Dept. 73. FOB Wis.

Stock Number	Capacity (lbs.)	Dimensions A	B	C	Wt. (lbs.)	Net Each
72-905/3D	1000	4'	12"	2"x4"	44	$212.50
72-906/1D	1000	6'	12"	2"x4"	59	250.46
72-907/9D	1000	8'	12"	2"x4"	75	285.95
72-908/7D	1000	10'	12"	2"x4"	90	387.54
72-909/5D	1000	12'	12"	2"x4"	105	414.62
72-910/3D	1000	14'	12"	2"x4"	121	440.85
72-911/1D	1000	16'	12"	2"x4"	136	566.92
72-912/9D	2000	4'	12"	2"x4"	45	$239.50
72-913/7D	2000	6'	12"	2"x4"	60	295.90
72-914/5D	2000	8'	12"	2"x4"	76	350.95
72-915/2D	2000	10'	13"	2"x4"	114	407.85
72-916/0D	2000	12'	13"	2"x4"	134	463.69
72-917/8D	2000	14'	13"	2"x4"	154	490.77
72-918/6D	2000	16'	14"	2"x4"	214	575.60

Stock Number	Capacity (lbs.)	Dimensions A	B	C	Wt. (lbs.)	Net Each
72-919/4D	4000	4'	12"	2"x6"	59	$270.7
72-920/2D	4000	6'	13"	2"x6"	88	346.7
72-921/0D	4000	8'	14"	2"x6"	128	404.4
72-922/8D	4000	10'	14"	2"x6"	153	448.9
72-923/6D	4000	12'	15"	2"x6"	217	533.5
72-924/4D	4000	14'	15"	2"x6"	245	600.9
72-925/1D	4000	16'	15"	2"x6"	273	626.9
72-926/9D	6000	4'	18"	3"x6"	74	$353.6
72-927/7D	6000	6'	19"	3"x6"	109	444.9
72-928/5D	6000	8'	20"	3"x6"	157	537.5
72-929/3D	6000	10'	20"	3"x6"	187	628.6
72-930/1D	6000	12'	21"	3"x6"	255	721.7
72-931/9D	6000	14'	21"	3"x6"	292	813.9
72-932/7D	6000	16'	23"	3"x6"	440	902.9

Crowded Quarters? Use a 360° Jib Crane!



Self-Supporting Floor Crane Needs Minimum Headroom

Ruggedly constructed for industrial use and years of trouble-free service. Side thrust roller unit is mounted in heavy-duty machined carriage weldment. Complete assembly is supported via adjustable tension bolts to permit field adjustment and insure even pressure of roller on pipe. I-beam shaped rolled steel boom. Jib head has two heavy side plates with reinforcing plates to balance stress. Steel pipe pillar withstands bending stress without undue deflection—it's reinforced with heavy base gussets and mounted on heavy base plates. Girder has removable end stops and contains proper mount provisions for connection to jib crane. Heavy steel capping has provision for bearing mount. Please specify height to underside, 10', 12' or 14'. Other sizes are available. Please write Dept. #72. FOB Wis.

Easy boom leveling . . . adjustable lower roller levels boom

Sealed roller bearings, steel axles. Crane top has heavy-duty taper radial thrust bearings

CAP.	Boom lgth.	Stock Number	Dimensions Max. I-Beam	Width of Flange	A	B	Hole Size	No.of Holes	SPECIFY HT. TO UNDERSIDE OF BOOM 10' Ht. Lbs.	10' Ht. Net Ea.	12' Ht. Lbs.	12' Ht. Net Ea.	14' Ht. Lbs.	14' Ht. Net Ea.
1,000-LB.	8'	72-480/7DM	7"	3.66	24"	10"	1-3/64"	6	708	$ 703.50	778	$ 722.98	825	$ 921.00
	10'	72-481/5DM	8"	4.0	24"	10"			773	832.60	843	897.00	900	973.60
	12'	72-482/3DM	8"	4.0	24"	10"			864	917.95	1003	988.50	996	1012.65
	14'	72-483/1DM	8"	4.0	36"	1'4"			1338	1043.90	1393	1141.65	1454	1249.70
	16'	72-484/9DM	10"	4.66	36"	1'4"			1558	1177.50	1678	1285.50	1745	1331.95
	18'	72-485/6DM	10"	4.66	36"	1'4"			1579	1207.65	1690	1595.95	2053	1625.96
	20'	72-486/4DM	12"	5.0	36"	1'4"			2269	1552.70	2378	1665.00	2488	1717.75
2,000-LB.	8'	72-487/2DM	10"	4.66	36"	1'4"	1-3/64"	6	1010	$ 862.70	1065	$ 877.50	1122	$ 937.55
	10'	72-488/0DM	10"	4.66	36"	1'4"			1125	1037.95	1180	1061.98	1316	1123.72
	12'	72-489/8DM	10"	4.66	36"	1'4"			1345	1155.98	1412	1192.60	1479	1228.66
	14'	72-490/6DM	12"	5.0	36"	1'4"			1495	1274.92	1562	1282.65	1925	1351.69
	16'	72-491/4DM	15"	5.5	36"	1'4"			1925	1343.91	2034	1555.75	2144	1587.00
	18'	72-492/2DM	15"	5.5	42"	1'7"			2307	1526.90	2416	1732.69	2652	2024.97
	20'	72-493/0DM	15"	5.5	42"	1'7"			2453	1589.95	2658	1837.70	2784	2047.56
3,000-LB.	8'	72-494/8DM	10"	4.66	36"	1'4"	1-3/64"	6	1243	$1051.50	1306	$1080.00	1377	$1192.74
	10'	72-495/5DM	10"	4.66	36"	1'4"			1401	1135.65	1464	1195.50	1534	1252.50
	12'	72-496/3DM	10"	4.66	42"	1'7"			1801	1331.98	1910	1402.70	2020	1552.67
	14'	72-497/1DM	12"	5.0	42"	1'7"			2143	1424.94	2252	1522.75	2488	1681.76
	16'	72-498/9DM	15"	5.5	48"	1'10"			2481	1724.88	2606	1781.95	2732	1890.00
	18'	72-499/7DM	18"	6.0	48"	1'10"			2705	1863.00	2830	1867.71	3079	2257.75
	20'	72-500/2DM	18"	6.0	48"	1'10"			3077	1954.50	3202	2074.55	3439	2347.70
4,000-LB.	8'	72-501/0DM	12"	5.0	36"	1'4"	1-3/64"	6	1454	$1165.75	1563	$1210.61	1673	$1255.63
	10'	72-502/8DM	15"	5.5	36"	1'4"		6	1688	1212.00	1688	1256.96	1812	1309.59
	12'	72-503/6DM	15"	5.5	42"	1'7"		6	2156	1489.78	2281	1582.54	2407	1630.60
	14'	72-504/4DM	15"	5.5	42"	1'7"		6	2276	1642.80	2401	1747.63	2539	1762.54
	16'	72-505/1DM	18"	6.0	48"	1'10"		12	2691	1807.70	2736	1935.00	2973	2167.50
	18'	72-506/9DM	18"	6.0	48"	1'10"		12	3034	2107.50	3175	2242.70	3345	2247.00
	20'	72-507/7DM	18"	6.0	48"	1'10"		12	3418	2189.99	4170	2347.50	4170	2738.95
6,000-LB.	8'	72-508/5DM	15"	5.5	42"	1'7"	1-3/64"	6	2044	$1708.74	2157	$1762.75	2282	$1816.55
	10'	72-509/3DM	15"	5.5	42"	1'7"		6	2211	1770.00	2324	1826.96	2448	1879.60
	12'	72-510/1DM	15"	5.5	48"	1'10"		12	3040	1934.97	3181	1987.65	3355	2006.96
	14'	72-511/9DM	18"	6.0	48"	1'10"		12	3320	2129.95	3459	2089.66	3604	2123.97
	16'	72-512/7DM	18"	6.0	48"	1'10"		12	3767	2341.50	3976	2479.65	4184	2582.90
	18'	72-513/5DM	20"	6.25	54"	2'1"		12	4585	2615.91	4794	2626.43	4794	2716.54
	20'	72-514/3DM	20"	6.25	54"	2'1"		12	5261	2872.55	5512	3042.00	5763	3176.92
10,000-LB.	8'	72-515/0DM	15"	5.5	60"	2'4"	1-3/64"	12	2610	$1874.93	2810	$2011.75	2910	$2071.50
	10'	72-516/8DM	18"	6.0	60"	2'4"			2705	1940.90	2814	2579.95	3005	2602.75
	12'	72-517/6DM	18"	6.0	66"	2'6"			3010	2168.94	3650	2607.00	3705	2744.98
	14'	72-518/4DM	20"	6.25	66"	2'6"			3750	2501.95	3975	2902.50	4520	2847.00
	16'	72-519/2DM	24"	7.0	66"	2'6"			4505	2990.96	4805	3125.98	4815	3280.70
	18'	72-520/0DM	24"	7.0	72"	2'9"			4675	3082.50	4950	3941.96	5790	4318.50
	20'	72-521/8DM	24"	7.0	72"	2'9"			6118	4312.60	6210	4058.97	7010	4360.60

Collector Ring Assembly for Full 360° Electrification

No Special Skill Needed to Install . . . Takes Just Minutes. Can be attached to any full revolving jib crane to provide power to electric hoist. Can be adapted to any make of jib, no special parts needed. Gives full use of 360° rotation without the twisting of the power cord.

72-998/8D—FOB Wis. **$263.00**



Recommended for use where maximum headroom and trolley travel are required. Yellow painted structural steel; high-grade ductile iron castings, weldment, grease fittings, steel axles, pins. Painted with one coat standard machinery yellow, and includes capacity signs. FOB III.



Economical hook coverage wi 180° rotation — double tie ro with threaded rods for easy fie adjustment. High grade ducti iron castings, with Hyatt roll bearings, grease fittings, ste axles. Painted with one co standard machinery yellow. F tings are painted black. FOB III.

Made to mount within inches of any overhead obstruction

1000-LB. CAPACITY

Stock Number	L	I	I-Beam Flange	M	R	Wt. (lbs.)	Net Each
72-552/3D	8′	7″	3.66″	1′3″	4′0″	270	$457.90
72-553/1D	10′	8″	4.0″	1′4″	4′0″	345	507.88
72-554/9D	12′	8″	4.0″	1′4″	5′8″	420	526.78
72-555/6D	14′	10″	4.66″	1′8″	7′0″	840	599.88
72-556/4D	16′	10″	4.66″	1′8″	7′0″	890	671.90

4000-LB. CAPACITY

Stock Number	L	I	I-Beam Flange	M	R	Wt. (lbs.)	Net Each
72-562/2D	8′	10″	4.66″	1′9″	4′0″	525	$749.96
72-563/9D	10′	12″	5.0″	1′11″	4′8″	685	828.96
72-564/8D	12′	12″	5.0″	1′11″	5′8″	820	878.92
72-565/5D	14′	15″	5.5″	2′2″	7′0″	1200	1071.91
72-568/3D	16′	18″	6.0″	2′5″	7′0″	1585	1257.88

2000-LB. CAPACITY

Stock Number	L	I	I-Beam Flange	M	R	Wt. (lbs.)	Net Each
72-557/2D	8′	8″	4.0″	1′4″	4′0″	310	$478.57
72-558/0D	10′	10″	4.66″	1′8″	4′0″	460	521.85
72-559/8D	12′	10″	4.66″	1′8″	5′8″	580	589.95
72-560/6D	14′	12″	5.0″	1′8″	7′0″	775	692.86
72-561/4D	16′	12″	5.0″	1′8″	7′0″	840	857.92

6000-LB. CAPACITY

Stock Number	L	I	I-Beam Flange	M	R	Wt. (lbs.)	Net Each
72-567/1D	8′	12″	5′8″	1′11″	4′0″	570	$821.75
72-568/9D	10′	15″	5′5″	2′2″	4′8″	795	1021.55
72-569/7D	12′	15″	5′5″	2′2″	5′8″	925	1135.71
72-570/5D	14′	18″	6.0″	2′5″	7′0″	1470	1242.86
72-571/3D	16′	18″	6′0″	2′5″	7′0″	1580	1371.90

1000-LB. CAPACITY

Stock Number	L	I	I-Beam Flange	M	R	Wt. (lbs.)	Net Each
72-526/7D	8′	6″	3.33″	1′3″	2′9″	213	$342.88
72-527/5D	10′	6″	3.33″	1′8″	3′0″	252	371.90
72-528/3D	12′	6″	3.33″	1′8″	3′6″	282	378.95
72-529/1D	14′	6″	3.33″	2′0″	4′6″	331	407.92
72-530/9D	16	6″	3.33″	2′0″	5′6″	370	428.88

4000-LB. CAPACITY

Stock Number	L	I	I-Beam Flange	M	R	Wt. (lbs.)	Net Each
72-536/6D	8′	8″	4′0″	1′3″	2′0″	381	$535.7
72-537/4D	10′	8″	4′0″	1′0″	3′3″	435	548.9
72-538/2D	12′	10″	4.66″	1′8″	4′0″	584	621.8
72-539/0D	14′	10″	4.66″	2′0″	4′9″	658	657.9
72-540/8D	16′	10″	4.66″	2′3″	5′8″	732	699.9

2000-LB. CAPACITY

Stock Number	L	I	I-Beam Flange	M	R	Wt. (lbs.)	Net Each
72-531/7D	8′	6″	3.33″	1′3″	2′9″	213	$348.95
72-532/5D	10′	6″	3.33″	1′8″	3′0″	252	382.95
72-533/3D	12′	8″	3.33″	1′9″	3′8″	282	390.90
72-534/1D	14′	7″	3.66″	2′3″	4′6″	370	435.71
72-535/8D	16′	8″	4.00″	2′6″	5′6″	468	492.88

6000-LB. CAPACITY

Stock Number	L	I	I-Beam Flange	M	R	Wt. (lbs.)	Net Each
72-541/6D	8′	8″	4′0″	1′3″	2′0″	381	$571.8
72-542/4D	10′	8″	4′0″	1′8″	3′3″	435	621.9
72-543/2D	12′	10″	4.66″	1′8″	4′0″	588	657.9
72-544/0D	14′	10″	4.66″	2′0″	4′8″	658	749.9
72-545/7D	16′	12″	4.66″	2′3″	5′8″	842	1171.9



Wall or Column Kits for Building Your Own Jib Crane

Do it yourself and save! Fittings include top, bottom, and end assembly of high-grade ductile iron, equipped with Hyatt roller bearings, grease fittings and cotter pins. (Column, boom, and tie bar not included). Perfect way to supplement existing overworked cranes and eliminate machine down-time at a low cost. Fittings are painted black. FOB III. For larger sizes, write Dept. 72.

For Full Cantilever (Two Fittings)

Stock Number	Lb. Capacity	Up to Lgth.	Wt. Lbs.	Net Each
72-745/3D	1 ton	16′ lgth.	45	$157.95
72-746/1D	1½ ton	16′ lgth.	110	285.90
72-747/9D	2 ton	14′ lgth.	110	285.90
72-748/7D	3 ton	10′ lgth.	110	285.90

For Overbraced Wall Bracket (Three Fittings)

Stock Number	Lb. Capacity	Up to Lgth.	Wt. (lbs.)	Net Each
72-741/2D	1 ton	20′ lgth.	57	$228.98
72-742/0D	1½ ton	20′ lgth.	140	414.96
72-744/6D	2 ton	16′ lgth.	140	414.96
72-743/8D	3 ton	12′ lgth.	140	414.96



Heavy-Duty Gantry Cranes

C&H Low Wholesale Prices Make These Safe, Portable Cranes Incredibly Good Buys!

C&H MEETS OSHA REQUIREMENTS


A
B
• All units come with swivel steel casters; one caster on each side has a foot brake
12′6″
11′0″
4′0″
10′0″
8′0″
4′0″
• Unobstructed work area—no crossbraces or extra supports to interfere with trolley movement
• Steel plate for total support of I-Beam. Each leg has 4 bolts
• Gantry legs are welded for extra strength. No bolts to loosen. Casters swivel 360°
FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

A WELL-BALANCED GANTRY CRANES—IN 5 SIZE

Move hard-to-budge items — lift up, over, around and about! Get t pinpoint accuracy, speed and load control required in aircraft, automoti and marine repair shops . . . and the tough stamina needed to function loading areas, warehouses, machine shops. Four ball-bearing whee provide second-to-none maneuverability. Use indoors or out, for clos quarter work in shop or portable jobs on dock. Structural steel legs a welded into one unit. Shipped completely assembled except I-beam a wheels — by assembling these yourself, you save freight and labor. FOB V

Stock No.	Tons	Steel Wheels	I-Beam Height	I-Beam Flange	Shpg. Wt.	Each
72-367/6D	1	5″x1⅝″	7″	3.66	508 lbs.	$ 547.8
72-368/4D	2	8″x1½″	8″	4.00	619 lbs.	650.8
72-372/6D	3	8″x2½″	8″	4.00	1017 lbs.	1376.5
72-373/4D	4	8″x3″	10″	4.66	1127 lbs.	1437.6
72-374/2D	5	8″x3″	12″	5.00	1323 lbs.	1726.9

WITHOUT I-BEAM. Includes gantry legs and template.

Stock No.	Tons	Steel Wheels	Shpg. Wt.	Each
72-366/8D	1	5″x1⅝″	352 lbs.	$ 432.5
72-375/9D	2	8″x1½″	364 lbs.	481.6
72-376/7D	3	8″x2½″	691 lbs.	1117.3
72-377/5D	4	8″x3″	801 lbs.	1178.4
72-378/3D	5	8″x3″	915 lbs.	1416.7

B TELESCOPING GANTRY-TYPE CRANES

Fantastic ease! More than pays for itself in manhours saved . . . these rugg lifts move awkward, oversize machinery or equipment with amazing ea Height can be adjusted in just seconds — beam can be raised w convenient jack handle on each leg. Choose heights from 8′ to 12′ w positive stops every 6″! Locking pins hold beam at desired height; pins a easily removed in raising or lowering operation. Telescoping legs are tou tubular steel — inside span between legs is 11′. Allows easy, uncomplica loading, lifting, moving by one man! FOB WI.

Stock No.	Tons	Steel Wheels	I-Beam Height	I-Beam Flange	Shpg. Wt.	Each
72-370/0D	1	5″x1⅝″	7″	3.66	542 lbs.	$1019.5
72-371/8D	2	8″x1½″	8″	4.00	654 lbs.	1185.0
72-379/1D	3	8″x2½″	8″	4.00	1244 lbs.	1864.9
72-380/9D	4	8″x3″	10″	4.66	1377 lbs.	2061.7
72-381/7D	5	8″x3″	12″	5.00	1619 lbs.	2395.5

WITHOUT I-BEAM. Includes gantry legs and template.

Stock No.	Tons	Steel Wheels	Shpg. Wt.	Each
72-382/5D	1	5″x1⅝″	482 lbs.	$ 905.0
72-369/2D	2	8″x1½″	494 lbs.	1016.0
72-383/3D	3	8″x2½″	918 lbs.	1604.4
72-384/1D	4	8″x3″	1051 lbs.	1800.9
72-385/8D	5	8″x3″	1211 lbs.	2128.1





FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250



C&H MEETS OSHA REQUIREMENTS

Jib-Lift turns Lift Truck Into Mobile Crane—Time, Work Saver

- **Move cumbersome items your fork can't touch**
- **Crane reaches out and picks up from overhead**

Minimize man-handling of shipments and equipment—without investing a lot of money in new power. Jib-Lift lets you convert the standard lift truck you already own into a mobile crane—at minimal cost. You can enjoy the convenience of this versatile equipment without duplicating power . . . and it's easy to use. Converts fork lift in seconds—boom is attached easily by slipping onto forks. Safety chain anchors it to truck's frame. Constructed of heavy structural steel tubing, comes with safety latched swivel hooks, 48" safety chain with grab hook. FOB Wis.

4000-LB. CAPACITY JIB-LIFT				6000-LB. CAPACITY JIB-LIFT			
Stock Number	Diam. "S"	Wt. (lbs.)	Net Each	Stock Number	Diam. "S"	Wt. (lbs.)	Net Each
72-439/3D	11"	371	$440.50	72-474/0D	13"	537	$652.42
72-440/1D	24"	461	657.75	72-475/7D	24"	622	869.83
72-441/9D	30"	470	683.95	72-476/5D	30"	637	906.95
72-442/7D	36"	481	710.75	72-477/3D	36"	651	922.92
72-443/5D	42"	506	737.33	72-478/1D	42"	682	949.50

Hook Position	Hook Position (in.)	4000 LB. CAPACITY JIB LIFT — Forklift Truck Capacity at 24" Load Center									MAX. JIB CAP.	6000 LB. CAPACITY JIB LIFT — Forklift Truck Cap. at 24" Load Center			MAX. JIB CAP.
		2000	3000	4000	5000	6000	7000	8000	9000	10,000		10,000	12,000	14,000	
1	80	630	1041	1451	1862	2273	2683	3094	3504	3915	4000	3869	4690	5511	6000
2	87½	577	957	1337	1718	2099	2479	2860	3240	3620	3620	3576	4337	5092	5098
3	95	530	885	1239	1594	1948	2303	2657	3012	3366	3366	3323	4032	4741	4741
4	102½	490	823	1153	1485	1888	2149	2481	2813	3145	3145	3102	3766	4429	4429
5	110	454	766	1078	1390	1702	2014	2326	2638	2950	2950	2907	3531	4155	4155
6	117½	432	717	1011	1305	1600	1894	2188	2483	2777	2777	2735	3324	3912	3912
7	125	394	673	951	1230	1508	1787	2065	2344	2629	2623	2581	3138	3695	3695
8	132½	369	633	897	1162	1426	1691	1955	2220	2484	2484	2443	2972	3500	3500
9	140	346	597	849	1101	1352	1604	1855	2107	2359	2359	2318	2821	3324	3324



- **Non-telescoping but very convenient**
- **Makes fork lift a crane—inexpensively**

An economical answer to lifting and moving requirements when telescoping is not a requisite. Supplied with 48" safety chain and grab hook, safety latch-type swivel hook. Fixed length load for 5000 lb. capacities—at hook positions shown at left. FOB Wis.

Lift-Jib Converts Your Fork Lift to a Portable Mobile Crane

	Fork Lift Truck Cap. at 24" Load Center				
	2000 lbs.	3000 lbs.	4000 lbs.	5000 lbs.	6000 lbs.
Position A	607	958	1309	1661	2000
Position B	831	1313	1794	2275	2757
Position C	1020	1611	2202	2797	3000
Position D	1320	2085	2850	3000	3000

Stk. No.	I.D. of Sleeves	Dimen. "S"	Lbs.	Net. Ea.
72-236/3D	5½"x2½"	10"	211	$275.85
72-237/1D	7½"x3½"	12"	239	312.92
72-238/9D	9½"x3½"	14"	257	339.50



Extension capacities the same as on Jib-Rig above.

Forklift Boom Adjusts to 5 Positions from Horizontal to 50°

Your forklift works to maximum capacity when you add this versatile boom—the boom extends the forklift's reach height by 7 ft. and its reach by 12 ft. Adjustability of the boom allows you to select one of 5 positions from straight-horizontal to an incline of 50°. Your forklift truck can now be put to work full time to handle unwieldy loads—it now takes only one truck operator to move such heavy, cumbersome items as coils, dies, auto frames, pipes, plates. Boom has two swivel hooks—unit contracts to 6'9" length. "S" dimension is center to center of fork tine openings. Has 36" long safety chain with grab hook. FOB Fla.

4000-LB. CAPACITY with 5½"x2½" fork tines				6000-LB. CAPACITY with 7½x3½" fork tines			
Stock No.	"S"	Lbs.	Net. Ea.	Stock No.	"S"	Lbs.	Net Ea.
72-594/5D	12"	418	$675.95	72-593/7D	14"	588	$ 795.89
72-186/0D	24"	482	850.95	72-190/2D	24"	664	995.97
72-187/8D	30"	502	870.92	72-191/0D	30"	689	1030.88
72-188/6D	36"	513	895.90	72-192/8D	36"	702	1060.86
72-189/4D	42"	539	930.85	72-193/6D	42"	732	1095.96



IDEAL FOR REACHING OVER HIGH OBJECTS.

C&H MEETS OSHA REQUIREMENTS

Don't let your fork truck sit idly by when there's work to be done . . . this adjustable boom works in areas others can't touch!

Ruger

Reversed-Boom Speeds Material Handling

One man lifting, loading, moving!

- Compact, portable, ideal in close quarters
- Reaches over, under, around obstacles
- Hydraulic overload valve helps prevent damage

Hydraulic Floor Crane

A cost-efficient answer of how to move materials in areas not serviced by overhead bridge or gantry cranes. Reversed-boom hydraulic floor crane works as efficiently in close quarters as in open areas. Reversed boom reaches in, under, and over obstacles . . . ideal for supply materials, components, and sub-assemblies to production areas that are cramped and/or barely accessible. Hydraulic system is hand-operated; needle-type release valve provides better control of lowering speeds. All load capacities have built-in 50% working overload factor . . . overload relief valve helps prevent accidents. Unit has rear mounted lowering handle, roller bearing casters, counterweights, extra heavy load chain, forged steel hook. 1000-lb. and 2000-lb. capacity models have 2-speed hydraulic pump — fast for light loads, slow for heavier loads. FOB Ohio.

GRAPH FOR 72-391/6D



Stock Number	Capacity (lbs.)	O.A. L x W x H (inches)	O.A. Boom Lgth. .w/Ext.*	Boom Ht. Min.	Boom Ht. Max.	Boom Travel	Ext Boom Ht. Min.	Ext Boom Ht. Max.	Ext. Bm. Travel	Lag Ht.	Wheel Diam.	Wt. (lbs.)	Net Each
72-390/8D	500	48x30¼x57⅛	42½" . . —	24½"	94⅛"	70"	—	—	—	—	5" 4"	880	$ 925.95
72-391/6D	1000	60¼x31x64⅛	48⅜ . .60"	31⅞	94⅛	63"	23"	102"	79"	6⅜"	6" 4"	1440	1476.98
72-392/4D	2000	71¼x32x73⅛	54" . .95"*	37⅛"	109½"	72"	8⅜"	135⅜"	127"	8"	8" 6"	2815	2102.96

*Extension boom optional. Stk. No. 72-405/4D For 72-392/4D crane Net Each $134.00

Heavy Duty Meyer Hydraulic Portable Floor Crane Saves Manpower

- Solve material handling problems economically
- Easy hand-operated hydraulic system saves $$$
- Stable, easy-rolling design—goes to the job!

Don't let cumbersome lifting jobs slow you down! This built-to-last floor crane allows one man to move materials safely and easily, doesn't require an excessive capital outlay. Has interchangeable pump, adjustable hook and chain, moves easily on strong steel front wheels. 4" steel swivel rear wheel. 1000- and 2000-lb. cranes have 4" front steel wheels; 4000- and 6000-lb. have 6".



Stock Number	DIMENSION SPECIFICATIONS A	B	C	D	E	F	G	H	I	J	K	L	LOAD CAPACITY AT. G	H	I	Wt. (lbs.)	Net Each
72-522/6D	43"	39"	46"	26.5"	63"	72"	26.5"	34.5"	42.5"	30"	120"	5.25"	1000#	750#	500#	180	$469.50
72-523/4D	43"	39"	46"	26.5"	63"	72"	26.5"	34.5"	42.5"	30"	120"	5.25"	2000#	1500#	1000#	190	549.50
72-524/2D	43"	39"	46"	26.5"	64"	74"	26.5"	34.5"	42.5"	30"	120"	7.5"	4000#	3000#	2000#	290	749.50
72-525/9D	61"	45"	52"	26.5"	82"	74"	44.5"	52.5"	60.5"	20"	130"	7.5"	6000#	4500#	3000#	350	899.50

Meyer Hydraulic Jack Crane



- Handles 3000-lb. loads
- Extends 16" beyond closed boom length



Convenient. Portable. Reaches out to get the load . . . then lifts and holds it. Can be used for four distinct functions—takes just a minute to convert it to a material handler, frame end lift jack, portable crane, or wheel dolly. As portable crane (extends to 58", boom goes from 36" to 105") handles loads from 1000 to 2000 lbs.—in all other purposes, it has 3000-lb. capacity. In plating or degreasing tanks, it can lift 500 lbs. with legs retracted. FOB Mich. Act. wt., jack and crane, 320 lbs.; jack only 250 lbs.

72-001/1D—Wt. 300 lbs.
Net ea. **$694.50**

SPECIFICATIONS

Fork capacity	3000#
Boom cap. (closed)	2000#
Boom cap. (1st hole)	1500#
Boom cap. (last hole)	1000#
Fork Lifting Ht.	27"
Fork Lift Ht. w/saddle	30"
Jack Ht.	45"
Jack Ht. with boom	54"
Jack width	34"
Jack width w/safety arms	50"
Jack lgth. closed	39"
Jack lgth. legs open	59"
Forks closed	9"
Forks max. open	58"
Fork lgth.	24"
Chain dist. from frame:	
closed boom	36"
1st hole	44"
open boom	52"
Wt.: jack and crane	320#
Wt.: jack only	250#



V-Master Portable Hydraulic Crane

Versatile, economical material handling crane for shop, plant, garage, warehouse, construction site. It lifts, loads, or positions materials up to 1000 lbs. Expertly engineered. Anchor screw brake for positive braking action. Heavy-duty hydraulic cylinder lifts to 8' with a reach of 4'. Overall length, 57" . . . height, of mast, 58". Unique design—disassembles in only 2 minutes . . . for moving, transporting ease. Basic unit does not include extension boom. FOB Ohio.

Stk. No.	Base	Width	Shpg. Wt.	Net Each
72-444/3D	Standard	44"	190 lbs.	$379.66
72-462/5D	Narrow	32"	220 lbs.	392.50
72-463/3D	Wide	54"	220 lbs.	412.75

Optional extension boom with extra 48" length and capacity of 500 lbs., at full length. 100 lbs. of counter-weight needed per foot of increment to get 500 lb. capacity.
72-473/2D—Shpg. wt. 35 lbs. Net each $49.00

Heavy-Duty Floor Cranes for Safe Lifting and Moving

Econo-Cranes Fold For Travel . . . Lift 500 Lbs. Anywhere!

Low as **$626.94**

- Turns a full 360°
- Pin locks mast in 3 positions
- Boom locks in 4 positions
- Heavier frame construction

Thern Easy-Positioning Portable Crane

Lifts, loads, positions material with telescoping mast and boom and adjustable length load chain. Rectangular steel tube frame insures rigidity. Four ball-bearing wheels. FOB Minn.

Stk. Nos.:		72-693/5D	72-694/3D	72-695/0D	72-696/8D
Capacity, lbs.*	A1	1000	2000	4000	6000
	A2	900	1700	3000	4500
	A3	750**	1500**	2000**	3500**
	A4	600**	1200**	1800**	3000**
H. Mast Ht. (inches)	A	57	63	70	80
	B	72	78	85	95
	C	87	93	100	108
R. Boom Lgth. (inches)	1	48	48	56	64
	2	54	54	68	76
	3	60	60	80	88
	4	66	66	92	100
D. Max. Boom Ht. (inches)	A1	80	86	93	93
	A2	84	90	99	96
	A3	87	93	105	100
	A4	90	96	111	104
	B1	95	101	108	108
	B2	99	105	114	111
	B3	102	108	120	115
	B4	105	111	126	119
	C1	111	117	123	120
	C2	114	120	129	124
	C3	118	124	135	127
	C4	121	127	141	131
E. Min. Boom Ht. (inches)	A1	19	25	39	44
	A2	15	21	34	39
	A3	10	16	29	33
	A4	6	12	23	27
	B1	34	40	55	59
	B2	30	36	49	54
	B3	25	31	44	48
	B4	21	27	39	42
	C1	50	56	70	72
	C2	45	51	64	67
	C3	41	47	59	61
	C4	36	42	54	55
T Boom Pos. 1 (in.)		61	61	53	48
F Width (in.)		32	36	46	46
G Width In. (in.)		28	32	41	40
L Lgth. (in.)		56	58	75	82
J Lgth. Inside (in.)		40	40	52	59
K Height, (inches)		6	6	8	10
Wt. (lbs.)		236	256	510	1000
List Price		$812.00	$1077.00	$1721.00	$2326.00
Each		626.94	830.87	1327.83	1794.86

*Reduce capacities 10% at mast position B and 25% at C.
**Need counterweight on base plate.

Versatile telescoping mast, boom



FOB Minn.

As Low As **$189.90**

A STATIONARY 500-LB. ECONO-CRANE

Just right for pickup truck lifting or light loading dock use! Boom swings 360°—lifts to 62", with 34" reach. Includes 16' of 3/16" cable. 8"x8" base plate can be mounted flush or top. Folds inhalf almost instantly.

72-304/9A—List $211.00. 74 lbs. Ea. $189.90
72-636/4A—Extra base. Wt. 4 lbs. Net each $36.00

SPECIFICATIONS:	A	B
Capacity, lbs.	500	500
Boom turns	360	—
Lifts	62"	67"
Reach, mast to cable	34"	34"
Height of mast	46"	50"
Height overall	70"	75"
Folded length	60"	60"
Cable size, lgth.	3/16"—16'	
Distance between legs	—	25"
Anchor bolt size	3/8"	—

B PORTABLE 500-LB. MODEL MOVES FAST

Winch-type floor crane moves to the job in shop or warehouse. Boom folds down, just remove key and pin. Boom doesn't swing—just move base to do the job. 129 lbs.

72-308/0A—List $357.20
Each $321.93

Hi-Lift Crane with Telescoping Boom

FEATURES YOU WANT

SAFETY FLOW LIMIT VALVE Automatically locks lowering action if lock is lowered too rapidly or if hydraulic failure occurs.

OVERLOAD PROTECTION Automatic bypass valve in pump activates if load exceeds safe limits.

LARGE HANDLE NEEDLE VALVE For safe, precise lowering of load with one hand.

STEERING HANDLES Promotes safe one man operation.

Easy manual hydraulic action. Three-stage telescoping boom for adding lift height and length as needed. 8" high base rolls under low-slung machinery. Boom reach—closed—54", centered—62", extended—70". F.O.B. Mich.

SPECIFICATION CHART

Closed Capacity	(E) Boom Closed Low	(E) Boom Closed High	(E) Center Low	(E) Center High	(E) Extended Low	(E) Extended High	A	B	C	D
2000 lbs.	53½"	114"	49"	119"	44¾"	124"	36¼"	42"	48"	41½"
4000 lbs.	53½"	114"	49"	119"	44¾"	124"	35½"	41"	48"	41½"
6000 lbs.	53½"	114"	49"	119"	44¾"	124"	36"	46"	54"	40½"

Stk. No.	Closed Cap.	Center	Extended	Shpg. Wt.	Net Each
72-289/2D	2000 lbs.	1500 lbs.	1000 lbs.	330 lbs.	$ 914.90
72-290/0D	4000 lbs.	3000 lbs.	2000 lbs.	445 lbs.	1141.88
72-291/8D	6000 lbs.	4500 lbs.	3000 lbs.	495 lbs.	1270.95

Also available with battery power . . . write Dept. 72 for information.

Thern RUGGED HYDRO-SLOPE HYDRAULIC CRANE

Up to **2000 lbs. capacity**

Low As **$439.95**

Hydro-slope mast . . . provides more power without impairing balance!

72-286/8A—In Stock Immediate Shipping



SPECIFICATIONS

CAPACITY	1000 Lbs.	2000 Lbs.
H. Mast Ht.	54½"	67"
R. Boom Ht.	54½"	54"
D. Max. Lift	82"	91"
E. Min. Lift	26½"	38"
T. Boom Travel	55½"	53"
F. Width	38¼"	49"
G. Inside width	32¾"	41"
L. Length	56¾"	70"

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

Lifts, loads, stacks and transports materials! Goes from shop to dock . . . operates in cramped areas! Hydro-Slope mast goes up high—boom has long "boarding house reach" without extensions or pins. Easily portable; on big heavy-duty steel wheels with roller bearings. Handle operates rear steel wheel full 360° for pinpoint positioning. Dependable hydraulic lift. 72-287/6D—FOB Minn.

Stock Number	Wheel Diam. Capacity	Front	Rear	Shpg. Wt.	List Price	Each
72-286/8A	1000 lbs.	5"	4"	202	$488.90	$439.95
72-287/6D	2000 lbs.	6"	4"	348	783.00	604.95



Thern

Swiveling Portacranes Save Manpower and Prevent Accidents

RATED: 2000-lb. loads

Adjustable boom swings easily, even when fully loaded. Turns a full 240°. Heavy 61" high mast gives extra stiffness. 9"x9"x¾" thick mounting plate. FOB Minn.

SPECIFICATIONS

Load Rating	
With 41" reach	2000 lbs.
With 53" reach	1500 lbs.
With 65" reach	1000 lbs.
Lifting Height	
With 41" reach	62"
With 53" reach	70"
With 65" reach	79"

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



Permanent mount—mast goes thru floor and braces to truck frame

TRUCK BASE— Permits removing crane. 23 lbs. **72-126/6D—** Net ea. **$52.00**



PORTAWELL BASE for alternate detachable crane mounting . . . fastens to truck bed or dock floor. Shpg. wt. 70 lbs.
72-127/4D—Net each **$119.00**

Double-Geared Hand Winch at Savings

Crane with automatic safety brake handle controls load. Wt. 172 lbs.
72-117/5D—List $527.40. Each **$406.80**

Automatic Electric Crane for Heavy Work

Hook it up to your truck battery. Reversing switch adds convenience. Pulley block for double line use is included. Remote control disconnects for safety. 12 volt DC TENV Wt. 232 lbs.
72-119/1D—List $1339.00. Each **$1032.90**
Plug-In Electric (not waterproof). Specify 115 or 230V 1-ph. Wt. 232 lbs.
72-121/7DV—List $1339.00. Each **$1032.90**

Convert A Crane or Hoist for Pallet Lifting

You can afford the convenience of a pallet lifter without committing yourself to major capital outlay. This ingeniously designed crane-hoist attachment is counterbalanced to hang level, empty or loaded. Moves hard-to-handle loads such as coils and rolls . . . gets into areas not accessible to trucks such as crowded loading docks and rail cars. FOB Wis.

Lifts like a fork truck . . . for a fraction of the cost



Stock Number	CAP. (lbs.)	A	B	C	DxE	F	G	HxJ	Wt. (lbs.)	Net Each
72-638/8D	2,000 lbs.	36	18	58	2x2	25	6	2x5	330	$ 685.71
72-697/6D	2,000 lbs.	42	21	58	2x2	25	6	2x5	350	706.50
72-639/8D	2,000 lbs.	48	24	60	2x2	25	6	2x5	470	748.57
72-698/4D	3,000 lbs.	36	18	58	2x2	25	6	2x5	340	719.99
72-699/2D	3,000 lbs.	42	21	60	2x2	25	6	2x5	468	731.60
72-700/8D	3,000 lbs.	48	24	60	2x3	25	6	2x5	550	822.86
72-640/6D	4,000 lbs.	36	18	58	2x3	25	6	2x5	390	797.71
72-701/6D	4,000 lbs.	42	21	60	2x3	25	6	2x5	540	868.57
72-641/4D	4,000 lbs.	48	24	60	2x4	25	6	2x5	635	877.75
72-642/2D	6,000 lbs.	36	18	60	2x4	27	6	2x5	580	902.86
72-702/4D	6,000 lbs.	42	21	60	2x4	27	6	2x5	605	948.65
72-643/0D	6,000 lbs.	48	24	61	2x5	27	6	2x5	790	1028.57
72-703/2D	8,000 lbs.	36	18	64	2x5	27	10	4x9	660	1119.98
72-704/0D	8,000 lbs.	42	21	64	2x6	27	10	4x9	755	1247.95
72-705/7D	8,000 lbs.	48	24	65	2x6	27	10	4x9	860	1357.71
72-706/5D	10,000 lbs.	36	18	64	2x6	27	10	4x9	725	1307.70
72-707/3D	10,000 lbs.	42	21	65	2½x5	27	10	4x9	1066	1414.86
72-708/1D	10,000 lbs.	48	24	66	2½x5	30	10	4x9	1015	1499.50
72-709/9D	15,000 lbs.	48	24	66	2½x8	30	10	4x9	1710	2525.71
72-710/7D	15,000 lbs.	54	27	66	3x7	32	10	4x9	1810	2836.57
72-711/5D	15,000 lbs.	60	30	68	3x7½	38	10	4x9	2410	3551.90
72-712/3D	20,000 lbs.	48	24	67	3x8	30	11	6x10	1360	3435.65
72-713/1D	20,000 lbs.	54	27	69	3x9	32	11	6x10	2510	3977.50
72-714/9D	20,000 lbs.	60	30	69	3x10	38	11	6x10	3030	4690.60
72-715/6D	30,000 lbs.	60	30	72	3½x11	38	12	7x11	4440	6470.84
72-716/4D	40,000 lbs.	60	30	74	3½x14	30	14	8x13	5050	7817.75

All weights and dimensions are approximate



"Sheet Grab" Crane Attachment Helps Speed Material Handling, Protect Stock

- **One man operation**
- **Ends stock damage**
- **Adapts to all cranes**
- **With safety chains**

Promote safety and save manpower . . . Sheet Grab allows one man to unload and to move stock in your plant weighing up to 10,000 lbs. Unit adjusts to fit all bundle widths, handles most stock including sheet steel, heavy metals, plastics, and plywood. Solidly constructed, adapts to fit any crane . . . the sturdiness of its solid steel members and structural beams all welded into one metal frame is complemented by safety chains and/or safety end hooks. Sheet Grab's smooth surface prevents stock damage, eliminates crimped edges and chain damage. In three load capacities to meet most needs. FOB Ill.

Stock Number	Load Capacity	Overall Size L x W x H	Safety Chains	End Hooks	Max. Bundle Dimensions Ht.	Width	Lgth.	Shpg. Wt.	Net Each
72-546/5D	6,000 lbs.	80" x 26" x 27"	yes	no	12"	43"	120"	234 lbs.	$ 652.98
72-547/3D	8,000 lbs.	80" x 32" x 35"	yes	no	20"	55"	144"	400 lbs.	759.95
10,000 lb. capacity have end hooks for extra wide sheets									
72-548/1D	10,000 lbs.	80" x 40" x 35"	yes	yes	20"	63"	144"	475 lbs.	$ 934.96
72-549/9D	10,000 lbs.	80" x 50" x 35"	yes	yes	20"	72"	144"	530 lbs.	1011.90

Other sizes available upon request, write us at Dept. 72.

Nylon and Wire Rope Slings Resist Abrasion

FOB WIS.

WE SHIP UPS WHEN POSSIBLE

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250



- Balance loads using return-eye sling with choker hitch
- Endless sling with basket hitch for safety
- For worker and product safety, handle bundled or pallet cross-arms easily

How to Order Your Proper Sling

1. Decide on right length sling to handle the load efficiently
2. Order sling by stock number and specify total length
3. Select correct style. Slings are made to your specifications.

EYE AND EYE TYPE



Tapered eyes for easy use. Eye width approx. ½ of sling width. Commonly used as a basket hitch. For light & medium duty lifting. For choker hitch, pass one eye thru other.

Sling Width	Stock Number	Rated Cap. in Lbs. Choker	Rated Cap. in Lbs. Basket	Net Ea. 3′ Lgth.	Add. Per Ft.	Stock Number	Rated Cap. in Lbs. Choker	Rated Cap. in Lbs. Basket	Net Ea. 3′ Lgth.	Add. Per Ft.
	MEDIUM-DUTY									
	SINGLE-PLY EYE AND EYE					MEDIUM DUTY EYE AND EYE				
1″	72-043/3DM	1000	2000	$ 5.95	$ .35	72-049/0DM	2000	4000	$ 6.30	$1.05
2″	72-044/1DM	2000	4000	8.65	.70	72-050/8DM	4000	8000	9.55	1.65
3″	72-045/8DM	3000	6000	13.00	.95	72-051/6DM	6000	12,000	15.50	2.15
4″	72-046/6DM	4000	8000	17.15	1.30	72-052/4DM	8000	16,000	21.70	3.00
5″	72-047/4DM	5000	10,000	22.50	1.70	72-053/2DM	10,000	20,000	24.55	3.60
6″	72-048/2DM	6000	12,000	25.50	2.10	72-054/0DM	12,000	24,000	29.35	4.85
	HEAVY-DUTY EYE AND EYE TYPE									
1″	72-328/8DM	1500	3000	$ 7.40	$ .50	72-410/4DM	3000	6,000	$ 7.85	$1.20
2″	72-329/6DM	3000	6000	11.10	.90	72-411/2DM	6000	12,000	11.60	1.95
3″	72-337/9DM	4500	9000	17.10	1.30	72-412/0DM	9000	18,000	20.70	2.65
4″	72-338/7DM	6000	12,000	21.85	1.85	72-413/8DM	12,000	24,000	26.55	3.95
5″	72-408/8DM	7500	15,000	28.50	2.25	72-414/6DM	15,000	30,000	32.50	4.55
6″	72-409/6DM	9000	18,000	33.45	2.65	72-415/3DM	18,000	36,000	38.30	6.15

TRIANGLE CHOKER SLING



with forged aluminum fittings

Designed with triangle on one end, choker triangle on the other end. Lightweight, non-sparking. Available in one-ply only.

Sling Width	Stock No.	Rated Capacity in Lbs. Choker	Rated Capacity in Lbs. Basket	Net Ea. 3′ Lgth.	Adder Per Ft.
	MEDIUM-DUTY TRIANGLE CHOKER				
2″	72-075/5DM	2000	4000	$23.10	$ .84
3″	72-076/3DM	3000	6000	33.22	1.14
4″	72-077/1DM	4000	8000	45.60	1.62
5″	72-078/9DM	5000	10,000	57.31	2.04
6″	72-079/7DM	6000	12,000	77.39	2.52
	HEAVY-DUTY TRIANGLE CHOKER				
2″	72-004/5DM	3000	6000	$28.33	$1.02
3″	72-005/2DM	4500	9000	41.86	1.50
4″	72-006/0DM	6000	12,000	52.80	2.28
5″	72-007/8DM	7500	15,000	67.87	2.70
6″	72-008/6DM	9000	18,000	86.08	3.18



INSUL-BLOCK

Efficient load lifting connecting link with forged alloy steel end fittings. Protects against arcing of slings, motor burn-out, impact loading, vibration.

Stock No.	Standard Lgth.	Capacity Tons	Size Pear	Swivel Hook	Net Ea. Lgth.	Adder Per In.
72-061/5DM	1″x17″	1	½″	1T	$15.63	$ .11
72-062/3DM	2″x22″	2	⅝″	2T	22.63	.18
72-063/1DM	3″x24″	3	¾″	3T	31.59	.22

MEDIUM-DUTY UNIVERSAL ENDLESS TYPE



Highly versatile; practicable and economical answer to most lifting problems; ideal for all types of vertical, choker, and basket hitches. Load contacts vary so wear is distributed, life prolonged.

Sling Width	Stock Number	Rated Cap. in Lbs. Choker	Rated Cap. in Lbs. Basket	Net Ea. 3′ Lgth.	Add. Per Ft.	Stock Number	Rated Cap. in Lbs. Choker	Rated Cap. in Lbs. Basket	Net Ea. 3′ Lgth.	Add. Per Ft.
	UNIVERSAL ENDLESS TYPE					TWO-PLY ENDLESS SLING				
1″	72-031/8DM	2000	4000	$ 4.75	$ .70	72-037/5DM	4000	8000	$10.15	2.05
2″	72-032/6DM	4000	8000	7.15	1.35	72-038/3DM	8000	10,000	16.20	2.35
3″	72-033/4DM	6000	12,000	10.50	1.85	72-039/1DM	12,000	24,000	22.60	4.30
4″	72-034/2DM	8000	16,000	14.35	2.65	72-040/9DM	16,000	32,000	30.30	6.00
5″	72-035/9DM	10,000	20,000	18.10	3.45	72-041/7DM	20,000	40,000	33.75	7.20
6″	72-036/7DM	12,000	24,000	21.85	4.20	72-042/5DM	24,000	48,000	46.15	9.75
	HEAVY-DUTY ENDLESS TYPE SLINGS									
1″	72-019/3DM	3000	6400	$ 6.35	$ .95	72-025/0DM	6000	12,000	$12.35	2.35
2″	72-020/1DM	6000	12,000	9.55	1.75	72-026/8DM	12,000	24,000	19.55	3.90
3″	72-021/9DM	9000	18,000	14.00	2.55	72-027/6DM	18,000	36,000	25.70	5.80
4″	72-022/7DM	12,000	24,000	19.20	3.75	72-028/4DM	24,000	48,000	37.85	7.95
5″	72-023/5DM	15,000	30,000	23.10	4.50	72-029/2DM	30,000	60,000	44.20	9.10
6″	72-024/3DM	18,000	36,000	29.05	5.35	72-030/0DM	36,000	72,000	58.35	12.30

HEAVY-DUTY DUAL EYE TYPE

Slings Are Not Returnable



Flat eye on one end and reverse eye on the other; combines the major advantages of both in one sling. Minimum clearance requirements and maximum adaptability make it ideal for any type of hitch.

Sling Width	Stock No.	Rated Cap. in Lbs. Choker	Rated Cap. in Lbs. Basket	Net Ea. 3′ Lgth.	Add. Per Ft.	Stock No.	Rated Cap. in Lbs. Choker	Rated Cap. in Lbs. Basket	Net Ea. 3′ Lgth.	Adder Per Ft.
	SINGLE-PLY DUAL EYE SLING					TWO-PLY DUAL EYE SLING				
2″	72-064/9DM	3500	7000	$18.92	$3.36	72-070/6DM	5500	11,000	$23.21	$ 3.96
2″	72-065/6DM	4500	9000	20.35	3.54					
3½″	72-066/4DM	6000	12,000	25.74	4.32	72-071/4DM	10,000	20,000	33.38	4.92
3½″	72-067/2DM	8000	16,000	28.16	4.74	72-072/2DM	13,000	26,000	38.06	5.94
4″	72-068/0DM	10,000	20,000	33.11	5.64	72-073/0DM	15,000	30,000	43.89	7.92
6″	72-069/8DM	12,500	25,000	47.08	8.88	72-074/8DM	21,000	42,000	63.58	10.92

BEAT INFLATION! BUY AT WHOLESALE FROM C&H

Heavy-Duty Sling Chains for Moving, Lifting, Hauling



Quality built chains are designed to do a big job for you. Refer to chart below to determine correct size.

Chain size (in.)	Single Sling @ 90° angle	Double Sling @ 60° angle
¼	3,250 lb. cap.	5,650 lb. cap.
⅜	6,600 lb. cap.	11,400 lb. cap.
½	11,250 lb. cap.	20,000 lb. cap.

A and B are available with 01 grab hook or 02 sling hook. All FOB Wis. 5′ chain length is standard for all specify total length chain desired; for A and B also specify hook type and number.

Key Ltr.	Stock Number	Chain Size	Net Ea. 5′ Lgth.	Price Ea. Extra Ft.
A	72-055/7DD	¼″	$108.85	$4.70
	72-056/5DD	⅜″	133.16	5.85
	72-057/3DD	½″	186.51	8.70
B	72-058/1DD	¼″	$ 64.79	$2.35
	72-059/9DD	⅜″	77.00	2.95
	72-060/7DD	½″	102.25	4.35
C	72-082/1DM	¼″	$ 53.74	$2.35
	72-083/9DM	⅜″	57.42	2.95
	72-100/1DM	½″	80.52	4.35

Wire Rope Slings
2-WAY DUAL EYE DESIGN



These mechanically spliced slings lift the heaviest of loads . . . with safety. Available in capacities up to 42,000 lbs. to meet your toughest requirements. FOB Wis. Specify length desired—5′ is standard.

Stock Number	Cable Size	Lbs. Capacity when used as Choker	Lbs. Capacity when used as Basket	Net Each 5′ Lgth.	Price Per Extra Ft.
72-101/9DM	¼″	900	2200	$ 7.03	$ .33
72-102/7DM	⅜″	1300	5000	7.75	.39
72-103/5DM	½″	3200	8800	9.98	.56
72-104/3DM	⅝″	5000	13600	14.16	.70
72-105/0DM	¾″	7200	19400	19.02	1.06
72-106/8DM	⅞″	9800	26000	28.52	1.31
72-107/6DM	1″	12800	42000	34.86	1.64

Portable Electric Power For Any Job, Emergencies



- **Power during Blackouts** . . . avoids cost of flooded basements, frozen furnace pipes, spoiled food.
- **Power at Work Site** . . . for all your electric tools . . . even those that heat!
- **Power Anywhere** . . . speed work, bring the "comforts of home" to on-site locations.
- **Power without Extension Cords** . . . alternator frees you from the cumbersomeness of electric extensions.
- **Power at Home or on Vacation** . . . speeds lawn and garden and household uses.

DEPENDABLE ALTERNATOR

Available in 5 sizes to meet most of your requirements for standby electric power. FOB Wis. Order from chart below. (Electric start unit has extended run feature with auxiliary 5-gal. gas tank plus oil make-up systems for longer sessions.)

Key Ltr.	Stock Number	WATTS	VOLTS	AMPS	START	HP	Tank (Pint)	Outlet 120	Outlet 240	Wt. (lbs.)	Net Each
A	21-776/0D	1800	120	15	Recoil	4	6	2	—	84	$354.95
	21-777/8D	2600	120/240	21.7/10.8	Recoil	6	7	2	1	95	476.88
	21-778/6D	3500	120/240	29.2/14.6	Recoil	8	7	2	1	110	565.90
	21-779/4D	3750	120/240	31.2/15.6	Elec.	8	7	2	1	175	805.80
	21-780/2D	5000	120/240	41.7/20.8	Recoil	11	8	2	1	148	818.92
B	21-781/0D	4000	120/240	33.3/16.7	Recoil	10	7	2	1	230	$805.98

ALTERNATOR/WELDER

Dual purpose convenience produces up to 400 watts of 60 Hz 120/240 volt AC . . . or up to 14 amps of AC welding current . . . or a combinatio up to 4000 watts. Operator can stick weld usin rods up to 5/32 and some up to 1/8" diameter. Un has 12 welding ranges from 40 amps to 14 amps weld current. FOB Wis. Order from cha below. Rated: 140 amps AC (60% duty cycle).



Alternator with AC welder . . . doubly convenient. Ideal for standby power and professional welding.

High Volume Champion Heater with 2 Fans



IN STOCK IMMEDIATE SHIPPING

REMOTE THERMOSTAT
Turns heaters on and off to maintain desired temperature. Precisely calibrated, saves fuel.
28-908/2A—Ea. **$26.75**



Low-Pressure Champion Heaters for Savings

IN STOCK IMMEDIATE SHIPPING

Fuel tank is rustproof terneplate—on portable base. Efficiency designed with two fans—one to circulate heated air . . . the other to put a measured amount of air into the combustion chamber! UL-appr. complete Wayne burner unit . . . uses #1 fuel oil or kerosene. Meets OSHA regulations. Automatic purging—when burner is turned off, fan operates until chamber cools. 115v, AC.

Stock Number	BTU Cap. per Hour	Heated Air Output	Fuel Tank	Max. Hrs. Cont. Oper.	Wt. (lbs.)	List Price	Net Each
28-103/0A	120,000	350 CFM	10 gal.	15/19*	107	$499.50	$441.90
28-104/8A	155,000	380 CFM	12 gal.	15/19*	116	588.90	520.85
28-105/5A	230,000	760 CFM	23 gal.	12/16*	165	741.95	656.95

*With thermostat

Lightweight, rugged portables fit in trunk of car . . . provide dependable, safe, economical operation at low cost. Flame-out control automatically shuts heater off if flame in combustion chamber goes out or if heater runs out of fuel . . . prevents raw fuel from entering red hot chamber. Manual reset button eliminates accidental re-igniting. Item #28-905/8D is FOB Iowa.

Stock Number	BTU Cap. per Hr.	Heated Air Output	Fuel Tank	Max. Hrs. Cont. Oper.	Wt. (lbs.)	List Price	Each
28-903/3A	60,000	225 CFM	4 gal.	9/12*	66	$295.70	$249.95
28-904/1A	97,000	250 CFM	12 gal.	17/21*	87	332.50	293.98
28-905/8D	150,000	325 CFM	12 gal.	11/16*	93	408.35	349.98

*With thermostat



Compact Carry-About LP Gas Heater

Ideal for hard-to-heat areas! Clean, convenient LP gas unit is light enough to be carried anywhere . . . use it on loading docks, construction sites, etc. Produces 50% more heat than the average home furnace—use anywhere! High efficiency blower delivers clean, warm, odor-free air! Burns LP gas with a clean, blue flame—no soot or odors! Quiet operating. With 6' cord. Gas cylinders not included. 28-106/3D is shaped like a rectangular box. FOB Cal.

Stock Number	Heated Air Output	Capacity BTU's/hr.	Size LxWxH	Wt. (lbs.)	List Price	Each
28-106/3D	400 CFM	60,000	18x11x17"	44	$282.25	$253.98
28-138/6A	450 CFM	150,000	25x9x15"	37	329.95	311.95
28-176/6D	1400 CFM	350,000	31x13x20"	59	559.70	503.90

Emergency-Start Portable DC Booster-Chargers for Tractor Diesels, Trucks . . . Eliminate Service Calls, Wasted $$$$

- **8-HP 4-cycle Briggs & Stratton engine**
- **Built-in 12-volt electric self-starter**

All-temperature heavy-duty for service stations, parking lots. Built-in electric starter makes it suitable for permanent installation on service trucks. Automatic polarity adjustment and overload protection—no maintenance, even when handled by the inexperienced. 23½"x27"x16".

Amps	6 volts	12 volts	24 volts
Peak	450	225	113
Continuous	376	188	95

21-602/8A—List $1811.78.
Shpg. wt. 175 lbs. Each **$869.95**

- **16-HP 4-cycle cast-iron B&S engine**
- **For series-parallel ignition systems**

Super powerful . . . built with the professional quality needed to offer big power for full service truck stops and construction sites. Built-in 12-volt automatic-type starter for full electric self-starting in severe cold. Starts 12-volt autos and light trucks, too! Automatic polarity and automatic positive overload. 23"x28½"x21¾". FOB Minn.

Amps	6 volts	12 volts	24 volts
Peak	1000	500	250
Continuous	833	417	208

21-603/6A—List $3897.53.
Shpg. wt. 300 lbs. Each **$1726.98**

Save on Sunwarm Electric Ceiling Fan—Cools in Summer, Re-Circulates Heat in Winter

Reduce Winter Heating costs up to 30% . . . by recirculating hot air!

UL APPROVED

Warm air rises! "Untrap" it with 36" and 56" ceiling fans, keep production uniform all year long, reduce employee complaints. More than pays for itself in energy saved. Low-maintenance fans consume little power, insure maximum air displacement. Balanced aluminum blades. 12" steel rod.

36" FAN for 2500 sq. ft. area. Displaces 6500 CFM. 55 watts. 380 rpm. (Fan control not included.)
75-100/8A—List $155.40. 21 lbs.
Ea. **$119.90.** Ea. (lots/4) ..... REDUCED TO **$114.98**

IN STOCK IMMEDIATE SHIPPING

56" FAN for 3500 sq. ft. area. Displaces 16,000 CFM. 85 watts, 285 rpm. (Fan control not included.)
75-101/6A—List $194.25. 31 lbs.
Ea. **$144.98.** Ea. (lots/4) ..... REDUCED TO **$138.95**

FAN CONTROL for above fans. Handles up to 4 fans at one time. Takes 5 amps. Has infinite speeds.
75-107/3A—List $14.00.
Net Each **$11.00**



RECIRCULATE COOL AIR . . . reduce cooling costs with more even ceiling to floor temperatures



RECIRCULATE WARM AIR . . . . eliminate heat stratification thus lowering heating costs

MOVE HOT, STRATIFIED AIR DOWN INTO WORK AREA . . . ELIMINATE COLD SPOTS IN COMMERCIAL AND INDUSTRIAL BUILDINGS

Heat-Inverter Puts Dead Heat to Work for You Without Creating Drafts

- **Reduce heat loss and fuel bills**
- **Put ceiling heat at people level**

A small price to pay for the comfort and energy economy this unit can offer. Duct suspends from ceilings, plugs into 120V outlet, moves 250 CFM of re-distributed warm air, without drafts. Heat-Inverter has fan and duct to bring down over-heated air which has risen to the ceiling. Variable thermostat can be set between 60°F and 90°F; shuts off unit when temperature at ceiling drops below setting. Uses only 40 watts of electricity, requires no maintenance . . . just set the thermostat and forget it. Heat-Inverter goes to work only when ceiling heat exceeds thermostat setting.

Heat-Inverter covers 2000′ area, comes complete with overload protected motor and fan supported from a metal framework, two 8′ long ducts which can be cut to desired length with scissors, knife or straight edge, non-flammable semi-rigid duct, 7.5″ in diameter. Operates on 120V-60 Hz. Maximum ambient temperature 125° F. 3-year guarantee. FOB N.J.
75-357/4D
Ea. **$89.95.** Ea. (lots/3) **$82.98**

EXTRA DUCTS, 8′ lengths for ceilings over 19′ high.
75-358/2D—Net each **$13.00**

Clear-Flex Strip Doors . . . Save Energy, Control Dust And Noise

See-Thru Vinyl Strips Won't Impede Passage . . . But Will Help Control Temperatures, Dust and Noise in High Traffic Areas

Control high traffic door openings without impeding traffic! Clear-Flex strip doors offer 2-way visibility for safety . . . yet they substantially reduce the loss of heated and cooled air, prevent the flow of dust and contaminants from parking or loading areas or from one plant area to another. Clean-up and maintenance costs are substantially reduced . . . and sound transmission is effectively lowered to help you meet OSHA requirements. Doors are made of fire-resistant self-extinguishing Clear-Flex Vinyl (PVC) which is fabricated to retain dimensional stability and flexibility under the most trying conditions. Strips are designed to achieve a concave-convex pattern to ensure a self-seal — rounded edges won't cut, non-stick additive in the vinyl prevents clinging. Shipped assembled in widths up to 6′. Partial overlap assembly required over 6′. All mounting hardware included in prices. Doors come in three strip sizes: 8″ (.080 thickness) ½ overlap (2″ each side), 12″ (.120 thickness) ¾ overlap (4″ each side), 16″ (.160 thickness) ¾ overlap (6″ each side). Please Specify 01-Standard Material or 02-Low-Temperature USDA—FOB-ALA.

Mount top or side to meet your own specific needs.

Under-Header Mount for normal door mounting. 18" clearance between top traffic and mounting hardware.



Sidewall Mount for narrow clearance between top of traffic and mounting hardware. Bracket should be 12"-18" above door. Curtain will be 3" wider on each side and 12" higher than actual door opening.

STANDARD VINYL
Max. Range -20° to +180° F
(Recommend 0° to 150°F)

LOW-TEMP USDA VINYL
Max. Range -60° to 140° F. (Recommended -40° to 100° F)

For walk-in freezer applications, the Clear-Flex Door was designed to help sustain sub-zero temperatures. Even during heavy traffic which constantly moves in and out of drive-in and walk-in freezers.

As Low As **$109.95**

Recd. Strip Size	Door Opening (feet)		UNDERHEADER MOUNT				SIDEWALL MOUNT			
			Stock	Wt.	01 — Standard	02 — Low-Temp USDA	Stock	Wt.	01 — Standard	02 — Low-Temp USDA
(in.)	W	H	Number	(lbs.)	Material	Material	Number	(lbs.)	Material	Material
8	3	7	75-460/6DX	22	$ 91.67	$ 109.95	75-475/4DX	29	$ 122.65	$ 146.67
8	4	7	75-461/4DX	29	122.50	146.67	75-476/2DX	36	157.50	188.57
12	6	9	75-462/2DX	71	$ 318.60	$ 329.98	75-477/0DX	82	382.95	$397.52
12	6	10	75-463/0DX	77	353.57	366.75	75-478/8DX	88	421.65	436.95
12	6	12	75-464/8DX	90	424.68	439.97	75-479/6DX	98	497.95	516.69
12	8	8	75-465/5DX	84	377.55	391.61	75-480/4DX	95	450.81	467.51
12	8	9	75-466/3DX	92	424.68	439.97	75-481/2DX	106	500.89	519.64
12	8	10	75-467/1DX	102	471.72	488.89	75-482/0DX	113	550.98	571.68
12	10	10	75-468/9DX	140	589.68	611.71	75-483/8DX	145	680.63	705.84
12	10	12	75-469/7DX	150	707.74	733.60	75-484/6DX	161	804.78	834.67
12	12	12	75-470/5DX	179	848.77	879.96	75-485/3DX	191	957.59	993.78
16	12	14	75-471/3DX	304	$1136.67	$1173.83	75-486/1DX	325	$1268.60	$1309.52
16	12	17	75-472/1DX	369	1380.50	1424.76	75-487/9DX	383	1522.81	1571.82
16	14	14	75-473/9DX	576	1326.71	1368.89	75-488/7DX	392	1471.88	1519.74
16	20	16	75-474/7DX	576	2164.90	2234.92	75-489/5DX	611	2357.90	2433.97

Curtains Can Be Made For Any Size Door Opening. Contact Dept. 72.

Aluminum Truck-To-Dock Boards for Safer, Faster Loading/Unloading



C&H MEETS OSHA REQUIREMENTS

Rugged Heavy-Duty Understructure with Engineered Bend and Beveled Edges for Smooth Entry, Exit

Safety angle on underside of truck dockboard fits snugly between truck and dock, gives added strength and protection against the board slipping out of place. Extruded angle, continuously welded to treadplate, features oversized corner section to withstand punishment of large, heavy loadin equipment. Positive traction treadplate for safety use. Yellow E-Z grip curbs help prevent run-offs Refer to Ordering Information to choose correc size, capacity. FOB Mich.



To Aid You in Ordering . . .

DETERMINE CAPACITY (single axle). Capacity is based on heaviest type of equipment used, plus the maximum load carried times the percent of total load. Use chart below to determine percent of total load.

Type of Equipment	Recommended Bend	Total Load
Two-wheel hand trucks	12° (21% grade)	100%
Four-wheel platform truck, non-tilt	11° (19% grade)	50%
Pallet trucks, hand	8° (14% grade)	75%
Pallet trucks, electric	7° (12% grade)	66%
Platform (skid) truck, hand, walkie .	8° (14% grade)	75%
Platform (skid) trucks, electric, walkie	7° (12% grade)	66%
Fork Trucks, Electric walkies	7° (12% grade)	90%
Fork Trucks, electric Rider	8° (14% grade)	90%
Fork Trucks, gas rider	11° (19% grade)	90%

DETERMINE HEIGHT DIFFERENTIAL (the difference between the height of the dock and the height of the truck bed.

	Max. Ht. Difference (in.)														
Bend Angle	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
7° (12% grade)	24	30	36	42	54	60	66	78	84						
8° (14% grade)	24	30	36	42	48	54	60	66	78	84					
9° (15¾% grade)		24	30	36	42	48	54	60	66	72	78	84			
10° (18% grade)			24	30	36	42	48	54	60	66	72	78	84		
11° (19% grade)			24	30	36	42	48	54	60	66	66	72	78	84	
12° (21% grade)			24	30	36	42	42	48	54	60	66	66	72	78	84

For lengths greater than 84", contact C&H Department 75.



SPECIFY HEIGHT DIFFERENTIAL—refer to charts at upper right. Dockboard can be used whether truck bed is higher or lower than your dock.

•

Heavy-duty understructure . . . engineered and built specifically for your dock.



3,000-LB. CAPACITY

Stock Number	Size W	Size L	Wt. (lbs.)	Net Each
75-359/0DM	48"	36"	79	$268.90
75-360/8DM	48"	48"	101	354.85
75-361/6DM	48"	54"	113	387.88
75-362/4DM	48"	60"	124	424.81
75-363/2DM	48"	72"	168	548.90
75-364/0DM	54"	36"	87	301.75
75-365/7DM	54"	48"	120	403.60
75-366/5DM	54"	54"	138	458.90
75-367/3DM	54"	60"	149	511.70
75-368/1DM	54"	72"	186	616.80
75-369/9DM	60"	36"	95	320.85
75-370/7DM	60"	48"	140	461.81
75-371/5DM	60"	60"	172	564.92
75-372/3DM	60"	72"	204	666.78

5,000-LB. CAPACITY

Stock Number	Size W	Size L	Wt. (lbs.)	Net Each
75-373/1DM	54"	36"	95	$312.90
75-374/9DM	54"	48"	129	431.86
75-375/6DM	54"	54"	150	482.92
75-376/4DM	54"	60"	164	537.89
75-377/2DM	54"	72"	195	656.90
75-378/0DM	60"	36"	103	329.85
75-379/8DM	60"	48"	150	480.50
75-380/6DM	60"	54"	167	533.70
75-381/4DM	60"	60"	185	600.75
75-382/2DM	60"	72"	219	709.85
75-383/0DM	72"	36"	135	414.70
75-384/8DM	72"	48"	170	522.60
75-385/5DM	72"	60"	221	751.78
75-386/3DM	72"	72"	261	909.79

6,000-LB. CAPACITY

Stock Number	Size W	Size L	Wt. (lbs.)	Net Each
75-387/1DM	54"	36"	102	$337.8
75-388/9DM	54"	48"	138	458.8
75-389/7DM	54"	54"	153	498.8
75-390/5DM	54"	60"	169	560.7
75-391/3DM	54"	72"	201	668.8
75-392/1DM	60"	36"	112	361.8
75-393/9DM	60"	48"	155	494.8
75-394/7DM	60"	54"	172	547.7
75-395/4DM	60"	60"	193	605.7
75-396/2DM	60"	72"	234	779.6
75-397/0DM	72"	36"	135	414.7
75-398/8DM	72"	48"	181	552.9
75-399/6DM	72"	60"	221	762.8
75-400/2DM	72"	72"	261	925.8

8,000-LB. CAPACITY

Stock Number	Size W	Size L	Wt. (lbs.)	Net Each
75-401/0DM	60"	36"	121	$402.90
75-402/8DM	60"	48"	164	552.85
75-403/6DM	60"	54"	185	607.80
75-404/4DM	60"	60"	215	665.91
75-405/1DM	60"	72"	254	796.94
75-406/9DM	66"	36"	135	424.81
75-407/7DM	66"	48"	178	585.84
75-408/5DM	66"	54"	213	703.92
75-409/3DM	66"	60"	234	786.67
75-410/1DM	66"	72"	276	965.71
75-411/9DM	72"	36"	146	462.86
75-412/7DM	72"	48"	207	681.69
75-413/5DM	72"	54"	229	744.74
75-414/3DM	72"	60"	252	816.91
75-415/0DM	72"	72"	297	988.80

10,000-LB. CAPACITY

Stock Number	Size W	Size L	Wt. (lbs.)	Net Each
75-416/8DM	60"	36"	130	$ 432.85
75-417/6DM	60"	48"	180	604.88
75-418/4DM	60"	54"	208	664.69
75-419/2DM	60"	60"	234	742.75
75-420/0DM	60"	72"	270	874.78
75-421/8DM	66"	36"	150	457.90
75-422/6DM	66"	48"	192	631.92
75-423/4DM	66"	60"	247	794.85
75-424/2DM	66"	72"	291	983.50
75-425/9DM	72"	36"	168	542.90
75-426/7DM	72"	48"	213	683.85
75-427/5DM	72"	54"	236	763.65
75-428/3DM	72"	60"	258	839.70
75-429/1DM	72"	72"	351	1044.80

12,000-LB. CAPACITY

Stock Number	Size W	Size L	Wt. (lbs.)	Net Each
75-430/9DM	60"	36"	137	$ 444.85
75-431/7DM	60"	48"	180	604.90
75-432/5DM	60"	54"	208	664.92
75-433/3DM	60"	60"	250	787.85
75-434/1DM	60"	72"	296	879.80
75-435/8DM	66"	36"	160	497.82
75-436/6DM	66"	48"	200	659.91
75-437/4DM	66"	60"	276	868.75
75-438/2DM	66"	72"	326	1075.81
75-439/0DM	72"	36"	168	524.55
75-440/8DM	72"	48"	234	740.88
75-441/6DM	72"	54"	271	844.75
75-442/4DM	72"	60"	297	941.76
75-443/2DM	72"	72"	351	1102.89

15,000-LB. CAPACITY

Stock Number	Size W	Size L	Wt. (lbs.)	Net Each
75-444/0DM	60"	36"	156	$ 504.8
75-445/7DM	60"	48"	209	682.7
75-446/5DM	60"	54"	232	734.7
75-447/3DM	60"	60"	255	803.6
75-448/1DM	60"	72"	338	949.9
75-449/9DM	66"	36"	170	542.9
75-450/7DM	66"	48"	227	730.9
75-451/5DM	66"	60"	276	884.7
75-452/3DM	66"	72"	366	1082.6
75-453/1DM	72"	36"	191	591.5
75-454/9DM	72"	48"	252	773.9
75-455/6DM	72"	54"	279	865.8
75-456/4DM	72"	60"	305	940.8
75-457/2DM	72"	72"	401	1147.6

Sliding Spanlocks Prevent Accidents

only **$50.00** pr.



Securely locks dockboard in place when dock to vehicle span is greater than understructure stops: angle parking, curved sidings, truck park-outs. Rugged steel sliding plate fits into the dockboard curb; steel arm extension secured with screw-know locking/unlocking assembly. 6 lbs.

75-458/0D—Net each pr. **$50.00**

Lifting Chains for Easier Portability

only **$35.00** pr.

Heavy-duty chains "lock" into board curbs allowing you to lift dockboards with a fork lift. Chains attach quickly and easily onto dockboard curbs with heavy-duty steel hooks; screw and knob-type locking pad holds them in place. Can be removed just as easily when no longer needed. Wt. 6 lbs.

75-459/8D—Net each pr. **$35.00**

Accessories available only when ordered at same time as dockboards.

Move Heavy Loads Quickly, Safely, Surely



- High strength aluminum alloy
- Non-skid diamond surface
- No-trip bevel edges

C&H MEETS OSHA REQUIREMENTS



E L	HEIGHT DIFFERENTIAL Inches	¾" THICK PLATE Regular-Duty Strength Stock No.	Cap.	Lbs.	Net Ea.	½" THICK PLATE Heavy-Duty Strength Stock No.	Cap.	Lbs.	Net Ea.	¾" THICK PLATE Extra Heavy-Duty Strength Stock No.	Cap.	Lbs.	Net Ea.
24	2¾	75-118/0D	3400#	36	$107.98	75-131/3D	6000#	46	$134.90				
36	5	75-610/6D	2300#	53	147.90	75-132/1D	4100#	67	185.71				
48	7	75-611/4D	1700#	69	189.96	75-133/9D	3100#	88	238.61				
24	2¾	75-119/8D	3900#	42	124.92	75-134/7D	7000#	53	151.96				
30	3¾	75-120/6D	3300#	53	145.95	75-135/4D	5800#	67	183.86				
36	5	75-645/2D	2700#	61	178.97	75-136/2D	4800#	78	219.87				
48	7	75-612/2D	2000#	79	217.98	75-137/0D	3400#	102	277.92				
60	9	75-121/4D	1600#	100	266.74	75-138/8D	3000#	129	340.98				
24	2¾	75-613/0D	5000#	53	150.81	75-139/6D	8700#	68	189.96	75-279/0D	19,000#	102	$271.98
30	3¾	75-122/2D	4400#	66	182.99	75-140/4D	7800#	85	228.87	75-280/8D	17,400#	124	333.99
36	5	75-614/8D	3700#	77	209.97	75-085/1D	6300#	100	268.90	75-281/6D	14,000#	146	398.50
48	7	75-615/5D	2800#	101	273.80	75-141/2D	4800#	132	344.80	75-282/4D	10,700#	192	528.98
60	9	75-123/0D	2200#	128	334.94	75-142/0D	4000#	166	431.88	75-283/2D	8,900#	240	655.94
72	11	75-124/8D	1800#	150	397.96	75-143/8D	3200#	195	515.87	75-284/0D	7,100#	286	781.93
24	2¾	75-082/8D	6700#	64	178.96	75-144/6D	11600	83	228.77	75-285/7D	25,800#	123	337.65
30	3¾	75-125/5D	5600#	80	217.92	75-145/3D	10000	104	281.67	75-286/5D	22,300#	151	415.71
36	5	75-083/6D	4700#	94	251.91	75-086/9D	7700#	122	324.90	75-287/3D	17,100#	179	494.81
48	7	75-084/4D	3600#	123	330.90	75-087/7D	5800#	161	422.95	75-288/1D	12,900#	230	654.92
60	9	75-126/3D	2800#	155	403.95	75-146/1D	5000#	203	527.87	75-289/9D	11,000#	296	816.96
72	11	75-127/1D	2300#	183	482.84	75-147/9D	4000#	240	625.78	75-290/7D	8,900#	351	975.82
30	3¾	75-128/9D	6700#	91	247.91	75-148/7D	12000	120	321.90	75-291/5D	26,700#	179	500.89
48	7	75-129/7D	4200#	146	385.97	75-149/5D	7500#	192	500.86	75-292/3D	16,700#	280	779.98
60	9	75-130/5D	3300#	183	473.84	75-150/3D	6000#	240	617.90	75-293/1D	13,300#	349	974.69

Save Manpower! One Man Can Position These Plates Which Can Easily Move A Ton of Merchandise Very Safely

Made of high-strength aluminum alloy—with two steel stops on underside of plate that fits between dock and truck so plate can't move when loads are rolled over it! Beveled entrance edges; special non-slip diamond tread surface. Plates are bent 10° at a point 9" from the upper end permitting both ends of the plate to lie flush.

HOW TO SELECT THE CORRECT PLATE: Step 1—determine the height differential (the vertical distance from your dock floor to the truck floor). Step 2—decide upon the width which will best suit your needs. Step 3—determine the capacity which you will require. Step 4—the height differential you have determined will decide the length which you need. Order regular or heavy-duty from chart. FOB Michigan.

Save Time, Work, Money with Take-Along Aluminum Ramps





Extra long gradual 18" approach to main ramp

stom deck
s more serra-
ns per ft.

TYPE A: Level off-apron overlaps truck bed . . . comes with 30" safety chain for easy handling

TYPE F: Steel hooks lock onto truck bed providing flush-type direct entry to speed loading

- **Lightweight, easy handling . . . for one-man delivery trucks**
- **Choice of two styles for safety on all truck beds**

Be prepared for speedy loading and unloading anywhere, even where dock facilities are limited or non-existent. Easy to handle aluminum ramp rides along in delivery truck . . . can be utilized when needed to save time by speeding up the delivery operation. One man can use a hand truck to move bulky or heavy items . . . reduces delivery time per stop thus speeding total delivery route to reduce operating costs. More serrations per foot on the deck of this tough aluminum ramp provides better traction and reduces danger of slipping or accidents. Approach is a gradual 18" length making it easier and practical for two and four-wheel hand and floor trucks. Ideal for use with pick-ups, semis or vans . . . these practical aluminum ramps are always ready for use, meet OSHA requirements, save you $$. FOB Mich.

Note: Height ranges based on manageable 20"/36% grades to use with two and four-wheel hand and floor trucks.

8% FET included in the pricing

TYPE	Ht. Range (inches) Min.	Ht. Range (inches) Max.	Lgth. (feet)	Capacity (lbs.)	28" WIDTH (26" Usable) Stock Number	Wt. (lbs.)	Net Each	38" WIDTH (36" Usable) Stock Number	Wt. (lbs.)	Net Each
A	6	9	3	2600	75-294/9D	32	$134.90	75-316/0D	42	$162.81
	6	13	4	2400	75-295/6D	42	160.95	75-317/8D	55	190.85
	6	17	5	2200	75-296/4D	52	185.92	75-318/6D	67	222.94
	6	21	6	2000	75-297/2D	62	209.71	75-319/4D	80	252.83
	6	25	7	1800	75-298/0D	72	234.95	75-320/2D	92	281.97
	6	29	8	1600	75-299/8D	82	259.98	75-321/0D	105	311.77
	6	33	9	1650	75-300/4D	92	283.75	75-322/8D	117	331.94
	6	38	10	1500	75-301/2D	102	310.88	75-323/6D	130	372.90
	6	46	12	1400	75-302/0D	122	358.87	75-324/4D	155	434.88
	6	54	14	1200	75-303/8D	142	407.90	75-325/1D	180	494.67
	6	62	16	1000	75-304/6D	162	457.96	75-326/9D	205	554.91
F	6	11	3	2600	75-305/3D	32	$124.97	75-327/7D	42	$151.91
	6	15	4	2400	75-306/1D	42	150.91	75-328/5D	55	181.98
	6	19	5	2200	75-307/9D	52	174.94	75-329/3D	67	211.96
	6	23	6	2000	75-308/7D	62	199.89	75-330/1D	80	241.81
	6	27	7	1800	75-309/5D	72	223.87	75-331/9D	92	272.85
	6	31	8	1600	75-310/3D	82	250.85	75-332/7D	105	301.67
	6	35	9	1650	75-311/1D	92	273.79	75-333/5D	117	322.97
	6	40	10	1500	75-312/9D	102	300.84	75-334/3D	310	362.93
	6	48	12	1400	75-313/7D	122	347.65	75-335/0D	155	423.91
	6	56	14	1200	75-314/5D	142	396.98	75-336/8D	180	483.84
	6	64	16	1000	75-315/2D	162	446.96	75-337/6D	205	545.80

Portable Electro-Hydraulic Dock Speeds All Cargo Handling



Rol-Lift Elevating Dock Saves Time, Labor

As Low As **$3445.80**

- **Use it anywhere—strong welded scissor frame**
- **Safety-tread decking! Dependable 1-HP motor!**

Here's the answer to your material handling problems if your loading dock is too high, or too low, or if you have no loading dock at all! This portable unit moves into place — raises cargo to 56" high, stops at any level desired. Hydraulic velocity fuse in each cylinder locks platform in position should there be a hose failure. Extra-wide and rigid scissor legs support safety-tread steel decking including hinged 18"x60" bridge plate, removable 42" hand rail and 4" kick plate to meet OSHA requirements. Carefully engineered with lubricated-for-life bearings at all pivot points, weatherproof push-button switch . . . equipped with 1-HP 110V 1-ph. 60 cy. direct plug in power pack, 8' cord, drum switch on 8' cord. Easy mobility afforded by steel rollers, detachable dolly tow bar. FOB Ark.

Stock Number	Cap. (lbs.)	Platform W	Platform L	Travel Time Up	Travel Time Down	Wt. (lbs.)	Net Each
75-267/5D	3000	4'	6'	35 sec.	10 sec.	1200	$3445.80
75-268/3D	3000	6'	6'	35 sec.	10 sec.	1800	3584.90
75-269/1D	3000	6'	8'	35 sec.	10 sec.	2500	3946.80
75-270/9D	3000	8'	6'	35 sec.	10 sec.	2500	3446.80
75-271/7D	4000	4'	6'	35 sec.	10 sec.	1200	3829.50
75-272/5D	4000	6'	6'	35 sec.	10 sec.	1800	3946.70
75-273/3D	4000	6'	8'	35 sec.	10 sec.	2500	4189.87
75-274/1D	4000	8'	6'	35 sec.	10 sec.	2500	4189.87
75-275/8D	5000	4'	6'	45 sec.	10 sec.	1250	4069.60
75-276/6D	5000	6'	6'	45 sec.	10 sec.	1850	4189.95
75-277/4D	5000	6'	8'	45 sec.	10 sec.	2500	4442.75
75-278/2D	5000	8'	6'	45 sec.	10 sec.	2500	4442.75

For 1-HP 220/440V 3-ph. motor, add $175.00 to base prices above.
Optional opposite side 24" wide 60" long approach ramp.
Stk. No. **75-018/2D** ..... Net Each **$267.00**



Handrail removes for extra width

Decks lowers to just 5" from floor

Lets you unload semis without a dock

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Save Energy and Money! Door Seals Keep Docks Comfortable . . . Conserve Heat and Air Conditioning

No matter what size door opening — each inside seal opening measures 7'4" wide and 8' high — other inside measurements available Contact Dept. 72

- **People work better, faster in comfortable surroundings**

Seals can make a 30° difference in temperature, protect door hinges! Loading and unloading operations are accomplished faster and with fewer accidents when the dock is from cold driving winds, nasty rain and snow. Refrigerated warehouses need seals for year-round energy saving. Set of three resilient bolsters surround doorway and form a tight seal between truck and building. Bolsters are 12" thick polyurethane mounted on 2"x12" wood plank and covered with single ply 22 oz. (per sq. yard) reinforced industrial coated nylon that resists abrasion, moisture. Face consists of bright yellow guide stripes, a full 5 inches wide. Specify: 01 straight sides, 02 tapered sides for inclined driveways (for 02 include spacing between top of truck and wall, and bed of truck and wall). FOB Mich.

Stock Number	For Doors W x H	Wt. Lbs.	List Price	Net Each	Each (lots/3)
75-197/4DM	8'x8'	150	$426.00	$320.98	$304.98
75-198/2DM	8'x10'	165	469.00	353.91	336.95
75-199/0DM	8'x12'	180	502.00	379.69	360.94
75-200/6DM	10'x10'	180	561.00	425.78	404.89
75-201/4DM	10'x12'	195	594.00	450.88	428.83

75-202/2D—18" wide "header" for top bolster. Net ea. **$64.00**
75-203/0D—2-ply 44 oz. face ..... Per set **Add $45.00**
75-204/8D—3-ply 66 oz. face ..... Per set **Add $69.00**



Bright yellow face—easy for drivers to see

Tapered dock-seals insure a perfect fit for loading docks with inclined driveways

Unique one-piece construction on the face and sides eliminates any possibility of sewn seams failing which could result in costly repairs and down time . . . filler polyurethane foam is unaffected by moisture, heat, cold.

Other sizes and styles available . . . write Dept. 72

Dock-Leveler for Easier Truck Loading and Unloading



- **Ramp offers trailer-width non-skid surface**
- **Ramp section folds away when not in use**

Attaches permanently to face of dock without cutting concrete. Non-skid high-test 3/8" floorplate ramp supports 20,000-lb. distributed load, measures 72" wide and 28" long. Beveled lip section provides smooth transition to floor surface, can be folded away behind bumpers when truck pulls away. Ramp is counter-balanced by adjustable torsion spring allowing easy one-man handling. Bump blocks of 5/16" steel are 18" high to protect ramp section — faced with one-piece molded 8"x18" rubber to assure shock-absorption. Bump block support angles can be attached low to offer stronger mounting; unit reaches up to 5" higher than dock and 5" below dock. FOB Texas.

75-490/3D — Wt. 535 lbs. Net each **$446.95**

Makes trailer-width "bridge" for hand trucks or fork lifts

Non-skid surface . . . unit folds when not in use

Only **$446.95**

Twin-Strut Dock Light Adjusts All Ways — Pivot Friction Holds It

- **Tension release button for fast re-positioning**
- **Arm-mounted connector box installs easily**

Loading and unloading trucks goes faster when you can see the inside . . . lamp maintains its intended position, spring-loaded socket assures full lamp support. Oil impregnated bronze bearings are used at all rotating air joists. High strength arm stop protects cord, twin strut design prevents sagging. Heavy-gauge 1½" square steel arm resists damage from impact. Finished in bright yellow. Lighthead is 8 3/16"x7"x12¼". Takes R-40 and PAR-38 bulbs. 5½"x7" mounting plate. UL listed.

As Low As **$59.90**

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Stock Number	Length (arms)	Wt. (lbs.)	List Price	Each	Each (lots/3)
75-078/6A	24" and 18"	22	$74.90	$63.95	$59.90
75-079/4A	34" and 26"	29	89.90	74.98	69.95
75-080/2A Wire guard for above					$9.00

Sunwarm Electric Heaters for Primary or Supplementary Warmth In Commercial or Industrial Areas

IN STOCK IMMEDIATE SHIPPING

UL APPROVED

- **For warehouses, stores, gyms, factories, loading docks.**



As Low As **$128.98**

Sunwarm electric heaters help you to achieve optimum heat effectively . . . use them to heat chilly or drafty areas without over-heating (and wasting!) other areas or use them to heat large areas. To meet code, heaters must be mounted 9' to 10' off the floor. Choose from 5 sizes to meet your needs, all are UL approved. Internal stroud around heating element ensures uniform air flow and delivery temperatures across entire face of the heater. All sheet metal parts are heavy-gauge or better, steel cabinet is welded. Heaters are safety engineered with enclosed fin-tube elements featuring automatic overheat protection, adjustable louvers, multi-position mounting, large wire compartment, mounted thermostat and all necessary fusing and contactors. Heaters are whisper-quiet thanks to rubber mounted fan and motor assemblies. The enclosed finned element is engineered for long service, efficient heat transfer and uniform response . . . ideal for warehouses, stores, garages, gyms, factories, and docks. 3.5 KW through 10 KW units should be mounted at 9' height, 15 KW at 10' height — each unit may be adjusted for method of suspension, angle of air discharge, position of cabinet, arrangement of louvers and direction of air flow. All heaters are 20" wide, 18¾" deep, 13" high except 15 KW which is 22"x15"x21¼".

Ordering Information: 3.3 and 5.0 KW are 240V, 1-ph., and are in Stock. 7.5 KW, 10.0 KW and 15.0 KW are available in 01-208V 1-ph., 02-240V 1-ph., 03-208V 3-ph., 04-240V 3-ph., or 05-480V 3ph. (add $20 to base price for 480V 3-ph.). Specify number and Voltage-phase desired for kilowatt sizes 7.5 through 15. FOB Tenn.

Stock Number	Kilo-Watts	Amps.	BTU	HP	CFM	Wt. (lbs.)	List Price	Each	Each (lots/4)
75-169/3A	3.3	14	11263	6W	400	25	$182.00	$136.50	$128.98
75-171/9A	5.0	20.8	17015	6W	400	30	187.00	139.98	131.95
75-172/7DV	7.5	31.3	25598	16W	575	35	255.00	175.98	164.95
75-173/5DV	10.0	41.7	34130	16W	575	40	291.00	199.95	187.95
75-185/9DV	15.0	63.4	51195	26W	800	50	397.00	274.85	258.50

Other sizes up to 50 KW available. Contact C&H Dept. 72. *Approximately 7 watts needed for every square foot area.

Rubber Impregnated Bumpers for Dock, Truck

As Low As **$18.98**



- **Durable—impregnated under hydraulic pressure**
- **Mount on dock face of wood bumper strips**
- **Space 12" apart for full, dependable coverage**

WE SHIP UPS WHEN POSSIBLE

Rubber impregnated pads are secured by adjustable threaded rods to ¼"x2½"x3" angle iron bracket; brackets have two 13/16 holes for securing. 10" high bumpers have 6" center-to-center bolt holes, 12" have 8". Select correct length, allowing 12" between bumpers. FOB Tenn.

Stock Number	Depth	Ht.	Lgth.	Wt. Lbs.	Net Each	Each (lots/4)	Each (lots/12)
75-092/7D	4"	12"	12"	26	$21.98	$20.95	$18.98
75-093/5D	4"	10"	18"	37	26.95	25.75	23.95
75-094/3D	4"	10"	24"	49	30.90	29.50	27.88
75-095/0D	4"	10"	36"	72	39.95	37.50	35.70
75-189/1D	4½"	10"	12"	26	24.92	23.75	21.98
75-190/9D	4½"	10"	18"	37	28.93	27.78	25.80
75-191/7D	4½"	10"	24"	46	32.78	30.90	28.70
75-192/5D	4½"	10"	36"	78	41.90	39.50	37.60
75-193/3D	4½"	12"	12"	46	30.95	28.90	26.50
75-194/1D	4½"	12"	18"	57	36.92	34.95	32.88
75-195/8D	4½"	12"	24"	66	39.96	36.95	34.50
75-196/6D	4½"	12"	36"	98	46.98	43.50	40.98

*Lengths are center-to-center of bolt holes.



A HALF-OVAL RUBBER FENDER WITH METAL BAR

Effective fendering action over a wide area . . . ideal for trucks and truck docks. Synthetic rubber dock fenders come with metal bar that's inserted into base of fender to act as a continuous washer — install on wood, concrete, or steel. Sold only in carton quantities indicated. FOB Tenn. Each 3¾"x4½".

Stock No.	Lgth.	Sold in Cartons	Ctn. Wt.	Ea. Fender
75-061/2DL	12"	of 8	36 lbs.	$12.90
75-062/0DL	18"	of 8	54 lbs.	17.95
75-063/8DL	24"	of 4	36 lbs.	23.98
75-064/6DL	36"	of 4	54 lbs.	34.99

75-065/3DM — Special lgths. up to 10' max., undrilled, can be furnished at $9.00 per lineal foot.



As Low As **$13.75**

B PLIABLE RUBBER DOCK GUARD WORKS ANYWHERE

Easy to install. Fabricated of new rubber with nylon or rayon cord throughout. They're designed for vertical or horizontal mounting, depending on height requirements . . . easily adapted to high or low floor level trucks! Unobtrusive, flush fitting! Amazingly resistant to weather. Built to conform to govt. specifications . . . here's endurance you can depend on! FOB Tenn.

Stock No.	Size	Shpg. Wt.	Net Each	Each (lots/6)
75-179/2D	2x9x18"	11 lbs.	$15.90	$13.75
75-180/0D	4x9x18"	28 lbs.	28.95	25.75

Update Your Dock—Save Time, Cut Accidents

FOR ORDERS ONLY
Phone Toll-Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

"Palligator" Pallet Puller

As Low As **$64.98** in quantity

WE SHIP UPS WHEN POSSIBLE

Unload a van quicker, more safely. Positive-gripping simplified design . . . makes pallet moving an easy, one-man operation. No danger of slipping . . . just attach chain and hook . . . pull pallet either straight or sideways, as you choose, to get it out of a tight place! 20,000-lb. laboratory-tested load limit . . . for use with pallets or skids using 2x4" stringers, 4x4" blocks or 4" stringers. Teeth grab hard or soft wood, or metal pallets with flange. Accepted by OSHA. Conveniently portable . . . fits on fork-lift or truck van. **$64.98**

75-509/0A—Wt. 14 lbs. Net ea. **$67.50**. Ea. (lots/6) **$64.98**
75-510/8A—20' of ¼"-proof coil chain, with grab hooks **$24.50**
75-511/6A—40' of ¼"-proof coil chain, with grab hooks **$47.50**

Scissor-Action Pallet Puller

For stringers up to 4½" thick

Save manpower! With Pallet Puller you need only one man to unload trucks . . . It moves pallets to within forklift reach. Its tight bite eliminates danger of damaged goods . . . it can't let go!

Now . . . one man can move mountains of materials on fully loaded pallets.

As Low As **$59.50**

WE SHIP UPS WHEN POSSIBLE

Double scissors action assures tight grip for safety in moving full pallets . . . one-piece 2¾" high curved heads are self-cleaning. They release quickly. Rugged all steel construction—an economical way to extend the reach of your fork lift. 19 lbs.

75-617/1A—Ea. **$64.98**. Ea (lots/6) **$59.50**
75-618/9A—20' lgth. ¼"-proof coil chain, with grab hooks. Net ea. **$24.50**
75-619/7A—40' lgth. ¼"-proof coil chain, with grab hooks. Net ea. **$47.50**

Load Stops Keep Trucks Manageable



- **Load stops have articulating end pads for off center positioning.**
- **Stabilizers lock in place securely yet won't interfere with access to cargo.**

8% F.E.T. included in prices.
All FOB Fla.

LOAD STOPS END SHIFTING

- **Use wall to wall or ceiling to ceiling**
- **Protective rubber covers end pads**

STEEL STOPS have plated steelshaft, alloy aluminum casing threaded on 1"x.095" steel tube.

Stk. No.	Length Closed	Length Open	Lbs.	Net Ea.	Ea. lots/3
75-226/1D	80"	110"	15	$42.90	$39.98
75-227/9D	80"	134"	18	47.75	44.95
75-228/7D	*86"	140"	25	58.98	55.50

ALUMINUM STOPS for refrigerated trailers with plated steel shaft, 356 alloy aluminum casing Heliarc welded to 1¼"x¼" extruded aluminum.

75-229/5D	80"	110"	15	$49.95	$46.65
75-230/3D	80"	134"	18	52.95	$49.70

OPTIONAL HOOPS (sold in pairs)

Alloy aluminum hoops expand holding ability of units above to 14 sq. ft.

Stk. No.	For Ld. Stop	Net Ea. Pr.	Ea. lts/4
75-231/1D	Steel	$35.50	$32.90
75-164/4D	Aluminum	35.50	32.90
75-188/3D	HD Steel	35.50	32.90

*Tubing is extra heavy 1 3/16"x3/16" steel.





Dock Ladders

Help Cut Accidents Increase Safety

FOB. PA.

Walk-Thru ladders have 42" high handrails above top rung

Side-Step ladders have 4 hand-hold rungs above desired number of steps

Don't take chances. Meet OSHA regulations. Provide safe, secure dock access. Durably contructed ladders have ¾" rungs of deformed solid round bars for non-slip safety, each is 18" wide. Side members and handrails are 1" schedule 40-steel pipe. Ladders are 21½" overall width. Walk-thru models have flat supports, 20" long with bolt-down holes to rest on top of dock or mezzanine. Stand-offs from dock or wall face are 10"; plates are 1"x5" with 25/64" holes. Units do not include fasteners. 12" between each rung or step.

WALK-THRU model

Stk. No.	Steps	Lbs.	Net Ea.
75-338/4D	2	53	$ 82.95
75-339/2D	3	59	91.90
75-340/0D	4	65	101.88
75-341/8D	5	71	109.92
75-342/6D	6	77	118.89
75-343/4D	7	83	127.95
75-344/2D	8	89	136.98
75-345/9D	9	95	144.95
75-346/7D	10	101	154.99

SIDE-STEP model

Stk. No.	Steps	Rungs	Lbs.	Net Ea.
75-348/3D	2	6	38	$ 80.92
75-349/1D	3	7	44	88.98
75-350/9D	4	8	50	96.97
75-351/7D	5	9	56	106.96
75-352/5D	6	10	62	115.94
75-353/3D	7	11	68	123.90
75-354/1D	8	12	74	133.88
75-355/8D	9	13	80	141.93
75-356/6D	10	14	86	150.95

Optional Safety Chain for all of the above.
75-347/5D—Net each $9.00

BUY AT WHOLESALE FROM C&H—YOU GET MORE FOR YOUR MONEY!

Mobile Jack Rolls Under Trailer—Lifts 50,000 Lbs., Stabilizes 100,000

Saves Time, Money, and Increases Productivity

- **Easy operating ratchet with 40" handle**
- **Rolls on 8"x2½" semi-pneumatic wheels**
- **Height adjusts from 40" to 51"**
- **Has non-slip serrated top cap**

Comply with OSHA by providing your dock workers with simple-to-operate stabilizing jacks they'll want to use! 1⅛" diameter steel rod handle lets worker operate jack from a standing position. In stored position, handle serves as a steering lever. All welded steel with 3½" diam. structural pipe column, 18" sq. base with reinforcing ribs and braces. Cap floats on chrome-moly ball bearing—no twist-out! Use singly or in pairs. 125 lbs. **FOB Fla.**

50,000-Lb. Lifting Capacity. Wt. 125 lbs.
75-647/8D—Net ea. **$269.95.**
Ea. (lots/3) **$249.98**

8" diameter Cap for above. Wt. 10 lbs.
75-648/6D—Net ea. **$23.90.**
Ea. (lots/3) **$21.50**

*All above pricing includes 8% F.E.T.

Low-Cost Heavy-Duty Jacks Support and Stabilize Loads Up to 50,000 Lbs.

WE SHIP UPS WHEN POSSIBLE

C&H MEETS OSHA REQUIREMENTS

- **Strong dome-shaped 14" base**
- **Heavy-duty 3" welded steel tube**
- **Acme thread screw, 10" long, allows 7" of adjustment from 44" to 51"**

Safe and simple to operate! Capacity 25-ton guaranteed with 100% safety factor. Two-way adjustable jacks provide an inexpensive way to keep tractor-less trailers level while being loaded or unloaded. Use under front or rear of trailer to prevent tipping or tilting! Top heavy-duty steel plate (5x5½x7) gauge secures firmly to base of trailer by employing a welded washer to lock support firmly. 35 lbs.
75-090/1A — Net ea. **$87.95.**
Ea. (lots/6) **$83.55.**
Ea. (lots/16) **$75.98**

*All above pricing includes 8% F.E.T.

Sure-Grip Wheel Chocks Cost Less at C&H

A SPECIAL PRICES ON HEAVY-DUTY STEEL WHEEL CHOCKS

- **Ideal for winter—bites in and holds on ice or snow!**

Safe! Non-slip! Practically indestructible! They grab and hold! Four-way steel tread plate friction surface with steel cleats for positive locking action. 3/16" rugged steel plate assures extra long, hard surface. Bright yellow surface. Provides extra safety for tractor-trailers, heavy trucks, buses.

Stock Number	Chock Size	Max. Tire Size	Shpg. Wt. (lbs.)	Net Ea. (lots/1-7)	Each (lots/8-23)	Each (lots 24+)
75-088/5A	6½x7⅛x6"	8.25x20	8½	$14.98	$13.90	$12.95
75-089/3A	8½x11x8"	12.00x24	15	16.88	15.75	13.90



B C MOLDED RUBBER WHEEL CHOCKS

- **Easy to handle, but totally effective! Cleated bottom holds!**

Unique 45° angle cleated bottom provides maximum gripping power . . . yet they weigh only 10 lbs. each for easy positioning and removal. Provides needed protection for fork truck operator. Eyebolt or handle is provided for anchoring to prevent loss or theft. All rubber (contains no fabric to deteriorate) . . . it's compounded for maximum wear . . . resistant to ozone abrasion and weathering. Shpg. wt. 9½ lbs. Available with or without handle.

WE SHIP UPS WHEN POSSIBLE

With Handle
As Low As
$9.98



Key Ltr.	Stock Number	W x H (in.)	With Handle	List Price	Each	Each (lots/6)	Each (lots/12)
B	75-091/9A	9x5¾	No	$15.18	$12.50	$11.40	$9.98
C	75-607/2A	9x5¾	Yes	15.18	12.50	11.40	9.98

Optional #20 straight, zinc plated, link chain with "S" hook. For steel & rubber chocks.
75-491/1A — In 15' lengths ..... **$12.00** ea.



Double Rail Wheel Chock



Rugged Rail Chocks Stop All Movement

- **Hardened steel points bite into rails**
- **Legs adjust from 0" to 14" high**

Don't take chances. Low-cost rail wheel chocks, made of rugged steel, provide an efficient and safe means of blocking rail cars. Cars can't slide because chock's points bite into the rails. Legs adjust every 2", can accommodate flush or exposed rails. Complete with warning sign, painted on both sides.

Single Rail Chock prevents movement in one direction only.
75-646/0D—14 lbs. Net ea. **$58.98.** Ea. (lots/2) **$55.95**

Double Rail Chock prevents movement in either direction . . . consists of chock connected by chain to second chock with handle.
75-685/8D—22 lbs. Net ea. **$73.95.** Ea. (lots/3) **$69.98**



Tough Wheel Chocks Help Prevent Accidents, Avoid Wasting Productivity Dollars! (Optional Chain Above)

WE SHIP UPS WHEN POSSIBLE

IN STOCK IMMEDIATE SHIPPING



CAST HIGH-STRENGTH ALUMINUM ALLOY AND STEEL chocks utilize friction and mechanical action to prevent skidding. Rounded edges and corners—won't damage tires.

STEEL—8"W, 12"L, 8⅜"H.

Stock Number	Wt. (lbs.)	Net Each	Each (lots/6)	Each (lots/12)
75-066/1A	19	$27.98	$25.50	$22.95
ALUMINUM—8"W, 12"L, 8½"H				
75-076/0A	9	$37.88	$34.50	$30.95

MOLDED RUBBER wheel chocks give maximum traction between tires and road surfaces—resilient edges grip tire without cutting or gouging. Special virgin rubber compound (Durometer 70, Shore A) resists sun, salt, ozone, and oil. Efficient performance and easy handling.

7"Wx7½"Hx11"D for most vehicles

Stock Number	Wt. (lbs.)	Net Each	Each (lots/6)	Each (lots/12)
75-077/8A	12½	$21.99	$19.80	$17.65

Heavy-Duty Toledo Scales for Accurate Industrial Weighing

Fast, Versatile Toledo Compact Bench Scale — Ideal for UPS

Choice of capacities, increments

$772.95

U.S.D.A. Accepted

Ideal for In-Plant and Receiving

IN STOCK IMMEDIATE SHIPPING

Extremely fast, versatile bench scale . . . ideally suited for many weighing applications handled by beam scales with their slow, tedious 5-step operation. Easily readable with large figures, total weight indicated on the chart. Easy zero adjustment located on top of column, one-piece cast iron base assures rigidity. All parts are chemically treated for corrosion resistance. Finished in gray aluminum. FOB Ohio. Platform: 14½"x19½". (282¾ sq. in.) Overall H x W x D: 34⅝"x15"x25". Chart Diam: 15" at reading line.

Stk. No.	Chart	Lbs.	Net Ea.
76-046/2A	50 lb. x 1 oz.	134	$772.95
76-047/0A	100 lb. x 2 oz.	134	772.95
76-048/8A	200 lb. x 4 oz.	134	772.95

Also available in kilogram and full height scale up to 800-lb. capacity, Contact Dept. 72.



Chrome Plated Stand

Extra convenience . . . well-design stable, level stand lets you use be scale where it's most needed. Du ble chrome-plated stand, on big c ters. Wt. 30 lbs. FOB Ohio.

76-049/6D
Net each **$141.6**

Optional Anoidized Aluminum "H Wall" Pan
Stk. No. 76-050/4D—Wt. 15 lbs.
Net each $76

Beam has handy 8 oz. gradations up to 100 lbs.

•

Nationwide service! Guaranteed service and adjustment . . . at centers coast to coast!

Rugged Toledo Beam Scale Weighs Up to 1000 Lbs. . . . Moves Thru Narrow Aisles

IN STOCK IMMEDIATE SHIPPING

Rolls on phenolic non-conductive wheels

- **Easy to read—gradations on beam at eye-level**

Dependable, accurate, always available. Ideal where a dial scale is not required. Total steel construction with 19¼" x 28⅛" platform, offset steel column head, triangular beam that's easy to read without stooping. Triangular weights: two 100-lb., one 200-lb., one 500-lb. for easier use. Positive beam lock, shadow-Oproof poise for quicker reading under any lighting conditions. Overall size: 35½" long, 23" wide, 43" high. Also available in combination pound-kilogram. Contact Dept. 72.

76-009/0A—Shpg. wt. 190 lbs. Net each **$379.95**



WE SHIP UPS WHEN POSSIBLE

IN STOCK IMMEDIATE SHIPPING

Toledo Industrial Hanging Scale

Low As

$236.98

Improve "loss control" . . . and save time in weighing small parts, bar materials . . . and dozens of other items in factories and shops. Easy to use . . . can be moved from one location to another without affecting accuracy. Single revolution dial, 11¼" diam. with sharply defined figures and graduations—there's a number at every graduation. Black figures on white background, all baked enamel with other parts heavily plated. Industrial gray enamel finish. 15¼"W x 19⅞"H overall (hook, pan not incl.).

Capacity *	Stock Number	Shpg. Wt.	Net Each
30 lb. x 2 oz.	76-110/6A	20 lbs.	$236.98
60 lb. x 4 oz.	76-111/4A	20 lbs.	278.95

*Capacities to 120 lbs. and metric capacities also available. Contact Dept. 72.

Toledo Hang-Up Hydroscales with Choice of Dial Faces

Easiest, fastest method for industrial weight control . . . just hang Toledo Hydroscale on crane hook or hoist and leave it there . . . then weigh each load as it is lifted to keep production rolling. Five sizes to choose from . . . all with 20% tare adjustment. 12" diameter dial available with vertical or angle face (angle face necessary for reading from a high level). Requires no extra headroom. Easy to read dial has tempered safety glass equal in strength to plate glass, 1½" thick for maximum impact pressure. Hydroscales have safety strength factor of 5-plus . . . all guaranteed to be accurate to ¼ of 1% of maximum dial capacity. Specify: 01 vertical face or 02 angle face. 50 lbs. FOB Ohio.

Stock Number	Capacity (lbs.)	DIMENSIONS (inches) A	B	C	D	E	F	G	H	J	K	Net Each 01	02
76-010/8DX	500x1 lb.											$ 848.90	$ 888.90
76-011/6DX	1000x1 lb.											862.67	902.67
76-012/4DX	2000x5 lb.	14	12	1⅜	1	2½	6½	1⅜	¾	1	6¼	878.95	918.95
76-013/2DX	3000x5 lb.											894.88	934.88
76-014/0DX	4000x10 lb.											917.75	957.75
76-016/5DX	6000x10 lb.	24¾	12	2⅜	2	6	10⅛	2¼	1½	1¾	8⅛	1402.92	1441.90
76-017/3DX	10,000x10 lb.											1626.56	1665.95

Larger dial sizes and capacities up to 100,000 lbs. are available, contact Dept. 72.

Storage stand for Hydroscale when not in use.
76-015/7D—10 lbs. Net each **$48.95**

WE SHIP UPS WHEN POSSIBLE





Versatile Conveyor Systems—Move It for Less

- ROLLER OR SKATE WHEEL STYLES
- 3 WIDTHS . . . STRAIGHT, CURVED
- LOW-COST MECHANIZATION!
- ENGINEERED FOR EASY SET UP



Curved Skate Wheel



Curved Roller Conveyor

All Steel Conveyors Are Galvanized to Prevent Rusting!



B

Straight Roller Conveyor

BEAT INFLATION! BUY AT WHOLESALE FROM C&H

C

Straight Skate Wheel



Tripod Stand

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

F.O.B. NEW JERSEY

A

TRIPOD STAND

Adjustable stand ideal for installing gravity or support lines. FOB N.J.

Stk No.	Ht. Adj.	Lbs.	Net Ea.	Ea. (lts/6)
12" WIDTH				
76-055/3D	15-25"	8	$14.40	$13.68
76-056/1D	22-44"	12	15.60	14.82
76-057/9D	35-57"	17	18.00	16.98
76-058/7D	41-66"	18	20.45	19.42
18" WIDTH				
76-059/5D	15-25"	9	$15.60	$14.82
76-060/3D	22-44"	13	16.85	15.98
76-061/1D	35-57"	18	19.25	18.29
76-062/9D	41-66"	19	21.65	20.57
24" WIDTH				
76-063/7D	15-25"	10	$16.85	15.98
76-064/5D	22-44"	14	18.05	17.15
76-065/2D	35-57"	19	20.45	19.42
76-066/0D	41-66"	20	22.85	21.71

GUARD RAILS

For both sides of conveyors—keeps goods from toppling off! Adjustable up to 8" vertically and horizontally. Made of 7/8" tubular steel. Specify conveyor width. Sold in pairs.

Stock No.	For Conveyors	Net Ea. Pr.
76-051/2DX	All 5' sections	$40.05
76-052/0DX	All 10' sections	62.95
76-053/8DX	All 90° curves	52.65
76-054/6DX	All 45° curves	40.05

B ROLLER CONVEYORS

Ideally suited to retailing, warehousing, manufacturing, processing and almost any handling requirement . . . they even incorporate with power systems. Frames are 3x1" channel for maximum strength and resistance to deflection under loads; rollers have die-formed ends to provide a firm seat for the bearing . . . smoothly contoured to prevent damage. Rollers are 2" diameter. Steel rollers are designed for all purpose use, aluminum for lighter loads . . . steel capacity is 700 lbs. per 10' length; aluminum is 450 lbs. 12" width handles 9¾" items, 18" width for 15¾".

Stk. No.	Wid.	Center	Curve	Lbs.	Net Ea.	Ea. (lots/6)
Curved Steel Conveyors (49" O.D. RADIUS)						
76-039/7D	12"	3"	90°	48	$149.70	$141.99
76-040/5D	12"	3"	45°	24	74.85	70.98
76-041/3D	18"	3"	90°	53	136.10	129.90
76-042/1D	18"	3"	45°	27	68.05	64.65
76-144/5D	24"	3"	90°	62	131.55	124.97
76-145/2D	24"	3"	45°	31	71.45	67.88
Curved Aluminum Conveyors (49" O.D. RADIUS)						
76-027/2D	12"	3"	90°	36	$176.90	$167.99
76-028/0D	12"	3"	45°	18	88.45	83.97
76-029/8D	18"	3"	90°	44	192.80	182.95
76-030/6D	18"	3"	45°	23	96.40	91.58
76-146/0D	24"	3"	90°	50	204.15	193.94
76-147/8D	24"	3"	45°	26	102.10	96.99
Straight Steel Conveyors						
76-031/4D	12"	3"	5'	37	$ 74.00	$ 70.30
76-032/2D	12"	6"	5'	28	51.60	48.99
76-033/0D	12"	3"	10'	74	124.40	118.90
76-034/8D	12"	6"	10'	55	88.15	83.74
76-035/5D	18"	3"	5'	47	80.50	76.48
76-036/3D	18"	6"	5'	35	54.70	51.97
76-037/1D	18"	3"	10'	95	138.80	131.86
76-038/9D	18"	6"	10'	69	94.40	89.68
76-136/1D	24"	3"	5'	52	83.65	79.47
76-137/9D	24"	6"	5'	38	58.35	55.50
76-138/7D	24"	3"	10'	104	144.20	136.99
76-139/5D	24"	6"	10'	76	160.65	152.62
Straight Aluminum Conveyors						
76-019/9D	12"	3"	5'	28	$105.15	$ 99.89
76-020/7D	12"	6"	5'	20	68.45	64.99
76-021/5D	12"	3"	10'	50	181.35	171.98
76-022/3D	12"	6"	10'	35	118.05	112.88
76-023/1D	18"	3"	5'	34	112.60	106.97
76-024/9D	18"	6"	5'	25	76.40	72.58
76-025/6D	18"	3"	10'	61	194.20	184.49
76-026/4D	18"	6"	10'	45	131.80	125.81
76-140/3D	24"	3"	5'	41	118.20	112.79
76-141/1D	24"	6"	5'	31	85.20	80.94
76-142/9D	24"	3"	10'	73	203.85	193.66
76-143/7D	24"	6"	10'	56	141.05	133.99

C SKATE WHEEL CONVEYORS

Relatively light and easy to install; frames are formed and sturdily braced to withstand stresses and loads under severe operating conditions. Wheels resist rust and corrosion; ball bearing with baffle cone keeps grease in and dirt out. Hardened raceways give longer, trouble-free service. All wheels are in 3x1" channel frames. Steel capacity is 800 lbs. per 10 ft. length; aluminum is 575 lbs. Excellent operating characteristics; cartons, bags, and containers that indent slightly under their own weight tend to flow in a true path, maintaining constant relationship between items and to the conveyor.

Stk. No.	Width	Curve	Lbs.	Net Ea.	Ea. (lots/6)
Curved Steel Conveyors (49" O.D. RADIUS)					
76-097/5D	12"	90°	42	$ 93.60	$ 88.92
76-098/3D	12"	45°	21	56.80	53.96
76-099/1D	18"	90°	52	117.35	111.48
76-100/7D	18"	45°	26	70.80	66.98
76-101/5D	24"	90°	63	150.00	142.50
76-102/3D	24"	45°	31	89.35	84.88
Curved Aluminum Conveyors (49" O.D. RADIUS)					
76-079/3D	12"	90°	25	$110.05	$104.55
76-080/1D	12"	45°	12	66.30	62.99
76-081/9D	18"	90°	30	140.90	133.86
76-082/7D	18"	45°	15	84.60	80.57
76-083/5D	24"	90°	38	165.85	157.56
76-084/3D	24"	45°	19	99.20	93.98

Stk. No.	Wid.	Lgth.	*Wheels	Lbs.	Net Ea.	Ea. (lots/6)
Straight Steel Conveyors						
76-085/0D	12"	5'	10	33	$ 49.45	$ 46.98
76-086/8D	12"	5'	16	38	61.60	58.52
76-087/6D	12"	10'	10	65	88.40	83.98
76-088/4D	12"	10'	16	75	109.65	103.99
76-089/2D	18"	5'	12	39	58.95	55.96
76-090/0D	18"	5'	16	42	66.25	62.94
76-091/8D	18"	10'	12	76	105.30	99.98
76-092/6D	18"	10'	16	83	118.24	111.99
76-093/4D	24"	5'	16	47	74.55	70.82
76-094/2D	24"	5'	20	50	82.95	78.80
76-095/9D	24"	10'	16	92	133.05	126.40
76-096/7D	24"	10'	20	98	148.15	140.74
Straight Aluminum Conveyors						
76-067/8D	12"	5'	10	18	$ 60.60	$ 57.57
76-068/6D	12"	5'	16	22	75.10	71.85
76-069/4D	12"	10'	10	35	108.15	102.74
76-070/2D	12"	10'	16	43	134.25	127.54
76-071/0D	18"	5'	12	23	72.50	68.88
76-072/8D	18"	5'	16	26	81.45	77.78
76-073/6D	18"	10'	12	46	129.45	122.97
76-074/4D	18"	10'	16	51	145.30	137.98
76-075/1D	24"	5'	16	29	90.55	85.99
76-076/9D	24"	5'	20	31	100.95	95.90
76-077/7D	24"	10'	16	56	161.45	153.77
76-078/5D	24"	10'	20	60	180.10	170.99

*Wheels per foot

All sections come with hook and rod connector for easy set-up.

Tripod Conveyor Support

Medium-Duty Skate-Wheel Conveyors

- **Speed work on docks** ● **End lifting**
- **12″ sections have 8 wheels per ft.**
- **18″ sections have 12 wheels per ft.**

Steel (14-ga.) and aluminum (12-ga.) conveyors priced extra low. Steel units have corrosion-resistant galvanized frame, 2″ diam. zinc-plated grease-packed ball bearing wheels. Aluminum conveyors weigh only 32 lbs. per 10′ section—for easy one-man set-up. They have side rails and 2″ diam. ball-bearing wheels of high-strength aluminum. FOB Pa.

45° CURVE SECTIONS

Stk. No.	Width	Material	Lbs.	Net Ea.
76-116/3D	12″	Steel	13	$ 90.95
76-117/1D	18″	Steel	18	108.90
76-118/9D	12″	Aluminum	8	120.88
76-119/7D	18″	Aluminum	11	133.98

STRAIGHT SECTIONS

Stock No.	Lgth.	Width	Material	Lbs.	Net Ea.
76-120/5D	10′	12″	Steel	49	$60.95
76-121/3D	10′	18″	Steel	63	97.71
76-122/1D	5′	12″	Steel	25	37.95
76-123/9D	5′	18″	Steel	32	58.50
76-124/7D	10′	12″	Aluminum	32	103.85
76-125/4D	10′	18″	Aluminum	41	132.56
76-126/2D	5′	12″	Aluminum	16	62.90
76-127/0D	5′	18″	Aluminum	21	73.61

90° CURVE SECTIONS

Stock No.	Width	Material	Lbs.	Net Ea.
76-128/8D	12″	Steel	25	$100.93
76-129/6D	18″	Steel	35	108.95
76-130/4D	12″	Aluminum	15	120.90
76-131/2D	18″	Aluminum	20	133.71

- **Quick, easy height adjustment**
- **Extra protection against collapse**
- **Staunch, steady support in all ste**

Welded all-steel construction—safet guard crosspiece insures against co veyor slipping off. Fast, positive heig adjustment. FOB Pa.

12″ WIDTH

Stock No.	Ht.	Lbs.	Net Ea
76-132/0D	15″-26″	6	$14.9
76-133/8D	25″-45″	9	18.6

18″ WIDTH

76-134/6D	15″-26″	9	$16.9
76-135/3D	25″-45″	12	19.9

Save with Gravity Roller Conveyors

Efficient in Storeroom, Receiving, Shipping, Warehouse

NEW INDUSTRIAL QUALITY SHIPPED IN ONE WEEK



For smooth flow, allow 3 rollers per item



1500-lb. cap.

Stationary Support for Conveyor Frame

Welded frame assemble with adjustabl feet and adjustable pivot plate. Pleas specify width between rails (higher an lower supports are available, write or ca Dept. 72). FOB Mo. Shpg. wts.: 13½ 19½″, 22½″ lbs.

Stock Number	Adjustments to Top of Conveyor	Net Each
76-460/5DM	20″-26″	$20.75
76-461/3DM	24″-30″	21.74
76-462/1DM	28″-40″	23.88

Straight Section Conveyor with 250-Lb. Load Cap. Per 1.9″ Roller

Labyrinth-sealed and grease-packed bearings assure smooth flow of goods; rolled over ends provide firm bearing seat and rounded ends. Conveyor frames are 3½″ deep x 1½″ flange x 10-ga. galvanized steel channel with bolt in crossmembers, butt couplings on both ends. Rollers are 1″ less than between rail length. Larger and heavier rollers are available through 3½″ diam. and 2500-lb. capacity per roller. Rollers can be set low in a 4½″ frame at no extra charge—please specify if needed. FOB Mo.

FRAME LOAD CAPACITY	
Support Centers	Maximum Dist. Live Load Per Foot
5′	620 lbs. each
10′	135 lbs. each

CURVED SECTIONS available in 45° and 90° in taper rolls with 32½″ inside radius through 27″ between rails. For wider conveyor inner radius is 48″. Call or write Dept. 72.

Add 3″ For Overall Width

Between Rail Width	Stock Number	Roller Centers	Wt. (lbs.) For 10′	Wt. (lbs.) 5′	SPECIFY 01 Net Ea. 10′	SPECIFY 02 Net Ea. 5′
13″	76-400/1DM	3″	167	85	$149.71	$80.98
	76-401/9DM	4½″	134	70	115.90	63.50
	76-402/7DM	6″	119	60	95.80	51.48
	76-403/5DM	9″	104	53	79.66	42.65
	76-404/3DM	12″	94	48	68.50	37.66
15″	76-405/0DM	3″	180	91	$155.97	$82.99
	76-406/8DM	4½″	145	74	118.51	64.78
	76-407/6DM	6″	125	64	98.60	52.80
	76-408/4DM	9″	108	55	81.64	43.60
	76-409/2DM	12″	97	50	69.63	38.65
17″	76-410/0DM	3″	192	97	$161.88	$86.70
	76-411/8DM	4½″	153	78	122.69	66.97
	76-412/6DM	6″	131	66	101.72	54.98
	76-413/4DM	9″	112	57	83.98	45.50
	76-414/2DM	12″	100	51	71.55	38.75
19″	76-415/9DM	3″	204	103	$168.71	$90.66
	76-416/7DM	4½″	161	82	126.46	69.52
	76-417/5DM	6″	137	70	104.81	55.80
	76-418/3DM	9″	117	57	85.98	46.58
	76-419/1DM	12″	103	53	72.77	38.97
21″	76-420/9DM	3″	217	110	$172.95	$93.47
	76-421/7DM	4½″	170	86	130.68	71.68
	76-422/5DM	6″	143	73	107.64	57.82
	76-423/3DM	9″	121	62	89.56	47.46
	76-424/1DM	12″	106	54	74.50	40.55
23″	76-425/8DM	3″	229	116	$178.86	$95.96
	76-426/6DM	4½″	178	90	134.89	73.83
	76-427/4DM	6″	150	76	109.99	59.50
	76-428/2DM	9″	125	64	89.97	48.78
	76-429/0DM	12″	109	56	75.66	41.59
25″	76-430/8DM	3″	241	112	$184.82	$ 99.58
	76-431/6DM	4½″	186	99	137.98	76.63
	76-432/4DM	6″	156	79	112.93	60.79
	76-433/2DM	9″	129	66	92.40	49.40
	76-434/0DM	12″	112	57	77.43	42.59
27″	76-435/7DM	3″	254	128	$199.97	$102.86
	76-436/5DM	4½″	194	98	142.85	78.66
	76-437/3DM	6″	162	82	115.96	62.99
	76-438/1DM	9″	134	68	95.90	50.44
	76-439/9DM	12″	115	58	78.78	41.98
31″	76-440/7DM	3″	279	141	$202.88	$108.85
	76-441/5DM	4½″	211	107	149.65	82.98
	76-442/3DM	6″	174	88	122.50	65.84
	76-443/1DM	9″	142	72	97.99	51.47
	76-444/9DM	12″	122	62	81.65	43.93
33″	76-445/6DM	3″	291	147	$205.40	$111.94
	76-446/4DM	4½″	219	111	154.54	84.97
	76-447/2DM	6″	180	91	125.72	66.95
	76-448/0DM	9″	147	75	100.62	55.58
	76-449/8DM	12″	125	64	82.98	44.71
37″	76-450/6DM	3″	316	159	$216.77	$117.95
	76-451/4DM	4½″	236	119	161.96	88.96
	76-452/2DM	6″	193	98	130.90	70.90
	76-453/0DM	9″	155	79	104.99	55.80
	76-454/8DM	12″	131	67	86.56	46.76
39″	76-455/5DM	3″	328	165	$222.95	$121.50
	76-456/3DM	4½″	244	123	165.85	91.60
	76-457/1DM	6″	199	101	134.99	72.70
	76-458/9DM	9″	159	81	106.61	56.95
	76-459/7DM	12″	134	68	87.98	47.66

Odd lengths available—Contact Dept 72.

Save Time, Labor And Money . . .
Increase Overall Productivity
Industrial Heavy Duty Motorized Slider Belt Conveyor
Move/Pace Your Products with Safety

ALL STANDARD SIZES SHIPPED IN ONE WEEK

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

Shown: 4″ end drive through 50′





BED WIDTH IS THE BELT WIDTH PLUS 4″

Keep materials moving without tying up manpower! ⅓-HP, 60-cycle ball-bearing drip proof motor provides the power to keep the belt moving at a constant 65 fpm (30 fpm to 125 fpm optional, any speed available). Positive speed reduction—sealed worm gear speed reducer with "C" faced motors. Heavy-duty roller chain drives pulley. Sealed, pre-lubricated, self-aligning ball bearings of tough cast iron on drive and tail pulley. Other capacities, motors and power supply available. Refer to chart.

Horizontal conveyor belt doubles as work table for assembly, (side tables vailable) top can be used at heights from 28″ to 40″. Available in 0 standard widths and 20 standard lengths. Tough, rigid steel ame is finished in rust-resistant green enamel; comes with black riction surface slider belt. All FOB Mo.

Specify motor voltage and speed, other idths, lengths and heights available—con-act Dept. 72.

Order Higher Capacity Motors, Variable Speed and Controls Below

Stk. No.	H.P.	01-115\ 230V, 1PH	02-230/ 460V, 3PH	30FPM	65FPM	125FPM
76-104/9DD	⅓	N/C	N/C	400 lbs.	200 lbs.	100 lbs.
76-105/6DD	½	$ 29.00	$ 29.00	700 lbs.	350 lbs.	175 lbs.
76-106/4DD	¾	59.00	59.00	1240 lbs.	620 lbs.	310 lbs.
76-107/2DD	1	192.50	220.50	1600 lbs.	800 lbs.	400 lbs.

SPEED NOTES:
1) "Any" constant speed available at no charge within range of 30 to 125 FPM.
2) Infinitely variable speed with DC motor and controller available. Contact Dept. 72.
3) Mechanically variable speeds with 2½ to 1 ratio. For ⅓ to ¾ HP. Please specify low speed.

Min. Speed (FPM)	Stk. No.	Net Each
5 to 9	76-396/1DX	$206.55
10 or more	76-393/8DX	117.56

(IE) 10 FPM as the low speed with 2½ to 1 ratio would have a high speed of 25 FPM.

CONTROLS: Unmounted, not-wired, Nema 1 — Dust tight includes one push-button station.

One-Way Magnetic: For any motor and any power supply.
76-394/6D— FOB Mo. Net each **$137.00**
Reversible Magnetic: 01-1-ph. or 02-3-ph. power supply.
76-395/3DX— Specify ph. and no. Net Ea. 01-**$358.60**, 02-**$262.93**

Prices for "Complete" Conveyor Including Basic ⅓-HP Drive, 12-Ga. Frame Constant One-Way Speed

Bed Lgth. "L"	Drive Pulley Take-Up Overall Length	Belt Widths 6″	8″	10″	12″	14″	Bed Lgth. "L"	Belt Widths 16″	18″	20″	24″	30″
5′	4″ Diam. Drive Pulley, End Take-Up Add 1′ for overall length	76-193/2DD 239 lbs. $814.70	76-194/0DD 252 lbs. $836.44	76-195/7DD 262 lbs. $854.90	76-196/5DD 272 lbs. $871.94	76-197/3DD 282 lbs. $888.58	5′	76-198/1DD 305 lbs. $915.50	76-199/9DD 315 lbs. $936.60	76-200/5DD 343 lbs. $955.70	76-201/3DD 366 lbs. $1000.61	76-202/1DD 389 lbs. $1054.98
10′		76-203/9DD 271 lbs. $889.69	76-204/7DD 286 lbs. $924.50	76-205/4DD 300 lbs. $948.48	76-206/2DD 314 lbs. $973.99	76-207/0DD 328 lbs. $1001.73	10′	76-208/8DD 368 lbs. $1145.66	76-209/6DD 382 lbs. $1069.40	76-210/4DD 397 lbs. $1100.45	76-211/2DD 422 lbs. $1122.65	76-212/0DD 447 lbs. $1250.78
15′		76-213/8DD 324 lbs. $963.95	76-214/6DD 343 lbs. $1004.93	76-215/3DD 362 lbs. $1037.60	76-216/1DD 380 lbs. $1068.55	76-217/9DD 398 lbs. $1110.44	15′	76-218/7DD 456 lbs. $1165.84	76-219/5DD 475 lbs. $1203.62	76-220/3DD 494 lbs. $1246.89	76-221/1DD 528 lbs. $1287.94	76-222/9DD 562 lbs. $1448.72
20′		76-223/7DD 354 lbs. $1038.50	76-224/5DD 377 lbs. $1090.47	76-225/2DD 400 lbs. $1134.64	76-226/0DD 422 lbs. $1168.96	76-227/8DD 444 lbs. $1221.48	20′	76-228/6DD 519 lbs. $1288.95	76-229/4DD 542 lbs. $1339.92	76-230/2DD 565 lbs. $1401.92	76-231/0DD 607 lbs. $1457.66	76-232/8DD 649 lbs. $1641.82
25′		76-233/6DD 406 lbs. $1114.88	76-234/4DD 424 lbs. $1139.50	76-235/1DD 461 lbs. $1223.59	76-236/9DD 488 lbs. $1271.56	76-237/7DD 514 lbs. $1326.76	25′	76-238/5DD 607 lbs. $1413.75	76-239/3DD 635 lbs. $1471.94	76-240/1DD 662 lbs. $1532.96	76-241/9DD 713 lbs. $1620.74	76-242/7DD 764 lbs. $1846.96
30′		76-243/5DD 436 lbs. $1191.42	76-244/3DD 468 lbs. $1257.98	76-245/0DD 499 lbs. $1313.45	76-246/8DD 530 lbs. $1369.68	76-247/6DD 560 lbs. $1435.60	30′	76-248/4DD 670 lbs. $1538.65	76-249/2DD 702 lbs. $1606.72	76-250/0DD 733 lbs. $1680.64	76-251/8DD 792 lbs. $1783.81	76-252/6DD 851 lbs. $2049.84
35′		76-253/4DD 488 lbs. $1265.68	76-254/2DD 525 lbs. $1345.62	76-255/9DD 560 lbs. $1405.56	76-256/7DD 596 lbs. $1469.92	76-257/5DD 630 lbs. $1547.52	35′	76-258/3DD 758 lbs. $1660.67	76-259/1DD 795 lbs. $1742.76	76-260/9DD 830 lbs. $1823.74	76-261/7DD 898 lbs. $1948.96	76-262/5DD 966 lbs. $2246.40
40′		76-263/3DD 519 lbs. $1339.95	76-264/1DD 559 lbs. $1429.93	76-265/8DD 599 lbs. $1499.68	76-266/6DD 638 lbs. $1568.50	76-267/4DD 677 lbs. $1656.90	40′	76-268/2DD 821 lbs. $1787.85	76-269/0DD 862 lbs. $1879.50	76-270/8DD 901 lbs. $1968.72	76-271/6DD 977 lbs. $2112.70	76-272/4DD 1053 lbs. $2447.60
45′		76-273/2DD 570 lbs. $1413.50	76-274/0DD 616 lbs. $1512.90	76-275/7DD 660 lbs. $1592.95	76-276/5DD 704 lbs. $1666.88	76-277/3DD 747 lbs. $1766.96	45′	76-278/1DD 909 lbs. $1913.60	76-279/9DD 955 lbs. $2011.65	76-280/7DD 998 lbs. $2112.56	76-281/5DD 1083 lbs. $2277.46	76-282/3DD 1168 lbs. $2647.84
50′		76-283/1DD 605 lbs. $1487.62	76-284/9DD 655 lbs. $1633.99	76-285/6DD 704 lbs. $1682.72	76-286/4DD 753 lbs. $1768.95	76-287/2DD 801 lbs. $1876.99	50′	76-288/0DD 982 lbs. $2036.74	76-289/8DD 1032 lbs. $2146.56	76-290/6DD 1081 lbs. $2256.75	76-291/4DD 1176 lbs. $2439.80	76-292/2DD 1271 lbs. $2845.90
55′	8″ Diam. Drive Pulley, Center Take-Up Add 2′ for overall length	76-293/0DD 652 lbs. $1857.92	76-294/8DD 712 lbs. $1976.83	76-295/5DD 795 lbs. $2069.95	76-296/3DD 819 lbs. $2187.61	76-297/1DD 871 lbs. $2302.98	55′	76-298/9DD 1070 lbs. $2483.52	76-299/7DD 1125 lbs. $2640.58	76-300/3DD 1178 lbs. $2763.66	76-301/1DD 1282 lbs. $2981.68	76-302/9DD 1386 lb.s $3336.87
60′		76-303/7DD 688 lbs. $1934.40	76-304/5DD 746 lbs. $2060.90	76-305/2DD 804 lbs. $2158.00	76-306/0DD 861 lbs. $2289.66	76-307/8DD 918 lbs. $2422.70	60′	76-308/6DD 1133 lbs. $2607.95	76-309/4DD 1192 lbs. $2775.55	76-310/2DD 1249 lbs. $2902.98	76-311/0DD 1351 lbs. $3146.00	76-312/8DD 1453 lbs. $3450.96
65′		76-313/6DD 734 lbs. $2008.97	76-314/4DD 803 lbs. $2148.64	76-315/1DD 865 lbs. $2255.50	76-316/9DD 927 lbs. $2389.50	76-317/7DD 988 lbs. $2528.90	65′	76-318/5DD 1221 lbs. $2730.92	76-319/3DD 1285 lbs. $2913.66	76-320/1DD 1346 lbs. $3048.65	76-321/9DD 1457 lbs. $3312.40	76-322/7DD 1568 lbs. $3848.00
70′		76-323/5DD 772 lbs. $2080.00	76-324/3DD 839 lbs. $2231.84	76-325/0DD 905 lbs. $2347.85	76-326/8DD 971 lbs. $2485.96	76-327/6DD 1036 lbs. $2632.98	70′	76-328/4DD 1287 lbs. $2856.54	76-329/2DD 1364 lbs. $3047.90	76-330/0DD 1420 lbs. $3196.96	76-331/8DD 1549 lbs. $3477.76	76-332/6DD 1678 lbs. $4047.68
75′		76-333/4DD 816 lbs. $2156.54	76-334/2DD 896 lbs. $2318.70	76-335/9DD 966 lbs. $2436.80	76-336/7DD 1037 lbs. $2586.97	76-337/5DD 1106 lbs. $2635.88	75′	76-338/3DD 1375 lbs. $2982.72	76-339/1DD 1457 lbs. $3181.90	76-340/9DD 1517 lbs. $3339.85	76-341/7DD 1655 lbs. $3640.83	76-342/5DD 1793 lbs. $4247.88
80′		76-343/3DD 855 lbs. $2251.84	76-344/1DD 930 lbs. $2401.86	76-345/8DD 1005 lbs. $2529.83	76-346/6DD 1079 lbs. $2687.98	76-347/4DD 1153 lbs. $2855.42	80′	76-348/2DD 1438 lbs. $3104.91	76-349/0DD 1514 lbs. $3314.48	76-350/8DD 1588 lbs. $3484.42	76-351/6DD 1734 lbs. $3804.93	76-352/4DD 1880 lbs. $4449.54
85′		76-353/2DD 898 lbs. $2302.96	76-354/0DD 987 lbs. $2484.56	76-355/7DD 1066 lbs. $2621.91	76-356/5DD 1145 lbs. $2786.65	76-357/3DD 1223 lbs. $2964.98	85′	76-358/1DD 1526 lbs. $3232.49	76-359/9DD 1607 lbs. $3448.64	76-360/7DD 1685 lbs. $3626.41	76-361/5DD 1840 lbs. $3969.51	76-362/3DD 1995 lbs. $4645.68
90′		76-363/1DD 937 lbs. $2381.60	76-364/9DD 1021 lbs. $2571.43	76-365/6DD 1104 lbs. $2717.52	76-366/4DD 1187 lbs. $2885.38	76-367/2DD 1269 lbs. $3073.96	90′	76-368/0DD 1589 lbs. $3352.41	76-369/8DD 1673 lbs. $3587.58	76-370/6DD 1756 lbs. $3771.74	76-371/4DD 1920 lbs. $4140.00	76-372/2DD 2084 lbs. $4842.91
95′		76-373/0DD 980 lbs. $2456.62	76-374/8DD 1078 lbs. $2656.89	76-375/5DD 1165 lbs. $2806.70	76-376/3DD 1253 lbs. $2986.50	76-377/1DD 1339 lbs. $3182.40	95′	76-378/9DD 1677 lbs. $3477.76	76-379/7DD 1766 lbs. $3717.53	76-380/5DD 1853 lbs. $3915.60	76-381/3DD 2026 lbs. $4301.99	76-382/1DD 2199 lbs. $5045.98
100′		76-383/9DD 1020 lbs. $2530.89	76-384/7DD 1112 lbs. $2744.49	76-385/4DD 1204 lbs. $2899.52	76-386/2DD 1295 lbs. $3084.92	76-387/0DD 1386 lbs. $3293.63	100′	76-388/8DD 1740 lbs. $3603.90	76-389/6DD 1833 lbs. $3854.97	76-390/4DD 1924 lbs. $4062.57	76-391/2DD 2105 lbs. $4463.68	76-392/0DD 2286 lbs. $5243.58

R-L PRO LINE MARKER SAVES YOU TIME AND LABOR!

C/H MEETS OSHA REQUIREMENTS

WE SHIP UPS WHEN POSSIBLE

FOR ORDERS ONLY Phone Toll Free 800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250



CONVERSION KIT . . . changes hand pump unit to gas pressure operation



Easier to clean . . . big open top tank



Exclusive no-drip nozzle tip shut-off . . . no messy line endings

As Low As $174.98

4" spray paint box

- Fast, easy line painting
- For turf or concrete
- For Asphalt or floors

AN OUTSTANDING VALUE A REAL MONEY-SAVER!

Ruggedly built, simple to operate . . . perfect for applying traffic lanes, parking lines, field markings, aisle boundaries. Wide tubular steel handle affords a firm two-hand grip, easy operation and guidance . . . husky, heavy-duty wheels for easy handling on rough surfaces. Built to last—strong 1″x1″ all-welded angle iron frame and axle assembly. Do your own striping and save! Holds 2½ gal. paint. Good for approximately 1200 ft. 29 lbs. FOB Mich.

74-627/1D—Each **$182.95**. Ea. (lots/3) **$174.98**

CO² CONVERSION KIT—Kit contains filled 5 lb. CO^2 cylinder, mount, pressure regulator, fittings, hoses. Does not include striper.

74-013/4D—Shpg. wt. 15 lbs. Net each **$128.95**

Low-Cost Stripe-A-Line Cuts Maintenance Time

Only **$76.95**

IN STOCK IMMEDIATE SHIPPING



One-hand operation

Easy to use, lightweight machine

Stripe pavement, soil, gravel or grass easily, quickly . . . simply drop aerosol can into position, pull trigger . . . and set off in any direction. When aerosol can is used, simply remove and replace. No clean-up, no mess. Machine holds four extra cans while one is being used. Paints a stripe 2″ to 3″ wide. Easy to use, lets you do a professional job the first time, saves time and labor. Machine is 26″ long, 10″ wide, with a 4′ handle.

74-081/1A—Wt. 21 lbs. Net each **$76.95**

STRIPING PAINT IN CHOICE OF 4 COLORS

Economical, long lasting — highly pigmented, fast drying paint in vivid colors. 18-oz. aerosol can (20.2 fl. oz.). Each can lays a 3″ wide stripe approx. 2500′ long. Excellent adhesion to most surfaces including concrete, asphalt, gravel, soil, grass, and metal. Colors: 09 yellow, 30 white, 06 orange, 29 black. Specify color number-and-name. Sold in cases of 12 cans only.

74-102/5AAP—Wt. 18 lbs. Net ea. case **$52.95**



LOW-COST

Florline Rollers

With 2-6″ roller width
4 CONVENIENT SIZES



¾ gal. 1½ gal. 2½ gal. 5 gal

C/H MEETS OSHA REQUIREMENTS

WE SHIP UPS WHEN POSSIBLE

Makes clean, superior quality lines on cement, asphalt, wood, grass, etc.! Two exclusive features make it unique: multiple feed—gravity feeds paint directly thru self-cleaning multiple brass valves onto sturdy long-life roller. Lines come out smooth, sharp—do not tear! Roller application—it's a one-hand, one-man operation! Trigger handle permits operator to control flow—make straight, curved, continuous lines . . . or skip a line. Rolls paint on at walking speed—get within ½″ of any barrier. Easy to clean; paint is sealed in container, can't spill. Roller width: 02-2″, 03-3″, 04-4″, 05-5″, and 06-6″ (add $20 for 5″ and 6″). FOB Mich. Specify width desired.

Stock No.	Capacity	Wheels	Shpg. Wt.	Net Ea.
74-117/3DM	¾-gal.	none	20 lbs.	$155.90
74-118/1DM	¾-gal.	6x1½″, rubber	27 lbs.	180.95
74-119/9DM	1½-gal.	7x1½″, rubber	32 lbs.	235.96
74-120/7DM	2½-gal.	7x1½″, rubber	34 lbs.	266.75
74-121/5DM	5-gal.	5x1½″, 10x1¾″	44 lbs.	309.92

Extra Rollers for above units. Roller widths: 02-2″, 03-3″, 04-4″, 05-5″, 06-6″ (add $2.50 ea. for 5″ and 6″). FOB Mich.

74-613/1DM—Net each **$7.50**

CONVERSION KIT—for different line width. Includes spacers, roller, follower brush, brass needle seats or plugs. Specify roller size.

74-058/9DM—02-2″, 03-3″, 04-4″ **$13.95**
05-5″ **17.90**
06-6″ **20.95**



SAVE NOW

Our Best All-Purpose Line Striper Is A Real Buy

- Easy recoil starter
- Briggs & Stratton 5-HP engine



C/H MEETS OSHA REQUIREMENTS

Reduces maintenance costs, lets you paint indoors or out at your convenience—not the contractor's! Extra lengths of air and fluid hoses allow you to spray-paint equipment, buildings, hard-to-reach places. Two-cylinder single-stage air compressor has 8.8 CFM displacement, pressure-regulated 3-gal. paint tank opens quickly with wing nuts. Binks 69 spray gun has high-capacity nozzle, gun detaches for hand spraying, 6′ hose for painting curbs, stencils. Operates at 70 PSI, an air pressure sufficient to atomize paint without thinning. Traffic paint may be used—no need to use special concentrates or diluted paint. 31″x24″x38″ unit, 10″x2.75″ zero pressure ball-bearing front wheels, external mix air nozzle, siphon-type quart gun.

74-713/9D—Shpg. wt. 130 lbs. FOB Iowa. Net each **$1080.95**

HIGH-CAPACITY E-Z LINER is same but has 7½-gal. paint tank, two 10″x3.50″ pneumatic wheels, adjustable handle, 30″x48″x36″ size.

74-716/2D—Shpg. wt. 180 lbs. FOB Iowa. Net each **$1280.90**

Extra Storage—Without High Building Costs





Shown: Building with 91-style overhead door



Tubular frame saves time!

Industrial All-Steel Structure with Strong Tubular Frame

- Safety-built—windproof, weatherproof
- Fast field assembly—no trimming panels
- Durable finish—guaranteed 10 years!

Ideal for outdoor equipment and material storage. Strong, windproof, weatherproof construction consists of 2"x2" galvanized tubular steel frame and ribbed 26-ga. galvanized steel walls and roof. Two-coat, modified silicone paint is guaranteed for 10 years. Fast, easy assembly—all walls are 8' high. Includes all hardware and trim. Doors: 90 style is 3'x6'8", 18-ga. steel walk-in door, 91 style is 9'Wx7'H steel sectional overhead door. Colors: 30 white, 27 gray, 23 tan, 02 red, 12 marine green. Specify both color and door style numbers (specify location of 90 style door). FOB Pa.

Stk. No.	W x D	Lbs.	Net Each	Stk. No.	W x D	Lbs.	Net Each
45-090/8DD	9'9"x17'	1507	$1848.00	45-098/1DD	17'x17'	2221	$2528.00
45-091/6DD	9'9"x24'2"	1988	2251.00	45-099/9DD	17'x24'2"	2867	3036.00
45-092/4DD	9'9"x31'5"	2468	2684.00	45-100/5DD	17'x31'5"	3512	3592.00
45-093/2DD	9'9"x41'	2949	3304.00	45-101/3DD	17'x41'	4158	4387.00
45-094/0DD	12'2"x17'	1860	2163.00	45-102/1DD	19'5"x17'	2536	2621.00
45-095/7DD	12'2"x24'2"	2450	2533.00	45-103/9DD	19'5"x24'2"	3286	3155.00
45-096/5DD	12'2"x31'5"	3039	3025.00	45-104/7DD	19'5"x31'5"	4036	3742.00
45-097/3DD	12'2"x41'	3629	3724.00	45-105/4DD	19'5"x41'	4786	4589.00

45-106/2DD—Additional 3'x6'8" walk-in steel door. Specify color, location. 199 lbs. Net ea. $288.00

NCHOR KIT
ro anchors, 32'
ble, clamp. Fits
-834/9D—
. ..... $16.00



All Steel Buildings Offer Protected Storage for Equipment and Supplies

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

- Easy to assemble
- Extra rigid, weatherproof

A **FULL-HEIGHT GAMBREL ROOF BUILDING** with double doors and ramp to accommodate big equipment. Three sizes—all 6'7" high. Attractive anywhere! Weathertight protection. Protect valuable equipment and supplies from the weather, and from thievery—without building expensive additions or doing any remodeling. All steel 22-gauge frame with a roof load capacity of 40 lbs. per square foot. Electro-galvanized all-steel roof and wall panels—panels are deeply ridged and formed for added sturdiness. Roof and wall panels interlock for weathertightness! Heavy-gauge hot-dipped galvanized steel framing kit for extra rigidity and no leaks. Wide doors take big equipment — heavy-gauge steel ramp supports the weight. Satin green finish with white roof and trim. FOB Ohio.

Stk. No.	Size	W x D	Door	Lbs.	List	Each
45-848/9D	10'x6'	9'2"x5'10"	53x58	203	$199.69	$173.25
45-846/3D	10'x9'	9'2"x8'4"	53"x58"	240	235.40	216.70
45-847/1D	15'x9'	14'2"x8'4"	72"x61"	315	338.88	301.65

B **EXTRA-LARGE BUILDING** with all the quality construction features of building above plus "V" roof, two or three doors. All sizes are 6'7" high, 9'2" wide; all doors are 53" wide, 61" high. Hot dipped galvanized steel framing for long life, satin white finish with green door trim for lasting good looks. FOB Ohio.

Stk. No.	Size	Doors	Int. Depth	Lbs.	Net Ea.
45-596/4D	10'x15'	Two	15'10"	380	$325.50
45-597/2D	10'x17'	Two	18'x4"	410	358.50
45-598/0D	10'x25'	Three	25'	585	515.50
45-599/8D	10'x28'	Three	26'8"	635	547.50



Does the job of a concrete barrier—yet weighs 1/10th of concrete

Steel barriers are easy for one man to carry and install!

Shock-Resistant Steel Parking Barriers In Your Choice of 5 Colors—at Big Savings

Hi-tensil shock-resisting steel to withstand the impact of the heaviest passenger car. Yet each weighs only 27 lbs. as compared to approximately 285 lbs. in concrete. One man can install these without special lifting equipment—installation costs are reduced as much as 60%! Galvanized sure-lok pins insure a permanent grip. Each is 5x12x77"—ideal for drive-ins, restaurants, shopping centers, sports arenas, schools. Baked-on epoxy finish. Colors: 09 yellow, 02 red, 30 white, 18 blue, 12 green. FOB Ill. Specify color number and name. Sold only in lots of 5. Shpg. wt. 135 lbs. per carton.

75-103/2DAL—Net ea. (lots/5) $25.25

Each (lots/20) $23.68. Each (lots/50) **$21.88**

Safety Mirrors *See Around* Corners . . . Control Traffic, Shoplifting



WE SHIP UPS WHEN POSSIBLE

C&H MEETS OSHA REQUIREMENTS

Low As $17.36

Easy positioning . . . with ball and socket swivel assembly!

Convex Mirrors Come in Low-Cost GLASS or Safe UNBREAKABLE PLEXIGLASS

WE SHIP UPS WHEN POSSIBLE

Low As $42.79

- Warehouses, shops
- Food processors
- Intersections
- For supermarkets
- Department stores

Shatterproof!


RUBBER FRAME
WEATHERPROOF ALUMINUM BACK
BALL & SOCKET SWIVEL BRACKET
TEMPERED GLASS MIRROR
STANDING BRACKET USED ON ALL UNITS EXCEPT 18" DIAM. WHICH HAS ITS OWN SMALLER BRACKET FOR ATTACHMENT TO WALL.

C&H MEETS OSHA REQUIREMENTS

Low As $48.84

COMPLY WITH OSHA . . . PREVENT ACCIDENTS STOP THEFT . . . REDUCE YOUR INSURANCE

Protect Employees, Equipment, Merchandise! Make Sure Intersections, Loading Platforms, Entrances, Exits, Blind Corners Are Protected with Safety Mirrors! Be Sure Your Store Is Protected from Vandals and Theft.

A ROUND CONVEX MIRRORS IN GLASS, PLEXIGLASS

Choose low-cost glass as an inexpensive way to prevent accidents at dangerous intersections . . . discourage pilferage in plant or stores . . . choose unbreakable plexiglass for code conformity in food processing plants, institutions, or other situations where glass might prove hazardous. Plexiglass is unbreakable under normal conditions. Both boast ball and socket swivel assembly on back to adjust mirror to any viewing angle. Outdoor models have rubber frames with waterproof backs. Mounting hardware included. FOB NJ.

GLASS MIRRORS reflect a clear, bright image

		INDOOR-TYPE				OUTDOOR-TYPE			
Mirror Diam.	Wt. (lbs.)	Stock Number	List Price	Each	Each (lots/3)	Stock Number	List Price	Each	Each (lots/3
13"	7	46-085/7D	$21.10	$18.52	$17.36	46-090/7D	$29.35	$24.90	$23.64
18"	8	46-086/5D	36.85	31.84	30.10	46-091/5D	45.75	40.45	38.42
26"	10	46-087/3D	53.40	46.29	43.87	46-092/3D	68.00	57.55	54.66
30"	15	46-088/1D	80.10	68.78	65.26	46-093/1D	90.30	74.11	70.38
36"	20	46-089/9D	97.90	83.79	79.63	46-094/9D	117.00	99.87	94.74

PLEXIGLASS MIRRORS are lightweight, virtually unbreakable

		INDOOR-TYPE				OUTDOOR-TYPE			
Mirror Diam.	Wt. (lbs.)	Stock Number	List Price	Each	Each (lots/3)	Stock Number	List Price	Each	Each (lots/3
13"	7	46-075/8D	$24.90	$21.96	$20.79	46-080/8D	$32.00	$28.42	$27.11
18"	8	46-076/6D	40.00	34.71	33.00	46-081/6D	48.90	42.80	40.53
26"	16	46-077/4D	62.30	55.33	52.62	46-082/4D	75.65	65.26	62.06
30"	18	46-078/2D	97.90	87.90	83.58	46-083/2D	114.75	98.28	92.66
36"	29	46-079/0D	115.70	102.63	98.16	46-084/0D	129.00	109.63	104.08

B RECTANGULAR INDOOR MIRROR

Solve low-ceiling space problems . . . without sacrificing the convenience of wide-angle mirror protection. This convex glass mirror covers a wide area, but reflects an undistorted clear image to make policing traffic and pilfers an accurate business. Comes complete with mounting hardware. FOB N.J.

Stock Number	Mirror Size	Shpg. Wt.	List Price	Each	Each (lots/3
46-095/6D	15" x 24"	13 lbs.	$53.40	$45.15	$42.79
46-096/4D	20" x 30"	18 lbs.	97.90	76.02	72.61

C TEMPERED TRAFFIC SAFETY MIRRORS

For indoor or outdoor locations where danger from vandalism presents a problem or danger lurks just around a corner! Swivel assembly back adjusts to any angle. Withstands terrific punishment. Mounting brackets included. FOB New Jersey.

Stock No.	Type-Size	Lbs.	List	Each	Ea. (lots/3)
CONVEX TEMPERED MIRRORS					
46-159/0D	Circular, 18" diam.	11	$ 64.05	$ 52.52	$48.84
46-160/8D	Circular, 26" diam.	19	106.80	85.50	81.05
46-161/6D	Circular, 30" diam.	24	124.60	97.72	91.70
46-162/4D	Rectang., 15x24"	15	106.80	85.50	81.05
46-163/2D	Rectang., 20x30"	21	142.40	109.87	103.83
FLAT TEMPERED MIRRORS					
46-164/0D	Circular, 18" diam.	11	$ 64.05	$52.52	$48.84
46-165/7D	Circular, 26" diam.	19	106.80	85.50	81.05
46-166/5D	Circular, 30" diam.	24	124.60	97.72	91.70
46-167/3D	Rectang., 15x24"	15	106.80	85.50	81.05
46-168/1D	Rectang., 20x30"	21	142.40	109.87	103.83

WE SHIP UPS WHEN POSSIBLE

Steel Framed Porta-Bench Ladder Stands Safe, Steady

As Low As $38.38

- **Complies with CFR 1910.29**

Handy portable ladder for high stocking, reaching, warehousing, etc. A-frame ladder folds flat for storage, stands by itself. Well-balanced strong 14-gauge steel angle frame has 20" wide solid wood non-conductive steps, ¾" thick. Each step is 7" deep for maximum safety. Wood safety feet; 23" wide base. Shpd. KD. FOB Mich.

STRONG 14-GA. STEEL ANGLE FRAME—20" wide step, 23" wide base

Stock Number	No. of Steps	Ht.	Shpg. Wt.	Net Each	Each (lots/3)	Each (lots/6)
73-695/9D	2	20"	17 lbs.	$42.49	$40.79	$38.38
73-696/7D	3	30"	24 lbs.	54.54	52.36	49.22
73-697/5D	4	40"	30 lbs.	75.41	72.39	69.49

olorful Heavy Duty Compliance Signs Meet OSHA Specs

C&H MEETS OSHA REQUIREMENTS

Implement a Common Sense Safety Program with the Use of Low-Cost Signs

STANDARD SIZE: 10" x 14" . . . OF HEAVY-DUTY .062 (1/16") HIGH-IMPACT PLASTIC . . . RESISTANT TO RUST, WEATHERING, TEARING, FADING, DENTING, CHIPPING, FLAKING, TEMPERATURE, CHEMICALS, ELECTRICAL CONDUCTIVITY, MAGNETISM AND RADIATION. NO SHARP EDGES OR CORNERS. PRE-DRILLED FOR MOUNTING.

Be Sure to Specify Stock Number, Sign Number, and Wording when Ordering

ALL SIGNS FOB ILL.

WE SHIP UPS WHEN POSSIBLE

Your Choice

$3.46 each

Minimum Order $15

Quantity discounts available—write us

PLANT AREA PROTECTION

Specify	Sign Wording	OSHA 1910.145 (c)
01	Caution/Chain Cylinders Upright and Cap	
02	Caution/Store Oxygen at Least 20' Away from Acetylene	
03	Caution/Floor Load Capacity—Lbs. per Sq. Ft.	
04	Caution/Maximum Load—Lbs.	
05	Caution/Use Handrail	
06	Caution/Wheels Must Be Chocked When Loading or Unloading	
07	Caution/Watch Your Step	
08	Notice/Keep This Area Clean	
09	Notice/Wash Hands Before Returning to Work	

46-733/2DX—Net each $3.46

EAR, FOOT, HAND PROTECTION

Specify	Sign Wording	OSHA 1910.132
01	Caution/Hearing Protection Required	
02	Caution/Wear Safety Shoes in This Area	
03	Caution/Wear Gloves	

46-736/5DX—Net each $3.46

INFORMATION with ARROWS

Be sure to specify 90 for right hand arrow, 91 for left hand arrow, 92 no arrow.

Stk. No.	Sign Wording	Net Ea.
46-743/1DX	Office	$3.46
46-744/9DX	Employment Office	$3.46
46-745/6DX	Shipping and Receiving	$3.46
46-746/4DX	Parts Department	$3.46
46-747/2DX	Service Department	$3.46
46-748/0DX	Reserved Parking	$3.46
46-751/4DX	Visitor Parking Only	$3.46
46-752/2DX	Customer Parking	$3.46
46-753/0DX	Parking	$3.46
46-754/8DX	No Parking	$3.46
46-722/5DX	No Parking—Fire Lane	$3.46
46-755/5DX	Employee Parking	$3.46
46-756/3DX	Loading Zone	$3.46
46-757/1DX	No Parking in Driveway	$3.46

MORE INFORMATION SIGNS

Specify	Sign Wording
01	OSHA Poster (mandatory govt. information, must be displayed in time clock area
02	Tow Away Zone
03	Unauthorized Vehicles Will Be Towed Away at Owner's Expense
04	Visitors Please Register in Office
05	Metric Conversion Table
06	New Federal Safety Regulation Prohibits Customers from Waiting in Our Service Area. Please Wait in Showroom or Lounge

46-735/7DX—Net each $3.46

HEAD PROTECTION

Specify	Sign Wording	OSHA 1910.135
01	Caution/Low Headroom	
02	Caution/Overhead Conveyor	
03	Caution/Keep from Under Crane Load	
04	Caution/High Scaffolding	
05	Caution/Hard Hat Protection Required	
06	Danger/Hard Hat Area	
07	Danger/Crane Overhead	
08	Danger/Falling Material	
09	Danger/Men Working Above	

46-737/3DX—Net each $3.46

THINK HEADINGS

Specify	Sign Wording
01	A Fire Today—No Job Tomorrow
02	Our Aim—No Accident
03	Report All Unsafe Conditions to Your Foreman
04	Do Not Lift More Than You Are Able
05	Walk, Don't Run
06	The Safeway is the Best Way
07	Make Every Move A Safe One
08	Keep This Plant Safe and Clean

46-721/7DX—Net each $3.46

FACE & LUNG PROTECTION

Specify	Sign Wording	OSHA 1910. 134
01	Caution/Wear Your Respirator	
02	Caution/Do Not Operate Without Face Mask	
03	Caution/Face Mask Must Be Worn in Spray Booth	
04	Danger/Caustic	
05	Danger/Hot	
06	Caution/Corrosive Materials Wear Required	
07	Danger/Acid	
08	Danger/Poison	

46-738/1DX—Net each $3.46

EYE PROTECTION

Specify	Sign Wording	OSHA 1910.133
01	Caution/Do Not Operate Without Safety Glasses	
02	Caution/Safety Glasses Must Be Worn At All Times	
03	Caution/Do Not Watch Arc	
04	Caution/Do Not Operate Without Face Mask	
05	Caution/Wear Eye Protection	
06	Danger/Caustic	
07	Danger/Acid	
08	Caution/Safety Glasses Must Be Worn Beyond This Point	

46-739/9DX—Net each $3.46

FIRST AID

Specify	Sign Wording	OSHA 1910.151 (B&C)
01	Notice/Report All Injuries to Supervisor	
02	First Aid Station	
03	First Aid Station/Rt. Arrow	
04	First Aid Station/Lt. Arrow	
05	First Aid Station in Office	
06	First Aid Station in Personnel Room	
07	Notice/Eye Wash	
08	Emergency First Aid—Burns, Shock, Wounds, etc. (pictoral)	
09	Emergency Choking Maneuvers (pictoral)	
10	Emergency Artificial Respiration (pictoral)	

46-726/6DX—Net each $3.46

FIRE INFORMATION

Specify	Sign Wording	OSHA 1910.157
01	Keep Storage 36" Below Sprinkler	
02	Caution/Not for Use on Electrical Fires	
03	Notice/Main Gas Cut Off	
04	Notice/Main Power Cut Off	
05	Storage—Not an Exit	

46-725/8DX—Net each $3.46

NO SMOKING AREAS

Specify	Sign Wording	OSHA 1910.177 (G)
01	No Smoking	
02	Smoking Permitted	
03	No Smoking Beyond This Point	
04	Caution/No Smoking Beyond This Point	
05	Caution/Oxygen—No Smoking—No Open Flame	
06	Danger/No Smoking	
07	Danger/Flammable Materials	
08	Danger/No Smoking Beyond This Point	
09	Caution/No Smoking—Stop Your Motor	
10	Danger/Gasoline	
11	Danger/Explosives	

46-727/4DX—Net each $3.46

RESTRICTED AREAS

Specify	Sign Wording	OSHA 1910.145 (C)
01	Notice/Authorized Personnel Only	
02	Notice/Employees Only	
03	Notice/No Trespassing	
04	Notice/Private Grounds—Keep Out	
05	Notice/Keep This Door Closed	
06	Caution/Hazardous Area—Authorized Personnel Only	
07	Caution/No Admittance	
08	Caution/Restricted Area	
09	Danger/Keep Out	
10	Danger/Watch Dog on Patrol	
11	Danger/No Trespassing	
12	Danger/Men Working	

46-729/0DX—Net each $3.46

MACHINERY

Specify	Sign Wording	OSHA 1910.145 (A)
01	Caution/Do Not Operate Without Guard	
02	Caution/Replace Guard Before Using	
03	Caution/This Machine Starts Automatically	
04	Caution/Do Not Talk to Operator	
05	Caution/Do Not Operate—Machine Under Repair	
06	Caution/Stop Machinery to Clean, Oil, Repair	
07	Caution/Pull Switch Before Leaving This Machine	
08	Caution/Do Not Touch Switches	
09	Caution/Hands Off	

46-730/8DX—Net each $3.46

ELECTRICAL PROTECTION

Specify	Sign Wording	OSHA 1910.145 (C)
01	Caution/High Voltage	
02	Caution/Do Not Touch Switches	
03	Caution/Not for Use on Electrical Fires	
04	Caution/Buried Cable	
05	Notice/Main Power Cut Off	
06	Danger/High Voltage	
07	Danger/High Voltage Overhead	
08	Danger/Electric Fence	

(RED AND BLACK ON WHITE)

46-731/6DX—Net each $3.46

PLANT TRAFFIC

Specify	Sign Wording	OSHA 1910.145 (C)
01	Danger/Look Out for Trucks	
02	Caution/Watch Out for Fork Lift Trucks	
03	Caution/Stop—Beep Horn—Proceed With Caution	
04	Caution/Watch Out for Trucks	
05	Caution/Fork Lift Trucks—Go Slow	
06	Caution/Go Slow	
07	Caution/Close Clearance	
08	Caution/No Overhead Clearance	
09	Caution/Slippery Floor	
10	Caution/Keep This Area Clear	
11	Caution—Keep Aisles Clear	
12	Women (pictoral)	
13	Men (pictoral)	
14	Rest Room (Rt. Arrow)	
15	Rest Room (Lft. Arrow)	

(BLACK ON YELLOW)

46-732/4DX—Net each $3.46

Choice of Regular or 2-Hour-Glow-in-the-Dark Lettering

(RED ON WHITE)

FIRE EXTINGUISHERS

Specify	Sign Wording OSHA 1910.157 (3)	
01	Fire Extinguisher	(10"x14")
02	Fire Extingusher	(4"x20"
03	Fire Hose	vertical
04	Fire Alarm	as shown)

(BLACK & BLUE ON WHITE)

46-723/3DX—Regular. Net ea. $3.46
46-741/5DX—Glow. Net ea. $4.98

EXITS

Specify	Sign Wording OSHA 1910.37 (Q)
01	Exit
02	Exit/Right Arrow
03	Exit/Left Arrow
04	Exit/Double Arrow
05	Not An Exit
06	Emergency Exit

(BLACK & GREEN ON WHITE)

46-724/1DX—Regular. Net ea. $3.46
46-742/3DX—Glow. Net ea. $4.98



Danger Signs

Caution Signs



Notice Signs

Save Two Ways On Welded Steel Ladders Shipped KD . . . Save at C&H Wholesale Prices, Save 50% on Freight Rates



Unit rolls, positions easily without lifting . . . Then casters retract to keep ladder from rolling when user stands on it.

Automatic Safelock

From This To This Thanks To Easy Assembly



Yes, You Can Afford This Ladder —Wholesale Savings and Do-It-Yourself Assembly Make It Possible

Assemble Yourself . . . Save Labor and Freight Costs

Takes one man only minutes to bolt one of these ladders together with "fail-safe" accuracy . . . you get a rigid super-strength reinforced mobile ladder with work platform and handrails. Full 10" high steps are slip-resistant non-flattened expanded metal with a surface 7" deep for extra safety—steps are secured to tubular steel 1" O.D. x 1/16" wall side members with locknuts and bolts. Finished in gray enamel. FOB Ill.

3 to 7 Step Models

Easy to assemble . . . shipped KD in three welded sub-assemblies that are designed to be bolted together. Diagonal braces combined with large diameter bolts give an unusually rigid structure. Ladders come complete with handrails and swivel-brake casters.

8 to 18 Step Models

Shipped in three major welded sub-assemblies to be bolted together. 8 to 11 step ladders have 4" rigid casters on rear and 4" swivel casters on step side with Automatic Safe-Lock that releases swivel caster assembly when operator stands on ladder. Then to release casters for rolling, operator needs only to step on either pedal. 12 to 18 step ladders have 5" diameter rear casters.

C&H MEETS OSHA REQUIREMENTS

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

From This To This Thanks To Easy Assembly

3 to 7 STEP MODELS—With 10" Deep Platforms

No. Steps Incl.			18" WIDE AT TOP				No. Steps Incl.			26" WIDE AT TOP				No. Steps Incl.			32" WIDE AT TOP			
Top Platform	Platform Ht.	Overall Ht.	Stock Number	Base WxL	Lbs.	Net Each	Top Platform	Platform Ht.	Overall Ht.	Stock Number	Base WxL	Lbs.	Net Each	Top Platform	Platform Ht.	Overall Ht.	Stock Number	Base WxL	Lbs.	Net Each
3	30"	54"	73-280/0D	21"x26"	35	$92.93	3	30"	54"	73-285/9D	30"x25"	44	$108.10							
4	40"	70"	73-281/8D	21"x33"	43	109.99	4	40"	70"	73-286/7D	30"x32"	58	139.40	4	40"	70"	73-291/7D	35"x33"	72	$181.
5	50"	80"	73-282/6D	21"x40"	51	135.60	5	50"	80"	73-287/5D	30"x39"	74	164.99	5	50"	80"	73-292/5D	35"X40"	93	203.
6	60"	90"	73-283/4D	23"x47"	69	167.85	6	60"	90"	73-288/3D	30"x46"	85	192.50	6	60"	90"	73-293/3D	35"x47"	112	238.
7	70"	100"	73-284/2D	23"x54"	78	187.76	7	70"	100"	73-289/1D	30"x53"	99	216.21	7	70"	100"	73-294/1D	35"x54"	120	260.

Replacement Parts To Help Maintain Your Ladders Like New

72-574/7D—2" casters with retaining rings, each $5.00
72-575/4D—3" casters with retaining rings, each 6.00
72-578/8D—Rubber tips for 1" tubing, each ..... .55
72-579/6D—2½" dia. heavy rubber tips, each 2.75

(Please specify part number of ladder and number of steps when ordering.) Prices on other parts on application.

8 to 11 STEP MODELS—With 10" Deep Platforms

No. Steps Including Top Platform	Platform Ht.	Working Ht. Up to . . .	Overall Ht.	26" WIDE AT TOP Stock Number	Base W x L	Wt. (lbs.)	Net Each	32" WIDE AT TOP Stock Number	Base W x L	Wt. (lbs.)	Net Each
8	80"	12'2"	110"	73-270/1D	32"x58"	143	$280.69	73-275/0D	32"x58"	167	$315.78
9	90"	18'	120"	73-271/9D	32"x65"	154	297.76	73-276/8D	32"x58"	179	335.69
10	100"	13'10"	130"	73-272/7D	32"x72"	167	322.41	73-277/6D	32"x72"	196	381.21
11	110"	14'8"	140"	73-273/5D	32"x78"	180	360.35	73-278/4D	32"x78"	213	417.24
12 to 18 STEP MODELS—With 14" Deep Expanded Metal Platforms											
12	120"	15'6"	162"	73-274/3D	32"x88"	197	$378.48	73-279/2D	32"x88"	226	$446.53
13	130"	16'4"	172"	73-377/4D	42"x95"	220	446.53	73-383/2D	42"x95"	244	531.36
14	140"	17'2"	182"	73-378/2D	42"x101"	250	563.98	73-384/0D	42"x101"	282	626.44
15	150"	18'	192"	73-379/0D	42"x108"	290	630.17	73-404/6D	42"x108"	324	697.29
16	160"	18'10"	202"	73-380/8D	48"x121"	370	689.83	73-456/6D	42"x114"	366	767.20
17	170"	19'8"	212"	73-381/6D	48"x121"	370	879.99	73-457/4D	48x121"	410	976.95
18	180"	20'6"	222"	73-382/4D	48"x126"	425	941.53	73-458/2D	48"x126"	450	1042.20

Save at C&H on Top Quality Ready to Use

Welded Steel Ladders with Safety Brakes

CH MEETS OSHA REQUIREMENTS

BUILT-IN SAFETY: HANDRAILS, PLATFORMS, BIG STEPS, EASY CLIMBING ANGLES!

- **Reinforced rubber-tipped legs! Full 10" high steps!**
- **All tubular members are 1" O.D. x 1/16" wall structural steel tubing**
- **Slip-resistant non-flattened expanded metal steps**

Safety features you'll appreciate for employee protection, insurance reduction and accident prevention. Consider these quality features: super strength provided by tubular steel frames . . . self-cleaning slip-resistant steps. Steps are secured to side members by at least 6" of weld for rigidity. All flat steel has smooth rolled edges. Spring wire brake springs for long life, accurate load control. **Exclusive** full 10" high steps.

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

AUTOMATIC SWIVEL BRAKE CASTERS ON 2- TO 7-STEP UNITS



Unit rolls, positions easily without lifting . . .

Then casters retract to keep ladder from rolling when user stands on it

STABLE DESIGN
Slant legs provide wider base for stability



SAFE-LOCK ON 8-STEP AND UP . . . (A) Stepping on bottom step lowers trip bar, drops front leg to floor to immobilize ladder. (B) Stepping on either pedal resets spring-return trip bar, places Safe-Lock in rolling position. (C) Two 4" heavy-duty casters assure stability in motion. (D) Rubber tips are metal reinforced.

Safe Braking Devices . . . Depend On Them!

NOW WITH FULL 42" HIGH HANDRAILS (12-step and up)

EXCLUSIVE
Steps are a full 10" high

8 to 16 step ladders come with handrails and top platform Casters have non-marking soft rubber treads for quietness



2 to 4 step safety ladders come with or without handrails 6 and 7 step come with handrails

2 TO 7-STEP LADDERS. Steps: 7x16", 24" or 30". Top platform: 10x16", 24" or 30". Constructed with 7" deep steps. Four automatic spring-loaded 2" ball-bearing swivel brake casters. Gray enamel.

No. Steps Incl. Top Platform	Platform Height	Type of rails	Overall Height	18" WIDE AT TOP				26" WIDE AT TOP				32" WIDE AT TOP			
				Stock No.	Base	Lbs.	Net	Stock No.	Base	Lbs.	Net	Stock No.	Base	Lbs.	Net
2	20"	None	20"	73-214/9D	18"Wx19"L	22	$62.45	73-225/5D	26"Wx19"L	29	$68.98				
		Hand	40"	73-215/6D	18"Wx19"L	29	71.78	73-226/3D	26"Wx19"L	32	84.83				
3	30"	None	30"	73-216/4D	20"Wx25"L	28	79.24	73-227/1D	30"Wx25"L	38	93.29				
		Hand	54"	73-217/2D	20"Wx25"L	33	94.15	73-228/9D	30"Wx25"L	42	109.19				
4	40"	None	40"	73-218/0D	20"Wx32"L	35	99.75	73-229/7D	30"Wx32"L	47	117.46	73-258/6D	32"Wx32"L	60	$150.88
		Hand	70"	73-219/8D	20"Wx32"L	41	111.86	73-230/5D	30"Wx32"L	55	140.76	73-259/4D	32"Wx32"L	69	181.78
5	50"	Hand	80"	73-221/4D	20"Wx39"L	49	137.97	73-232/1D	30"Wx39"L	69	166.86	73-261/0D	32"Wx39"L	89	205.09
6	60"	Hand	90"	73-223/0D	23"Wx46"L	66	170.59	73-234/7D	30"Wx46"L	81	194.83	73-263/6D	32"Wx46"L	108	239.58
7	70"	Hand	100"	73-224/8D	23"Wx53"L	74	191.70	73-239/6D	30"Wx53"L	94	219.67	73-264/4D	32"Wx53"L	115	262.88

8 TO 16-STEP LADDERS. Steps: 7"x24" or 30". Top Platform: 10"x24" or 30". Convenient 7" deep steps. 8- to 12-step ladders have two 4" rigid casters on rear, two 4" ball-bearing swivel casters with step-lock. 13- 16-step ladders have 5" casters, (two rigid on rear) two ball-bearing swivel with step lock on front, and heavy roller tips on stops. 12 step and up equipped with 42" handrails for additional safety. Platform on 12-step and larger ladders is 14" deep. Gray enamel.

No. Steps Incl. Top Platform	Platform Height	Working Ht. Up to	Overall Height	26" WIDE AT TOP				Optional 20" Deep Platform		32" WIDE AT TOP				Optional 20" Deep Platform	
				Stock No.	Base	Lbs.	Net	Stk. No.	Net	Stock No.	Base	Lbs.	Net	Stk. No.	Net Ea.
8	80"	12'2"	110"	73-240/4D	32"Wx58"L	143	$283.39	73-203/2D (8 to 10 Steps)	$59.95	73-241/2D	32"Wx58"L	167	$317.88	73-205/7D (8 to 16 Steps)	$114.00
9	90"	13'0"	120"	73-242/0D	32"Wx65"L	154	301.11			73-243/8D	32"Wx65"L	179	338.38		
10	100"	13'10"	130"	73-244/6D	32"Wx72"L	167	326.27			73-245/3D	32"Wx72"L	196	384.07		
11	110"	14'8"	140"	73-246/1D	32"Wx78"L	180	364.50	73-204/0D (11 to 16 Steps)	$109.00	73-247/9D	32"Wx78"L	213	420.42		
12*	120"	15'6"	162"	73-248/7D	32"Wx88"L	197	378.48			73-249/5D	32"Wx88"L	226	446.53		
13*	130"	16'4"	172"	73-250/3D	42"Wx95"L	220	446.53			73-251/1D	42"Wx95"L	244	531.36		
14*	140"	17'2"	182"	73-252/9D	42"Wx101"L	250	563.98			73-253/7D	42"Wx101"L	282	626.44		
15*	150"	18'0"	192"	73-254/5D	42"Wx108"L	290	630.17			73-255/2D	42"Wx108"L	324	697.29		
16*	160"	18'10"	202"	73-256/0D	42"Wx114"L	330	689.83			73-257/8D	42"Wx114"L	366	767.20		

Aluminum ladders and . . . Deeper Platforms Available—Write Dept. 73. FOB Ill. *Shipped KD

Work Platforms Priced at Wholesale



WERNER Narrow-Span Rugged Aluminum Scaffold

- Fits anywhere because it's only 29" wide
- Easy one-man assembly—saves labor costs
- High strength 2" aluminum tubing
- Sturdy ½" exterior grade plywood deck
- Adjustable height legs—positive locking
- Two-way locking 5" casters
- Use platform on any horizontal member
- Working ht. of over 16' with base only

Saves times and trouble—goes through doorways without dismantling. Simplifies maintenance and painting in crowded narrow warehouse aisles, hallways or stairwells . . . any place space is limited because it fits where others won't. Sturdily constructed of high-strength 2" aluminum tubing. Extruded, stamped T-joints heli-arc welded for safety. Adjustable legs allow height adjustment from 6'6" to 7'6". With use of upper section and outrigger, maximum platform height of 26½". FOB Ill., Pa., or Cal.



As Low As $488.64

A BASE SECTION

Stk. No.	Lgth.	Lbs.	Net Ea.	Ea. (lots/2)
73-606/6D	6'	105	$509.90	$488.64
73-607/4D	8'	116	533.75	512.40
73-608/2D	10'	127	549.89	527.89

B 4' HIGH UPPER SECTION

Stk. No.	Lgth.	Lbs.	Net Ea.	Ea. (lots/2)
73-715/5D	6'	35	$214.55	$205.97
73-716/3D	8'	38	219.55	210.77
73-717/1D	10'	42	223.95	214.99

5½' HIGH UPPER SECTION

Stk. No.	Lgth.	Lbs.	Net Ea.	Ea. (lots/2)
73-718/9D	6'	39	$238.90	$229.34
73-719/7D	8'	43	240.85	231.22
73-720/5D	10'	47	244.50	234.72

C GUARD RAIL SECTION—42" HIGH

Stk. No.	Lgth.	Lbs.	Net Ea.	Ea. (lots/2)
73-609/0D	6'	23	$187.80	$179.99
73-610/8D	8'	24	190.90	183.26
73-611/6D	10'	26	192.82	185.11

TOEBOARDS—Required over 10' high. 24" wide.
73-721/3D—6' lgth. Net ea. **$64.95.** Ea. (lots/2) **$62.35**
73-722/1D—8' lgth. Net ea. **$67.95.** Ea. (lots/2) **$65.23**
73-723/9D—10' lgth. Net ea. **$75.75.** Ea. (lots/2) .. **$72.72**
CLAMP-ON OUTRIGGERS allow platform ht. of 24' with 6' lgth., 26½' high when used with 8' and 10' long scaffolds. 80" wide. 25 lbs.
73-724/7D—Net ea. **$144.85.** Ea. (lots/2) **$139.06**

Welded Steel Work Platforms



- Rolls on big casters—locks for stability in use!
- Working height is approx. 5'6" above platform
- 500-lb. load capacity—helps speed maintenance
- Serrated steps and platform for safety in use

As Low As $215.30

Welded steel—a stable platform on which the operator can safely reach new heights! Serrated grip-true steps and platform for sure footing. Overall width is 2" greater than platform width. Rolls to the job—4" rigid casters on rear, with 2½" diam. rubber tips on front legs for security during use. Sturdily built; 1" tubular framework is strong enough to hold a work crew. 500-lb. capacity! FOB Ill.

Stock Number	No. of Steps	Platform H x W x L	O.A. Length	Wt. Lbs.	Net Each
73-385/7D	3	30x24x36"	51"	81	$215.30
73-386/5D		30x24x48"	63"	93	248.21
73-387/3D		30x36x36"	51"	105	264.88
73-388/1D		30x36x48"	63"	121	326.24
73-389/9D	4	40x24x36"	59"	97	253.85
73-390/7D		40x24x48"	71"	109	282.42
73-391/5D		40x36x36"	59"	124	297.67
73-392/3D		40x36x48"	71"	140	373.25
73-393/1D	5*	50x24x36"	66"	113	343.40
73-394/9D		50x24x48"	78"	125	366.67
73-395/6D		50x36x36"	66"	143	381.71
73-396/4D		50x36x48"	78'	159	440.94

*Five Step Units Are Equipped With Handrails

All Steel Double-End Mobile Work Platforms

C&H MEETS OSHA REQUIREMENTS

As Low As $453.48

Provides convenient access to machines and other equipment when the operator must stand above floor level and be able to walk from one working position to another without retracing steps. 500 lb. capacity. Platform is 24" wide with 36" high handrail; surface and steps are non-slip, self-cleaning Gripstrut®. Unit is 32" wide overall—rail side of unit has 4" toeboard. One end fitted with 10" diam. ball-bearing semi-pneumatic wheels, other end with 2½" diam. rubber tips. Gray finish. FOB Ill.

PLAT LGTH.	No. Steps / Platform Ht.	2 / 20"	3 / 30"	4 / 40"	5 / 50"
72"	Stock No.	73-753/6D	73-754/4D	73-755/1D	73-756/9D
	Over. lgth.	87"	102"	117"	132"
	Shpg. Wt.	185 lbs.	220 lbs.	250 lbs.	285 lbs.
	Net Each	$453.48	$511.45	$570.35	$647.96
96"	Stock No.	73-757/7D	73-758/5D	73-759/3D	73-760/1D
	Over. Lgth.	111"	126"	141"	156"
	Shpg. Wt.	220 lbs.	255 lbs.	290 lbs.	325 lbs.
	Net Each	$538.56	$593.73	$655.44	$732.11
120"	Stock No.	73-761/9D	73-762/7D	73-763/5D	73-764/3D
	Over. lgth.	135"	150"	165"	180"
	Shpg. Wt.	260 lbs.	295 lbs.	350 lbs.	390 lbs.
	Net Each	$607.75	$657.31	$725.56	$799.45

Rugged Foldaway Ladders On 10" Wheels

low as $223.76

C&H MEETS OSHA REQUIREMENTS



Buy One Ladder—Get All This: Mobility! Stability! Foldability

Can be carried to the job site in pick-up truck, on top of car, or in station wagon. Stores in little space!

Ruggedly constructed of all welded pipe frame, 7"D.x16" Wide steps with safety treads. Handrail on both sides and guard rail at top step are 28½'H. 10" rubber-tired wheels roll easily, even outdoors on gravel or rough driveways. (Approx. working levels can be figured by adding 6' to height of top step.) FOB Ill.

Stock Number	Top Step	Over. Ht.	Wt. Lbs.	Net Each
73-405/3D	60"	90"	95	$223.76
73-406/1D	70"	100"	105	258.55
73-407/9D	80"	110"	127	295.21
73-408/7D	90"	120"	155	330.00
73-409/5D	100"	130"	185	366.67
73-410/3D	110"	140"	210	402.39
73-411/1D	120"	156"	235	439.25
73-412/9D	130"	166"	260	502.35
73-413/7D	150"	186"	285	637.44

Reinforced Non-Conducting Fiberglass Ladders for Strength and Savings!

- Pinchproof spreaders
- Braced aluminum steps
- Slip-resistant feet

ndustrial quality . . . reinforced fiber-lass front and rear rail to give it the tamina it needs. Orange safety color. Exclusive Tool-Tra-Top for added onvenience. Extra protection, oo—because it's **non-conductive.** Ex-eptionally lightweight but strong and table. 3¼" deep steps. In 7 sizes.

As Low As **$58.46**

*FOB nearest warehouse: Texas, Calif., Wash., Fla., No. Carolina, Pa., Minn., Ill., Kans. or Ga.

WE SHIP UPS WHEN POSSIBLE

EXTRA-HEAVY DUTY

Stk. No.*	Size	Lbs.	Net Ea.
73-483/0D	4′	17¼	$ 86.76
73-484/8D	5′	22	102.69
73-485/5D	6′	26	116.55
73-486/3D	7′	31½	133.95
73-487/1D	8′	35½	151.81
73-488/9D	10′	46	184.55
73-489/7D	12′	57	219.52

HEAVY DUTY

Lighter in weight than above, but same ndustrial 250 lb. capacity. 3" deep teps. Safety yellow. Meets all but the nost severe heavy duty needs.

Stk. No.*	Size	Lbs	Net Ea.	(Lots/3)
73-666/0D	3′	12	$ 61.54	$ 58.46
73-619/9D	4′	14	72.31	68.70
73-667/8D	5′	19	85.39	81.21
73-621/5D	6′	20	96.92	92.07
73-623/1D	8′	28	131.54	124.96

ndustrial 250-Lb. Rated .adders Meet or Exceed OSHA

AVE WITHOUT SACRIFICING QUALITY—BUY AT C&H

UL listed

C&H MEETS OSHA REQUIREMENTS

BEAT INFLATION! BUY AT WHOLESALE FROM C&H



D HEAVY-DUTY PLATFORM LADDERS

Strong, non-conductive fiberglass . . . ideal for industrial and electrical applications. Corrugated aluminum steps with extruded aluminum platform, over 200 sq. in. (platform height is 2′ less than ladder height). Orange.

Stk. No.*	Ht.	Width	Spread	Lbs.	Net. Ea.
73-600/9D	5′	22″	35⅝″	24	$106.92
73-601/7D	6′	24½″	41¾″	27	123.85
73-602/5D	7′	25⅞″	47⅛″	31	140.77
73-603/3D	8′	26⅛″	54⅛″	36	159.23
73-604/1D	10′	30⅞″	66⅝″	48	197.69
73-605/8D	12′	34¼″	78⅝″	58	232.31

Riveted aluminum with 3¼" wide serrated slip-proof steps, rubber safety feet. 200 sq. in. platform.

Stk. No.*	Total Ht.	Plat. Ht.	Lbs.	Net Ea.
73-594/4D	6′	4′	23	$ 85.46
73-595/1D	8′	6′	30	114.62
73-596/9D	10′	8′	41	153.85
73-597/7D	12′	10′	51	188.46
73-598/5D	14′	12′	62	253.08
73-599/3D	16′	14′	75	297.69

E STRONG ALUMINUM STEP LADDER

Double riveted with 3¼" corrugated steps, heavy-duty extruded top. Double braced at top and bottom steps and at top plate. Meets ANSI A14.2. UL listed.

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Stk. No.*	Lgth.	Lbs.	Net Ea.
73-776/7D	4′	11	$ 41.15
73-777/5D	5′	14	46.92
73-778/3D	6′	16	53.27
73-779/1D	8′	21	75.39
73-780/9D	10′	27	106.54

C&H Has Rock-Bottom Priced Heavy-Duty Industrial Extension Ladders You Can Depend On—And Can Afford!

As Low As **$39.98**

A NON-CONDUCTIVE FIBERGLASS

- **1¼" diam. aluminum rungs—Alflo joints**
- **Reinforced 3¼" side rails—in safety yellow!**
- **Heavy safety shoes—ice pick plates end slips!**

Meets structural requirements for portable metal ladders. Spring-loaded, gravity-type heavy die-cast aluminum safety locks engage 2 rungs. 5/16" poly rope and pulley included. **Non-conductive fiberglass** means no dry rot or splintering. Won't absorb moisture.

Stock No.*	Ttl. Lgth.	Work. Lgth.	Lbs.	Net Ea.
73-769/2D	16′	13′	34	$153.85
73-770/0D	20′	17′	40	183.08
73-771/8D	24′	21′	55	216.15
73-772/6D	28′	25′	62	243.85
73-773/4D	32′*	29′	70	286.92
EXTRA HEAVY DUTY 3½" rails, 1¾" flat steps				
73-355/0D	16′	13′	40	$206.92
73-356/8D	20′	17′	48	246.15
73-357/6D	24′	21′	57	284.62
73-358/4D	28′	25′	65	321.54
73-359/2D	32′	29′	73	362.31
73-774/2D	36′**	32′	104	444.62
73-775/9D	40′**	36′	114	481.54

B INDUSTRIAL ALUMINUM LADDER

- **Comfort-Tred 1¾" flat step! Full 3" I-beam**
- **Heavy-duty die-cast aluminum locks hold 2 rungs**
- **Both sections have blue ABS Thermoplastic end caps**

Industrial extension ladder for tough jobs! Continuous blue/yellow poly rope with center swivel pulley (16′ to 40′). Free-swinging safety shoes. 6" end spacing.

Stock No.*	Ttl. Lgth.	Work. Lgth.	Lbs.	Net Ea.
73-476/4D	16′	13′	27	$ 99.79
73-477/2D	20′	17′	33	115.98
73-478/0D	24′	21′	39	133.95
73-479/8D	28′	25′	46	153.69
73-480/6D	32′	29′	54	178.59
73-481/4D	36′	33′	65	207.62
73-482/2D	40′	36′	81	246.46

C SINGLE SECTION ALUMINUM LADDER

Stk. No.	Lgth.	Lbs.	Net Ea.	Ea. (lots/3)
73-360/0D	8′	12	$ 42.30	$ 39.98
73-361/8D	10′	15	53.27	50.61
73-362/6D	12′	18	62.99	59.85
73-363/4D	14′	21	74.62	70.95
73-364/2D	16′	25	87.69	83.31
73-365/9D	18′	30	106.92	101.57
73-366/7D	20′	38	122.31	114.97

**4" side rails

*In comformance to the proposed ANSI A14.2 and/or A14.5 code with 1979 modifications. Exceptions: 250 lb. Duty Rating.

Safety Cabinets For Flammables


FLAMMABLE
KEEP FIRE AWAY
FM
CH MEETS OSHA REQUIREMENTS
• Fully adjustable shelves
• Adjustable leveling feet
OSHA†† requires all flammable liquids such as paints, thinners, ink, etc. be stored in fire-resistant cabinets.

2-Door Safety Cabinets also available

Deluxe Double-Wall Cabinet with Self-Closing Door

As Low As **$314.41**

FOR ORDERS ONL
Phone Toll
800-558-9
For Other C
tomer Servi
and Wiscon
Calls – Di
414-271-22

FM APPROVED

NOTE: Door closes automatically in case of fire

As Low As **$233.12**

Double-Wall Cabinet for Safe 5 and 1-Gal. Can Storage

- Close-fitting doors—have 3-point latching
- Outer and inner shell is 18-ga. steel
- Welded double walls have 1½" air space
- All safety vented

Store flammable materials safer in these double wall steel cabinets . . . door thickness and air space is equal to walls of cabinet. All cabinets have at least four legs, 4" high. Door sill is 2" above bottom of cabinet to prevent spills. All doors are self-closing. All cabinets fully welded for extra rigidity. Shelves are removable (not adjustable). Light gray with red lettering. FOB N.Y.

FOR PAINT CANS UP TO 5 GALLONS

Stock Number	Capacity (gals.)	WxDxH (inches)	No. of Shelves	Shpg. Wt.	Net Each	Each (lots/2)
46-785/2D	20	28x16x39	1	145 lbs.	$247.88	$233.12
46-862/9D* †	30	39x19x44	1	260 lbs.	302.98	291.60
46-786/0D	40	28x28x39	1	175 lbs.	289.97	275.47
46-863/7D* †	45	39x19x61	2	300 lbs.	405.94	389.97
46-787/8D	60	28x28x55	2	235 lbs.	341.88	324.79
46-788/6D	90	28x40x55	2	310 lbs.	425.37	404.60
46-789/4D ††	135	40x40x55	2	390 lbs.	496.77	471.46
46-790/2D ††	180	40x40x73	3	475 lbs.	596.86	574.50

FOR CANS UP TO 1 GALLON

46-791/0D**	20	28x18x46	4	200 lbs.	$288.62	$274.19
46-792/8D*	40	39x19x61	4	310 lbs.	435.77	420.86
46-793/6D	90	42x28x61	5	410 lbs.	562.75	542.50

*Double door model. **20-gal. size for pints and quarts only. †Also for 5 gal. safety cans.
For 55-gal. drum cabinets, see index. ††OSHA limits storage to 120 gallons.

Fused link will lock door open — it closes automatically when link melt Fire-baffled upper and lower vents have 2" pipe fittings for external exhaus Adjustable levelers and 3-point plated lock; door slides shut automatically! Base 2" lower than door to contain spillage. Husky 18-ga. sheet metal constructio double walls have 1½" of air space. Shelf depth, 14¾". Complies with Natl. Fi Protection Assoc.'s Flammable Combustible Liquid Code #30. 43" W., 18" Color safety yellow. FM approved. Designed in accordance with standards of th National Board of Fire Underwriters. FOB IN.

2-DOOR SELF-CLOSING/LATCHING

Stock Number	Capacity	H x W x D (inches)	Wt. (lbs.)	List Price	Each	Each (lots/3)
46-245/7D	30-gallon	46x43x18	240	$505.00	$378.75	$359.81
46-246/5D	45-gallon	67x43x18	340	616.00	461.25	438.18
46-247/3D*	60-gallon	67x34x34	400	765.00	573.75	545.10

SINGLE SLIDING DOOR/SELF-CLOSING

46-248/1D	30-gallon	44x43x18	230	$470.00	$352.50	$334.88
46-249/9D	45-gallon	65x43x18	330	580.00	434.90	413.15
46-250/7D*	60-gallon	65x34x34	390	730.00	547.50	519.90

2-DOOR STANDARD/MANUAL CLOSE

46-251/5D	30-gallon	44x43x18	230	$440.00	$329.00	$314.41
46-252/3D	45-gallon	65x43x18	330	550.00	412.50	391.88
46-253/1D*	60-gallon	65x34x34	390	700.00	524.90	498.65

***60-gallon safety cabinets are not FM Approved.**
30 Gallon models contain one shelf, 45 and 60 gallon have 2 shelves.

EXTRA SHELF FOR CABINETS ABOVE

Stk. No.	Fits Cabinets	Shpg. Wt.	List	Each
46-254/9D	For 30-gal. and 45-gal. sizes	10 lbs.	$24.00	$19.80
46-255/6D	For 60-gal. size	16 lbs.	40.00	33.60

Lockable Safety Steel Cabinets with Automatic Door

CH MEETS OSHA REQUIREMENTS

Paint and Ink Storage Cabinet for 1-Gallon Cans (Class III Liquids)

- Double wall construction with 1½" air space
- Shelves adjust on ½" centers
- 18-ga. welded sheet steel construction

BEAT INFLATION! BUY AT WHOLESALE FROM C+H



Store Flammables on Adjustable Shelves

You can't afford to take chances. These affordable 18-ga. welded sheet ste cabinets make safety practical everywhere. Cabinets have two flame arresto vents, threaded and fitted with 2" steel plugs. Doors are raised 2" above insid bottom of cabinet to form a leakproof well. Galvanized sheet steel shelves adju on ½" centers . . . hold 1-gallon flammable cans safely and securely. Cabinet outfitted with full length piano hinges, locking handle with 3-point latching systen and adjustable zinc plated levelling legs. Cabinets are finished in safety re enamel and imprinted with warning label: "Flammable—Keep Fire Away." FOB I

2-DOOR SELF-CLOSING/LATCHING

Stock Number	Capacity	H x W x D (inches)	Wt. (lbs.)	List Price	Each	Each (lots/3)
46-256/4D	40-gallon*	46x43x18	255	$540.00	$404.90	$375.60
46-257/2D	60-gallon	67x43x18	345	650.00	487.50	463.10
46-258/0D	120-gallon	67x34x34	425	800.00	599.50	571.60

SINGLE SLIDING DOOR/SELF-CLOSING

46-259/8D	40-gallon*	44x43x18	245	$505.00	$378.75	$359.81
46-260/6D	60-gallon	65x43x18	335	615.00	461.25	438.18
46-261/4D	120-gallon	65x34x34	415	765.00	573.75	545.60

2-DOOR STANDARD/MANUAL CLOSE

46-262/2D	40-gallon*	44x43x18	245	$475.00	$356.25	$338.44
46-263/0D	60-gallon	65x43x18	335	585.00	438.75	416.81
46-264/8D	120-gallon	65x34x34	415	735.00	551.25	523.68

*** FM approved.**

40 Gallon models contain 3 shelves, 60 and 120 gallon contains 5 shelves.

Store Flammables and Wastes in Safety Containers—Avoid Fire Hazards

CH MEETS OSHA REQUIREMENTS

WE SHIP UPS WHEN POSSIBLE

A EAGLE SAFETY OILY WASTE CAN

Reduce fire hazards . . . provide safer disposal of oily waste rags, combustibles. Easy-acting foot lever opens top. UL listed, FM approved. Immediate delivery.

Stock Number	Cap. Size	Ht.	Wt. Lbs.	Net Ea.	Each (lots/3)	Each (lots/6)
46-697/9A	6 gal.	19"	15	$26.89	$25.81	$24.26
46-048/5A	10 gal.	22"	19	29.71	28.52	26.81
46-049/3A	14 gal.	24"	22	35.68	34.25	32.20
46-050/1A	21 gal.	27"	28	59.48	56.99	53.68

B EAGLE FM-APPROVED SAFETY CAN

For safer handling and storage of gasoline and other flammable liquids. Heavy 24-gauge seamless drawn terne steel with 4" non-flash back screen. Red. UL listed, FM appr.

Stock Number	Cap. Size	Wt.	Net Ea.	Each (lots/4)	Each (lots/8)
46-508/8A	1 gal.	4	$18.79	$17.86	$16.88
46-509/6A	2½-gal.	6	22.59	21.68	20.38
46-510/4A	5 gal.	8	24.85	23.85	22.42

46-511/2A—FM appr. poly funnel for above. Net ea. $2.69

C FM-APPROVED 1-GAL. SAFETY-LAB CAN

Reduces danger of explosion when using flammable liquids in labs. Double-walled flame arrestor, tight-sealing spout with trigger grip. Use stainless steel for alcohol, acetone, ethers, toluene, exylene. Use red-enameled terne steel for non-corrosives. Oblong shape saves shelf space—13"x4⅝"x 5⅝" long.

Stock Number	Material Type	Wt. (lbs.)	Net Each	Each (lots/4)	Each (lots/8)
46-760/5A	Stainless	3	$48.51	$46.57	$43.78
46-761/3A	Terne	3	21.21	20.36	19.14

D EAGLE FLAMMABLE WASTE CAN

Safer waste storage in labs and factories. Wide 4" I.D. opening allows cans to be filled and emptied easily—spout cap opens to wide 80° angle, can be locked open for emptying many types of containers without use of funnel. Flame arrestor prevents ignition of contents by external spark. Cap assembly vents automatically—relieves excessive vapor pressure from inside can. Baked-on red enamel terne steel with reinforced bottom band of heavy-gauge steel, free-swinging handle. All cans 11¼" diameter, FM approved.

Stock Number	Gal. Cap.	Ht.	Wt. (lbs.)	Net Each	Each (lots/3)	Each (lots/6)
46-866/0A	2½	12"	8	$48.85	$46.89	$43.99
46-867/8A	5	18"	10	52.44	50.34	47.31

CH MEETS OSHA REQUIREMENTS

IN STOCK IMMEDIATE SHIPPING

FM APPROVED

Eagle Type II Dispenser

WE SHIP UPS WHEN POSSIBLE

As Low As $42.12

Flame-resistant screens in filler and spout make this UL-listed and FM-approved container better for storing flammables: gasoline, naphtha, kerosene. Seamless, drawn 24-gauge terne-coated steel is welded to take tough use. Heavy-duty hoop protects bottom. Precision air vent permits quick pouring. 11¼" diam.

Stk. No.	Capacity	Ht.	Lbs.	Net Ea.	(lots/4)	(lots/8)
46-239/0A	2½ gal.	10½"	8	$46.68	$44.81	$42.12
46-240/8A	5 gal.	16¾"	10	47.95	45.97	43.22

Eagle Plunger Cans

CH MEETS OSHA REQUIREMENTS

As Low As $17.83

IN STOCK IMMEDIATE SHIPPING

Spring dasher releases measured amount of fluid

FM APPROVED

WE SHIP UPS WHEN POSSIBLE

Reduces hazards. Designed for safer cleaning where flammables or volatile liquids are used. Spring-mounted dasher releases a measured amount of fluid to dampen swab, brush, sponge or cloth. Seamless drawn body of 24-ga. terne-coated steel; perforated metal screen in dasher acts as fire baffle.

Stk. No.	Capacity	Diam.	Ht.	Lbs.	Net Ea.	(lots/3)	(lots/6)
46-600/3A	1 qt.	6¼"	3½"	3	$19.74	$18.95	$17.83
46-601/1A	2 qt.	8"	4"	4	20.48	19.66	18.48
46-602/9A	1 gal.	8"	6⅛"	5	22.84	21.93	20.61

Eagle Safety Bench Can

As Low As $11.40

Spring-mounted perforated dasher—its a fire baffle

WE SHIP UPS WHEN POSSIBLE

IN STOCK IMMEDIATE SHIPPING

FM APPROVED

CH MEETS OSHA REQUIREMENTS

Strong seamless construction; body and rim of 24-ga. terne-coated steel. Minimizes waste and speeds operations in cleaning small parts—spring-mounted perforated dasher is also a fire baffle to reduce fire hazards. Factory Mutual approved. Red enamel finish.

Stock Number	Capacity	Body Diam.	Body Ht.	Wt. Lbs.	Net Ea.	Each (lots/3)	Each (lots/6)
46-603/7A	1 qt.	6¼"	3¼"	2	$12.90	$12.13	$11.40
46-604/5A	2 qt.	8"	3¾"	3	15.79	14.85	13.95
46-865/2A	1 gal.	8"	6½"	4	21.71	20.41	19.19
46-605/2A	2 gal.	11¼"	11¾"	8	30.45	28.62	26.90

CH MEETS OSHA REQUIREMENTS

WE SHIP UPS WHEN POSSIBLE

FM APPROVED

Non-Metallic Safety Cans Are Extra Durable *And* Cost Much Less Than Stainless

As Low As $26.82

IN STOCK IMMEDIATE SHIPPING

Exclusive! These take more abuse than metal cans! High-impact one-piece molded polyethylene body resists corrosive solvents and other chemicals. Handles everything from ether to sulfuric acid. All have spring-mounted spout cap which automatically vents expanding vapors, synthetic seal, double mesh stainless steel flame arrester screen. FM appr.

Round Safety Cans, cadmium plated fittings.

Stock No.	Cap.	Lbs.	List	Each	Ea. (lots/3)
46-902/3A	2½ gal.	6	$35.20	$30.35	$28.23
46-903/1A	5 gal.	9	44.00	37.93	35.28

Oval Safety Can, stainless steel fittings.

Stock No.	Cap.	Lbs.	List	Each	Ea. (lots/3)
46-900/7A	2 qt.	2	$33.00	$28.84	$26.82
46-901/5A	1 gal.	2½	34.80	29.99	27.89

Wide-Mouthed Can, cadmium fittings.

Stock No.	Cap.	Lbs.	List	Each	Ea. (lots/3)
46-904/9A	2 gal.	6	$66.30	$57.15	$53.15
46-905/6A	5 gal.	10	72.90	62.85	58.45

Stainless steel safety cans also available, contact Dept. 46.

*Shipped motor frt. only.

Foot Operated Safe-Guard Waste Cans for Oily Combustibles

Gives Lasting Low-Cost Protection

IN SAFETY YELLOW



CH MEETS OSHA REQUIREMENTS

As Low As $19.99

WE SHIP UPS WHEN POSSIBLE

Easy foot pedal opening! UL-listed—in federal safety yellow color! Heavy-gauge, rust-proof terne steel—body goes all the way to the floor, no legs to bend or work loose. Recessed bottom is seam-welded and ventilated. Heavy circular beading around top and bottom of can provide strength and rigidity. Low-cost protection—in 5 sizes. FOB Ill.

Stock Number	Cap. (gals.)	Wt. (lbs.)	List Price	Each	Each (lots/3)
46-232/5D	6	11	$30.05	$21.42	$19.99
46-233/3D	10	13	33.10	23.59	22.18
46-234/1D	12	16¼	36.10	25.76	24.21
46-235/8D	15	17	38.50	27.54	25.89
46-236/6D	21	23	66.20	47.19	44.36

Safe Modular Multi-Use Protect-O-Screens™ for Welding

C&H MEETS OSHA REQUIREMENTS



Choose from 7 handy sizes, 3 materials.

Easy to use adjustable curtain ties

Weld where you want . . . when you want! Modular screens let you create "safe" areas that confine the harmful glare from welding arcs and the dangerous sparks from welding. Free-standing screen frames may be used individually or joined together to form any configuration area—frames are square steel tubing so the junctions are non-slip. **FRAMES OVERLAP TO AVOID FLASH SPACES.** Complete with platform legs for extra stability (order connectors and/or casters separately below). Choice of three materials. All FOB Ill.

Stock No.	W x H	Shpg. Wt.	Net Ea.	Ea. (lots/3)
FLAME-RESISTANT O.D. DUCK FABRIC				
21-840/4D	3' x 4'	9 lbs.	$34.65	$32.44
21-841/2D	5' x 4'	15 lbs.	38.30	36.17
21-842/0D	5' x 5'	17 lbs.	44.31	42.04
21-843/8D	6' x 5'	18 lbs.	48.54	45.99
21-844/6D	4' x 6'	17 lbs.	44.31	41.99
21-845/3D	6' x 6'	20 lbs.	48.63	46.33
21-846/1D	8' x 6'	23 lbs.	59.89	57.26
TRANSLUCENT GRAY VINYL MATERIAL				
21-847/9D	3' x 4'	9 lbs.	$36.48	$34.47
21-848/7D	5' x 4'	15 lbs.	44.17	41.74
21-849/5D	5' x 5'	17 lbs.	47.51	44.90
21-850/3D	6' x 5'	18 lbs.	51.10	48.29
21-851/1D	4' x 6'	17 lbs.	47.26	44.66
21-852/9D	6' x 6'	20 lbs.	56.79	53.67
21-853/7D	8' x 6'	23 lbs.	69.14	65.34
BLUE VINYL COATED FIBERGLASS MATERIAL				
21-854/5D	3' x 4'	9 lbs.	$35.57	$33.61
21-855/2D	5' x 4'	15 lbs.	42.75	40.40
21-856/0D	5' x 5'	17 lbs.	47.97	45.33
21-857/8D	6' x 5'	18 lbs.	51.85	48.99
21-858/6D	4' x 6'	17 lbs.	46.29	43.74
21-859/4D	6' x 6'	20 lbs.	57.62	54.45
21-860/2D	8' x 6'	23 lbs.	71.98	68.02

WE SHIP UPS WHEN POSSIBLE

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Patent No. 4,085,789

Screens can be used singly or in multiples by using connectors. All are shipped UPS

As Low As $32.44



Patented screens are easy to assemble—to add to or disassemble as your needs change!



FRAME CONNECTORS

Unique method for joining free-standing screen frames . . . create customized work areas and an infinite number of shapes. Clips hold connectors in place. Set/2. FOB Ill.

21-861/0D—2-way connectors. Net ea. set/2 ..... $4.80
21-862/8D—3-way connectors. Net ea. set/2 ..... $7.20
21-863/6D—4-way connectors. Net ea. set/2 ..... $9.60



SWIVEL CASTERS

Easy rolling 2" wheels increase Protect-O-Screen versatility — make set-up and storage easier and faster. Set/4. Wt. 4 lbs. FOB Ill.
21-864/4D—Net each set/4 ..... $9.60

BEAT INFLATION—BUY AT WHOLESALE FROM C&H AND SAVE MORE!

Savings on Power and Welding Cable Add Up at C&H Wholesale Prices



IN STOCK IMMEDIATE SHIPPING

As Low As 33¢ per ft.

3- AND 4-WIRE POWER CABLE

600-volt rated type SO to 90° length.

Stock No.	Type	Price Per Ft.
24-000/2A	4-wire #14	$.33
24-001/0A	4-wire #12	.39
24-002/8A	4-wire #10	.56
24-003/6A	3-wire #8	.83
24-004/4A	4-wire #8	.89
24-021/8A	3-wire #6	.92
24-023/4A	4-wire #6	.93

250' SPOOLS WELDING CABLE

Very flexible with tough neoprene jacket.

Stock No.	Type	Price Per Ft.
24-025/9A	250-amp. #1	$.93
24-027/5A	200-amp. #2	.71
24-031/7A	100-amp. #6	.47
24-034/1A	125-amp. #4	.47
24-036/6A	300-amp. #1/0	.97
24-037/4A	375-amp. #2/0	1.06
24-038/2A	450-amp. #3/0	1.21

30-Gallon Gas Caddy Syphons and Dispenses Flammables

- For emergency service or everyday use
- Handy in used car lots, garages, factories
- Anywhere power equipment, flammables are used

C&H MEETS OSHA REQUIREMENTS

Heavy-gauge welded steel caddy has two-way rotary pump for syphoning and dispensing gasoline, diesel fuel, and other flammables. Unit rolls effortlessly on 10x2.75 semi-pneumatic wheels . . . transfers liquids from car to car, car to tank or tank to vehicle. Drain pump for dispelling water and containments, 2-in. filler neck for bulk filling . . . clear hose allows the operator to observe the flow. 14"x22"x45" body with fire-screened vent and gauge combination. FOB Ia.

46-864/5D—Net each $199.77. 69 lbs. Ea. (lots/2) **$187.60**



PROTECT CYLINDERS

Safety Cabinets for Flammables, Fuel and LP Gas Cylinders



- Space-saving
- Safe horizontal or vertical storage

For space-saving storage behind tamperproof doors. Cabinets meet OSHA subpart H (f) and Natl. Fire Protection Assn 58-79 standards. Cabinets are designed to hold 4 to 16 cylinders weighing 20, 30, or 43 lbs. Frames are 1½"x1½"x⅛" angle iron with cabinet back panels reinforced against slamming of cylinders, wall panels are 16-ga. expanded metal with ½" openings, door frame and interior dividers are 1"x1"x⅛" angle iron, roof is 18 ga. sheet steel. Welded door hinges, tamperproof padlock hasp. "No Smoking" decals preaffixed. Shipped KD — easy to set up. Entire unit is finished in rust-inhibitor paint primer (yellow). FOB N.Y.

Key Ltr.	Stock Number	Cylinder Capacity	Dimensions W x D x H	Wt. (lbs.)	Net Each	Each (lots/2)
A	46-950/2D	4	30"x38"x44"	150	$329.88	$313.50
B	46-951/0D	8	30"x38"x76"	275	379.88	361.50
C	46-952/8D	12	42"x38"x76"	338	434.97	413.50
D	46-953/6D	16	60"x38"x76"	396	574.97	549.96

(E) UPRIGHT CYLINDER cabinet similar to above specifications, except 16 ga. expanded metal panels. For all upright cylinders up to 200 lbs. Specify ID sign—01 "Gaseous fuels," or 02—"Oxygen." 60"Wx38"x70"H. **46-954/4DX**—380 lbs. Net. ea. **$499.88**. Ea. (lots/2) **$474.97**

Electric SpeeDeGreaser

- Vapor penetrates . . . cleans parts automatically
- Durable, insulated, and easy to maintain
- Safe and economical
- Cleans 100 to 125 lbs. of parts per hour . . . removes lubricants, coolants, etc.

Electrically heated vapor degreaser utilizes perchlorethylene or trichlorethylene solvent to remove grease, coolants, etc. from metal parts. It's fast, efficient, thermostatically controlled—vapor penetrates into cracks, blind holes, and recesses liquids can't reach. Use low-toxicity, non-flammable solvents. 2500-watt element is controlled by snap-action thermostat. Has pilot light and on-off switch, 6' cord with 3-wire attachment, and basket. 18" diam., stands 32" high. Wt. 75 lbs.

28-014/9A—115 volt. Net each $385.00
28-135/2A—230 volt. Net each $385.00

Se-Cur-All™ Self-Closing Rinse Tanks

As Low As **$119.90**



Designed in accordance with N.F.P.A. and OSHA standards. Self-closing covers avoid fire and explosion hazards of exposed flammable liquids — cover opens by foot pressure, closes automatically on release, under control of a pneumatic check that prevents injury. Rinse tank body is make of 18-ga. steel with solid end panels and broad base for stability. Tank portion coated to prevent corrosion; ¾" drain plug in bottom for easy emptying and cleaning. Unit is finished in safety red enamel. Accessories available — order separately. FOB. Ind.

Key Ltr.	Stock Number	Cap. (gal.)	Dimensions L x W x H	Wt. (lbs.)	Net Each
F	27-994/3D	8	27" x 21" x 33"	44	$119.90
G	27-995/0D	20	37" x 21" x 35"	58	202.50

ACCESSORIES

Stk. No.	Description	Size	Net Ea.
27-996/8D	Parts Basket	18"x11½"x5"	$12.90
27-997/6D	Sediment screen	23"x11½"x1"	9.50

High-Pressure Portable Washer-Sprayer Helps You Save More In Time, Labor, and Money—An Outstanding Value!

WE SHIP UPS WHEN POSSIBLE



Degrease machinery or car engines | Wash and flush greasy service areas | Clean or wax trailers, cabs and trucks

Don't contract your cleaning jobs — do them yourself and save money and time. Use your own labor force, clean up when it's most convenient. Clean engines, garage floors, machinery . . . spray insecticides, liquid waxes, rust inhibitors . . . at the rate of 1.5 gpm at 220 to 280 psi. Mixes liquids with water in any amount, ranging from 100% liquid to clear water only. Uses cold or hot water (up to 160° F). Handy anywhere — ⅓-HP 1725-rpm motor operates on 115 volt, AC. Compact unit is only 7"x7"20" long — comes complete with precision gear pump, all brass piping, and 3/16" I.D. hose, 15' long. FOB Ill.

28-747/4D — Net each **$219.57**
Shpg. wt. 36 lbs. Each (lots/3) **$206.39**

Graymills Clean-O-Matic Loosens Dirt with Hydro-Jet Action

Full year warranty on motor—5-year warranty on pump, tank


Pistol grip flush nozzle has adjustable spray
Extra-long flexible metal faucet flow flush hose
Bi-level work shelves
Recessed control
Large amber signal light
Two removable sludge trays and rack
2-way automatic safety cover—spring loaded for "soft" closing
Easy-to-service micro-mesh filter
3-way cleaning action selector valve
Hydro-jet manifold for powerful agitation
Powerful ⅓-HP centrifugal pump
Drain plug
• Hydro-jet action loosens dirt!
• Cleans transmissions, electric generators, office machines, gears, bearings, motors
• For service shops, industrial plants, re-builders, and ordnance shops!

- **Extra heavy-duty industrial cleaner**
- **Large 30"x28½"x29½" working area**

Cleans transmissions, generators, gears, office machines, motors, bearings. ⅓-HP pump provides hydraulic tank agitation—it's the choice of thousands of service shops! Maximum liquid depth of 16¼" makes parts cleaning faster and simpler. Tank is encased in heavy 16-ga. and 14-ga. steel shell. Husky ⅓-HP pump circulates 40 GPM through the hydro-jet manifold or 18 GPM of filtered solvent through the metal flush hose. Tank has capacity for 85 gals. of solvent—it's continuously filtered through an efficient micro-mesh filter. Overall: 41"x29"x35". FOB Ill.

28-001/6D—Wt. 320 lbs. Net each **$832.20**

Same as above, except with smaller tank and casters. Maximum liquid depth of 10½" (42 gals.) and overall dimensions of 44"x21"x38".

28-002/4D—Wt. 260 lbs. Net each **$761.60**

SUPER CLEAN-O-MATIC with many of the features above. Fluid is kept in constant motion by air agitation through a manifold in the tank. 1/10-HP pump delivers 4.5 GPM through the metal hose. Maximum liquid level is 10½" (42 gals.). Overall 44"x21"x38".

28-509/8D—Wt. 245 lbs. Net each **$622.50**

Handi-Kleen Parts Washers Use Only 5 Gals. of Solvent

For light and medium duty. Continuously filtered solvent flushes away oil, grease, and grime, usually with the help of a brush. Economical 5-gal. capacity keeps fluid costs down. Sludge collector and permanent foam filter get maximum fluid life. Rugged steel construction. Includes removable work shelf, fusible-link safety cover, pump, flex hose. FM approved. 34½" high. Choose variable speed air pump or 115V electric. FOB Ill.

Stock No.	Size	Pump	Lbs.	Net Ea.
28-190/7D	32x17"	115 V.	100	$254.33
28-192/3D	18x17"	115 V.	75	235.80
28-862/1D	32x17"	Air	100	317.35
28-863/9D	18x17"	Air	75	304.15

FLOOR MODEL SOAK TANK—no pump or shelf

Stock No.	Size	Lbs.	Net Ea.
28-194/9D	32x17"	80	$145.09
28-196/4D	18x17"	55	134.90

Order drain shelf separately

C-H MEETS OSHA REQUIREMENTS

Conveniently Sized Cleaner Washes Parts in 15-Gals. of Solvent

Bigger capacity along with larger working area, deeper tank and larger more flexible hose makes this an efficient washer. Recirculating solvent passes thru unique filter tray and sludge collector. Mesh screens and permanent foam pad filter out sand and silt. Unique sliding work shelves permit having a full length work platform . . . or by simply sliding the left shelf over the right, an 18"x22"x4½" deep soak tank and an equal size work shelf. Heavy-gauge shelf. Includes fusible link cover, pump, 2-pc. work shelf, sludge tray, metal flex hose, storage shelf. 36"x22"x38½" high overall. 115V. FOB Ill.

28-900/9D—160 lbs. Net ea. **$375.85**

Optional Drain Shelf, 15"x18" size.

28-901/7D—13 lbs. Net each **$30.42**

Flo-Back Parts Washer Cleans Safely, and Quickly!

PRECISION-ENGINEERED TO LAST FOR YEARS! SAVE TIME, WORK, MONEY!

Complete! Includes 4.5 GPM pumping unit with switch, flexible metal nozzle with valve, hose for pistol grip nozzle, large basket rack, automatic safety cover and ½" drain. Pump fits on standard 5-gallon pail, which serves as fluid reservoir. Fluid is screened as it returns to pump. Nozzle on handgun adjusts from jet to fine spray. 16-ga. tank has automatic safety cover—measures 24"x20"x18". FOB Ill.

28-004/0D—Wt. 112 lbs. Net each **$377.65**

SAFE-T-CLEAN TANK ONLY. Always safe! Exclusive cover support requires no manual setting—closed or open, it's always on safety. Large basket rack may be raised for use as work shelf or to drain parts. ½" drain with plug. 14-ga. steel legs. 24"x20"x18".

28-006/5D—85 lbs. FOB Ill. Net ea. **$233.40**

28-007/3D—Drain shelf. 10 lbs. Net ea. **$34.65**

UL-Listed Agitene® Cleaning Fluid

Pleasant smelling clear blue fluid will not corrode. Regular Agitene drys fast, cleans insulating materials in electric motors without harming varnish. Super Agitene has lanolin; cleans faster, easy on hands. No aromatic hydrocarbons or chlorinated solvents. MAC rating, approx. 500 PPM. Flash point 104°F. 5 gal. sizes in stock; 30 and 50 gal. sizes. FOB Ill.

Size	Shpg. Wt.	Regular Stk. No.	Regular Net Ea.	Super Stk. No.	Super Net Ea.
5 gals.	35 lbs.	28-012/3A	$ 23.50	28-013/1A	$ 25.90
30 gals.	236 lbs.	28-010/7D	133.31	28-011/5D	152.85
50 gals.	360 lbs.	28-008/1D	217.53	28-009/9D	229.28

28-671/6A—3-in-1 cleaning brush. Net ea. $5.30. Ea. (lots/12) $4.79



- Fast dry
- Film free
- Easy on hands

BUILD-ALL

Heavy-Duty Parts Washer & Degreaser

Built to exacting standards for heavy-duty performance. Innovative patented water filter eliminates cost of rag filters and in most cases will add a longer life span to solvent used. Recirculating flexible nozzle projects thru tub for maximum efficiency. Pump is abrasive-resistant. FOB Wis.



Fast, Efficient! PATENTED WATER FILTRATION
Removable liner—cleans in 20 min.! Here's how! Petroleum based solvent is insoluble and lighter than water. As used solvent from drain tube enters water, it forms droplets that float back up to main body of solvent. While solvent droplets are rising, water acts like a magnet and pulls out particles, impurities. Water creates turbulence barrier between solvent and sludge at bottom.

Welded steel construction with fusible link cover—closes at 159°F. Removable drain strainer, plastic liner, handy switch box. FOB Wis.

(A) 300 GPH Model with pump, lamp flow valve. 13 ga.

28-806/8D—32"x22"x10" tub. Net each **$498.00**
28-807/6D—48"x22"x10" tub. Net each **$598.00**
28-808/4D—48"x28"x14" tub. Net each **$665.00**
28-812/6D—Baggies, box of 10 for 10" tub **$11.50**
28-813/4D—Baggies, box of 10 for 14" tub **$11.75**
28-817/5D—Set/4 casters for above. Net set **$17.50**
28-818/3D—Small parts basket. Net each **$28.50**
28-819/1D—Spray gun assembly. Net each **$24.95**

(B) 180 GPH Model with pump, flex hose, 17"x26"x7" deep tub, 16-ga. steel. 52" high open.

28-801/9D—Wt. 50 lbs. Net each **$329.00**
28-802/7D—Drum, 16-gal. size. Net each **$14.99**
28-803/5D—Flexible work lamp. Net each **$14.50**
28-804/3D—Flow valve. Net each **$5.40**
28-805/0D—Box/10 baggie liners. Ea. box **$8.10**

C) BUILD-SOLV SOLVENTS. Fast-drying, easy on hands.

28-814/2D—Solvent—5 gal. Net each **$22.12**
28-820/9D—Solvent-30 gal. Net each **$109.58**
28-815/9D—Solvent—55 gal. Net each **$162.15**

300 GPH MODELS USE 20 GAL. SOLV. 10 WATER
180 GPH MODEL USES 9 GAL. SOLV. 5 WATER

A
As Low As **$498.00**



Flexible lamp controlled separately from pump . . . may be used as work or night light
Fusible link closes cover at 159°F
Inside tub dimensions: 22"Wx32"Lx 10"D . . . 13-ga. steel
Pump valve to regulate flow of cleaner
Stable square base with caster holders. Height: 38" closed, 69" open
Recirculating flexible nozzle
Inside dimensions of tub: 17"Wx26"L x7"D welded steel
Fusible link closes cover at 159°F
Height: 34" closed, 52" open
B
16-gal. open top drum, plastic liner for easier servicing
Both models outfitted with removable drain strainer for quicker cleaning and 115 volt electric pumps

Self-Closing Cover . . . If Tub Should Catch Fire, Cover Closes Automatically at 159°F . . . Closed Cover Doubles As Work Bench Top

C
Build-Solv™ Solvents

C&H MEETS OSHA REQUIREMENTS

Heavy duty lifting bar for raising, lowering basket
Optional boom-winch lifts 500-lb. loads
Control panel with timer, pilot light . . . Hot Prop-Jet has thermostat, thermometer
Insulated with 2" of fiberglass on 4 sides
6000 watts of heating power on Hot Prop-Jet

HOT PROP-JET PICTURED

Propeller-Agitated Parts Washer-Degreaser

Meets OSHA Requirements

PROP-JET

For use in engine rebuilding shops, heavy machinery and equipment shops, large maintenance and repair shops, machine shops! Cleaning chamber is 34"Lx24"Wx27"D . . . holds 150 gals. of cleaning solution. ¾-HP totally enclosed motor drives agitating venturi — 0-60 min. timer controls agitation time, automatically shuts off. Neon pilot light indicates when solution is agitating. Tough 13-ga. steel body, removable sludge collector tray traps suspended particles and grit, built-in guides for basket. Overall size: 52"x32"x37"H. 115V, 1-ph. FOB Wis. Wt. 400 lbs.

28-838/1D—List $1495.00. Ea. **$1397.00**

Hot Prop-Jet with features of Prop-Jet plus 60-250°F thermostat to control solution temperature, 20°-250°F thermometer indicates solution temperature. Fully insulated, including cover. 230V, 1-ph. motor. Wt. 550 lbs. FOB Wis.

28-839/9D—List $2295.00. Each **$2146.00**

Optional Winch and Boom lifts 500 lbs. 45 lbs.

28-840/7D—FOB Wis. Net each **$315.00**

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

C&H MEETS OSHA REQUIREMENTS

As Low As **$28.07**

FM Approved Parts Cleaning Tanks with Strong Baskets, Automatic Covers

Cover slams shut if heat reaches 160°—flash fires are extinguished instantly. Terne plate red baked enamel exterior, comes with drain basket of heavy perforated steel that's plated. Cover opens to 90° for easy access.

D **ROUND CLEANING TANK—FOB Ill.**

Stock Number	Cap. gal.	Dia.xHt: inches	Wt. lbs.	List Price	Each	Each lots/3
28-796/1D	1	9½x9½	7	$36.10	$30.68	$28.07
28-797/9D	2	11¾x11½	9	40.55	34.48	31.55
28-798/7D	3½	13½x13	13	43.25	36.77	33.65
28-799/5D	6	15⅝x15	16	53.60	45.36	41.69

E **SQUARE CLEANING TANK—FOB Ind.**

28-972/8D	4	15½x15½x14½	16	$45.50	$43.75
28-973/6D	8	17½x17½x16½	19	52.20	48.96

Parts Cleaner

Air Agitated Cleaner for Use with Parts Degreaser or Carburetor Cleaner

Heavy-duty reversing air motor rotates basket in both directions; needs just 20 psi. Rugged metal spun basket holds up to 50 lbs. of parts, steel pail holds 6 gal. of solvent. Cover has ¼" NPT female thread, hitchpin coupling for quick removal of basket from cover. Unit assembles without special tools. Wt. 12 lbs. FOB Wis.

27-978/6D—Net ea. **$85.95.** Ea. (lots/3) **$77.95**

Emergency Lighting

- Maintenance Free Battery
- Fully Rechargeable

LOW-COST EMERGENCY UNIT

Completely self-contained emergency lighting unit combines low cost with both styling and performance. Glare-free sealed beams distribute light evenly. No "hot spots". Features automatic switching, solid-state charger, **maintenance free** lead-acid battery, charge-rate pilot lamp and test switch. Universal transformer connects to either 120 or 277 AC sources. Heads mount on top or sides of unit. Molded plastic housing of dark brown and tan. Gives 1½ hrs. of light. Fully recharged in 12 hrs. 5 yr. batt. warranty. Measures 10½"x5"x3½", add 6" for headlamp. UL listed.

46-718/3A—8 lbs. Net each **$96.30.** Ea. (lots/3) **$91.91.** Ea. (lots/6)..... **$85.55**

Multi-Unit "Mini" System

Same unit as shown above but high-capacity battery operates up to seven remote heads and/or exit signs. Basic unit comes with two heads—mount on top/sides or both. Battery has 5-year pro-rated guarantee. 10½"x6½"x4½"—plus 6" per lamp. UL listed.

46-870/2A—Net each **$171.70.** Wt. 13 lbs. Ea. (lots/3)..... **$161.30**

EXTRA-REMOTE HEADS. Wt. 2 lbs.

46-871/0A—Net each..... $20.70

WALL-MOUNT PLATE. Use with remote heads.

46-872/8A—Net each..... $3.48

DOUBLE OR SINGLE FACE EXIT SIGN mounts 3 ways. White with red letters.

46-899/1A—Net each..... $43.65.

OPERATING TIME FOR FIXTURES

Total Fixtures:	2	3	4	5	6	7
Burn Time (hrs.)	8	5	3½	2½	2	1½

VOLTAGE DROP TABLE

No. remote fixtures/circuit:	Distance (feet) 1	2	3	4	5	6	7
#12 wire	68	34	23	17	14	11	9
#10 wire	109	54	36	27	22	18	15
#8 wire	173	87	58	43	34	29	23
#6 wire	270	135	90	68	54	45	37



Fully automatic solid-state circuitry with dual transformers

Maintenance-Free Metal Cabinet Emergency Lighting

Two 8-watt flood-spot lampheads last 1.5 hrs. — recharge in 12 hours thanks to 10-yr. rechargeable batteries sealed in solid state charger. Has low voltage cutout, solid state transfer circuit, LED test light, test switch to simulate AC power failure. UL listed unit complies with NEC Life Safety Code and OSHA. 120/277 volt installation.

46-016/2A — List $95.50. Ea. **$79.95.** Ea. (lots/4) **$75.95.** Ea. (lots/8) **$69.99**



Low As
$97.65

Maintenance-free 6-volt gelatin battery with life of 5-7 years. Built in mounting bracket

Automatic Maintenance-Free Emergency Lights

Features multiple rate, solid state charger, AC power light, test switch, charge-indicating ammeter. Charger automatically restores battery to capacity within 24 hrs. 120V, 60 Hz. input only. UL listed. Beige with teak accent.

CONDUIT CONNECTION					
Stock Number	No. Lamps	Burn Time	Wt. (lbs.)	Net Each	Each (lots/3)
46-911/4A	2-9W	1½ hrs.	15	$108.37	$ 97.65
46-773/8A	2-18W	1½ hrs.	19	124.72	112.30
*46-774/6A	2-25W	2 hrs.	19	151.80	137.25
AUXILIARY PLUG-IN 3-WIRE CORD MODELS					
46-912/2A	2-9W	1½ hrs.	15	$108.37	$ 97.65
46-879/3A	2-18W	1½ hrs.	20	124.72	112.30
*46-880/1A	2-25W	2 hrs.	20	151.80	137.25

*Meets City of Chicago code



As Low As
$212.99

Automatic Charging Solid-State 120V Light

Keep 120-volt, 60 cycle units fully charged, ready for use! Units utilize high/low charge rate; A pilot light, test switch, rectifier fuse protection. Sealed beam heads. 18-ga. cabinet in bronz hammertone finish, with conduit connection medium life lead battery has 5-yr. pro-rata guarantee. 14"x8"x18¾". UL listed. FOB Conn.

Stk. No.	Amp.	Burn Time	Wt. (lbs.)	Ea.	Ea. (lots/2)	Ea. (lots
46-698/7D	30	3 hr.	47	$236.20	$224.20	$212.
46-626/8D	50	5 hr.	57	238.80	226.10	214.
46-627/6D	100	10 hr.	62	256.55	243.72	231.

MOUNTING SHELF for lights above.

46-628/4D—Wt. 4 lbs. Net each..... $12.

- 5-year pro-rata guarante
- 12-hour battery charger

Automatic Multi-Rate Solid State Emergency Lights

High capacity, 6 volt leadacid battery burns two 25 lamps for 4½ hrs.—up to five lamps for 1½ hrs. (lamps furnished). Handsome steel cabinet finishe in cocoa brown and rust colored ename 15"Lx6½"Dx10⅜"H. UL listed. FOB Ill.

46-196/2D—Net each **$194.80.** Wt. 45 lbs. Ea. (lots/3) $187.4

EXTRA LAMPS. Wt. 2 lbs.

46-197/0D—Net each $17.3

HALOGEN SEALED BEAM MODEL gives more lig per watt.

46-198/8D—Net each **$199.50.** Wt. 45 lbs. Ea. (lots/3) $193.5

EXTRA HALOGEN LAMPS.

46-199/6D—Net each $19.5



Industrial Revolving Light

- Full 360° turn
- 60 flashes/min.
- Mounts easily
- Greater coverage

WE SHIP UPS WHEN POSSIBLE

Corrosion-proof—use indoors or out! Warns of low overhangs, danger areas and emergency exits. Silent-running, trouble-free in any weather from —40° to hottest days. 8½" diam., 9½" high. 6 lbs.

Red	Amber	For System	Net Each
46-114/5A	46-127/7A	117-volt	$58.29
46-115/2A	46-128/5A	230-volt	74.19

Extra Dome. Colors: 02 red, 10 amber. Specify.

46-506/2AA—Net each $10.00

FIX • FLASH

Full 360° Safety Flasher

IN STOCK IMMEDIATE SHIPPING

- No motor
- No moving parts
- Low maintenance

Solid-State Electronic Light Takes Industrial Punishmer

Durable electronic light has three fixed-focus beam with overlapping 360° coverage that flashes 75 time a minute! Completely solid state for minimum maintenance—no moving parts to break or wear out. Shoc mounted. Height, 7⅝"; diam., 5⅝". Light color 02 red, 10 amber. Specify color no.-name. 2 lbs.

Stock No.	For System:	Net Ea.	Ea. (lots/
46-606/0AA	12 volt	$38.08	$34.46
46-607/8AA	24 volt	38.08	34.46
46-608/6AA	36 volt	38.08	34.46

Be Prepared to Fight FIRE of All Types

C&H MEETS OSHA REQUIREMENTS

A Ordinary Combustibles . Fires in wood, cloth, paper and rubbish
B Flammable Liquids & Gases . . . grease, paint, oil, natural gas
C Live Electrical Equipment . . . fires in wiring, control panels, motors

Halt fires in wood, paper, appliances, cloth. All meet UL standard 299, FM and ICC regulations.

All extinguishers are rechargeable and have visible pressure gauges. Durable metal construction. Nozzles are plastic on smaller models. All complete with mounting brackets. Full 5 year warranty on chemical models. FOB Wis.

(A) B-C EXTINGUISHERS use non-toxic dry chemicals. Nozzle discharge. D.O.T. Appvd.

Stk. No.	Ht.	Diam.	UL Rating	USCG	Lbs.	Net Ea.	(Lots/3)	(Lots/6)
46-707/6D	13"	3½"	5B:C	yes	3	$11.12	$10.45	$ 9.75
46-708/4D	14¾"	3"	10BC	yes	3½	13.62	12.98	12.37

(B) A-B-C ALL-USE EXTINGUISHERS use non-toxic tri-class chemicals. Hose on two larger models only. D.O.T. Appvd.

Stk. No.	Ht.	Diam.	UL	USCG	Lbs.	Net Ea.	(Lots/3)	(Lots/6)
46-709/2D	15⅛"	3"	1A10BC	yes	3¾	$16.11	$14.94	$13.71
46-710/0D	14½"	4¼"	2A10BC	yes*	8¼	24.09	22.47	21.59
46-711/8D	22"	5"	4A60BC	—	14½	36.20	34.62	32.74
46-712/6D	20¾"	7⅜"	20A80BC	—	27½	71.79	67.82	65.15

*Approved with optional heavy-duty bracket.

(C) PRESSURIZED WATER EXTINGUISHER fights Class A fires (in combustibles, paper, wood). FM Appvd.

Nominal Capacity	Stock Number	Overall Size Ht.	Overall Size Width	UL Rating	Shpg. Wt. (lbs.)	Net Each	Each (lots of 3)
2½ gal.	46-174/9D	24½"	8⅝"	2A	8½	$49.52	$46.96

(D) CO_2 PORTABLE CARBON DIOXIDE EXTINGUISHERS leave no residue. FM Appvd.

Nom. Cap.	Stock No.	Ht.	Width	UL	Lbs.	USCG	Each	Ea. (lots/3)
5 lbs.	46-139/2D	16⅝"	8¼"	5BC	19½	yes	$ 79.14	$ 71.23
10 lbs.	46-140/0D	24"	12"	5BC	38	yes	121.25	109.12
15 lbs.	46-141/8D	30"	12"	10BC	51	yes	129.15	116.23

WE SHIP UPS WHEN POSSIBLE



PRECO Intermittent Bac-A-Larm Warns Others of Truck Movement

Steam cleanable truck unit draws less than .5 amps current. Meets OSHA, Bureau of Mines, and state regulations. 12V has 97 decibel sound level, 6-36V has 87 to 197 sound decibels. 12-mon. warranty.

Stock Number	Volts	Net Each	Each (lots/6)
71-795/9A	12	$29.95	$22.50
71-796/7A	6-36	75.50	64.95



Truck Wheel Back-Up Alarm Complies with OSHA Specs

Bell sounds whenever vehicle moves forward or backward. Self-contained alarm works automatically with wheel motion. Six inch bell has two internally mounted hammers that continuously sound a warning. Easy to install on rear or front wheel axles.

45-204/5A—Net each **$31.95.** Wt. 4 lbs. Each (lots/6) **$29.98**

Emergency Exit Alarm Lock for Compliance and Safety

C&H MEETS OSHA REQUIREMENTS

Be safe all the time! Insures locking of emergency exit doors while complying with safety, fire and building codes. Prevents pilferage from within or without, provides instant exit in emergency without special instructions, tools, or keys. Slight pressure on clapper sounds alarm—releases lock. Aluminum, with battery and cylinder lock. Specify 01 in or 02 out swing, 03 left or 04 right hand door. FOB N.Y. List $165.00.

46-783/7DD-Ea. **$136.95.** Each (lots/3) **$118.60**



Legal way to lock emergency exits for day-night safety

WE SHIP UPS WHEN POSSIBLE

Ideal for Fork Lift Trucks

As Low As **$34.46**

C&H MEETS OSHA REQUIREMENTS



Truck Warning Light

- **90 flashes per minute**
- **Permanent mounting included**

Flashing signal reduces collision hazard. Specially designed for industrial trucks. Bulb replacement is easy. 5⅜" diam., 7⅝" high with belt drive. 3 lbs.

Red	Amber	System	Net Ea.	Ea. (lots/6)
46-109/5A	46-122/8A	6 volt	$38.08	$34.46
46-110/3A	46-123/6A	12 volt	38.08	34.46
46-111/1A	46-124/4A	24 volt	38.08	34.46
46-112/9A	46-125/1A	36 volt	38.08	34.46

EXTRA DOME: Colors: 02 red, 10 amber.
46-505/4AA—Specify color. Net ea. **$6.00**
EXTRA BULBS. Voltages: 03-6V, 04-12V, 05-24V, 06-36V. Specify voltage no.-volts.
46-507/0AXL—6V-12V **$3.00.** 24V or 36V **$5.00**

No Maintenance . . . Throws a Powerful Beam

As Low As **$93.49**

WE SHIP UPS WHEN POSSIBLE

Truck Electronic Strobe

- **60 flashes per minute**
- **Over 1 million candlepower**

Excellent for heavy-duty use. Produces more visible light output than any sealed beam . . . 60 brilliant flashes every minute! No moving parts! No filaments to burnout! Long-life Xenon flash tube. Dome color: 02 red, 10 amber. Specify color number-and-name. 8½"x9½" h.

Stock No.	For System	Wt.	Net Ea.
46-829/8AA	12-volt*	5 lbs.	$ 96.55
46-830/6AA	24-volt*	5 lbs.	105.70
46-609/4AA	117-volt	5 lbs.	93.49

*12V and 24V models are for use on highway vehicles only, not for use on industrial fork trucks.

Safety Exit Door Alarm Keeps People From Using Unauthorized Safety Exits

WE SHIP UPS WHEN POSSIBLE

Non-locking alarm deters unauthorized use of emergency doors—emits a loud, penetrating sound if violated. Tamperproof, rustproof aluminum housing with solid state mechanism; operates on 6V battery (included) with test button to check conditions of battery. Mounts on interior of door; less cylinder lock. FOB N.Y.

46-719/1A—List $69.00. Ea. **$52.25.** Ea. (lots/3) **$49.59**

With cylinder lock.
46-720/9A—List $79.00. Ea. **57.45.** Ea. (lots/3) **$54.55**



IN STOCK IMMEDIATE SHIPPING

Industrial First Aid Kits

You Can't Afford to Be Without

COMPLY WITH OSHA . . . SAVE AT C&H WHOLESALE PRICES

KIT INCLUDES
Bandage compresses, triangular bandages, absorbent gauze, adhesive strips, gauze bandages, eye dressing, knuckle coverlets, ammonia inhalants, merthiolate swabs, tourniquet and forceps, burn ointment . . . (24 and 36 unit sizes include wire splint and ammonia ampules)

KIT INCLUDES
Gauze bandages, surgical gauze, adhesive tape, gauze pads, zip-strip bandages, eye pads, triangular bandages, scissors, antiseptic-burn ointment, ammonia inhalants, aspirin, antiseptic wipes, First Aid handbook . . . (two larger size kits include cotton-tip applicators, tourniquet, motion sickness tablets, tweezer, cotton balls, elastic bandage, tongue depressor, calamine lotion, alcohol, mouth-to-mouth breather, more)

A UNIT FIRST-AID KITS

Color-coded individually wrapped contents allow quick, fumble-free treatment . . . make re-ordering simple. Opened contents are easily identified too. Includes OSHA compliance label and medical certificate. Waterproof, rust-resistant steel cases complete with mounting brackets.

Stock Number	People Served	Case (in.) L x W x D	Net Each	Each (lots/3)
21-869/3A	10	8¼x5⅜x2¾	$26.25	$24.99
21-870/1A	16	6¾x9⅝x2½	31.49	29.93
21-871/9A	24	9⅝x9⅝x2¾	49.99	47.57
21-872/7A	36	14x9⅝x2¾	73.50	69.30

B INDUSTRIAL FIRST-AID KITS

Four sizes for firms employing from 25 to 100 people—each kit contains a balanced assortment of first-aid supplies to comply with OSHA standards. Strong 24-ga. no-rust steel case, bracket.

Stock Number	People Served	Case Size (in.)	Wt. (lbs.)	Net Each	Each (lots/3)
21-865/1A	25	10¾x7⅞x2¾	3¼	$ 16.21	$15.44
21-866/9A	50	13x9x3	5¾	30.79	29.40
21-867/7A	75	15½x10x4¾	12¾	71.82	68.10
21-868/5A	100	18½x12¼x4¾	19½	103.19	97.90

INDUSTRIAL REFILLS for above, in corrugated box less metal case.

Stock No.	Size	Lbs.	Net Ea.	(lots/3)
21-887/5A	25	2	$12.18	$11.55
21-888/3A	50	4	24.68	23.42
21-889/1A	75	8	58.69	55.44
21-890/9A	100	14	83.98	78.75



Excel Electric Hand-Face Dryers

Save Up to 95% of Paper & Linen Towel Costs

You can't afford the service and maintenance costs, the possibility of plumbing stoppages and fire hazards of either paper or linen drying systems. Electric hand dryers keep washrooms and lounges neater, virtually service-free with over 1 million drying cycles between servicing. Brushless capacitor motor for rapid start-ups, faster drying, fewer service calls. With 3-year warranty, tamperproof bolts. Finishes: 01 Chrome, 02 White. Voltage 03-110-120V, or 04, 208V-230V. Specify finish, voltage. FOB Mass.

54-321/5DD—Surface Mount, 10⅛" from wall. List $240.00. Ea. **$199.30.**
Ea. (lots/3) **$189.41**

54-322/3DD—Recess Mount, protrudes 7⅛". List $260.00. Ea. **$216.00.**
Ea. (lots/3) **$205.20**

Wall Mount Water Coolers

UL and CSA listed . . . complies with ARI std. 1010-73, OSHA 1910-141

C WHEEL CHAIR LEVEL COOLERS

Wall mounts anywhere without recessing — extends 18¾" from wall. Meets needs of people confined to wheel chairs, complies with government regulations. Sandalwood color. FOB II.

D WALL-HUNG WATER COOLERS

Ideal where space is at a premium. Hermetically sealed cooling system, thermal overload protected compressor motor. Easy push button squirt proof action, thermostat for 45° to 55°. Snap-out strainer. Stainless basin. 19" ht. FOB II.

E COMPACT FLOOR WATER COOLERS

Self-regulation squirtproof action with hermetically sealed compressor, overload protection, push button operation. Thermostat adjust 45° to 55°. Plumbing accessible at back. 40" ht. FOB II.

Key	Stock. No.	GPH	Cond.	Activator	Lbs.	List	Each
C	27-807/7D	7.6	⅕ HP	Front bars	78	$646.00	$512.55
	27-808/5D	7.6	⅕ HP	Front-sides	79	721.00	576.49
D	28-751/6D	6.0	⅕ HP	Push button	69	455.50	349.90
	28-752/4D	8.0	⅕ HP	Push button	72	476.00	367.59
	27-985/1D	14.0	⅕ HP	Push button	73	490.50	378.66
E	28-755/7D	2.6	⅕ HP	Push button	65	359.95	286.92
	28-756/5D	4.6	⅕ HP	Push button	68	413.70	331.49
	28-757/3D	7.6	⅕ HP	Push button	70	439.50	351.99
	28-758/1D	10.0	⅕ HP	Push button	70	447.50	358.13

As Low As **$248.28**

Portable Eye Wash With Built-in Safety Pressure Relief Valve

Self-contained 5-gal. stainless steel units—with pressure gauges, handles, shock-absorbing vinyl bases. Ideal for emergency aid in remote plant areas and in the field. Units are 8½" in diameter, 25" high (44" overall with eye wash fixture). 14 lbs. empty. FOB Ill.

(A) Combination Eye Wash, Face and Body Spray with hose and lever handle value.
28-730/0A—Net each **$307.82**

(B) Eye-Face-Body Wash. 6' rubber hose, squeeze valve, single cushioned head.
28-601/3D Net each **$248.28**

(C) Eye-Adjustable Stream Eye-Wash has twin flip-up heads. Stay-open valve.
28-501/5D—Net each .. **$253.92**

CH MEETS OSHA REQUIREMENTS

16-gal. model with lockable cap

IN STOCK IMMEDIATE SHIPPING

CH MEETS OSHA REQUIREMENTS

Criss-cross stream of water at room termperature

Portable Emergency Eye Wash with Its Own Water Supply

Easy-touch control releases streams of water . . . leaves worker's hands free to hold his eyes open. Self-contained unit hangs on wall, stands on any level surface . . . needs no expensive plumbing installation! Constructed of FDA-approved materials, holds 6 gals. of water. 15½"x13½"x24¼" H with bracket included. Shpg. wt. 10 lbs.
28-777/1A—Net ea. **$126.45**
Ea. (lots/3) **$115.92**

Extra-capacity 15-Minute Flush Unit holds 16 gallons water. 19"x19"x24½" H. Wt. 25 lbs.
28-877/9A—Net ea. **$198.85.**
Ea. (lots/3) **$182.94**

Full-Height Shower with Eye Wash

Complete safety station with Cycolac shower head and either stainless steel or plastic bowl for instant eyewashes

Cycolac shower head provides instant drench shower for head-to-toe drenching away of harmful chemicals or other foreign matter. **Self-closing valve** is operated by handy to grasp pull rod. Eyewash is activated by foot treadle . . . corrosion-resistant **stainless steel bowl** has twin chromed heads. 1¼"water supply and waste. Stable 9" floor flange. 66 lbs. FOB Wi.
28-600/5A—Net each **$307.95**

Same, but with **stay-open valve**—frees both hands to remove clothes. 66 lbs. FOB Wi.
28-248/3A
Net each **$306.12**

Similar but all hand-operated (no foot treadle for eye wash). **Cycolac plastic bowl, stay-open valve. FOB** Wi.
28-775/5A
Net ea. **$276.12**

IN STOCK IMMEDIATE SHIPPING

CH MEETS OSHA REQUIREMENTS

Eye wash is activated by foot treadle (Except 28-775/5D)

Eye Washes Offer On-the-Spot Help, Prevention

CH MEETS OSHA REQUIREMENTS



WE SHIP UPS WHEN POSSIBLE

Eye-Face-Body Wash

For instant help . . . when seconds count, this dependable station gives speedy emergency help. Completely safe isotonic solution lets you treat chemical spills, accidents instantly. Complete with backboard mounting.
28-970/2A—Net ea. **$16.99**
Ea. (lots/3) **$15.98**
Ea. (lots/6) **$14.97**

28-971/0A—30 oz. refill.
Ea. **$6.99**
Ea. (lots/3) **$6.65**
Ea. (lots/6) **$6.33**



CH MEETS OSHA REQUIREMENTS

WE SHIP UPS WHEN POSSIBLE

Two-Way Spray Mounts on Wall

Dual purpose face-eyewash and body spray has stay-open ball valve that frees both of your hands to aide in flushing eyes. Big fine spray head has filtering agent, polished chrome piping, 6' recoil hose. Male/Female inlet.
28-906/6D FOB Ill. 7 lbs. Net ea. **$105.50**

CH MEETS OSHA REQUIREMENTS

Eye Wash Fountain With Adjustable Heads

Adjustable chrome-plated heads direct ample but gentle stream of water into eyes and ocular area of face. ½" IPS supply, 1¼" IPS waste. Wall bracket included. Impervious to alkalines, salts, oils, and acids. Wt. 10 lbs. FOB WI.

Orange Cycolac plastic bowl.
28-246/7A—Net ea. .. **$89.98**

As Low As **$89.98**

IN STOCK IMMEDIATE SHIPPING

CH MEETS OSHA REQUIREMENTS

IN STOCK IMMEDIATE SHIPPING

WE SHIP UPS WHEN POSSIBLE

Won't interfere with normal faucet use!

Kleen Eyes Emergency Fountain Attaches to Your Basin or Sink

No need to open your eyes to turn it on!

Kleen Eyes fits any faucet, requires no plumber or special installation, won't interfere with normal faucet operation. Easy to turn on, two streams of water wash both eyes simultaneously. Unlike portable units, Kleen Eyes provides a continuous, limitless supply of water and is not dependent on electrical power of any kind. Never needs maintenance or filling. Chrome-plated solid brass construction with only one moving part. Removable fountain tips contain filter screens and water flow-deflecting ball bearings. Always ready for use . . . push valve stem towards you and water flows up through twin fountains to wash your eyes . . . push valve stem back and water flows normally through the faucet.
28-865/4A — Net each **$46.58.** Wt. 1 lb.
Each (lots/6) **$44.31.** Each (lots/12) .. **$42.12**

Easy operating Drench Shower

As Low As **$78.25**

Single 8" diameter deluge shower head supplies large quantities of water for immediate drenching! Has 1" vertical supply and stay-open ball valve; easy operating . . . instant-action with pull rod. **Shower head is rough cast brass.** Shpg. wt. 14 lbs. FOB Wi.
28-247/5A
Net each **$96.95**
Same as above, but with 10" **plastic head.** 10 lbs.
28-800/1A—
Net each **$78.25**



WE SHIP UPS WHEN POSSIBLE

IN STOCK IMMEDIATE SHIPPING

CH MEETS OSHA REQUIREMENTS

Fine Quality Protective Clothing—Save $$$, Prevent Accidents

Disposable Tyvek Clothing Makes Good $$$ Sense

Reusable, really comfortable clothing you can afford to throw away—thanks to C&H's low prices. Ideal for labs, clean rooms, food processors, paint spray booths . . . or just dirty areas. Tyvek® material is tough and virtually tear-free, snag and puncture proof. Virtually unaffected by acids, most chemicals . . . they have a slow penetration rate or total resistance to most liquids. Can be laundered if you choose. Clothing is anti-static, opaque to eliminate embarrassing cling and show-thru. All meet standards of federal flammable fabrics act for wearing apparel . . . they burn slowly and drip polymers. Will not absorb moisture or support micro-organism growth. White. Sizes: 01 small, 02 medium, 03 large, 04 x-large. Specify size number and name. FOB Ill.

Key Ltr.	Stock Number	Description	Per Case —Sizes	Lbs.	Ea. Case (lots/1-4)	Each (lots/5-9)	Each (lots/10+)
A	28-785/4DX	Coverall (long sleeve, zip front)	25/M, L, XL	7	$69.62	$64.31	$60.99
B	28-847/2DX	Smock (wrap front, rear ties)	25/M, L, XL	6	37.77	36.24	33.76
C	28-778/9D	Non-Conductive shoe cover	200	8	71.55	66.59	63.29
C	28-779/7D	Boot cover	200	8	98.69	92.72	87.10
D	28-782/1D	Apron—one size, 27"x36"	100	14	57.44	54.91	50.17
*	28-846/4DX	Lab Coat (2 pockets, snap front)	25/S, M, L	5	54.23	48.57	42.56

*Not Shown

Weatherproof and Acid-Resistant Clothes at Savings

E VYOLON SEPARATES

PVC on nylon (6 oz./sq. yd.) resists tearing, flames. Non-conductive. Resists corrosives. Will not crack, peel; seams double lock-stitched. Sizes: 01 small, 02 medium, 03 large, 04 x-large. Yellow. FOB. WI.

Jacket is 30" long. Specify size.
28-855/5AX—Net each **$15.90.**
Ea. (lots/10) **$14.31.** Ea. (lots/20) **$13.51**

Overalls. High bib front and back, suspenders, fly. Specify size.
28-857/1AX—Net ea. **$15.68.**
Ea. (lots/10) **$14.11.**
Ea. (lots/20) **$13.40**

F 3-PIECE SUIT

Yellow PVC virgin vinyl with electrically welded seams. Non-conductive, non-corrosive. Snap front vented jacket, drawstring snap-on hood. Bib overalls with suspenders, ankle snaps. Sizes: 01 small, 02 medium, 03 large. 04 x-large. Specify size. FOB WI.
28-854/8AX—Net each **$13.48.**
Ea. (lots/10) **$12.14.** Ea. (lots/20) **$11.53**

Wear Resistant Permanent Press Work Clothes

Acid-resistant fabric, 65% polyester, 35% cotton. Colors: 19 navy, 13 spruce green, 27 char gray. FOB Ind. Minimum order, 3 uniforms.

(G) Tech Coat. 7.25 oz. per sq. yd. wt. Four heavy-duty snap closure, three elasticized pockets. Sizes: S(34-36), M(38-40), L(42-44), XL(46-48). Specify S, M, L, or XL, color no.-name.
28-869/6DD—Net ea. **$16.95.**
Each (lots/8) **$15.90**

(H) Economy Overalls. Heavy-duty zipper; two breast, two hip pockets; safety stitched seams. Sizes: Chest sizes 34-50 and length: Short (5'4" to 5'7"), Reg. (5'7½" to 6'), Tall (6'½" to 6'3"). Specify chest size and length, and color no.-name (No #27 gray).
28-866/2DD—Net ea. **$23.22.**
Each (lots/8) **$21.95**
Same, but heavy-duty—8.5 oz. wt.
28-867/0DD—Net ea. **$24.55.**
Each (lots/8) **$23.29**

CH MEETS OSHA REQUIREMENTS

Tough-Made Blue Denim Shop Aprons—Long—Lasting!

As Low As **$2.74**

Tough cotton denim protects clothing . . . large pocket holds scale or pencils. Apron is 30"x36".
28-830/8A—Net ea. **$3.29.**
Each (lots/10) **$2.99.**
Each (lots/20) **$2.74**

IN STOCK IMMEDIATE SHIPPING

Save on Industrial Rubber Boots Made to Last For Years

J 17" OVER-SHOE BOOT

Premium rubber with high top, overlapping cotton lining, cleated sole. Black. Full sizes 6-14. Specify. FOB Ill.
28-858/9DX Net ea. **$22.18.**
5 lbs. Ea. (lots/10) **$20.98.**
Each (lots/20) **$19.98**

K 15" KNEE BOOT

Layered rubber with steel shank, cotton sock lining, reinforced arch, cleated outsole. Black with red. Full sizes 6-13. Specify.
28-859/7DX—Net ea. **$18.48.**
5 lbs. Each (lots/10) **$17.75.**
5 lbs. Each (lots/20) **$16.94**
Same, but **steel toe.**
28-860/5DX Net ea. **$23.88.**
5 lbs. Each (lots/10) **$22.78.**
Each (lots/20) **$21.67**

Industrial Work Gloves for Safety, Protection

As Low As **84¢** pr.

A DURABLE CANVAS GLOVES

General purpose full cut work gloves for men—protect against dirt and abrasion. Long wearing 8-oz. cotton drill body with knit wrists for comfort. Priced per dozen.

28-657/5AP—Per doz. **$9.98.**
(In lots of 6 doz.) **$8.85**

B PRACTICAL LEATHER GLOVES

Super strong leather palm and thumb protect against sharp objects. Styled with orange/gray stripe cotton back and knit wrists for comfort and good fit.

28-660/9AP—Per doz. **$24.15.**
(In lots of 6 doz.) **$21.68**

C CUFFED LEATHER GLOVES

For toughest jobs! Heavy leather lined palm, index finger, wing thumb, fingertips, and knuckle strap. Matching safety cuff and back in blue/white stripe.

28-658/3AP—Per doz. **$29.46.**
(In lots of 6 doz.) **$26.50**

D P.V.C. COATED GLOVES

Fully coated, black gloves are resistant to chemicals and abrasion, yet light and flexible. 12" gauntlet style. Multi-use. Priced per. dz.

28-832/4AP—Net each **$24.99** dz.
Ea. (6 + dz.) **$23.68** dz. Ea. (12 + dz.) **$22.35** dz.

Safety Headgear to Prevent Costly Injuries

E COMFORTABLE HELMET

High density polyethylene with integrated rain trough for additional side strength. Adjustable 6-point suspension fits head sizes 6½ to 8. Weighs only 10 oz. Meets impact penetration requirements of ANSIZ89.1-1969, E.E.I. Specs AP-1, 1961, ANSIZ89.2-1971. Colors: 02 red, 06 orange, 09 yellow, 18 blue, 30 white. Specify color no. and name. List $4.92.

28-750/8AA—Net each **$4.65** 1 lb.
Each (lots/25-49) **$4.18**
Ea. (lots/50+) **$3.77**

28-848/0A—Hvy.-Dty. Winter Liners. Ea. **$4.46**
(Wt. 3 oz.) Ea. (lts/6) **$3.96.** Ea. (lts/12) .. **$3.77**

(EE) Bump Cap Helmet protects against bumps, provides sanitary headwear in food processing plant. Weighs only 8 oz., has perforated sides for ventilation. Polyethylene meets FDA Standards. Built-in nape strap, adjusts for sizes 6¼ to 8. White only.

28-733/4A—Net ea. **$3.21.** Ea. (lots/24) .. **$2.86**

F FLIP-UP FACESHIELD KIT

Assembles in seconds. One-piece sparkguard forms into deep all around curvation—protects forehead, too. Soft polyethylene with foam sweatband. Window groove locks—holds without snaps, buttons. Meets ANSI Z87.1,5.2. 12"Wx8"Hx.060" thick.

21-768/7A—1 lb. Net ea. **$6.33.**
Ea. (lots/12) **$5.74**

21-769/5A—Replacement window.
Net ea. **$2.79.** Ea. (lots/12) **$2.49**

G ADJUSTABLE LOW COST HEARING PROTECTOR

Lightweight, comfortable noise-tight seals. Rotates 360°—wear over head, behind ears, or under chin. Thermal plastic band. Wt. 1 lb.

28-734/2A—Net each **$7.22.**
Ea. (lots/12) **$5.99**

H DELUXE HEARING PROTECTOR

Positive hearing protection for high noise areas—contour-fitting cups provide on-head stability and maximum seal with minimum pressure. 360° rotation; can be worn over head, in back of head, under chin. Ratchet adjustment holds position. Lightweight comfort! Fully adjustable.

21-722/4A—Net ea. **$8.05**
Ea. (lots/12) **$7.27**

Prevent Accidents with Safety Goggles for All

As Low As **90¢** ea.

J VISITORS' GOGGLES

Lightweight, comfortable, designed to fit all, even over spectacles. Frames and temples are molded of clear acetate, spatula-type temples assure comfort . . . large clear acetate lenses give full view. Clear acetate nose pad and side shields.

28-180/8AP—Net per dozen **$12.30.**
Each dozen (in lots of 12) **$10.81**

K to M QUALITY SAFETY SPECS

Comfortable glasses with one-piece adjustable temple and universal bridge fit 90% of your workers. Frames won't conduct electricity; they resist high heat. All meet ANSI Z87.1-1968 specs.

GLASS LENSES are clear, treated for high heat.

Key Ltr.	Stock Number	Lens (mm)	Net Ea. (lots/1-6)	Each (lots/7-12)	Each (lots/13+)
K	28-169/1A	46mm	$5.86	$5.55	$5.24
	28-170/9A	48mm	5.86	5.55	5.24
L	28-731/8A	46mm	5.60	5.30	5.05
	28-732/6A	48mm	5.60	5.30	5.05
M	28-167/5A	46mm	4.95	4.68	4.50
	28-168/3A	48mm	4.95	4.68	4.50

LIGHTWEIGHT POLYCARBONATE LENSES are coated for scratch resistance. Weigh about 35% less than glass yet boast 15X greater impact resistance.

K	28-764/9A	46mm	$5.35	$5.08	$4.82
	28-765/6A	48mm	5.35	5.08	4.82
L	28-766/4A	46mm	5.14	4.90	4.61
	28-767/2A	48mm	5.14	4.90	4.61
M	28-768/0A	46mm	4.72	4.46	4.30
	28-769/8A	48mm	4.72	4.46	4.30

N SOFTSIDE GOGGLES

Clear polycarbonate lens (.060") offers maximum protection, wide view. Soft vinyl body conforms to any face. Fit over eyeglasses. Choose perforated for general use or baffled ports for acid and splash.

Stock No.	Fogless	Type	Each	Ea. (lots/12)
28-701/1A	No	Perforated	$2.14	$1.86
28-849/8A	Yes		3.35	3.08
28-700/3A	No	Baffled port	2.24	2.13
28-850/6A	Yes		3.91	3.70

P INDUSTRIAL RESPIRATORS

Pliable plastic facepiece, dual filter-cartridge system, extra large diaphragm breather valve, double neoprene rubber headbands. N1OSH/MESA approved.

Stk. No.	Description	Appr. No.	Net Ea.
27-988/5A	Dust/mist resp.	TC-21C-154	$14.63
27-989/3AP	Box/10 filters		4.74
27-990/1A	Organic vapor resp.	TC-23C-107	18.20
27-991/9A	Paint spray resp.*	TC-23C-124	19.89
27-992/7AP	Box/6 cartridges		15.11
27-993/5AP	Box/10 pre-filters*		5.40

*Pre-filters and organic cartridge for paint spray respirator only.

R PAINT AND DUST MASK

Comfortable vinyl facepiece with specially processed polymer foam filter for less breathing resistance . . . for use in areas of nuisance dusts and non-toxic paint spray! Filter can be washed or dry cleaned. One size mask fits all.

Stk. No.	Item	Net Each	Ea. (lots/12)
28-749/0A	Mask	$1.94	$1.58
28-736/7A	Filters/Bag 5	1.15	.94

S 3M LOW-COST DISPOSABLE MASK

Fits snugly, protects against non-toxic dusts, powders, spray particles. 90.6% effective in atmosphere with 95.8% of particles smaller than 5 microns. Box of 50.

28-608/8AP—Net ea. box **$15.07.** Wt. 7 oz.
Ea. (lots/6 boxes) **$13.10.**
Ea. (lots/12 boxes) **$11.59**

T COMFORTABLE HEARBAND

Economical, efficient . . . weighs only 10 grams, seals out most noise at outer part of the ear. Contour-fits to every size, shape—hangs lightly and unobtrusively around the neck when not in use. Won't be misplaced or lost like ear plugs. Meets ANSI Z24.22 1957 and OSHA. Ideal for moderate noise environments. Always springs back to original shape.

21-766/1A—Net each **$2.53.**
Each (lots/12+) **$2.32.** Each (lots/24+) **$2.10**



Great Looking Floor Mats Cost Less

- Reduce maintenance with strategically placed floor mats
- Reduce accidents—non-slip mats keep floor surfaces dry
- Increase comfort—keep customers and employees happier

WE SHIP UPS WHEN POSSIBLE

Excellent noise abatement properties

Highly resistant to water, steam, heat, oil, and curling

TOUGH RUBBER TIRE FLOOR MAT

Perfect choice for heavy-duty areas . . . black rubber is woven on non-corrosive rustproof spring steel wire. Insulates against hard, cold, wet, slippery floors . . . reduces fatigue, keeps floors safe, clean. ⅝" thick. FOB Tenn.

Stock No.	Size	Lbs.	Net Ea.	Ea. (lots/3)
43-676/6D	20"x38"	17	$ 6.66	$ 6.09
43-677/4D	24"x36"	18	9.98	9.49
43-678/2D	24"x48"	24	13.31	12.64
43-679/0D	24"x60"	30	17.45	16.56
43-680/8D	24"x72"	36	21.54	20.43
43-681/6D	30"x60"	37	22.38	21.28
43-682/4D	36"x60"	45	27.15	25.79
43-683/2D	36"x72"	54	31.51	29.90

Mats Adapt to Your Changing Needs

Crossribbed undersides—mats lay flat

INTERLOCKING RUBBER RUNNERS

Practical soft runner mat with add-on sections that lock securely, zip apart as needed! Ideal for schools, cafeterias, kitchens . . . wherever people walk. Black ½" thick rubber matting with surefoot ribbed surface, crossribbed under construction for a sanitary, buoyant surface. Specify 01-regular or 02 grease resistant. FOB Tenn.

Stock No.	Size	Type	Lbs.	01 Net Ea.	02 Net. Ea.
43-695/6DX	28"x31"	Full	8	$11.94	$14.94
43-690/7DX	36"x31"	Full	11	15.24	18.61
43-691/5DX	28"x31"	End	8	11.94	14.94
43-692/3DX	36"x31"	End	11	15.24	18.61
43-693/1DX	28"x31"	Middle	8	11.94	14.94
43-694/9DX	36"x31"	Middle	11	15.24	18.61



WE SHIP UPS WHEN POSSIBLE

Thousands of scraping fingers trap dirt, snow, sand at the door!

SHOE SCRAPER RUBBER FLOOR MATS

Trip-proof beveled edges make this durable ½" thick mat one of the safest you could choose. Excellent in entranceways where the scraping fingers of the mat clean shoes . . . or at work stations where mat thickness helps reduce fatigue and banish dampness. Made of black rubber with flexible tips that are strong, durable, dependable.

HEAVY-DUTY—2500 fingers per sq. ft.				
Stock No.	Size	Lbs.	Net Ea.	Ea. (lots/3)
43-735/0D	24"x32"	9	$17.34	$15.95
43-736/8D	28"x46"	18	25.95	23.95
43-737/6D	36"x72"	35	63.70	59.47
STANDARD WEIGHT MAT of excellent quality				
43-738/4D	24"x30"	7	$11.99	$10.88
43-739/2D	30"x42"	12	23.98	22.41

Wearwell Care-Free Grass Matting for Year-Round Use

A Natural turf texture is 100% polypropylene cut pile . . . meets federal flammability std. DOC-FF-270. Flexible non-skid vinyl back. Easily cleaned, resilient. Ideal for entryway, hall, lobby, atrium, pool. Colors: 02 red, 12 lawn green, 10 gold, 03 red/black, 24 cocoa, 29 black/white. Specify color number-name. FOB Tenn.

FLOOR MAT—Six sizes				
Stk. No.	Size	Wt. (lbs.)	Net Ea.	Ea. (lots/4)
43-990/1DA	2'x3'	5	$10.95	$ 9.95
43-991/9DA	3'x4'	9	20.48	18.98
43-992/7DA	3'x5'	12	25.48	23.75
43-993/5DA	3'x6'	14	30.75	28.57

Stk. No.	Size	Wt. (lbs.)	Net Ea.	Ea. (lots/4)
43-994/3DA	4'x6'	18	$40.95	$37.97
43-995/0DA	4'x8'	22	53.20	49.46
FULL ROLL—60' long, three widths				
43-996/8DA	36" W	135	$249.87	
43-997/6DA	48" W	180	329.78	
43-998/4DA	72" W	270	489.25	

Wearwell Tenn-E-Klear Matting Protects Carpeting

B Transparent heavy-duty matting protects walking surfaces in high traffic areas . . . but lets the beauty of the carpeting show through. Extra-heavy duty commercial gauge virgin vinyl has ¼" long vinyl grippers on the underside—holds mat in place, even on stairs. FOB Tenn.

CUT LENGTHS—SPECIFY LENGTH				60-FT. ROLLS		
Width	Stock Number	Wt. (lbs.)	Net Ea. Ft.	Stock Number	Wt. (lbs.)	Net Ea. Roll
27"	43-918/2DM	1.8	$2.26	43-921/6D	65	$105.84
36"	43-919/0DM	5	4.15	43-922/4D	100	188.97
48"	43-920/8DM	9	5.47	43-923/2D	135	243.23

Wearwell Soft Step Anti-Fatigue Matting

C Fatigue-preventer for banks, data processing rooms, assembly stations, filing areas, or wherever people stand a lot. ¼" thick. It's a patented blend of nitrite rubber and PVC with tough non-slip vinyl top skin mated to firm cushion cellular sponge center—oil-resistant. Colors: 24 brown, 27 gray, 29 black. Specify color no.-name.

Stock No.	Width	Type	Shpg. Wt.	Net Each
43-907/5DA	24"	Full roll	30 lbs.	$250.00
43-908/3DA	36"	approximately	45 lbs.	384.00
43-934/9DA	60"	30 yds.	76 lbs.	598.00
43-910/9DAM	24"	Custom cut—	⅓ lb.	$3.58 per ft.
43-911/7DAM	36"	Specify length desired	¾ lb.	5.29 per ft.
43-935/6DAM	60"	when you order	1¼ lbs.	8.95 per ft.

Wearwell Heavy-Duty Anti-Fatigue Drainage Mat

D For institutional kitchens, restaurants, bars . . . cleans easily, allows drainage, cushions tired feet. High-grade non-mark grease-resistant rubber—⅜" thick with raised rib surface that keeps spills and dirt from collecting. Black only. Order connectors, edging below.

Stock No.	Size	Shpg. Wt.	Net Ea.	Ea. (lots/6)
43-933/1D	18"x24"	6 lbs.	$14.55	$13.60
43-914/1D	18"x48"	10 lbs.	29.12	27.39
43-915/8D	24"x36"	10 lbs.	29.12	27.39
43-916/6D	36"x48"	15 lbs.	58.11	54.62
43-917/4D	Connectors to hold multiple sections. 2 required per section.			$1.00
43-931/5D	Beveled edging			$1.60/Ft.

Wearwell Vinylon Carpet Mat—Ideal for Entryways

E Ideal for heavy traffic areas! 100% nylon pile is bonded to ⅛" pure vinyl backing. Pile surface cleans wet, muddy shoes and traps dirt better than any other floor matting. Cleans and dries quickly, can be hosed off! Tweed colors: 02 red/black, 18 blue/green, 29 black/white, 24 brown stripe. Specify color no.-name. FOB Tenn.

Stk. No.	Size	Lbs.	Each	Ea. (lots/3)
43-664/2DA	24"x36"	5	$ 9.13	$ 8.58
43-665/9DA	36"x48"	10	18.38	17.27
43-666/7DA	36"x60"	12	22.99	21.62
43-667/5DA	36"x72"	15	27.63	25.97
43-601/4DA	36"x96"	19	36.85	34.64
43-602/2DA	36"x120"	24	44.98	42.30
43-608/9DA	36"x144"	29	53.75	50.53
43-668/3DA	48"x72"	20	34.94	32.84
43-669/1DA	48"x96"	26	46.12	43.35
43-604/8DA	48"x120"	32	60.16	56.55
43-605/5DA	48"x144"	38	71.95	67.63

Wearwell Tuf-Spun Vinyl Matting Resists Oil, Grease

F The ¼" thick 100% vinyl sponge construction produces an easily cleaned non-porous surface and base. It weighs only a third as much as other mats of the same thickness yet lies flat, won't stick to or stain floors. It resists oil, grease, chemicals and moisture. Colors: 24 brown, 27 gray, 29 black. Specify color number-and-name. FOB Tenn.

BEVELED EDGE MATS						
Stock No.	Width	Type	(lbs.)	List	Each	(Lots3)
43-765/7DA	27"	27"x36" mat	3	$14.40	$12.76	$11.98
43-766/5DA	27"	27"x60" mat	9	25.10	21.88	20.90
43-660/0DA	36"	Full roll	90	288.00	221.00	210.00
43-661/8DA	48"	Approx. 60'	120	386.00	296.00	284.00
43-662/6DAM	36"	Custom cut	1½	$5.00/Ft.	$3.99/Ft.	
43-663/4DAM	48"	Spec. lgth.	2	6.60/Ft.	5.41/Ft.	

Tile-Top Spongecote Fatigue Mat Helps Improve Efficiency

G ½" thick mat has ⅛" heavy-duty marbelized rubber tile top permanently bonded to ⅜" thick resilient sponge base. Colors go clear through—no fading or wearing off! All edges are beveled. Colors: 02 red, 12 green, 24 brown, 29 black, 27 gray. Specify color number-and-name. FOB Tenn.

Stock Number	Size	Wt. (lbs.)	List	Each	Each (lots/3)
43-656/8DA	18"x30"	5	$17.60	$15.85	$14.84
43-657/6DA	18"x48"	9	26.40	23.98	21.99
43-658/4DA	24"x36"	9	26.40	23.98	21.99
43-659/2DA	36"x60"	22	66.00	59.35	54.87

Wearwell Beveled Marbletop Tuf-Spun

H One-piece ⅜" thick pure vinyl with beveled edges for no-trip safety . . . matting hugs the floor, provides a super-cushion surface for tired legs without sacrificing a beautiful appearance. Oil, grease resistant. Lightweight. Colors: 16 avocado, 42 copper-tone, 23 sandalwood, 27 gray. Specify color.

FLOOR MATS—In 4 handy sizes					FULL ROLLS—60' long			
Stock No.	Size	Lbs.	Net Ea.	Ea. (lots/4)	Stock. No.	Width	Lbs.	Net Ea.
43-924/0DA	18"x30"	3	$14.29	$13.29	43-928/1DA	24"	90	$346.00
43-925/7DA	18"x48"	5	22.68	21.10	43-929/9DA	36"	135	515.00
43-926/5DA	24"x36"	5	22.68	21.10	43-930/7DA	48"	180	683.00
43-927/3DA	36"x60"	12	54.47	50.37				

At C&H . . . Cut Accidents and Maintenance, Too!



CUT LENGTHS ARE FINISHED WITH A 1" BORDER ON ALL FOUR SIDES.

A

B

F

Top Quality Special Purpose Mats at Savings

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



C

WE SHIP UPS WHEN POSSIBLE

G

COLORS:
- Green
- Black
- Gray
- Red
- Brown



D



E

H

Coppertone shown

wet/dry
shop•vac INDUSTRIAL

POWERFUL WET AND DRY PICK-UP SIMPLIFIES AND SPEEDS MAINTENANCE

(A) and (B) develop 1.9 HP (peak) and 102 CFM

A VERSATILE STAINLESS AQUA-VAC

Handles corrosive dirt and liquids with ease—ideal for hospitals, laboratories, hotels. Quality built with unbreakable dome, powerful 2-stage bypass motor, automatic float shut-off and virtually indestructible stainless steel drum. Come with all the accessories included with Aqua-Vac (B) at right. 10-gal. size.

45-554/3D—List $319.95. Wt. 53 lbs. FOB Pa. Each **$258.43.** Each (lots/2) **$241.85**

45-555/0D—List $389.95. 20-gallon size. 60 lbs. Each **$325.85.** Each (lots/2) **$309.00**

B DELUXE PORTABLE AQUA-VAC

Extra capacity wet-dry vac with powerful 2-stage bypass motor, automatic float shut-off, coated steel drum. Convenient 10-gal. size is fully portable for quick, carefree pick-up anywhere in shop or office. Comes with 12'x1½" hose, 14" metal master head, heavy-duty vac cart, 2-pc. chromed wands, brush, rug, squeegee shoe inserts.

45-552/7D—List $259.95. Wt. 53 lbs. FOB Pa. Each **$220.95.** Each (lots/2) **$203.45**

45-553/5D—20-gallon size. List $289.95. 60 lbs. FOB Pa. Each **$239.52.** Each (lots/2) **$221.30**

C DELUXE WET-DRY INDUSTRIAL 55-GAL. VAC

One powerful 2-stage long-life ball-bearing mo develops 2½-HP, 110 CFM (100" water lift). Qu operation. Includes drum, 12'x1½" crushproof ho 6" metal master nozzle, 4-wheel band dolly, dr plug, cartridge filter.

45-495/9D—Wt. 68 lbs. FOB Pa. List $369.95. Net ea. **$303.88.** Ea. (lots/2) ..... **$282.**

45-496/7D—Without drum or dolly. 29 lbs. Net. ea. **$236.80.** Ea. (lots/2) ..... **$221.**

Wet/Dry Shop-Vacs for Professional Results, Low-Cost Maintenance

Ruggedly constructed, powerful, portable units . . . available in 10-gallon and 15-gallon models, with cross-braced dolly or heavy-duty vac cart. Choice of tanks: steel with baked-on finish and rust-resistant epoxy phenolic coated interiors or stainless steel inside and out. FOB Penn. or Calif.

All models feature unique bypass motor so water, dirt, dust and other particles never touch the motor and unique double phlenum (air collection chamber) that gathers air on exhaust side of motor affording ample room for sound-absorbing material to deaden sound so noise is dramatically reduced.

All units are UL listed for operator safety. Two top-mounted chrome-plated handles are heavy-duty die-cast zinc . . . make lifting head from tank easier. Vacs convert to powerful blower by attaching hose to blower outlet. All designed for easy use . . . Kwik-Pour easy-tilt feature makes emptying easier, safety lid has no sharp edges . . . four leaf spring clamps hold vacuum head to tank. Air-cooled motor is mounted in foam gaskets at three points thus reducing vibration. Universal-type ball-bearing motors are permanently lubricated.

Double filtration system permits efficient wet or dry pick-up through unique combination of primary polyether foam filter with 104 sq. in. (671 cm^2) effective filter surface area and large area secondary filter of napped finish sateen with 521 sq. in. (3361 cm^2) effective filter surface area.

Standard equipment includes: 12' x 1½" crushproof hose, interlocking chrome extension wands, 14" metal masternozzle, 14" single blade non-marking squeegee shoe, 14" brush shoe and 14" rug shoe. 3-conductor 14-ga. black thermoplastic non-marking cable is 35' long.

AT LEFT:
15-gal. model with baked enamel finish, heavy-duty vac cart

ABOVE:
10-gal. model with baked enamel finish, cross-brace dolly

ABOVE:
15-gal. model with stainless steel tank, heavy-duty vac cart

ALL WITH BY-PASS MOTORS
1.7-HP (peak) 2-stage for rugged, low-cost efficiency, dependable professional use.
2.5-HP (peak) 2-stage . . .the workhorse, for fast, thorough pick-up of heavy debris and liquids.
Continuous-duty 1.8-HP (peak) 3-stage runs 8 hours a day, even in heavy-duty use.

Stock Number	Motor	Capacity Housing	Base	Shpg. Wt.	List	Net Ea.
45-225/0D	1.7 HP	10-gallon Baked steel finish	Dolly	50 lbs.	$389.00	$326.85
45-226/8D	1.7 HP	10-gallon Stainless steel	Dolly	65 lbs.	439.00	368.85
45-227/6D	1.7 HP	10-gallon Baked steel finish	Cart	50 lbs.	449.00	377.25
45-228/4D	1.7 HP	10-gallon Stainless steel	Cart	65 lbs.	499.00	419.75
45-229/2D	1.7 HP	15-gallon Baked steel finish	Cart	75 lbs.	459.00	385.65
45-230/0D	1.7 HP	15-gallon Stainless steel	Cart	75 lbs.	519.00	436.25
45-231/8D	2.5 HP	15-gallon Baked steel finish	Cart	75 lbs.	$539.00	$452.95
45-232/6D	2.5 HP	15-gallon Stainless steel	Cart	75 lbs.	599.00	503.35
45-233/4D	Cont. Duty 1.8 HP	15-gallon Stainless steel	Cart	78 lbs.	$699.00	$587.35

Full Line of Containers for Housekeeping, Refuse

Famous RUBBERMAID Products for Industry

"Brutes" NSF-Approved for Material, Refuse

White Brutes are NSF approved, made of FDA and USDA accepted materials . . . they steam clean, won't retain odors.

"Pitch In" logo incl.

Rigid Liner



Hooded top with doors

Hooded top without doors

Swinging door drop-in top

Glutton 56-gal. container

56-Gal. "Glutton" Base

last . . . a big, beautiful solution to the ugly oblem of waste disposal. Indoor or out . . . the utton takes it in style! Famous Rubbermaid quality nstruction—durable molded plastic is colorfast en in bright sunlight. It won't dent, rust or bend even in sub-zero temperatures. Use the Glutton stores, offices, hospitals, apartment buildings, lustrial plants, garages, indoors or out . . . wher-er waste is a problem and neat appearance is sirable. Colors: 10 bronze, 30 oyster white, 34 odgrained on two sides (add $4.50. Logo not ailable on woodgrained). Specify color no.-name. B Va.

056/9DA — List $61.20 17 lbs. ch **$51.65** Ea. (lots/4) **$44.87**

omponents to Customize the "Glutton"

ODED TOP WITH SWINGING DOORS . . . provides weather-protec-n for outdoor use, plus the added sanitation of swinging doors. Colors: bronze, 02 red, 06 orange, 12 green. Specify color number and name. B VA. Wt. 17½ lbs. List $73.80
057/7DA — Net ea. **$53.99** Ea. (lots/4) **$49.29**

ODED TOP WITHOUT DOORS for quick disposal . . . and protection m the elements outdoors. Colors: 10 bronze, 02 red, 06 orange, 12 en. Specify color number and name. FOB Va. 12 lbs.
059/3DA — Net ea. **$44.90** Ea. (lots/4) **$40.30**

INGING DOOR TOP invites drop-in disposal. Self-closing doors ure sanitation. Colors: 10 bronze, 02 red, 06 orange, 12 green. ecify color number and name. FOB Va. 15 lbs. List **$42.90**
058/5DA — Net ea. **$33.71** Ea. (lots/4) **$30.42**
avy-Duty Rigid Liner for easy emptying. Gray. 10 lbs.
063/5D — List $36.60 Ea. **$32.85** Ea. (lots/4) **$26.85**
avy-Duty Polyliners sized for "Glutton". Less than **42¢** ea.
064/3D — List $52.90 Each (Pkg. of 100) **$41.31**

Big "Brutes" for Easy Material, Refuse Handling

As Low As **$10.49**

Specially formulated Brute resin resists most acids and chemicals. They stand up to sub-zero temperatures . . . and steam cleaning, too! There's a Brute for every job . . . and with Rubbermaid's new dolly units, any Brute container becomes an instant, super-easy mobile unit. Dollies are heavy duty duramold to resist rust and corrosion. Five heavy-duty casters roll without leaving a trace. Unique anchoring plug locks containers so firmly to the dolly that the entire unit can be lifted upstairs or over doorways. Colors: 09 yellow, 27 gray, 30 white. Dome tops snap on tight with no metal parts to rust or break. Smooth surface makes them easy to clean. FOB Va. Specify color number-name.

THIS DOLLY DISCONTINUED

Also fits 55 gal. drums!

FAMOUS RUBBERMAID CONTAINERS—IN 3 SIZES

Stk. No.	Description	Lbs.	Net Ea.	Quantity	Each
45-074/2DA	20-gal. container	6	$16.53	Lots/6	$10.49
45-659/0DA	Lid for above	2	7.15	Lots/6	2.54
45-072/6DA	32-gal. container	9	$22.58	Lots/6	$16.62
45-073/4DA	Lid for above	2	8.35	Lots/6	3.70
45-061/9DA	44-gal. container	18	$30.68	Lots/4	$24.64
45-062/7DA	Lid for above	2	10.40	Lots/4	7.10

DOME TOPS FOR "BRUTES" AND STANDARD DRUMS

Colors: 02 red, 06 orange, 18 blue, 27 gray. Sold only in Lots/2, or more.

Stk. No.	Description	Lbs.	List	Ea. (lots/2)	Ea. (lots/6)
45-068/4DAL	32-gal.	5	$24.80	$20.79	$19.54
45-069/2DAL	44-gal. (or 55-gal. drum)	10	27.10	22.82	21.45

Stk. No.	Dollies For containers	Lbs.	Net Ea.	Ea.(lots/2)	Ea.(lots/6)
45-070/0D	Fits 20, 32, and 44 gal.	18	$29.20	$26.54	$22.69

Stk. No.	Liners For Container	Lbs.	Per. Pkg.	Net Ea. Pkg.
45-452/0D	20 gal.	27½	300	$35.75
45-453/8D	32 gal.	42	300	42.38
45-454/6D	44 gal.	36	200	36.86

Tough Round-Top Waste Receptacles for Industrial Users at Savings

Fire Resistant

Colorful containers with liner fasteners for easy emptying

Attractive enough to actually attract use. Seamless heavy-duty Duramold bodies clean easily, snug-fitting hinged tops stay in place. Colors: 22 beige, 24 brown, 30 white, 02 red, 06 orange. Specify color number-and-name.

15-Gallon Size. 15" diam., 37" ht.
45-065/0DA — Net ea. **$44.89**
20 lbs. Ea. (lots/5) **$41.38**

21-Gallon-Size. 18 diam., 41" ht.
45-066/8DA — Net ea. **$59.51**
33 lbs. Ea. (lots/5) **$53.95**

TOUGH POLYLINERS for above . . . less than **15¢** ea. per pkg. of 300.
45-067/6D Ea. (pkg./300) **$44.17**

"Untouchables" . . . New Notion in Hands-Free Waste Disposal

Famous Rubbermaid quality . . . in a thoroughly sanitary container. It automatically swings open from the weight of the refuse tossed in . . . even a lightweight paper cup causes it to open. And it swings shut by itself. Base colors: 27 gray, 22 beige, 30 white, or 42 bronze. Top colors: 06 orange, 02 red, 22 beige, 27 gray, 30 white, or 42 bronze. Specify top and base colors. Wt. 10 lbs. FOB Va. Sold only in lots of 2 or more.

23-Gal. Square Unit.
45-661/6DDL — Ea. (lots/2) **$34.85**
Each (lots/4) **$23.78**

22-Gal. Round Unit.
45-662/4DDL — Ea. (lots/2) **33.06**
Each (lots/4) **$22.36**

Movable Partitions Create Private Work Areas . . . Improve Efficiency, Reduce Redecorating Costs

Save Space, Money! Pre-Fab Instant Offices



Complete, Ready to Install . . . Now in Beige Enamel or Deluxe New Walnutgrain Vinyl

Order Room Size from Chart or Design Your Own



- **Interchangeable Room-Size Offices, Partitions . . . All 68″ High**
- **Choice of Clear or Obscure Tempered Glass . . . or Safety Acrylic**

Quality-constructed . . . your assurance of long-life versatility in creating new office spaces, re-arranging existing spaces, and customizing open areas. No special tools or skills needed to install . . . order room size offices complete or individual partitions and components to design your own. You can use pre-existing walls and pre-owned partitions to expand your work areas. Choice of beige colored electrostatically baked-on enamel steel or walnutgrain vinyl on hardboard. Pre-fab offices look permanent but adapt to your needs, all parts have leveling devices for up to 2½″ of floor uneveness, spring-loaded studs hold partitions firmly. Wire race-ways in bottom of panel allow location of phone at convenient points. FOB N.Y.

Room-Size Pre-Fab Offices — Refer to Diagrams at Left

Size and Type	Office Model	Wt. (lbs.)	BEIGE ENAMELED STEEL			WALNUTGRAIN VINYL		
			Stk. No.	Net Ea.	Ea. (lots/3)	Stk. No.	Net Ea.	Ea. (lots/3)
5′ x 8′	1	300	45-076/7DX	$505.68	$482.92	45-114/6DX	$ 606.97	$ 579.66
Add-On	1A	200	45-078/3DX	337.56	322.37	45-115/3DX	404.60	386.39
6′ x 9′	2	360	45-079/1DX	588.57	562.88	45-116/1DX	721.55	689.38
Add-On	2A	230	45-081/7DX	404.17	385.98	45-117/9DX	480.75	459.71
8′ x 8′	3	420	45-082/5DX	707.99	676.13	45-118/7DX	840.75	802.96
Add-On	3A	260	45-083/3DX	438.24	418.52	45-119/5DX	521.70	498.25
8′ x 10′	4	500	45-084/1DX	842.84	804.91	45-125/2DX	1001.50	961.44
Add-On	4A	300	45-085/8DX	505.72	482.96	45-128/6DX	604.87	577.65
10′ x 10′	5	540	45-086/6DX	910.20	873.79	45-129/4DX	1081.58	1038.36
Add-On	5A	340	45-087/4DX	573.14	547.35	45-130/2DX	680.96	650.35
10′ x 12′	6	560	45-088/2DX	944.50	906.72	45-131/0DX	1121.46	1076.60
Add-On	6A	360	45-089/0DX	606.90	579.59	45-132/8DX	720.94	688.50

For Quick-Ship, Specify
(03) safety clear acrylic at no extra cost. If glass* is desired, specify (01) clear or (02) obscure.
*Min. order with glass, 50′. Add $32.10 if less. (Applies only to custom offices to right.)

Design Your Own Office with Movable Partitions

STOCK PANELS from 12″ to 72″ available in 6″ multiples. **Include sketch,** specify door swing, and location of hinges.

BEIGE STEEL			WALNUT VINYL		
Stk. No.	Per Lin. Ft.	Per Ft. (25′ +)	Stk. No.	Per Lin. Ft.	Per Ft. (25′ +)
45-202/9DD	$41.73	$39.23	45-203/7DD	$47.08	$44.25

68″ HIGH DOOR. Hardware included. Specify 22 beige steel or 34 walnut vinyl; specify 01 clear glass, 02 obscure glass, 03 clear acrylic.
45-421/5DE—Net each $215.90
CLOSED BASEBOARD. Shpg. wt. lbs.
45-216/9D—Net ea. lin. ft. **$7.50.** Ea. ft. (25′ +) $6.99
DOUBLE ELECTRIC OUTLET IN POST.
45-217/7D—Net each $26.75

Sound absorbing honeycomb construction also adds strength



Standard floor anchor adjusts for unevenness in existing floors

Electric post comes with double outlet . . . use anywhere

COMPLETE MODULAR IN-PLANT OFFICES AT SAVINGS

- **Complete** • **24 Standard Sizes**
- **Sets up in Hours** • **Relocates**
- **Maintenance-Free** • **Economical**
- **Recessed Fixtures and Outlets**
- **Concealed Conduit** • **Quality Made**



Additional offices on pages 3-6.

Most 4-wall models shipped within 10 days!

1. **Posts:** Extruded anodized aluminum, vinyl-clad strip; 2. **Ceiling:** White pebble-grain vinyl-faced fiberglass tile lays into grid, cleans easily; 3. **Indirect Lighting:** 4-tube fluorescent fixtures; 4. **Roof Deck:** Prepainted ribbed steel, rubber seals; 5. **Channel Top:** Anodized aluminum; 6. **Walls:** 3" thick with honeycomb core, vinyl facings; 7. **Base Channel:** Anodized, continuous, supportive; 8. **Removable Panels:** Easy replacement and access; 9. **Windows:** 1/8" tempered glass; 10. **Doors:** Matching vinyl pre-hung in aluminum jamb; 11. **Wall Switch:** Conforms to code; 12. **Wall Outlets:** Recessed; 13. **Comfort Control Options;** 14. **Air Conditioner Outlet.**

Walls Full 3" Thick

Convert low-cost factory space into comfortable on-site offices with these attractive, modular partitions. All parts are pre-engineered . . . you can design offices that meet your needs this year, then re-use the same components to build offices that meet your needs next year. Each time the offices are ready for occupancy in one day (set-up is fast and simple), set-up costs are a fraction of regular construction. All are maintenance-free and fully sound-conditioned—Kraft honeycomb cores are 2½" thick with ¼" hardboard facings, clad in easy-upkeep vinyl . . . finishes are beige, oak or walnut grained. Panels are 8' high, 4' wide, solids also come in 2' widths. Unique post design allows for vertical electric raceways using UL-appr. conventional electrical conduit, fixtures. Each post supports 3500 lbs. Lighting fixtures are 2'x4' lay-in troffer-type providing 100' candles at desk height. Circuit breakers included. Roof deck is prepainted ribbed steel of interlocking panels. Colors: 38 pecan, 34 walnut or 22 beige. Specify interior/exterior.

PRICES INCLUDE ELECTRIC KIT

WxL	ELECTRIC KIT		COMPLETE 4-WALL BLDG.			COMPLETE 3-WALL BLDG.		COMPLETE 2-WALL BLDG.	
SIZE	Fixtures	Outlets	Stk. No.	Lbs.	Net Ea.	Stk. No.	Net Ea.	Stock No.	Net Ea.
8x8	1	2	42-400/2DD	1200	$1700.00	42-424/2DD	$1429.00	42-448/1DD	$1127.00
8x10	2	2	42-401/0DD	1360	1894.00	42-425/9DD	1559.00	42-449/9DD	1257.00
8x12	2	3	42-402/8DD	1500	2078.00	42-426/7DD	1679.00	42-450/7DD	1377.00
10x10	2	3	42-403/6DD	1500	2101.00	42-427/5DD	1766.00	42-451/5DD	1400.00
10x12	3	4	42-404/4DD	1680	2342.00	42-428/3DD	1943.00	42-452/3DD	1577.00
12x12	3	4	42-405/1DD	1860	2513.00	42-429/1DD	2114.00	42-453/1DD	1684.00
10x16	4	4	42-406/9DD	2360	2771.00	42-430/9DD	2244.00	42-454/9DD	1878.00
12x16	4	5	42-407/7DD	2570	2960.00	42-431/7DD	2433.00	42-455/6DD	2003.00
12x20	5	6	42-408/5DD	2950	3367.00	42-432/5DD	2712.00	42-456/4DD	2282.00
10x20	4	5	42-409/3DD	2750	3122.00	42-433/3DD	2467.00	42-457/2DD	2101.00
12x24	6	8	42-410/1DD	3530	3827.00	42-434/1DD	3044.00	42-458/0DD	2614.00
12x28*	7	9	42-411/9DD	3730	4476.00	42-435/8DD	3565.00	42-459/8DD	3135.00
12x32*	8	10	42-412/7DD	4100	4884.00	42-436/6DD	3845.00	42-523/1DD	3415.00
16x16	6	6	42-413/5DD	3040	3555.00	42-437/4DD	3028.00	42-524/9DD	2462.00
16x20	8	9	42-414/3DD	3690	4084.00	42-438/2DD	3429.00	42-525/6DD	2863.00
16x24	8	10	42-415/0DD	4100	4545.00	42-439/0DD	3762.00	42-526/4DD	3204.00
16x28*	10	11	42-416/8DD	4600	5314.00	42-440/8DD	4403.00	42-527/2DD	3845.00
16x32*	12	12	42-417/6DD	5000	5808.00	42-441/6DD	4769.00	42-528/0DD	4211.00
20x20	10	10	42-418/4DD	4210	4818.00	42-442/4DD	4163.00	42-529/8DD	3477.00
20x24	10	11	42-419/2DD	4730	5384.00	42-443/2DD	4601.00	42-530/6DD	3915.00
20x28*	12	12	42-420/0DD	5200	6222.00	42-444/0DD	5311.00	42-531/4DD	4625.00
20x32*	14	13	42-421/8DD	5860	6769.00	42-445/7DD	5730.00	42-532/2DD	5044.00
20x36*	16	14	42-422/6DD	6440	7444.00	42-446/5DD	6277.00	42-460/6DD	5591.00
20x40*	18	14	42-423/4DD	7020	7978.00	42-447/3DD	6683.00	42-461/4DD	5997.00

*Has 2 doors



BASE PRICE INCLUDES: All solid panels to construct office size shown, 8' high door panel or panels as noted with aluminum jamb, pre-hung vinyl faced door and hardware, all connecting channel, parts or hardware. Complete lay-in ceiling system, steel ribbed roof deck with closure, electric kit, roof trim, complete plan and erection also. Floors not incl. **Order windows separately.**

ELECTRIC KIT: Includes conduit, junction box with supports, outlet or switch, cover plate, connectors and pulling elbow. All pre-assembled in the interior post side to create a vertical electrical raceway. Fixture furnished is a troffer-type 2'x4' four-tube lay-in (bulbs not incl.). Kit does not include wire, lamps, or ceiling conduit.

Mezzanine and two-story offices available.

OPTIONAL ACCESSORIES:

42-514/0D—Extra door, 3'x6'8" hollow core	$180.00
42-516/5D—Window, 3/16" tempered picture window	55.00
42-515/7D—Window in door, 1/8" tempered	35.00
42-517/3D—1000-watt baseboard heater (4'x110V)	49.00
42-518/1D—3200-5600W, Heater, 220V, wall or floor mtd.	160.00
42-519/9D—Exhaust Fan, ceiling mtd., 8", 200 CFM	55.00
42-520/7D—Exhaust Fan, ceiling mtd., 10", 470 CFM	82.50
42-521/5D—Louver (installed wall or door), 18"x12"	49.00
42-522/3D—Air cond. cutout (specify size, location)	24.00

†One per 50'² ††For up to 400'²

Include sketch showing options, doors
FOB Fla., Mo., or Md. Shipped economical Class 70.

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

Stools fold intact

C&H Savings Help You Sea Large Group Economicall

As Low As **$269.95**

A

Folds to just 26" wide

B

A B FOLD-A-WAY COMBINATION TABLE UNITS

Save time and money. Easy opening and closing units remain intact duri storage. Reduces take-down and set-up time. Rigid 16-ga. steel channel und structure 1 13/16" deep with center leg of 13-ga. electric welded tubing a braced 1 1/16" tubing. Marproof wipe-clean high-pressure melamine plas surface bonded to 5/8" thick solid core, impact-protected with vinyl bullno molding. Units roll on 4" ball-bearing casters. Top colors: 22 beige, 23 tan linen, oak, 37 birch, 34 walnut. Molding colors: 25 spice brown, 29 black. Metal finish 23 tan, 25 spice brown, 29 black. Stools: 01 coral, 18 blue, 12 green, 24 brow FOB Ill.

(A) Stoway Table-Stool Sets have styrene 13" diam. stools attached. Table 2 high. Specify table top, stool, molding and metal colors.

Stock Number	Table Lgth.	No. Stools	Folded (in.)	Wt. (lbs.)	List	Each	Each (lots/3)	Each (lots/1
42-542/1DE	6'8"	8	47x57x34	210	$378.50	$292.78	$284.06	$269.9
42-543/9DE	10'	12	67x57x34	280	500.00	384.95	374.51	361.4
42-544/7DE	13'4"	16	87x57x34	350	650.00	497.86	476.43	462.1

(B) Folding Roll-A-Way Table-Benches with 30" wide table top, 10" bench. Ta 28" high. Specify table top, metal, molding colors.

Stock Number	Table Lgth.	Seating	Folded Ht.	Wt. (lbs.)	List	Each	Each (lots/3)	Each (lots/
42-540/5DE	10'1"	14	67¾"	280	$456.00	$332.66	$320.25	$306.
42-541/3DE	12'1"	16	79¾"	300	465.00	352.35	330.99	320.

Sled base facilitates easy moving for maintenance



C

C EXTRA STURDY WALNUTGRAIN TABLE-BENCHE

Attractive walnut woodgrain surface on table top and benches is actu high-pressure plastic laminate on ¾" particleboard . . . takes tough use, wi clean, resists stains. All welded frame is 18-ga. tubular steel finished in neat be Steel floor glides assure wobble-free use. Tops are 30" wide with matching t-m edging. FOB Ill. KD.

Stk. No.	Size	Backrest	Lbs.	List	Each	Ea. (lots
42-545/4D	6'	No	155	$262.50	$199.50	$191.5
42-546/2D	6'	Yes	187	283.50	224.48	214.5
42-547/0D	8'	No	187	299.50	237.15	226.6
42-548/8D	8'	Yes	240	346.00	273.97	261.5

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250



No protruding edges on base— no danger of injury or tripping

D

D SOLIDLY BUILT PICNIC SET AT SAVINGS

Welded 1½" O.D. steel frame with skid-type base for easy walk through and ce channel for extra strength. Frame colors: 12 green, 24 brown, 39 galvanized ($10.00 for galv.) Specify color number-name. FOB Wis. Shipped KD.

Table Lgth.	Seats	Wt. (lbs.)	SELECT GRADE DOUGLAS FIR			#1 YELLOW PINE		
			Stock Number	Net Each	Each (lots/5)	Stock Number	Net Each	Ea (lots
6'	8	165	42-536/3DA	$144.34	$137.15	42-537/1DA	$107.12	$10
8'	10	207	42-538/9DA	173.55	164.97	42-539/7DA	121.68	11

Popular Booths Save Space, Please People



E

Update eating areas, seat more people in less space. Wipe clean table tops are 1¼" thick, high pressure laminate with self edge. 24"x40" tops, 42"x63" overall. Frame is black metal; wobble-free leg design for stability, legs drilled for floor mounting. Top colors: 09 lemon, 33 white leather texture, 30 white lamé texture, 37 butcher block. Shpd. KD. FOB Minn.

Save As Much As $176.50

(E) Booth With Benches for wall or island use. Benches are bonded high pressure laminate over wood fiber core with reinforced edges, clear plastic finish. Backs are brown. Bench front colors: 02 red, 34 walnut, 35 teak, 06 bittersweet. Specify table top and bench color numbers, name.

Stock No.	Description	(lbs.)	List	Each	(lots/3)	(Lots/6)
42-533/0DD	Wall style	175	$395.00	$259.00	$248.00	$235.75
42-534/8DD	Island style	185	$395.00	259.00	248.00	235.75

Two Seat Booths Available.



F

(F) Booth with Four Swivel Seats of strong fiber glass. Seat colors: 14 olive, 10 gold, 06 orange, 3 white. Island styling only. Specify table top and sea color numbers, names. Wt. 150 lbs.

42-535/5DD—List $425.00. Ea. **$278.48**

Each (lots/3) **$264.35.** Each (lots/6) **$248.5**

Functional Conference Room Furniture

erfect Compromise: ich Walnutgrain and ractical Vinyl Chairs

BEAT INFLATION! BUY AT WHOLESALE FROM C&H

Table and chairs sold separately

Table and chairs sold separately

Table adjusts from 21" to 33"

CONFERENCE VERSATILITY: TABLE ADJUSTS IN HEIGHT

ding Table has a walnut-grain melamine plastic top to stay ractive with a minimum of care. Table height adjusts in 1" rements—from 21" high to 33" high. Chrome-plated base is " sq. tubular steel, with adjustable glides to assure a solid face. Table folds flat to store, legs lock when table is open rigidity. Five sizes to choose from. FOB Ill.

ck mber	W x L (inches)	Wt. (lbs.)	Net Each	Each (lots/3)
549/6D	30x72	79	$117.78	$111.30
550/4D	30x96	95	138.98	131.34
551/2D	36x72	85	129.45	122.33
552/0D	36x96	107	157.15	148.50
553/8D	36x120	126	193.46	182.82

Swivel Chairs have chrome-plated bases and soft but serviceable vinyl upholstery fabric over comfortable padding. 21"Wx22"Dx31"H. Colors: 10 gold, 14 olive, 29 black, 23 tan, 24 brown, 06 orange. Upholstery: 51 all vinyl, 52 vinyl with matching fabric seat (add $6.98). Specify color and upholstery choice number and name when ordering. Wt. 12 lbs. FOB Ill.

42-554/6DD—Net ea. **$64.50** Each (lots/6) **$58.48.** Each (lots/10) **$56.59**

DELUXE QUALITY CONFERENCE TABLE FOR EXECUTIVE MEETINGS

Folding Conference Table boasts marproof 1¼" thick walnut grain plastic top with plastic T-edge and rounded corners. Matching walnut enameled legs are 1¼" sq. tubular steel. Heavy-gauge steel apron is 2¼" deep for extra rigidity. Legs fold flat for storage, lock rigidly for dependability in use. FOB Ill.

BOAT SHAPE TOP			
Stk. No.	Size (in.)	Wt. (lbs.)	Net Each
42-555/3D	30x36x72	119	$215.00
42-556/1D	30x36x96	139	290.50
42-557/9D	38x48x96	181	326.50
42-558/7D	38x48x120	215	392.50
42-559/5D	38x48x144	265	497.50

RECTANGULAR SHAPE TOP			
42-560/3D	30x96	134	$187.75
42-561/1D	36x72	126	177.00
42-562/9D	36x96	150	212.00
42-563/7D	48x96	198	304.00
42-564/5D	48x120	230	365.00
42-565/2D	48x144	280	442.00
42-566/0D	60x144	312	662.00

Luxurious Swivel Arm Chairs have chromed bases, sumptuous vinyl over thick padding. 22"Wx24"Dx32½"H. Colors: 10 gold, 14 olive, 29 black, 23 tan, 24 brown, 06 orange. Covering: 01 all vinyl or 02 vinyl with matching fabric seat (add $6.98). Specify number and name of color and covering desired. Wt. 15 lbs. each.

42-567/8DD—Net ea. **$79.97.** Each (lots/6) **$75.66.** Each (lots/10) **$68.95**

Shown with optional table tops



5-seat without cushions

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



3-seat with cushions

Modular Reception Area Seating Offers Space Economy, Attractive Appearance, Continuous Neatness

Tough polypropylene shell chairs are contoured and comfortable . . . securely mounted on chrome-plated 16-ga. steel tubular base with adjustable floor glides and black enameled seat bar. Available with or without matching vinyl foam cushions. Colors: 01 coral, 12 green, 18 blue, 09 yellow, 29 black, 30 white. Specify color number and name when ordering. FOB Tenn.

A WITHOUT VINYL CUSHIONS					
Stk. No.	Seats	Lgth.	Lbs.	Net Ea.	Ea. (lots/3)
42-568/6DA	2	38"	38	$ 68.78	$ 64.65
42-569/4DA	3	58"	53	82.80	77.83
42-570/2DA	4	78"	68	97.10	91.27
42-571/0DA	5	98"	82	117.35	110.31
B ARM CHAIR WITH MATCHING VINYL CUSHIONS					
42-572/8DA	2	57"	47	$ 88.77	$ 83.44
42-573/6DA	3	86"	66	112.57	105.82
42-574/4DA	4	116"	85	137.44	129.20
42-575/1DA	5	144"	104	158.31	148.82

18" x 18" TABLE in walnut grain plastic.
42-576/9D—Substitutes for one seat. Net ea. **$5.95**

Save on Comfortable Convenience Chairs

WE SHIP UPS WHEN POSSIBLE

ASK FOR QUANTITY DISCOUNTS

Finest Steel Folding Chairs Backed by 5-Yr. Unconditional Guarantee

A FULL SIZE TUBULAR STEEL CHAIR

Low price, comfort, and convenience—the best buy an where in an all steel folding chair. ⅞" diam. 20-g frame with form-fitting 24-ga. back, 20-ga. seat (seat 16"x16"). Riveted bracing and wall-saver legs. Beig **42-622/1DL**—Sold only in lots of 5. Wt. 9 lbs. Ea. (lts/5) **$7.99.** Ea. (lts/50) **$7.69.** Ea. (lts/100+) **$6.**

B to D DELUXE TRIPLE-BRACED CHAIRS

Strong folding chairs of extra heavy-gauge stee form-fitting back with rolled edges are 22-ga., comfortat 16"x16" seats are 20-ga. . . . and the tough ⅞" diame frames are cross-braced with three ⅝" stretchers of 18-g steel. Marproof plastic feet won't damage floors. Fra colors: 22 beige, 24 brown, 27 gray, 18 blue, 12 gre metallic. Upholstery colors: 22 tan, 18 blue, 24 brown, green, 27 gray, 29 black, 10 gold. Sold in lots of 5.

B ALL STEEL CHAIR. Specify frame color.

Stock Number	Wt. (lbs.)	List Price	Each (lts/5)	Each (lts/50+)	Each (lts/100
42-688/2DAL	11	$12.62	$8.48	$7.87	$7.33

C UPHOLSTERED SEAT CHAIR. Specify frame and upholste

Stock Number	Wt. (lbs.)	List Price	Each (lts/5)	Each (lts/50+)	Each (lts/100
42-690/8DDL	12	$16.60	$11.61	$10.97	$10.58

D UPHOLSTERED SEAT-BACK. Specify frame, upholstery.

Stock Number	Wt. (lbs.)	List Price	Each (lts/5)	Each (lts/50+)	Each (lts/100
42-691/6DDL	12	$19.40	$14.59	$13.99	$13.66

(A) FOB Miss. (B)(C)(D) FOB Tn.

FOR ORDERS ONLY Phone Toll Free 800-558-9966 For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



Adjustable Chair Caddies

Speed storage, protect finishes. Caddy moves smoothly on two fixed, two swivel 4" roller-bearing rubber wheeled casters. Sturdy all steel welded construction. Fully adjustable compressor keeps chairs upright and neat. Removable handles. Beige finish. FOB Tenn.

Stock Number	Chair Cap.	Lgth.	Wt. (lbs.)	List Price	Each	Each (lots/3)
42-692/4D	36	72"	60	$116.20	$86.77	$77.89
42-693/2D	48	96"	75	128.25	97.24	87.61

Dura-Stack Side Chairs

Twelve stacked chairs take only 19 sq. in. of floor area. Strong, cleanable molded polypropylene body on stay-bright chrome-plated 16-ga. frame. Colors: 29 black, 30 white, 01 coral, 09 yellow, 15 olive, 18 blue. Specify color no.-name. Sold only in multiples of 4. FOB Tenn.

ROUND LEGS. 32 lbs./ctn.
42-045/5DAL—List $19.85.
Each (lots/4) **$14.47.**
Each (lots/48) **$13.68.**
Each (lots/96) **$12.92**

SQUARE LEGS. (Shown)
42-046/3DAL—List $22.50.
Each (lots/4) **$15.85.**
Each (lots/48) **$14.24.**
Each (lots/96) **$13.55**

- Super Strong
- Comfortable
- Reinforced

Stacking Upholstered Chairs: Seating Comfort, Storing Ease

Convenient to set up, with easy-grasp top bar. Chairs have 15½"x15½" seats, 13/16" tubular frames of tempered steel. Vinyl upholstery wipes clean. Upholstery colors: 29 black, 02 dark red, 06 orange, 10 mustard, 30 white, 25 dark brown, 20 turquoise, 12 grass green, 18 blue. Sold in multiples of 4. FOB Ark. Wt. 52 lbs./ctn.

(E) 34" High Chair. 2" thick foam seat & self-leveling glides. Enamel finished frame. Colors: 10 gold, 43 silver, 42 bronze, 29 black. Specify upholstery and frame color number-name.
42-818/5DDL—List $29.70. Each (lots/4) **$18.49.**
Each (lots/24) **$17.42.** Each (lots/48) **$16.33**
Chrome Frame. Specify upholstery color number-name.
42-819/3DAL—List $32.80. Each (lots/4) **$21.69.**
Each (lots/24) **$20.64.** Each (lots/48) **$19.57**
(F) 32" High Chair with 1" foam dome seat and nylon floor glides. Enamel finished frame. Colors: 10 gold, 29 black. Specify upholstery and frame color number-name.
42-816/9DDL—List $25.50. Each (lots/4) **$17.19.**
Ea. (lots/24) **$16.09.** Each (lots/48) **$14.98**
Chrome Frame. Specify color number-name for upholstery.
42-817/7DAL—List $28.50. Each (lots/4) **$19.75.**
Each (lots/24) **$18.66.** Each (lots/48) **$18.32**

Guaranteed 6 Full Years

Deluxe Stack Chair

Textured molded plastic shells promote good posture have heavy flanges to reduce flex; unitized welde frames with heavy-gauge tubular steel legs to tak heavy use. Non-mar steel glides. Shell colors: 02 re 06 orange, 09 yllw., 16 avocado, 18 blue, 29 blac Sold only in lots of 5. Wt. 12 lbs. each. FOB Ark.

ENAMEL FRAME CHAIR: frame 29 black, 42 bronz Specify seat (no 02 red or 29 black) and frame col no.-name.
42-050/5DDL—List $22.00. Each **$18.88.**
Each (lots/30) **$17.45.** Each (lots/60) **$15.4**
CHROME FRAME CHAIR. Specify seat color no.-name.
42-051/3DAL—List $25.99. Each **$20.70.**
Each (lots/30) **$18.71.** Each (lots/60) **$17.5**

Sturdy Folding Tables with Honeycomb or Solid-Core Tops . . . Stain-Resistant Finishes

Quality built to take the rigors of fast set-up, repeated use. Aprons are fabricated from a single piece of 16-ga. steel channel with rounded corners for strength, bullnose vinyl bumpers provide impact resistance. Regular 29" high pedestal leg tables lock securely when opened . . . adjustable leg tables go from 22" to 31" in one inch increments. All plastic tops are **high pressure laminate,** meet or exceed NEMA standards. Impregnated masonite tops are stain-resistant.

HONEYCOMB TOP CONSTRUCTION—twice the strength, much less weight

TABLE TOP SIZE	A STANDARD 29"H TABLES — IMPREGNATED MASONITE TOP in beige finish.						B ADJUSTABLE HEIGHT TABLES—22" TO 31" — IMPREGNATED MASONITE TOP in beige finish.					
	Stock Number	Wt. (lbs.)	List Price	Each	Each (lots/10)	Each (lots/20)	Stock Number	Wt. (lbs.)	List Price	Each	Each (lots/10)	Each (lots/20)
30"x60"	42-190/9D	56	$62.85	$45.18	$41.71	$39.87	42-740/1D	58	$75.50	$53.12	$49.35	$45.53
*30"x72"	42-191/7A	59	64.00	47.24	41.15	42.50	42-741/9D	61	76.65	54.57	50.78	46.74
30"x96"	42-192/5D	71	70.00	53.44	51.45	50.06	42-742/7D	73	82.65	61.74	59.26	54.32
36"x72"	42-193/3D	66	73.60	57.11	53.45	51.92	42-743/5D	66	86.25	64.92	62.62	58.44
36"x96"	42-194/1D	80	83.80	64.90	60.99	58.08	42-744/3D	84	96.45	75.90	70.92	65.83
	PLASTIC TOP colors: 43 tan linen, 37 birch, 34 walnut, 35 teak. Specify color number-and-name.											
30"x60"	42-195/8DA	56	$71.60	$56.54	$53.62	$51.51	42-745/0DA	58	$84.25	$65.93	$60.79	$56.83
*30"x72"	42-196/6DA	59	74.75	60.12	55.23	55.23	42-746/8DA	61	87.40	68.21	65.04	60.18
*30"x96"	42-197/4DA	71	92.15	69.14	66.06	62.72	42-747/6DA	73	104.75	80.05	75.98	70.89
36"x72"	42-198/2DA	66	86.35	64.79	61.89	58.77	42-748/4DA	66	98.95	76.63	72.11	67.07
36"x96"	42-199/0DA	82	110.25	87.21	81.63	76.62	42-749/2DA	84	122.85	94.37	89.22	84.14

BUDGET SERIES SOLID-CORE CONSTRUCTION with Plastic Tops in colors above—specify no.-name

TABLE TOP SIZE	(A) STANDARD 29"H TABLES						(B) ADJUSTABLE HT. TABLES—22"-31"					
	Stock Number	Wt. (lbs.)	List Price	Each	Each (lots/10)	Each (lots/20)	Stock Number	Wt. (lbs.)	List Price	Each	Each (lots/10)	Each (lots/20)
30"x60"	42-180/0DA	66	$62.10	$49.50	$46.99	$44.19	42-185/9DA	68	$74.75	$58.92	$56.26	$53.68
30"x72"	42-181/8DA	70	66.35	49.99	47.74	45.21	42-186/7DA	72	78.95	60.79	57.81	55.23
*30"x96"	42-182/6DA	87	80.55	58.82	55.79	52.50	42-187/5DA	89	93.20	68.13	65.03	61.40
36"x72"	42-183/4DA	81	77.90	56.11	53.95	51.16	42-188/3DA	83	90.55	66.20	62.68	59.66
36"x96"	42-184/2DA	100	95.80	69.39	67.16	63.11	42-189/1DA	102	108.50	78.52	76.16	73.12

All tables packed 2 per ctn., except 36"x96" one per ctn.

*IN STOCK 42-196/6AA—43 tan linen; 42-197/4AA—34 walnut; 42-182/6AA—34 walnut; and 42-191/7A—masonite.

All others FOB Ark.

leet Women's Labor Laws ith Full-Length Couches

C FULL 74" LONG RECLINING COUCH

quired by law in many industrial establishments—extremely convenient where a full length couch might be useful: in doctor's offices, company lical departments, club locker rooms, school or office lounges! It's well padded fully upholstered in cleanable vinyl. Easy to keep sanitary! Mounted on walnut . 28" wide, 17" high, 74" long with inclined headrest. Colors: 29 black, 23 tan, rown, 10 gold, 16 avocado, 03 red. Specify color number-and-name. FOB Pa.

72/4DA—Wt. 80 lbs. Net ea. **$147.40.** Ea. (lots/2) **$140.50**

D STEEL-FRAMED 74" LONG COUCH

ng, welded frame. Firm foam under heavy-duty upholstery. 26" wide, 18" high drest, 24" high). Upholstery colors: 24 brown, 10 gold, 15 olive, 22 tan. Frame rs: 29 black, 10 gold. Specify color number-and-name. Wt. 88 lbs. FOB Ohio.

71/6DD—Net each **$121.52.** Each (lots/2) **$114.40**



Rigid Folding Benches

Extra seating, extra fast! These well-designed benches have 5/8" thick wood core tops laminated with a panel of plastic or hardboard and a backing sheet. The plastic meets or exceeds NEMA standards. Tubular metal legs have protective tips. Benches are rigidly built for safe, stable seating—positive locking mechanism prevents accidental folding. Each seat is 15" wide, 17" high. FOB Ark.

HARDBOARD TOP in beige with matching metal parts and vinyl bumper.

Stock Number	Lgth.	Wt. Lbs.	Net Each	Each (lots/2)	Each (lots/10)
42-208/9D	72"	43	$46.31	$43.78	$41.56
42-209/7D	96"	54	52.52	49.41	47.92
PLASTIC TOP colors: 43 tan linen, 37 birch, 34 walnut, 35 teak. Metal for all is beige. Specify color number and name.					
42-210/5DA	72"	44	$53.53	$50.95	$47.47
42-211/3DA	96"	55	62.90	59.58	56.77

Lunchroom-Office Furniture
LAMINATED TABLE TOPS Meet Natl. Sanitation Foundation Standards #35 for food contact
Tables tops are 1¼" thick, self-edged and marproof
10-YEAR GUARANTEE on chairs
F
G

MOLDED CHAIR

Durable, comfortable . . . for cafeterias, motels, lounges, schools. Chairs may be ganged for row seating. Shell colors: 02 red, 09 yellow, 18 blue, 12 green, 30 white, 29 black. Specify color no.-name. Sold only in lots of 6. 11 lb. FOB Mo.

42-594/2DAL—Chrome frame.
Net each (lots/6) **$26.86.**
Ea. (lots/24) **$25.25**

42-595/9DAL—Black enamel.
Net ea. (lots/6) **$24.95.**
Ea. (lots/24) **$22.95**

FORMICA-TOP TABLES

Virtually indestructible; 3-ply top is marproof, marvelously easy to care for. 30" high overall. Top colors: 38 butcher block, 34 walnut grain. Column finish: 29 black wrinkle, 41 chrome. Specify top and column finish. Shpd. KD. FOB Mo. Min. order two tables.

Key Ltr.	Stock Number	Top Size	Wt. (lbs.)	Net Ea. (lots/2)	Each (lots/6)
F	42-626/2DD	30" Rd.	46	$57.75	$51.89
	42-627/0DD	36" Rd.	55	69.87	61.87
	42-696/5DD	42" Rd.	60	113.98	103.79
	42-697/3DD	48" Rd.	85	121.30	115.20
G	42-623/9DD	30"x30"	48	$54.89	$47.98
	42-624/7DD	30"x42"	60	68.72	61.91
	42-625/4DD	36"x36"	55	68.10	61.69

Sturdy Stools Help Improve Productivity and Employee Morale! Get 'Em at C&H and Save

A B UPHOLSTERED WOBBLE-FREE SWIVEL STOOLS

As Low As $74.99

- **Fully guranteed—frames, controls and upholstery are the best!**
- **Thick foam cushioning—working artists appreciate this comfort!**

Lasting beauty and comfort! Cushions are prime polyurethane foam. 1"x16-ga. square steel tubular chair frames and controls are guaranteed against manufacturing defects for 5 years of normal use. Upholstery is guaranteed 2 years against normal wear and deterioration. Frame colors: 39 silver satin, 23 desert sage, 27 gray, 25 brown, 29 black, 12 green. Uniroyal Naugahyde vinyl colors 29 black, 27 gray, 16 avocado, 18 med. blue, 20 turquoise, 22 sand, 12 green, 24 brown, 23 tan, 10 antique gold. Fabric colors: 18 med. blue, 24 brown, 02 red, 10 gold, 15 olive, 23 tan, 29 black. Specify color number-and-name for frame and upholstery. All these stools FOB Ind. OR CA.

Key Ltr.	Item	Seat Ht. Adjusts	Wt. (lbs.)	ALL VINYL UPHOLSTERY Stk. No.	List	Each	Lots/3	Lots/6	VINYL UPHOLSTERY FABRIC SEAT* Stk. No.	Each	Lots/3	Lots/6
A	Posture Stool	21"-26"	29	42-039/8DD	$103.00	$81.57	$78.30	$74.99	42-087/7DE	$81.56	$78.29	$75.15
		26"-31"	35	42-040/6DD	105.00	83.15	79.82	76.62	42-088/5DE	87.90	84.38	79.99
B	Drafting Stool	21"-26"	34	42-041/4DD	87.00	68.90	66.14	63.49	42-043/0DE	73.65	70.70	67.87
		26"-31"	36	42-042/2DD	89.00	70.48	67.66	64.95	42-049/7DE	67.31	64.62	61.98

4-way posture back for day long support

WE SHIP UPS WHEN POSSIBLE

A

Fabric seat models quick-shipped in black-silver satin, brown-des. sage, or gold-des. sage. (A) & (B)

C HEAVY-DUTY POLY STOOLS PROMOTE GOOD POSTURE

WE SHIP UPS WHEN POSSIBLE

- **Reinforced leather-grained polypropylene bodies are super-comfortable**
- **12-yr. warranty! Terrific for industrial and institutional uses**

Exciting new concept in strong stools . . . Tubular steel ribs reinforce the V-back of these heavy-duty polypropylene body chairs. Provides spine relief and air vent space. The easily cleaned poly is colorfast, chip- and stain-resistant. Frames are 1"x16-ga. tubular steel with a footring for comfort and rigidity. Seats are 16½"x17½", 13" high back. Black with silver satin frame. FOB Ind. OR CA.

Stk. No.	Seat Ht.	Lbs.	Net Ea.	Ea. (lots/4)	Ea. (lots/8)
42-037/2D	21"-26"	21	$57.79	$55.48	$53.26
42-038/0D	26"-31"	25	59.39	56.98	54.69

C

As Low As $53.26

As Low As $63.49

All Steel Stools Are Fully Adjustable

Comfort-style 2" pullover seat cushions

J

As Low As $40.81

As Low As $30.90

WE SHIP UPS WHEN POSSIBLE

D

E

- **Patented adjustment is clean and easy.**

Adjustable height all-steel stools are perfect for factory or assembly line . . . swiveling 13" diameter steel seats have formed flanges, on strong 14-ga. 1⅛" dia. tubular steel bases. Bases have 1½" steel glides. Colors: 27 gray, 29 black. Specify color number-name. FOB Ohio.

(D) Stool with Footrest measuring 16" in diameter on 22" leg spread (footring is ¾" steel).

Stock Number	Seat Ht. Adjusts	Wt. (lbs.)	List Price	Each	Each (lots/3)	Each (lots/6)
42-371/5DA	19"-27"	17	$53.00	$45.52	$43.91	$40.81
42-372/3DA	23"-31"	18	54.65	49.87	45.38	42.16
42-373/1DA	27"-35"	19	56.70	49.95	45.85	42.33

(E) Stool without Footrest, 16" leg spread.

Stock Number	Seat Ht. Adjusts	Wt. (lbs.)	List Price	Each	Each (lots/3)	Each (lots/6)
42-375/6DA	18"-26"	14	$40.50	$35.52	$33.16	$30.90

(J) SEAT CUSHION is 2" thick, pulls over the round steel seat. Black only.
42-376/4D—List $14.00.
Each $12.20. Each (lots/6) $11.30

1. Pin-tested to withstand 5500-lb. applied pressure
2. Can't be disengaged when occupied.
3. Tapered end—automatically engages in next increment
4. Non-removable shaft
5. Release trigger always at fingertip position



(F) & (G) In Stock at Factory in Gray and Black Frame

As Low As $53.99

WE SHIP UPS WHEN POSSIBLE

F

G

As Low As $44.93

H

WE SHIP UPS WHEN POSSIBLE

As Low As $63.59

Adjustable Stools Fit Every Body, Every Budge

F CONTOURED 4-WAY STOOL

Ideal for assembly line and work bench height jo —height adjusts to individual needs for every shi Form-fitting 15"x9" backrest adjusts four way scroll-shaped 15"x14" plywood seat adjusts wi positive lock. Can't slip! Strong enameled steel ba with footring for comfort, better back suppo Frame colors: 27 gray, 12 green, 22 beige, black. Specify color number-name. FOB Ind.

Stock Number	Ht. Adjusts	Wt. Lbs.	List Price	Each	Each (lots/3)	Eac (lots/
42-360/8DA	18"-24"	19	$65.80	$59.95	$57.55	$53.
42-361/6DA	24"-30"	20	67.50	61.60	59.14	55.
42-362/4DA	30"-36"	21	68.60	62.59	60.08	56.

G LOW-HEIGHT LOCKING STOOL

Helps eliminate fatigue—hours seem to fly by. Fu adjustable to individual body requirements . chosen position locks till you change it. Sturdy ga. steel base has 22" leg spread, durable enan finish. Seat and back are durable plywood—grea and dirt wipe right off so surface can be kept n even in not-so-neat environments. Frame colo 27 gray, 12 green, 22 beige, 29 black. Spec color number-name. FOB Ind.

Stock Number	Ht. Adjusts	Wt. Lbs.	List Price	Each	Each (lots/3)	Eac (lots/
42-363/2DA	15"-21"	19	$54.55	$49.79	$47.80	$44.
42-364/0DA	17"-23"	20	55.90	50.98	48.94	46.

H UPHOLSTERED ADJUSTABLE STOO

Choice of all vinyl or vinyl with fabric seat holstery. Scroll-shaped 15½"x14" seat redu pressure at popliteal area of the leg; 15"x9" ba rest adjusts four ways. Full 22" leg spread of diameter 16-ga. steel tubing with 1⅜" steel glid Enameled frame colors: 27 gray, 12 green, beige, 29 black. Vinyl colors: 18 blue, 12 gre 24 brown, 29 black. Fabric colors: 29 black, olive, 22 beige, 24 brown. Specify frame and holstery color number-name. FOB Ind.

	ALL VINYL UPHOLSTERY					
Stock No.	Adjusts	Lbs.	List	Each	(lots/3)	(lots/
42-368/1DD	18"-24"	24	$77.20	$70.47	$67.65	$63.
42-369/9DD	21"-27"	26	78.25	71.45	68.59	64.
42-370/7DD	25"-31"	27	78.85	71.96	69.08	64.
	VINYL WITH FABRIC SEAT					
Stock No.	Adjusts	Lbs.		Each	(lots/3)	(lots/
42-015/8DE	18"-24"	24		$70.47	$67.65	$63.
42-016/6DE	21"-27"	26		71.45	68.59	64.
42-032/3DE	26"-31"	27		71.96	69.08	64.

Special Purpose Stools Take Long, Hard Use

ALL STOOLS IN STOCK FOR IMMEDIATE SHIPPING

WE SHIP UPS WHEN POSSIBLE

STURDY STOOL WITH FULL BACK, HEIGHT ADJUSTMENT

WE SHIP UPS WHEN POSSIBLE low as **$29.39** in lots of 12

Adjusts to your comfort, convenience! Form-fitting metal back adjusts for proper support. Telescopic legs feature easy, screw-lock adjustment on 1" increments. Strong welded steel legs, heavy-gauge cold-rolled steel seat has recessed **Masonite panel** measuring 15x 14½x1⅛". Legs crossbraced with tubular ring for increased rigidity, and for use as a handy footrest. Gray. Wts.: 19, 20 lbs.

Stock Number	Ht. Adjust.	Net Each	Each (lots/6)	Each (lots/12)
42-108/1A	18-27"	$32.67	$30.81	$29.39
42-109/9A	24-33"	33.64	31.95	30.30

ADJUSTABLE HT. STOOL

WE SHIP UPS WHEN POSSIBLE

Remarkably serviceable stool for shop or office. Telescopic tubular steel legs are 18-gauge seam-welded—adjusts on 1" increments with easy lock screw. Footring is welded for added rigidity. Seat of cold-rolled steel with tempered **Masonite panel**, measures 14" in diameter. Self-leveling feet. Gray. 11, 12, 14 lbs.

Stock Number	Ht. Adjust.	Net Each	Each (lots/6)	Each (lots/12)
42-116/4A	18-27"	$20.51	$19.56	$18.55
42-117/2A	24-33"	22.41	21.38	20.29
42-118/0A	30-39"	23.59	22.39	21.17

Same, but with **padded vinyl-upholstered seats.** Wts.: 11, 12, 14 lbs.

Stock Number	Ht. Adjust.	Net Each	Each (lots/6)	Each (lots/12)
42-119/8A	18-27"	$26.39	$25.11	$23.82
42-120/6A	24-33"	27.52	26.13	24.54
42-121/4A	30-39"	28.65	27.23	25.93

low as **$18.55** in lots of 12

FULLY ADJUSTABLE STOOL FOR FIRM BACK SUPPORT

low as **$26.29** in lots of 12

Adapts to your working comfort! Steel backrest adjusts 2" horizontally, telescopic legs adjust in height. 14" diameter seat. Sturdy heavy-gauge steel with recessed tempered **Masonite seat.** Self-leveling steel feet. Durable gray enamel finish. Shipping weights: 17, 18, 19 lbs.

Stock Number	Ht. Adjust.	Net Each	Each (lots/6)	Each (lots/12)
42-110/7A	18-27"	$29.14	$27.68	$26.29
42-111/5A	24-33"	30.27	28.76	27.32
42-112/3A	30-39"	31.30	29.75	28.25

Same but **padded vinyl upholstered seat and back.** Wts.: 17, 18, 19 lbs.

Stock Number	Ht. Adjust.	Net Each	Each (lots/6)	Each (lots/12)
42-113/1A	18-27"	$37.93	$36.02	$34.24
42-114/9A	24-33"	39.23	37.86	35.28
42-115/6A	30-39"	40.22	38.20	36.29

Kik Step SAFETY STOOL



As low as **$23.66** WE SHIP UPS WHEN POSSIBLE

America's lowest price on the world's most convenient steel step stool!

Heavy-duty steel frame with 15¾" diam. base. All-around bumper protects furniture and walls from scratches. Non-slip rubber treads help to provide a firmer base with maximum safety. Stool rolls freely on spring-mounted non-mar casters . . . stool grips the floor and won't slide when weight is applied. 14" high for reaching high places . . . ideal for filing, factory, or warehouse. Wt. 12 lbs.

Colors: 11 mist green, 22 beige, 23 desert sage, 27 gray, 29 black, or 43 silvertone. Specify color no.-name. FOB Ks. List Price $46.25.

42-799/7DA—Wt. 12 lbs. Net ea. **$28.59.** Ea. (lots/6) **$25.25.** Ea. (lots/12) **$23.66**

Factory

Warehouse

Ruggedly Built Stools of Standard Height

WE SHIP UPS WHEN POSSIBLE

low as **$22.10** in lots of 6

FULLY UPHOLSTERED STOOL

- **Durable wipe-clean vinyl!**
- **Extra-thick foam seat cushion!**
- **Adjustable backrest**
- **Unitized welded steel design**

Manufactured to strict specifications of comfort and strength . . . stool is unitized tubular steel construction with new comfort-oriented features! Thick poly-foam pads the generous size seat. Backrest has separate 2" vertical and horizontal adjustment. Legs have welded ring crossbrace, self-leveling steel glides. Gray.

Stock Number	Seat Ht.	Wt. Lbs.	Net Each	Each (lots/6)
42-295/6A	18"	17½	$37.25	$35.89
42-296/4A	24"	18	38.58	36.67
42-297/2A	30"	19	39.94	37.94
SAME, BUT WITHOUT BACKREST				
42-298/0A	18"	11	$23.58	$22.10
42-299/8A	24"	11	24.86	23.08
42-300/4A	30"	13	25.85	24.30

LOW-COST STEEL STOOL

low as **$13.29** in lots of 6

- **Heavy-duty construction**
- **Unitized, welded steel**
- **Adjustable backrest**
- **Crossbraced legs**

WE SHIP UPS WHEN POSSIBLE

Ruggedly built for lasting service in industrial and shop applications. Frame is electrically seam-welded 18-gauge ⅞" O.D. tubular steel; crossbraced legs are welded into a single unit. Heavy-gauge steel and **Masonite seat** and backrest—backrest is curved and adjusts vertically and horizontally at 2" intervals. Gray.

Stock Number	Seat Ht.	Wt. Lbs.	Net Each	Each (lots/6)
42-238/6A	18"	15	$22.97	$21.81
42-239/4A	24"	16	24.30	22.97
42-240/2A	30"	17	25.65	24.30
WITHOUT BACKREST				
42-241/0A	18"	8	$14.23	$13.29
42-242/8A	24"	10	15.27	14.52
42-243/6A	30"	11	16.43	15.57

Chair Mats Protect Carpeting



¼ Inch Thick Acrylic Mats

- **Stays flat on deepest carpets**

Tough reversible acrylic mats are skid and scratch resistant. Best in thick carpet areas. Specify 45 smooth or 46 pebbled surface. Add $2.00 for pebbled surface. FOB Wis.

⅛ Inch Thick Lexan Mats

- **Thinner, Lighter, Stronger**

Super tough polycarbonate is guaranteed against breakage for 1 year! Coated non-slip bottom with textured anti-skid surface. Only ⅛" thick, yet withstands toughest punishment. Translucent, scratch-resistant mats allow chairs to roll on and off effortlessly. FOB Wis.

A SINGLELIP ACRYLIC MATS

W x L	Lip	Stock No.	Lbs.	Net Ea.	(lots/3)	(lots/12)
36x48"	20x10"	43-273/2DA	18	$36.60	$35.50	$33.30
45x53"	30x10"	43-274/0DA	23	49.90	47.75	44.40
48x60"	30x10"	43-275/7DA	30	60.90	58.85	52.89
48x72"	30x10"	43-276/5DA	36	74.80	68.80	61.72
60x60"	30x10"	43-277/3DA	38	93.55	86.35	77.70
60x72"	30x10"	43-278/1DA	45	97.15	89.90	79.14

B RECTANGULAR ACRYLIC MATS

48x36"		43-284/9DA	18	$36.60	$35.55	$33.30
48x48"		43-285/6DA	24	49.95	47.75	44.40
60x60"		43-286/4DA	38	93.55	86.40	77.70
60x72"		43-287/2DA	45	97.15	89.90	79.15

C SECRETARIAL ACRYLIC MATS

36x48"		43-282/3DA	18	$36.60	$35.55	$33.30
48x48"		43-283/1DA	24	49.95	47.75	44.40

A SINGLELIP LEXAN MATS

W x L	Lip	Stock No.	Lbs.	Net Ea.	(lots/3)	(lots/12)
36x48"	20x10"	43-710/3D	6	$32.70	$30.55	$27.79
45x53"	30x10"	43-711/1D	8	43.80	40.65	37.45
48x48"	30x10"	43-712/9D	7	43.80	40.65	37.45
48x60"	30x10"	43-713/7D	9	52.65	49.45	46.15
48x72"	30x10"	43-714/5D	12	62.75	58.30	56.15
60x60"	30x10"	43-715/2D	14	75.75	72.40	67.95

B RECTANGULAR LEXAN MATS

36x48"		43-716/0D	6	$32.70	$30.55	$27.79
45x53"		43-717/8D	8	43.80	40.65	37.45
48x48"		43-718/6D	9	43.80	40.65	37.45
48x60"		43-719/4D	10	52.65	49.45	46.15
48x72"		43-720/2D	12	62.75	58.30	56.15
60x60"		43-721/0D	14	75.75	72.40	67.95

C SECRETARIAL LEXAN MATS

36x48"		43-776/4D	6	$32.70	$30.55	$27.79
45x53"		43-777/2D	8	43.80	40.65	37.45
48x48"		43-778/0D	7	43.80	40.65	37.45
48x60"		43-779/8D	9	52.65	49.45	46.15
48x72"		43-780/6D	12	62.75	58.30	56.15
60x60"		43-781/4D	14	75.75	72.40	67.95

Because of size all acrylic mats and larger lexan mats are shipped mtr. frt. only. 48"x60" and under lexan mats ship UPS. Frt. ppd. on 12 or more mats.

Comfortable, Modern Chairs

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

(D) Executive Chair. High back with headrest, swivel base with tilt control. Button-tufted vinyl upholstery with fabric seat. 27"Wx27"Dx47"H. Colors: 29 black, 24 brown, 10 gold. Specify color no.-name. 81 lbs. FOB Ind.
42-732/8DA—List $305.00
Net each **$239.90**

As Low As
$68.99

(E) Conference/Arm Chair with vinyl upholstery and fabric seat, walnut frame. 24"Wx24½"Dx28"H. Colors: 06 russet, 10 gold, 24 brown, 29 black. Specify color no.-name. FOB Ind., Cal.
42-585/0DA—Net ea. **$78.89**
Ea. (lots/3) **$74.9**

Channel-Stitched Back-Seat (not shown)
42-586/8DA—Net ea. **$88.80**
Ea. (lots/3) **$83.47**

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

As Low As
$52.98

WE SHIP UPS WHEN POSSIBLE

Chrome Base Contemporary Chairs—Fully Guaranteed

Exceptional quality for this low price. Frames are triple chrome plated 16-ga. steel, guaranteed for 15 years. Upholstery is easy-care vinyl with **seats in matching nylon fabric,** guaranteed for 3 full years. Colors: 10 gold, 18 blue, 15 olive green, 24 brown, 29 black. Specify color number-and-name. FOB N.J. or Ill.

(F) Executive Swivel Chair. Tilt adjustment on base. Walnut finished arms, 17¾"x19¼" seat. List $105.90
42-019/0DA—Net ea. **$84.95.**
42 lbs. Each (lots/3) **$81.49**

(G) Arm Chair with 17¾"x19¼" seat, steel floor glides, walnut-finished arms.
42-021/6DA—Net ea. **$67.71.**
27 lbs. Each (lots/3) **$64.85**

(H) Secretarial Chair with posture back (adjustable tension) and 16½"x16¾" seat. UPS.
42-020/8DA—Net ea. **$70.95.**
30 lbs. Ea. (lots/3) **$61.71**

Side Chair (Not shown) has 17¾"x19¼" seat and steel floor glides. Handy anywhere.
42-022/4DA—Net ea. **$56.38.**
25 lbs. Ea. (lots/3) **$52.98**

As Low As
$105.25

WE SHIP UPS WHEN POSSIBLE

Rich Office Chairs in Solid American Walnut

Incomparably beautiful genuine walnut frames with a hand-rubbed oil finish. Plush button-tufted pillow back and seat cushions. Executive and Arm chairs are 25"x27"x34½" high. Fabric colors: 25 char. brown, 24 med. brown, 10 gold, 29 black. Premium grade Naugahyde: 25 walnut brown, 24 saddle brown, 10 gold, 29 black, 42 copper. Specify colors and 50 all vinyl or 51 vinyl/fabric seat (same price). FOB Ind. or Calif.

(J) Steno Chair has adjustable tension posture. 19½"Wx21"Dx31"H. Wt. 37 lbs. Shipped UPS.
42-733/6DD—Net ea. **$121.17**
Each (lots/3) **$113**

(K) Side Arm Chair. Wt. 40 lbs.
42-730/2DD—Net ea. **$129.20**
Each (lots/3) **$121**

(L) Executive Swivel Tilt Chair.
42-729/4DD—Net ea. **$175.56**
55 lbs. Each (lots/3) **$164**

GUARANTEED 3 WAYS
1. Chair frames and swivel controls are guaranteed against mfr's defects for 12 years normal use.
2. Upholstery is guaranteed for 2 years against unusual wear.
3. C&H guarantees your satisfaction—always!

Fabric Seats Standard

As Low As $218.40

As Low As $182.90

B

A EXECUTIVE HI-BACK WITH HEADREST

Welcome comfort . . . 46" high back, thick cushioning, and swivel-tilt controls contribute to making this a chair preferred by all executives. Button-tufted vinyl upholstery with fabric seat. 5-point chrome base, swivel casters. Specify color.

42-635/3DA—List $277.00. Wt. 81 lbs. Each **$218.40**

B FULLY UPHOLSTERED EXECUTIVE CHAIR

Especially attractive in contemporary interiors. Luxuriously padded swivel-tilt chair has chrome base, fully adjustable for day-long comfort. 26"x26"x38" high. Specify color.

42-698/1DA—List $232.00. Wt. 78 lbs. Each **$182.90**

Premium Vinyl with fabric seat for Items (A) and (B)
Colors: 24 brown, 29 black. Specify color number-name.

Quick-Ship Color Combos with fabric seat—Items (C) to (H)
Colors: 29 black vinyl/black fabric seat/silver satin frame; 24 brown/brown/desert sage; 10 antique gold/gold/desert sage; 06 russet/rust/desert sage. Specify colors no.-names.

Other Color Choices for Items (C) to (H)
Naugahyde vinyl: 15 avocado, 25 dark brown, 18 medium blue, 27 medium gray, 12 medium green, 29 black, 22 sand, 23 tan, 06 tangerine, 10 gold, 11 antique gold. Fabric seat: 15 olive, 18 medium blue, 24 brown, 02 red, 08 rust, 10 gold, 23 tan, 29 black, 06 orange. Frames; 43 silver satin, 27 gray, 23 tan, 24 brown, 29 black, 11 light green, 22 putty. Specify color number-and names.

Long-Lasting Office Chairs at Wholesale Prices

C&D ADJUSTABLE SWIVEL ARM CHAIRS

(C) Comfortable Large Size Chair. Easy tilt and height controls. Chair rolls silently on ball-bearing casters. Fully padded, 3½" thick poly foam seat, 18½"x19½"; 1" thick backrest, 14"x16". Cold-rolled steel frame. Specify color choice. Shpg. wt. 45 lbs. Via UPS.

42-024/0DD—All Naugahyde. List $131.00. Ea. **$99.29.** Ea. (lots/3) **$93.33**
42-089/3DE—Naugahyde with fabric seat. Ea. **$106.44.** Ea. (lots/3) **$99.90**
42-583/5DA—Quick-shop combo. Ea. **$101.44.** Ea. (lots/3) **$95.35**

(D) Economy SWivel Chair with blade base, smaller back. Wt. 43 lbs.

42-005/9DD—All Naugahyde. List $122.00. Ea. **$92.75.** Ea. (lots/3) **$87.18**
42-006/7DE—Naugahyde with fabric seat. Ea. **$99.36.** Ea. (lots/3) **$93.40**
42-584/3DA—Quick-ship combo. Ea. **$94.27.** Ea. (lots/3) **$88.61**

At C&H You Buy Quality Office Chairs At Money-Saving Wholesale Prices

E STENO'S POSTURE-BACK ADJUSTABLE CHAIR

Ends backstrain and fatigue; adjusts 4 ways! Tilt and height controls assure customized comfort. Chair rolls quietly on heavy-duty hooded ball-bearing casters. Electric welded frame is 1"x16-ga. steel; with poly foam-cushioned 1" thick back, 2½" thick seat. Back is 16x11", seat is 18x17". Specify colors. 35 lbs.

42-007/5DD—all Naugahyde. List $102.00. Ea. **$79.40.** Ea. (lots/3) **$74.64**
42-008/3DE—Naugahyde with fabric seat. Ea. **$83.95.** Ea. (lots/3) **$78.91**
42-579/3DA—Quick-ship combo. Ea. **$79.54.** Ea. (lots/3) **$74.76**

F ECONOMICAL STENO CHAIR—GOES UPS

An exceptional value. Polyfoam cushioned seat is 2" thick. Back and height adjust. Frame is 1"x16-ga. tubing. 18"Wx19"Dx29"H. Shipped KD via UPS. 23 lbs. Specify color nos.-names.

42-009/1DD—All Naugahyde. List $71.00. Ea. **$53.96.** Ea. (lots/3) **$50.72**
42-010/9DE—Naugahyde with fabric seat. Ea. **$59.95.** Ea. (lots/3) **$56.40**
42-580/1DA—Quick-ship combo. Ea. **$57.61.** Ea. (lots/3) **$54.15**

G STURDY MULTI-PURPOSE SIDE CHAIR

All-steel welded frame of 1"x16-ga. sq. tubing; plastic glides. Poly foam-cushioned 2" thick seat, 18½x16½"; 1" thick back, 16x11". Specify colors.

42-003/4DD—All Naugahyde. List $49.00. Ea. **$38.63.** Ea. (lots/3) **$36.31**
42-004/2DE—Naugahyde with fabric seat. Ea. **$43.95.** Ea. (lots/3) **$41.31**
42-581/9DA—Quick-ship combo. Ea. **$41.96.** Ea. (lots/3) **$39.44**

H MODERN CONFERENCE ARM CHAIR

Many uses! Constructed of all steel welded 1"x16-ga. square tubing. Comfortable 3½" thick poly foam seat, 20x18½"; 1" thick back, 16x11". Durable plastic glides protect floor. Specify color choices. 32 lbs.

41-001/8DD—All Naugahyde. List $74.00. Ea. **$58.35.** Ea. (lots/3) **$54.55**
42-002/6DE—Naugahyde with fabric seat. Ea. **$62.64.** Ea. (lots/3) **$58.88**
42-582/7DA—Quick-ship combo. Ea. **$59.82.** Ea. (lots/3) **$56.23**

All FOB Ind. or Calif. whichever is closer, except (B) which is FOB Ind. only.

Contemporary Steel Desks With Marproof Woodgrain Tops —Priced at Rock Bottom!

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

4-IN-1 MODULAR DESKS
Use return on right or left, at flush or typewriter height



A

As Low As $199.50

One desk can work four ways . . . as your needs change



E

As Low As $189.21

Matching credenza for storage

C

As Low As $171.19

Conference desk for in-office meetings

Single pedes desk

B

As Low As $174.50

Space-saver modular desk for secretaries



D

As Low As $92.15

C

As Low As $125.92

Double pedestal desk with ample drawers

The contemporary look at a price even the most budget-conscious office can appreciate—and afford. All are constructed of heavy-gauge rugged steel with full suspension, full depth file drawers, cam locks, triple chromed legs, and marproof plastic laminate tops. Colors: Tops in 34 walnut, 35 teak; bases in 29 black, 23 tan, 21 putty, 22 sand. Specify top and base color numbers-and-names. Shipped KD. FOB N.Y.

A MODULAR DESK WORKS 4 WAYS

Four-in-one design adapts to your changing space requirements. Top is 30″x60″; return, 19″x40″. Includes four box drawers, one file drawer.
42-675/9DD—Net each **$219.39.**
Wt. 225 lbs. Each (lots/3) **$199.50**

B SPACE-SAVER MODULAR DESK

Four-in-one design with 24″x54″ top, 19″x30″ open return; one box, one file drawer.
42-674/2DD—Net each **$185.90.**
Wt. 155 lbs. Each (lots/3) **$174.50**

C VERSATILE DOUBLE PEDESTAL DESK

Perfect for general or executive offices . . . outfitted with four box drawers, one full suspension file drawer and pedestal lock for most office requirements.

Stock No.	Top	Lbs.	Net Ea.	Ea. (lots/3)
42-301/2DD	24″x54″	130	$133.41	$125.92
42-302/0DD	30″x60″	150	153.15	141.93
42-303/8DD	36″x72″*	170	182.90	171.19

*7″ overhang on back and sides for conferences

LOCKING CENTER DRAWER

Extra convenience with built-in pencil tray.
42-311/1DA—Wt. 7 lbs. Net each **$15.35**

D SINGLE PEDESTAL DESK

Perfect size for receptionists, salesmen, anywhe space is at a premium. Right pedestal has lockir box drawer and file drawer for orderly storing.

Stock No.	Top	Lbs.	Net Ea.	Ea. (lots/
42-304/6DD	24″x40″	100	$98.63	$ 92.15
42-305/3DD	30″x48″	120	114.97	106.50

E MATCHING OFFICE CREDENZA

Close-at-hand storage in two box and two fi drawers, sliding door bookcase. 20″x60″ top.
42-310/3DD—Net ea. **$202.40**
Wt. 160 lbs. Each lots/3 ..... **$189.2**

Ready for immediate shipment—60″x30″ desk in tan with tan top, gray with gray top

Our Best Quality Heavy-Duty Steel Desk

Lifetime baked enamel finish stays beautiful. Plastic 60″x30″ top is mar, burn, and stain-resistant. Height adjusts from 29″ to 30½″. Full suspension system makes every inch of file drawer accessible. Four box drawers, center drawer, dictation slides, central locking. Base colors: 27 gray, 11 lt. green, 23 tan, 29 black. Plastic top colors: 34 walnut, 35 teak, 27 gray, 23 tan. Specify color no.-name. FOB Pa.
42-684/1DD—List $393.80. 204 lbs.
Each **$267.55** Each (lots/3) **$248.6**

CONFERENCE DESK for management meeting etc. 72″x34″ top overhangs on two sides and bac 244 lbs. FOB Pa.
42-685/8DD—List $465.60.
Each **$310.96.** Each (lots/3) **$285.9**

Save on Heavy-Duty Steel Furniture for Warehouse/Shop/Office



F

Self-leveling glides on strong anodized aluminum legs

Pencil tray in top drawer—one lock secures the entire desk



G

Table available with panels and drawer

H

Sturdy chair in cleanable vinyl.

Precision made for Lasting Good Looks—Priced a Rock-Bottom For Extra Savings

• **For foreman or supervisors** • **For shipping clerks** • **For dock**
Tables, chairs, and desks that can really take it! Everything has that extra bit stamina to survive the shock of daily abuse. Desks have full suspension fi drawer, dictation slides, central locking, self-leveling legs and heavy-du marproof tops. Work tables have 2″ square legs and welded frames; panel en table has convenience drawer. Swivel arm chair has heavy-duty frame casters, and vinyl upholstery. FOB Iowa. Colors: Desk and Table in 23 tan wi tan top; 27 gray with gray top; 29 black with walnut top. Chair in 29 black fram with black vinyl; 12 gray with green; 23 tan with brown. Specify colo number-and-name for each.

Key Ltrs.	Stock Number	Description	Wt. (lbs.)	Net Each	Each (lots/3
F	42-641/1DA	48″x30″ single pedestal desk	169	$226.20	$213.7
F	42-642/9DA	60″x30″ double pedestal desk	227	270.60	257.6
F	42-643/7DA	72″x36″ double pedestal desk	254	331.43	308.1
G	42-720/3DA	60″x30″ leg table	89	146.05	137.7
G	42-721/1DA	60″x30″ panel end table	149	198.90	185.0
H	42-640/3DA	Adjustable swivel chair	32	83.42	75.9

Formica® Tops Keep Walnutgrain Desks New!

C&H WHOLESALE PRICES make this attractive furniture affordable for one office, a suite, or an entire company. It's all quality-built and perfectly coordinated. High-pressure plastic laminated tops can't be harmed by heat or scratches; frames are strong hardwood with Duron® modesty panels. All drawers are oak—fully boxed and dovetailed with steel channel side guide suspension. File drawers with rods for side-to-side letter or legal size arrangements. Pencil tray included in upper box drawer. Top pedestal drawers have cylinder locks. All hardware is satin brushed chrome. Heavy-duty nylon leveling glides on legs. FOB North Carolina.

Similar units with full suspension files are available, write to Dept. 42.

A EXECUTIVE CONFERENCE DESK

Spacious 72"x36" top offers ample work area—its 6" overhang on three sides lets your visitors pull up their chairs for in-office conferences. Four box drawers, one center and one file drawer make this handsome desk a "dynamite" work center. Wt. 210 lbs.

42-200/6D—Net each **$225.95**
Each (lots/3) **$212.77**
Same, but no center drawer, 200 lbs.
42-201/4D—Net each **$213.55**

As Low As **$212.77**

As Low As **$222.35** B

B EXECUTIVE CREDENZA

Extra storage in a handsome piece that complements your executive desk—Impressive 72"x20" top can't be harmed by spills or scratches. File drawer and box drawer on left, three box drawers on the right—38" wide compartment between with sliding doors, one shelf.

42-202/2D—Net ea. **$236.25.**
185 lbs. Each (lots/3) **$222.35**

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250



As Low As **$277.35** C

C EFFICIENT SECRETARIAL-L

Automatic efficiency for the secretary or receptionist ensconced in this handsome "L." Main desk is 60"x30" with file drawer and box drawer, 42"x20" return has three box drawers. Both with modesty panels, locks in top drawers, and Formica surfaces that can't be harmed by stains, scratches. 210 lbs.

42-206/3D—Right hand return.
Net ea. **$299.50.** Ea. (lots/3) **$277.35**
42-207/1D—Left hand return.
Net ea. **$299.50.** ea. (lots/3) **$277.35**

As Low As **$166.25** D

D EXECUTIVE STORAGE CREDENZA

Only 20" deep yet it offers a wealth of office beauty, and untold conveniences for storage and filing, right where the busy executive needs it most: In his office, near his desk. 60" wide unit has four box drawers, one file drawer. A handsome, practical addition.

42-205/5D—Net each **$178.50.**
125 lbs. Each (lots/3) **$166.25**

As Low As **$175.50** E

E IMPRESSIVE EXECUTIVE DESK

Workable 60"x30" top plus a full complement of drawers: center drawer, four box drawers, and file drawer . . . offer the perfect answer to executive office neatness and attractiveness.

42-203/0D—Net each **$189.99.**
180 lbs. Each (lots/3) **$180.90**
Same, but no center drawer. 170 lbs.
42-204/8D—Net each **$175.50**

Convenient Extras for Your Office

Marproof Tops Make These Practical Anywhere!

WE SHIP UPS WHEN POSSIBLE

F MACHINE STAND

Sturdy, high quality to hold heavy office machines: typewriters, copiers, etc. Legs are chromed heavy-gauge steel; top is stain- and scratch-resistant ¾" thick walnut-grained laminate. Easy moving on 2¼" ball bearing casters. 30"x18"x26½" H. Shipped KD, via UPS.

42-820/1D—Net each **$63.98**
31 lbs. Ea. (lots/3) **$60.75**

H FILE CABINETS

Handsome desk height cabinets are 29" high—each has rods for side-to-side filing convenience. Each 24" deep.

Two-Drawer File, 16½" wide.
42-212/1D—Net each **$102.40.**
70 lbs. Each (lots/3) **$92.70**

Four-Drawer File, 31½" wide.
42-213/9D—Net each **$172.40**
130 lbs. Each (lots/3) **$159.95**

G SLIDING DOOR CREDENZA

Handy 42"x20" Formica top work surface with one 12" adjustable shelf behind doors. FOB N.C. 98 lbs.

42-222/0D—Net ea. **$101.77.** Ea. (lots/3) **$95.10**

STURDY BOOKCASES IN MATCHING WALNUT

Adaptable units for creating library walls or individual storage area wherever needed—each bookcase is 36" wide, 12¼" deep. Shelves above lower shelf are adjustable, lower shelf is 12" high. Five and 6-shelf cases are stacked with an upper 2-shelf section attached to a base unit. See index for steel bookcases.

Stk. No.	Shelves	Ht.	Lbs.	Net Ea.	Ea. (lots/3)
42-214/7D	2	31"	52	$52.34	$ 49.84
42-215/4D	3	43¾"	76	69.79	63.89
42-216/2D	4	56½"	93	84.97	79.25
42-217/0D	5	70¾"	123	120.64	114.44
42-218/8D	6	83½"	140	136.52	127.22

Insulated Fireproof Files

A Fire Could Wipe Out Your Business! Be Safe . . . Store Records in UL Fire-Tested Insulated Files Whose Interiors Remain Below 350°F when File Is Subjected to 1700°F Temperatures for One Hour

Strong, specially designed files boast steel-lined interiors and seamless construction with lightweight monolithic insulation that reduces stress on floors without sacrificing protection of contents. Each drawer offers full 26" of filing capacity . . . full cradle chrome-plated suspension allowing full drawer extension. Fingertip action slide follower in each drawer helps improve neatness. Plunger lock on top drawer secures entire cabinet if desired. All steel with furniture quality finish, brushed chrome hardware. O.S. dimensions: 30¼" deep; 2 drawer 27⅞" high, 4-drawer 53⅛" high. Colors: 22 platinum, 23 tan, 27 gray, 29 black. Specify color number-and-name. FOB Ohio.

FIRE CAN DESTROY A LIFETIME OF RECORDS

Shown with optional two-tone finish. Contact Dept. 41 for prices.

Smooth, quiet . . . nylon tire rollers with ball bearings

As Low As **$332.60**

Class "D" File

Class "C" file includes insulation between drs.

STANDARD CLASS 350 FILES (formerly Class "D") have passed UL tests for fire endurance and explosion. Safety and economy make these a "must" for the going business. Basement-less ground floor use is recommended for this class file.

DELUXE CLASS 350 (formerly Class "C") have insulation between drawers and have passed UL tests for fire endurance and explosion . . . they can withstand impact of falling debris or a **30 ft. fall through floors of burning building.**

	STANDARD — CLASS "D"				DELUXE — CLASS "C"			
Size*	Stock Number	Wt (lbs.)	Net Each	Each (lots/3)	Stock Number	Wt. (lbs.)	Net Each	Each (lots/3)
2-Dr. Letter	41-081/1DA	285	$353.30	$332.60	41-085/2DA	295	$414.65	$390.25
4-Dr. Letter	41-082/9DA	480	541.40	512.15	41-086/0DA	505	609.70	579.25
2-Dr. Legal	41-083/7DA	305	396.30	365.80	41-087/8DA	350	452.50	427.95
4-Dr. Legal	41-084/5DA	530	592.80	556.20	41-088/6DA	600	682.80	644.95

TAILGATE DELIVERY STANDARD. INSIDE DELIVERY, ADD $65.00 and specify at time of order.

Borroughs Most Versatile Lateral Files Combine Efficiency, Beauty

5 OPENING CABINET offers maximum filing capacity in minimum floor space.

3 OPENING CABINET is handy counter height

4 OPENING CABINET can be grouped to form cube-filing or work stations

2 OPENING CABINET doubles as credenza

FOR ORDERS ONLY
Please Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

As Low As **$223.17**

Choice of Roll-Out Drawers or Roll-Out Shelves with Retractable Doors . . . With or Without Locks

Create convenient, customized filing systems wit space-saving lateral files, each adjusts for letter or lega filing . . . all cabinets are 18" deep. Roll-Out She Cabinets have retractable doors, come complete wit three adjustable file supports. Roll-out Drawer Cabinet have fixed fronts, equipped with hanging folder rods Colors: 21 putty, 23 Alamo tan, 29 black. Specify colo number-name. (Order accessories at left) FOB Mo.

SAVE AS MUCH AS **$200.14**

Accessories

WALNUT-GRAINED VINYL TRIM
For Cabinet tops (laminated on steel).
36" length.
41-873/1D . . . $66.25
42" length.
41-874/9D . . . $73.95

For Door-Drawer Fronts (laminated on steel). Priced per opening.
41-875/6D $12.32

FILE SUPPORTS for letter, legal — 6¼"Hx10¼"D.
41-876/4D . . . $2.74

	Roll-Out Shelf	Roll-Out Drawer
2 Opening Cabinet		
3 Opening Cabinet		
4 Opening Cabinet		
5 Opening Cabinet*		

Roll-Out Shelf Stock Number	Roll-Out Drawer Stock Number	No. of Openings	Lock	Height	Width	Shpg. Wt.	List Price	Each	Each (lots
41-841/8DA	41-857/4DA	Two	No	28⅞"	36"	131 lbs.	$302.22	$232.48	$223.17
41-842/6DA	41-858/2DA	Two	Yes	28⅞"	36"	133 lbs.	325.10	249.17	237.95
41-843/4DA	41-859/0DA	Two	No	28⅞"	42"	142 lbs.	331.70	254.24	242.80
41-844/2DA	41-860/8DA	Two	Yes	28⅞"	42"	144 lbs.	354.54	272.82	260.45
41-845/9DA	41-861/6DA	Three	No	40 19/32"	36"	179 lbs.	$410.08	$315.55	$301.35
41-846/7DA	41-862/4DA	Three	Yes	40 19/32"	36"	182 lbs.	436.34	334.76	319.69
41-847/5DA	41-863/2DA	Three	No	40 19/32"	42"	195 lbs.	457.98	352.41	336.55
41-848/3DA	41-864/0DA	Three	Yes	40 19/32"	42"	200 lbs.	484.24	372.62	355.85
41-849/1DA	41-865/7DA	Four	No	52 5/16"	36"	226 lbs.	$522.70	$399.21	$381.24
41-850/9DA	41-866/5DA	Four	Yes	52 5/16"	36"	229 lbs.	555.26	427.27	408.04
41-851/7DA	41-867/3DA	Four	No	52 5/16"	42"	251 lbs.	611.96	469.90	448.75
41-852/5DA	41-868/1DA	Four	Yes	52 5/16"	42"	254 lbs.	644.50	495.94	473.62
41-853/3DA	41-869/9DA	Five	No	65 7/32"	36"	290 lbs.	$647.82	$498.49	$476.05
41-854/1DA	41-870/7DA	Five	Yes	65 7/32"	36"	294 lbs.	687.48	529.05	505.24
41-855/8DA	41-871/5DA	Five	No	65 7/32"	42"	324 lbs.	715.18	550.33	525.56
41-856/6DA	41-872/3DA	Five	Yes	65 7/32"	42"	328 lbs.	754.86	580.86	554.72

*5 Opening Roll-Out Drawer models are furnished with the top opening as a Roll-Out Shelf (retractable door). All openings have hanging folder rods.

Strong Files to Fit Your Needs and Budget

A GOOD FULL-SUSPENSION FILE CABINETS AT LOW COST

Easy-operating full-suspension drawers glide smoothly and silently on 8 nylon rollers; non-rebound feature keeps drawers closed without thumb latch. Furnished with positive side-locking follower block—each drawer gives 24" of clear filing space. Cabinet measures **25" deep.** Colors: 27 gray, 23 tan, 29 black. Specify color number-name. FOB Ia., Ga., or Va.

Stock Number	Drws.	Size	Lock	Lbs.	Net Each	Each (lots/2)	Each (lots/6)
41-812/9DA	2	Letter	No	65	$ 71.08	$ 67.52	$ 63.72
41-813/7DA	2	Letter	Yes	65	83.23	79.07	75.33
41-814/5DA	2	Legal	No	70	84.94	80.69	76.54
41-815/2DA	2	Legal	Yes	70	97.32	92.45	87.82
41-816/0DA	4	Letter	No	118	97.86	92.97	88.18
41-817/8DA	4	Letter	Yes	118	116.11	110.30	104.77
41-818/6DA	4	Legal	No	127	118.89	112.34	106.35
41-819/4DA	4	Legal	Yes	127	136.95	130.16	123.61

B BETTER QUALITY FULL SUSPENSION FILES

High-grade furniture steel cabinets offer maximum capacity at a low cost! They're **26½" deep**—with full cradle suspension drawers that roll silently and smoothly on ten nylon rollers. Built to offer daily convenience. Full inside drawer liners, ladder-type front frame and hand holes in drawer for extra convenience. Colors: 22 putty, 23 tan, 29 black, 27 gray. Specify color number-and-name when ordering. Lifetime guarantee. FOB Pa.

Stock Number	Drawers	Size	Lock	Lbs.	Net Ea.	Each (lots/3)	Each (lots/6)
41-764/2DA	2	Letter	No	71	$90.89	$85.69	$79.95
41-765/9DA	2	Letter	Yes	72	108.94	102.37	95.22
41-766/7DA	2	Legal	No	81	106.97	99.77	93.62
41-767/5DA	2	Legal	Yes	82	127.27	120.32	113.40
41-784/0DA	3	Letter	No	100	113.83	107.66	101.01
41-785/7DA	3	Letter	Yes	101	131.60	124.36	117.50
41-768/3DA	4	Letter	No	126	116.60	109.78	104.58
41-769/1DA	4	Letter	Yes	127	134.36	127.87	120.80
41-770/9DA	4	Legal	No	144	141.22	134.42	126.81
41-771/7DA	4	Legal	Yes	145	156.92	148.83	141.28
41-786/5DA	5	Letter	No	150	161.44	152.55	144.15
41-787/3DA	5	Letter	Yes	151	179.47	168.35	160.37

C OUR BEST EXTRA-DEEP FULL-SUSPENSION CABINETS

28" deep cabinets afford full 27¼" filing space in each drawer! Free-rolling full-suspension cradle with 6 free floating smooth silent nylon balls, 4 free floating rollers — not axles! Extra rigid "Ladder type" front frame; permanently welded steel prevents side sway. Adjustable positive-action compressors, easy thumb latches. Colors: 27 gray, 11 lt. green, 15 olive, 29 black, 23 tan, or 34 walnut. FOB Ill. Specify color number and name.

Stock Number	Drawers	Size	Lock	Lbs.	List	Each	Each (lots/2-5)	Each (lots/6)
41-120/7DA	4	Letter	No	143	$208.50	$167.84	$163.48	$155.81
41-121/5DA	4	Letter	Yes	145	231.90	191.37	182.38	171.86
41-122/3DA	4	Legal	No	154	249.50	199.77	190.36	179.73
41-123/1DA	4	Legal	Yes	156	275.00	220.97	211.49	199.88
41-124/9DA	2	Letter	No	80	160.10	127.62	121.03	115.69
41-125/6DA	2	Letter	Yes	82	183.50	148.83	143.03	136.57
41-126/4DA	2	Legal	No	86	184.60	149.69	143.82	137.28
41-127/2DA	2	Legal	Yes	88	210.50	166.44	159.04	152.42
41-128/0DA	5	Letter	No	172	267.50	211.80	205.19	188.15
41-129/8DA	5	Letter	Yes	174	290.50	235.51	228.39	214.99

D LETTER-SIZE NON-SUSPENSION FILES

Perfect choice for inactive or little-used filing needs . . . steel cabinets are sturdily constructed and attractively finished with contemporary straight line styling to present a neat appearance and long service. Drawers are non-suspension (they are not designed to take the rigors of constant use)—they roll quietly on nylon rollers. Letter-size cabinet, 14, 16 or 22" deep; two-drawer is 27⅞" high, 4-drawer is 52" high. Colors: 23 sand, 29 black, 27 gray. Specify color number-and-name when ordering. FOB Ia., Ga., or Va.

Stock Number	Drawers	Depth	Wt. (lbs.)	Net Each	Each (lots/3)	Each (lots/6)
41-064/7DA	2	14"	37	$33.54	$31.17	$29.73
41-066/2DA	2	16"	42	35.32	32.73	31.22
41-067/0DA	2	22"	45	47.10	45.13	43.39
41-068/8DA	4	22"	78	74.45	71.99	68.97



With 1/5-cut clear plastic tabs and A to Z inserts. FOB Ill. Sold only in packages.

Outfit File Drawers To Speed Work and Improve Office Efficiency

LETTER SIZE FOLDERS			
Stk. No.	Pkg.Qty.	Wt. (lbs.)	Net Ea. Pkg.
41-100/9DP	100	18	$32.21
41-105/8DP	250	45	72.63
LEGAL SIZE FOLDERS			
41-101/7DP	100	22	$35.99
41-107/4DP	250	50	82.63

ADAPTER FRAMES

Low cost! Sold only in packages of 6. Shpg. wt. 15, 16 lbs.

Stock Number	Size	Net Ea. Pkg.	Ea. Pkg. (lots/3)
41-102/5DP	Letter	$17.28	$16.47
41-103/3DP	Legal	18.36	17.56

SPECIAL IN STOCK 25 FOLDERS AND ONE FRAME: LETTER SIZE 41-109/0A ..... $12.69; LEGAL SIZE 41-111/6A $14.69

Drafting Room Values

Office Equipment Costs Less at C&H Wholesale Prices—Save!



A MULTI-PURPOSE STEEL CABINET

Quiet operating drawers provide full accessibility to drawings, samples, artwork, or anything that needs to be stored flat and protected. Drawers have two labelholders with handles. Cabinets are strong heavy-gauge steel, in attractive office colors. Colors: 11 mist green, 22 sand, 27 gray. Specify color number-and-name.

10-DRAWER CABINET—Each drawer: 22⅞"x17½"x 2½" high. Cabinet is 25⅝"x18¼"x37½". FOB Penn.
41-630/5DA—Net each **$243.66.**
Shpg. wt. 133 lbs. Each (lots/3) **$231.47**

11-DRAWER CABINET—Meets the needs of most art departments. Eleven drawers are 24½"x19¼"x 2⅛" high each. Cabinet measures 27½"x20"x37½" high overall. FOB Penn.
41-631/3DA—Net each **$260.75.**
Shpg. wt. 156 lbs. Each (lots/3) **$245.95**

B STACKABLE STEEL ROLL FILES

Strong steel with square corrugated fiberboard dividers reinforced with plastic molding. Each cabinet 15¾" square—stackable for creating custom storage. Baked enamel finish. Colors: 22 beige, 27 gray. Base is neutral color. Specify color number-and-name. FOB Minn.

Stock Number	Tube Lgth.	No. Tubes	Tube Size	Wt. (lbs.)	Net Ea.	Each (lots/2)	Each (lots/6)
41-800/4DA	25"	16	3¾"	30	$75.88	$72.85	$69.94
41-801/2DA	25"	25	3"	30	80.88	77.65	74.54
41-802/0DA	25"	36	2½"	30	87.88	84.37	80.99
41-803/8D	BASE*			5	16.95	16.27	15.62
41-804/6DA	37"	16	3¾"	36	$77.88	$74.77	$71.78
41-805/3DA	37"	25	3"	36	82.88	79.57	76.39
41-806/1DA	37"	36	2½"	36	89.88	86.29	82.84
41-807/9D	BASE*			5	17.95	17.23	16.54
41-808/7DA	43"	16	3¾"	44	$81.88	$78.61	$75.47
41-809/5DA	43"	25	3"	44	86.88	83.41	80.07
41-810/3DA	43"	36	2½"	44	93.88	90.13	86.53
41-811/1D	BASE*			5	18.95	18.19	17.46

*Base raises stack of files 2" off the floor.

C STACKABLE FLAT FILES

Easy carrying, safe storing. Invaluable aid to safe storing, filing, shipping, and handling of large flat materials such as artwork, large photos, blueprints, paper samples, etc. Hefty ¾"x1½" wood frame is covered with strong solid fiberboard shell—top panel opens wide for full access to contents. Each is 1½" high, with plastic handles, large index panel, latch. FOB Minn. Sold only in multiples of 5.

Stock Number	Outside W x D	Wt. (lbs.)	Net Ea. (lots/5)	Each (lots/35)
41-026/6DL	38½"x24½"	25	$9.25	$8.33
41-065/4DL	44½"x30½"	35	10.25	9.23

D SAFCO FILES WITH RACK

Complete, self-standing units to store and protect documents, artwork, blueprints. Heavy-duty industrial steel shelving has side and back braces, each shelf holds three 1½" deep flat files. Racks finished in gray enamel. Stackable. FOB Minn.

5-SHELF RACK WITH 15 FILES

Stock Number	Rack W x D	Files W x D	Wt. (lbs.)	Net Each
41-628/9D	40"x24"	38½"x24½"	149	$177.85
41-629/7D	46"x30"	44½"x30½"	212	216.85

BEAT INFLATION—BUY AT WHOLESALE FROM C&H AND SAVE MORE!



Viking Vertical Stikfiles Solve the Problem of Storing Valuable Prints, Maps, Etc. Economically

- **Binders hold sheets without damaging**
- **Selectively remove sheets from binder**

Easy-to-use, dependable vertical filing system for protection and storage of loose sheets. Binders are designed to hold from one to 75 sheets without staples, tape, punched holes or other time-consuming or damaging aides. Two screws exert pressure on hardwood dowel within a heavy-gauge metal channel. Set screws can be finger tightened—binders' rigid center hook fits on rack hanger. All finished in black baked enamel finish. FOB Ill.

RACKS ONLY—Orders binders below.

Key Ltr.	Stock Number	Type	Binder Cap.	Wt. (lbs.)	Net Ea.	Each (lots/3)
E	41-610/7D	12" Port.	6	25	$60.99	$54.84
	41-611/5D	24" Port.	15	30	81.69	73.20
F	41-612/3D	12" Wall	6	2	27.31	24.81
	41-613/1D	24" Wall	15	3	35.62	32.07
G	41-614/9D	24" Stat.	15	28	73.11	65.39

BINDERS—Specify 01—pkg/6 or 02—pkg/15.

Stk. No.	Lgth.	Wt. Ea.	01-Pkg./6	02-Pkg./15
41-695/8DXP	18"	1 lb.	$32.75	$ 82.51
41-696/6DXP	24"	1½ lbs.	35.19	88.32
41-697/4DXP	30"	1½ lbs.	37.92	95.06
41-698/2DXP	36"	2 lbs.	39.76	98.53
41-699/0DXP	42"	2 lbs.	49.97	123.78

Convenient 20-Roll Upright File Holder

Desk-side container keeps rolls of blueprints, etc. crease-free and convenient. Walnut-grain 200-lb. test corrugated fiberboard container has 2¾" steel reinforced square tubes. 15"Wx12"Dx22"H (12" front) with plastic feet and hand hold. 5 lbs.
41-634/7A—Net ea. **$17.88.**
Each (lots/) **$16.79**

Keeps rolled item handy and protecte

Desk Side File Holds 45 Rolls

Keep maps, charts, blueprints, drawings, graphs, etc. clean and crushproof. Use next to desk, increase work surface. Double wall corrugated fiberboard cabinet holds a full load of drawings . . . and you don't incur the high cost of steel. Dust-tite door keeps contents tidy, index grid aids quick retrieval. Each tube is 3" square.

Strong steel frame

Stock Number	Cabinet Size W x D x H	No. of Tubes	Wt. (lbs.)	Net Each	Each (lots/3)	Each (lots/6)
41-062/1A	15"x31"x27½"	45	28	$58.88	$52.99	$47.75
	Optional Metal Base					
41-063/9A	Keeps file 2" off floor		5	$17.88	$16.15	$15.19

Deluxe Modular Interlock Steel Blueprint Cabinets


Top is 7/8" high
6 drawers are 10 3/4" high (1" I.D. each)
3 drawers are 10 3/4" high (each 2 1/2" I.D.)
6 drawers are 20 3/8" high (each 2 1/2" I.D.)
1 drawer 6 1/8" high (4" I.D.)
Base is 7 1/4" high
FIXED HOOD
HINGED SHIELD
POSITIVE DRAWER STOP
WIDE UPRIGHT REINFORCEMENT
HEAVY GAUGE TRACK
CASE HARDENED BALL BEARING ROLLER

low as **$151.70** in quantity

Construction details shown do not apply

Ruggedly constructed to take daily use and abuse! Spacious drawers house your blueprints, plans, art work, engravings and other large hard-to-file material—drawers are arranged in interlocking cabinet sections. Choice of four styles—build up sections and rearrange them to meet your office requirements. Add on new cabinet sections whenever your business expands. Inside drawers are 39 5/8" wide, 24 3/4" deep—roll on ball-bearing, fixed bale suspension system. Outside dimensions: 42" wide, 26 1/2" deep. Colors: 27 gray, 29 black, 23 tan, 12 green, 22 beige. FOB New York. Specify color number and name.

Stock Number	Description	Overall Height	Wt. Lbs.	Each	Each (lots/2)
41-213/0DA*	6 drawers	10 3/4"	164	$344.95	$327.69
41-214/8DA	3 drawers	10 3/4"	126	243.85	230.82
41-215/5DA	6 drawers	20 3/8"	232	441.94	419.29
41-216/3DA	1 drawer	6 1/8"	72	159.68	151.70
41-217/1DA	Top	7/8"	20	61.44	
41-218/9DA	Base	7 1/4"	24	77.80	

Sturdy-Steel 5-Drawer Stacking Blueprint Files in 3 Sizes!

As Low As **$237.10** in quantity

Uniform stacking as your needs grow!



SAVE as much as **$115.96**

Low-Cost Blueprint Protection — Add On Cabinets as Required!

- **Each drawer is 2" deep! Contents stay flat—protected from dust and damage**
- **Double-handled drawers glide out easily! Retain their alignment always!**

Keep drawings, printed matter, art work, blueprints, mechanicals and tracings flat and well-protected. These heavy-gauge electrically welded prime steel cabinets are reinforced with heavy-gauge steel channels. Welded drawers glide smoothly and silently on ball bearing rollers—stops keep them from falling out. Drawers have large plated label holders. Interlocking closed recessed base provides a uniform, permanent looking foundation for stacks of cabinets. Specify color: 22-beige, 27-gray, or 29-black. FOB Minn.

Stock Number	Sizes W x D x H		Wt. Lbs.	List Price	Ea.	Each (lots/3)
41-524/0DA	Cabinet: 40 3/8x28 3/8x15 3/4"	Drawers: 37x25x2 1/8"	140	$307.95	$254.95	$237.10
41-525/7DA	Closed Base: 40 3/8x28 3/8x6"		25	57.95	50.95	47.38
41-600/8DA	Open base		39	112.95	86.95	80.86
41-526/5DA	Cabinet: 46 3/8x35 3/8x15 3/4"	Drawers: 43x32x2 1/8"	175	355.95	299.95	278.95
41-527/3DA	Closed Base: 46 3/8x35 3/8x6"		30	75.95	57.95	53.89
41-601/6DA	Open base		45	118.95	91.95	85.51
41-528/1DA	Cabinet: 53 3/8x41 3/8x15 3/4"	Drawers: 50x38x2 1/8"	225	420.95	327.95	304.99
41-529/9DA	Closed Base: 53 3/8x41 3/8x6"		35	88.95	67.95	63.19
	(Open Base not available)					

low as **$72.35**

IN STOCK IMMEDIATE SHIPPING

WE SHIP UPS WHEN POSSIBLE

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

Low-Cost Protection for Blueprints, Maps, Cuts, Charts, Graphs

low as **$35.24**

IN STOCK IMMEDIATE SHIPPING

WE SHIP UPS WHEN POSSIBLE

Stacking 5-Drawer Flat File for Sheets to 45x35"

Efficient office aid . . . indispensable for engineers, draftsmen, artists . . . you can protect and store proofs, drawings, samples, blueprints, and other flat sheets in this sturdy 5-drawer file. Keeps papers neat, clean and wrinkle-free. File holds flat sheets up to 45x35"—stores up to 200 lbs. of documents. It affords amazing serviceability at low cost—heavy-duty corrugated fiberboard construction with double-wall liner and metal frame for extra strength and rigidity. May be stacked 5' high without shelving—can't collapse, won't sag! Warp-resistant drawers with pulls and label holders for easy identification. Walnut-grain finish.

Stock Number	Cabinet W x D x H	Drawer W x D x H	Wt. Lbs.	Net Each	Each (lots/3)	Each (lots/6)
41-052/2A	17 1/2x23x15 7/8"	14 5/8x21 1/8x2"	20	$81.88	$76.97	$72.35
41-053/0A	25 1/2x28 7/8x15 7/8"	22 3/4x27x2"	42	105.88	99.53	93.56
41-054/8A	39 3/4x27 1/4x15 7/8"	37 1/8x25x2"	64	151.43	142.43	133.88
41-055/5A	47 7/8x37 1/2x15 7/8"	45 1/4x35 1/2x2"	90	199.88	187.89	176.62

Inexpensive Corrugated Roll File Takes Items to 43"

Safe storage for blueprints, maps, charts, graphs . . . . prevents wrinkling, keeps rolled documents clean and neat. Stores dozens of sheets in heavy-duty corrugated fiberboard pigeonholes—dust-tight door seals out dirt. 200-lb. test cabinet, reinforced steel frame. Walnut-grain finish.

Stock Number	No. of Tubes	Outside Dimen. of Tubes	Tube Lgth.	Cabinet Dimensions HxWxD	Shpg. Wt. Lbs.	Net Each	Each (lots/3)	Each (lots/6)
41-043/1A	16	3 3/4x3 3/4"	25"	15 3/4x15 3/4x26"	14	$39.88	$37.49	$35.24
41-044/9A	16	3 3/4x3 3/4"	37"	15 3/4x15 3/4x37 3/4"	19	42.88	40.31	37.89
*41-045/6A	16	3 3/4x3 3/4"	43"	15 3/4x15 3/4x43 3/4"	20	45.88	43.13	40.54
41-046/4A	25	3x3"	25"	15 3/4x15 3/4x26"	15	42.88	40.31	37.89
41-047/2A	25	3x3"	37"	15 3/4x15 3/4x37 3/4"	21	46.88	44.07	41.43
*41-048/0A	25	3x3"	43"	15 3/4x15 3/4x43 3/4"	22	50.88	47.83	44.96
41-049/8A	36	2 1/2x2 1/2"	25"	15 3/4x15 3/4x26"	16	47.88	45.00	42.30
41-050/6A	36	2 1/2x2 1/2"	37"	15 3/4x15 3/4x37 3/4"	23	53.88	50.65	47.69
*41-051/4A	36	2 1/2x2 1/2"	43"	15 3/4x15 3/4x43 3/4"	26	56.88	53.47	50.26

*MUST SHIP TRUCK FREIGHT

Multi-Pocket Visible Card Files Let You Keep Constantly Used Records in Full View

WE SHIP UPS WHEN POSSIBLE

Quick-reference for 5x8, 4x6, or split 5x4 cards—lower ¼" of each card is visible, information is instantly available. Ideal for employment records, customer credit information, or inventory control. Heavy steel finished in attractive enamel. Colors: 23 tan, 27 gray, 12 green. Specify color number-and-name. FOB Penn.

Stock No.	Drws.	Pockets	WxDxH	Lbs.	List	Each	Ea. (lots/3)
41-007/6DA	6	240	10¼x16x9"	36	$117.90	$111.47	$104.99
41-008/4DA	12	480	20¼x16x9"	70	216.70	195.27	183.76
41-660/2DA	6	426	10¼x24x9"	47	216.70	193.92	182.35
41-661/0DA	12	852	10¼x24x16¼"	84	410.10	351.50	334.50
41-662/8DA	18	1278	10¼x24x24¼"	120	603.80	488.80	461.23

As Low As $99.75

Information on lower ¼" of each card is instantly readable



Printing 12-Digit Desk Calculator with Memory

Large green digitron display

Quality engineered with easy-reading display an Seiko brand impact printing head (2-color ribbon) Full 4-key memory, percent key, selectable decima auto constants, and item count. Does chain an mixed calculations. 11½"x9¼"x3½" size.

43-061/1A—Wt. 8 lbs. Net each **$148.5**

43-062/9A—Without display. Ea. **$123.3**

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Special Purpose Cabinets Help You Organize Important Documents

COUNTER HEIGHT CABINETS

Multi-drawer cabinets end hours of searching—ideal for canceled checks, catalogs, hardware, forms, art, photos, tools, etc. . . . each drawer has label holder so you find what you need fast! All cabinets are 30½" wide, 37½" high—letter size cabinets are 13" deep, legal size are 17" deep. Colors: 23 tan, 27 gray, 29 black. Specify color number and name. FOB Pa.

(A) THIRTY-THREE 8⅝"x2¾" DRAWERS

Stock Number	Drawers	D.	Lbs.	Net Each	Each (lots/3)
41-827/7DA	Letter	12"	104	$135.66	$124.81
41-828/5DA	Legal	16"	118	177.79	167.14

(B) TWENTY-SEVEN 9"x3½" DRAWERS

41-829/3DA	Letter	12"	91	$124.77	$116.55
41-830/1DA	Legal	16"	114	149.95	138.13

C MULTI-USE CABINET

Double compartment card drawer hold 3"x5" or 4"x6" cards. Two letter-size fi drawers. Both card and file drawers hav eight rollers to guarantee smooth openin closing. Double-wall safety vault is 12⅛ wide, 14" deep, 11⅝" high, with combin tion lock. Storage section has one adjustab shelf, locking handle. Cabinet 29"x32"x16" deep. Colors: 29 black, 23 ta Specify color no.-name.

41-602/4DA—Wt. 74 lbs. FOB Iowa.
Net ea. **$134.39.** Ea. (lots/2) **$127.3**

(D) Same but 3 letter drawers, no card file.
41-603/2DA—38" high. Wt. 85 lbs.
Net ea. **$137.10.** Ea. (lots/2) **$128.7**

IN STOCK IMMEDIATE SHIPPING

WE SHIP UPS WHEN POSSIBLE

As Low As $116.42

Portable Fully Automatic Shredder Fits All Baskets

Quiet, lightweight, compact . . . shreds up to six thicknesses of 16-lb. bond paper, also envelopes, file and computer cards, negatives, cellophanes. Fast-acting rotary cutters, automatic feed. Tough Cycolac housing—12½"x3½"x7½" high—fits right onto wastebasket, assures neat disposal. 6' heavy-grounded 3-wire cord.

43-623/8A—List $155.00.
Wt. 6½ lbs. Each **$129.50**
Each (lots/3) **$116.42**

Don't Take Chances . . . Shred Obsolete Important Papers!



Self-Starting Electric Wastebasket Works Fast

Automatic, no buttons to press! Just drop paper in (without removing paper clips or staples) . . . it instantly shreds paper to unreadable 3/16" thickness. Takes many times its width, machine folds paper automatically. Takes up to 8 sheets at a time of 16-lb. bond. Stops by itself. Reverse button prevents jamming. Separate spring door also accepts non-shreddable wastes. Heavy-duty cutting head, wheels; 8⅝" feed opening. 16"x8⅜" overall. AC motor, overload breaker. Colors: 22 beige, 27 gray. Specify color no.-name. 36 lbs. FOB N.Y.

43-796/2DA—List $425.00.
Ea. **$399.95.** Ea. (lots/2) **$379.56**

Shredder shown on optional cabinet



WE SHIP UPS WHEN POSSIBLE

Shreds continuous printouts easily

Use with removable waste-bin . . .

. . . or with poly-bags

High-Capacity Shredder Destroys Up to 250 Lbs. Paper Per Hour

Simple to operate—destroys materials up to 18" wide. Shreds up to 250 lbs. of paper, printouts, IBM cards, microfilm in one hour—staples and clips need not be removed. Push-button on-off, auto reverse. Metal case is 16"x14½"x6" high with 8⅘" throat opening. Use on top of optional waste bin or with disposable bags. 44 lbs. FOB N.Y.

Stock Number	Quant. 16-lb. 8½"x11" bond	Size of Shred	List Price	Each
43-799/6D	22 sheets	¼"	$599.00	$559.65
43-849/9D	16 sheets	3/16"	599.00	559.65
43-798/8D	10 sheets	3/32"	599.00	559.65

Cabinet with casters and removable shred bin.
43-797/0D—List $130.00. FOB N.Y. 20 lbs. Each **$118.95**

DESIGNED TO HOLD 40 LBS. PER SQ. FT.

Borroughs Steel Bookcases Shipped KD to Save Freight

As Low As $64.40

Doors available for all sizes — order separately below.

Exceptionally well-designed steel bookcases let you create storage centers of enduring good looks. Shelves adjust on ¾" centers so you can store big ledgers and legal volumes with the same ease you store record books or novels. Each bookcase is 36" wide—order extra shelves and doors separately below. Colors: 29 black, 23 tan, 27 gray, 10 bamboo, 24 dk. brown, 21 putty. Specify color number-and-name. Shipped KD. FOB Mich.

Stock Number	Shelves Incl.	Dimensions W x D x H	Shelf Depth	Wt. (lbs.)	List Price	Each	Each (lots/3)	Each (lots/6)
41-733/7DA	1	36"x12"x29"	10⅛"	47	$101.58	$ 70.82	$ 67.31	$ 64.40
41-734/5DA	1	36"x18"x29"	16⅛"	63	126.18	89.68	84.98	80.90
41-742/8DA*	2	36"x9¾"x42"	8 13/16"	52	116.98	83.31	79.12	74.05
41-735/2DA	2	36"x12"x42"	10⅛"	62	129.28	90.74	86.19	81.85
41-736/0DA	2	36"x18"x42"	16⅛"	83	165.12	117.96	112.06	106.29
41-743/6DA*	3	36"x9¾"x60"	8 13/16"	74	161.88	115.82	110.05	104.59
41-737/8DA	3	36"x12"x60"	10⅛"	81	164.14	116.63	110.78	105.25
41-744/4DA	3	36"x18"x60"	16⅛"	122	213.34	151.72	144.06	136.93
41-738/6DA	4	36"x12"x78"	10⅛"	100	217.46	151.16	143.62	126.31
41-745/1DA	4	36"x18"x78"	16⅛"	145	271.78	193.20	183.63	174.49
41-746/9DA*	6	36"x9¾"x84"	8 13/16"	97	198.36	141.29	134.22	127.51
41-739/4DA	6	36"x12"x84"	10⅛"	123	244.18	170.91	162.38	154.25
41-747/7DA	6	36"x18"x84"	16⅛"	166	312.88	221.99	211.03	200.45

EXTRA SHELVES FOR UNITS ABOVE—Sold only in pkg. of 2

Stk. No.	Size	Shpg. Wt.	Net Ea. pkg. of 2
41-748/5DA	36"Wx9¾"D	8 lbs.	$14.10/Pk.
41-740/2DA	36"Wx12"D	15 lbs.	18.40/Pk.
41-741/0DA	36"Wx18"D	15 lbs.	25.70/Pk.

DOORS FOR 12" AND 18" BOOKCASES ABOVE*—Sold in Sets of 2

	GLASS				STEEL—Specify color				WALNUT—Vinyl-clad Steel			
Size	Stk. No.	Lbs.	List	Ea. Set	Stk. No.	Lbs.	List	Ea. Set	Stk. No.	Lbs.	List	Ea. Set
29"	41-700/6D	19	$ 68.14	$47.86	41-703/0DA	11	$51.34	$36.15	41-707/1D	13	$ 73.84	$51.94
42"	41-701/4D	27	82.10	57.69	41-704/8DA	18	58.90	41.54	41-708/9D	19	89.26	62.82
50"	41-702/2D	40	103.44	72.80	41-705/5DA	33	69.12	48.72	41-709/7D	29	111.64	78.59
78"					41-706/3DA	39	86.16	60.63	41-710/5D	39	139.74	98.40

*Doors not available for 9¾" deep models. See index for wooden bookcases.

As Low As $54.54

Use as Mail Sorter, Lateral File . . . or Even as Convenient Supply Centers

Multi-Use Safco E-Z Stor Literature Center

Separate trays let you systematize and alphabetize anything: catalogs, forms, photos, books, binders. Panels are walnut woodgrain corrugated fiberboard; shelves and posts are sturdy black-finished steel. All 36" wide—choose 12" deep (letter size) or 15" deep (legal size.) Choose counter height (40") or full height (76"). FOB Minn. Shpd. UPS.

36-TRAY CENTER — 40"H

Stock Number	Depth	Wt. (lbs.)	Net Each	Each (lots/3)
41-717/0D	12"	44	$58.95	$54.54
41-718/8D	15"	55	70.95	65.62

72-TRAY CENTER — 76"H

41-711/3D	12"	80	$97.95	$90.60
41-712/1D	15"	100	117.95	109.15

PKG./72 EXTRA TRAYS
41-720/4D—Letter size. 20 lbs. $36.72
41-721/2D—Legal size. 25 lbs. $45.36

Welded Steel Bookcases

As Low As $37.79



Designed for a lifetime of service. Bookcases are shipped set up and ready for use. Colors: 27 gray, 23 tan, 29 black. Specify color number-and-name.

WITH FIXED SHELVES—Cases are 34½" wide, 11⅝" deep, with or without sliding metal doors. FOB Iowa.

Stock Number	No. of Shelves	Ht.	Wt. (lbs.)	Doors	Net Each	Each (lots/3)	Each (lots/6)
41-760/0DA	1	29"	42	No	$42.61	$39.98	$37.79
41-761/8DA	1	29"	57	Yes	57.83	54.76	51.99
41-762/6DA	2	41"	60	No	55.71	52.36	49.29
41-763/4DA	2	41"	80	Yes	77.90	73.93	68.30

WITH ADJUSTABLE SHELVES—Adjust on 1½" centers, lock in place without clips. 34" wide, 12" deep. FOB Mich.

Stock Number	No. of Shelves	Ht.	Wt. (lbs.)	List Price	Each	Each (lots/3)	Each (lots/6)
41-713/9DA	1	29"	42	$ 80.88	$53.80	$51.08	$48.55
41-714/7DA	2	42"	54	97.62	64.52	61.12	58.28
41-715/4DA	2	48"	60	114.66	74.87	71.10	67.57

EXTRA SHELVES FOR ABOVE. Each 34"x12". Colors: 27 gray, 23 tan, 29 black. Specify color no.-name. Sold in pairs only. FOB Mich.
41-716/2DA—12 lbs. Net each pair $15.45

Welded Steel Racks for Literature, Etc.

As Low As $18.74

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

WE SHIP UPS WHEN POSSIBLE

An economical way to get organized! Steel racks fit flat against wall, store all your office product literature in a most organized manner without taking an appreciably large amount of floor space. Each 8½" deep pocket holds up to 150 product sheets . . . product literature and pamphlets stay neat, easy to see and select, handy to inventory. Sturdy welded steel racks won't warp, satin baked enamel finish stays neat, won't rust. Colors: 22 tan, 27 gray, 29 black. Specify color number-and-name when you order. FOB Conn. Choose from 6 sizes.

Stock Number	Pockets	W x H (Inches)	Lbs.	Net Each	Each (lots/3)
41-075/3DA	5	9¾x21	9	$19.89	$18.74
41-076/1DA	10	13⅛x26	13	27.47	25.81
41-077/9DA	11	9¾x36	16	28.82	27.14
41-078/7DA	11	13⅛x36	24	47.07	44.33
41-079/5DA	23	9¾x65	32	42.99	40.43
41-080/3DA	23	13⅛x65	44	64.87	61.13

Steel Desk Toppers Pay for Themselves in Time Saved

A

As Low As $85.45

WE SHIP UPS WHEN POSSIBLE



B

As Low As $64.26

Decorator Style Shown (B) & (C)



As Low As $74.95

C



ACCESSORIES

WE SHIP UPS WHEN POSSIBLE

All Steel Stacking Sorting Racks

IN STOCK IMMEDIATE SHIPPING

As Low As $28.25



Computer printout rack
- Adjustable shelves
- Choice of 3 colors

Help speed and organize filing and sorting—order enough of these heavy-gauge steel racks for office and shop. Shelves adjust on 1" centers—they adapt to your needs. Racks (E) and (F) have labelholders on shelves. All are 12" deep, 10" high. Shpg. wt. 33, 22 lbs. Specify 22 tan, 27 gray or 29 black.

Key Ltr.	Stock Number	No. of Shelves	Width	Net Each	Each (lots/3)	EXTRA SHELVES Stock No.	Net Ea.
D	43-754/1AA	6	33"	$46.10	$42.15	43-757/4AA	$4.49
E	43-756/6AA	9	33"	43.95	41.31	43-758/2AA	2.94
F	43-755/8AA	6	22"	29.79	28.25	43-758/2AA	2.94

AVAILABLE IN POPULAR DECORATOR STYLES

● Adjustable Dividers ● Strong, Wobble-Free ● Modern Office Color

C&H desk toppers are of heavy-gauge steel construction. There's a size, style and color for every purpose: front offices, plant offices and receiving desks. All units come complete with assorted vertical dividers (as shown below)—which adjust at 1" intervals. Rubber feet protect desk. Corner section of pigeonhole models can be mounted left or right. Optional corner shelf available for all models. Colors: 22 beige, 27 gray. Pigeonhole units also available in 29 black/white combination. Specify color number-and-name.

A PIGEONHOLE DESK TOPPER—SPECIFY COLOR

Stock Number	Dimensions W x D x H	Under-shelf Clearance	Dividers	Wt. (lbs.)	Net Each	Each (lots/3
43-527/1DA	47"x9½"x18½"	7⅛"	3-7", 5-2½"	49	$91.95	$85.4
*43-528/9DA	58"x9½"x18½"	7⅛"	4-7", 6-2½"	60	97.88	91.5
Decorator Style —29 Black or 22 Putty With Walnut/Vinyl Trim.						
43-535/4DA	47"x9½"x18½"	7⅛"	3-7", 5-2½"	49	$97.88	$91.5
43-536/2DA	58"x9½"x18½"	7⅛"	4-7", 6-2½"	60	103.39	96.8

B STANDARD DESK TOPPER—SPECIFY COLOR

Stock Number	Dimensions W x D x H	Under-shelf Clearance	Dividers	Wt. (lbs.)	Net Each	Each (lots/3
43-522/2DA	30"x10"x12"	8"	2-4", 3-7"	20	$69.95	$64.2
43-523/0DA	44¼"x10"x12"	8"	2-4", 3-7"	26	75.95	69.9
43-524/8DA	58¼"x10"x12"	8"	2-4", 3-7"	32	81.50	75.2
Decorator Style —29 Black or 22 Putty With Walnut/Vinyl Trim.						
43-537/0DA	30"x10"x12"	8"	2-4", 3-7"	20	$75.95	$69.9
43-538/8DA	44¼"x10"x12"	8"	2-4", 3-7"	26	81.95	75.7
43-539/6DA	58¼"x10"x12"	8"	2-4", 3-7"	32	87.25	81.5

C HI-TOP DESK TOPPER—SPECIFY COLOR

Stock Number	Dimensions W x D x H	Under-shelf Clearance	Dividers	Wt. (lbs.)	Net Each	Each (lots/3
43-525/5DA	44¼"x10"x18"	13¼"	2-4", 3-7"	33	$81.25	$74.9
*43-526/3DA	58¼"x10"x18"	13¼"	2-4", 3-7"	39	86.95	81.2
Decorator Style —29 Black or 22 Putty With Walnut/Vinyl Trim.						
43-540/4DA	44¼"x10"x18"	13¼"	2-4", 3-7"	33	$86.95	$81.9
43-541/2DA	58¼"x10"x18"	13¼"	2-4", 3-7"	39	91.95	86.9

ACCESSORIES FOR ABOVE: Colors: 22 beige, 27 gray, 29 black, 21 putty. Specify color-number-and-name.

Stock No.	Item	Lbs.	Net. Ea.	Ea. (lots/12
43-542/0DA	2½" divider	¼	$2.50	$2.32
43-543/8DA	4" divider	½	2.50	2.32
43-544/6DA	7" divider	1	3.00	2.79
43-530/5DA	8½"x11" corner shelf	1	3.50	3.26

*In stock in 27 gray and 22 beige. All others FOB Minn.

All-Purpose Mobile All-Steel Mail and Service Cart at a Money-Saving Price

File folders not included

As Low As $109.39

All welded—no bolts

29"Lx19½"Wx35"H

Sturdy steel construction without needless extra weight—removable wire baskets are 25"x17". Top basket is 11" deep with adjustable removable file bars to hold legal or letter size Pendaflex folders, bottom basket is 7½" deep. Cart frame is 1" steel tubing, mounted on easy maneuvering 5"x1½" ball bearing casters (2 swivel, 2 rigid). All brightly chrome plated. **43-759/0D**—FOB Cal. Wt. 45 lbs. Net ea. **$115.75.** Ea. (lots/2) **$109.30**

FOR ORDERS ONLY Phone Toll Free 800-558-9966

For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Quality Boards at Lowest Prices


ANNUAL
COMPANY PICNIC
FOREST PRESERVE
CAMPGROUND
JULY 27 9 A.M.
MANAGEMENT SEMINAR
9:15 A.M. CONFERENCE RM. B
ALL DEPARTMENT MANAGERS ARE ASKED TO ATTEND
LUNCH WILL BE SERVED IN THE WEST DINING HALL FOLLOWING THE SEMINAR

Order optional changeable letter panel separately from chart.

WE SHIP UPS WHEN POSSIBLE

Low As **$35.00**

WE SHIP UPS WHEN POSSIBLE

D

A ALUMINUM FRAME CORK BOARDS

Glass door model has 7/8" case frame and 1¼" door mounted on piano hinge. 2" deep overall. Comes with cylinder lock, keys. All satin anodized aluminum frame. Indoors or out*.

B ENAMELED FRAME CORK BOARDS

Gray baked enamel finish on sturdy 1" case frames. Door frame is 1½" with piano hinges and cylinder locks (keys incl.). 3" deep. Use indoors or out.

C HARDWOOD FRAME CORK BOARDS

Elegant walnut-finished frame has ¾" case with 1½" door frames, cabinet hinges, cylinder locks. 2" depth. Designed for indoor use only.

D PORTABLE BOARD

Use anywhere—letter panel removes for easy changes. Frame is 20"x14", on single pedestal that adjusts up to 66" high. Specify: 01 chrome or 02 anodized aluminum finish. FOB Ill.

Open Face Board. 20 lbs.
43-205/4DX—Net each....$35.00

Glass Front Board. 25 lbs.
43-206/2DX—Net each....$53.00

Overall Size	BOARD A* Stock Number	Wt. (lbs.)	Net Each	BOARD B Stock Number	Wt. (lbs.)	Net Each	BOARD C Stock Number	Wt. (lbs.)	Net Each	LETTER PANEL ONLY (without letters) Stk. No.	Net Ea.
18"x24"	43-210/4D	15	$ 74.50	43-211/2D	22	$ 64.50	43-212/0D	12	$ 46.50	43-234/4D	$18.50
24"x36"	43-225/2D	25	89.50	43-220/3D	35	75.00	43-214/6D	21	61.00	43-235/1D	30.50
36"x36"	43-230/2D	40	101.50				43-231/0D	30	77.00	43-236/9D	43.00
48"x36"	43-226/0D	50	$131.50	43-221/1D	75	$122.50	43-215/3D	42	$102.00	43-237/7D	$30.50
60"x36"	43-227/8D	63	159.50	43-222/9D	90	143.00	43-216/1D	63	113.50	43-238/5D	37.00
72"x36"	43-228/6D	77	$214.00	43-223/7D	115	$184.00	43-217/9D	69	$169.00	43-239/3D	$30.50
72"x48"	43-232/8D	100	250.00				43-233/6D	89	225.00	43-240/1D	40.00
96"x48"	43-229/4D	150	304.00				43-218/7D	160	245.00	43-241/9D	55.00

FOB Ill. *Please specify if for outdoor use and add 10% to cost.


RESULTS OBJECTIVE
SAFETY
1963 1964 1964 OBJECTIVE TO DATE
ON THE JOB ACCIDENTS 0 0 0
OFF THE JOB ACCIDENTS 0 0 0
MOTOR VECHICLE ACCIDENTS 0 0 0
COSTS
LAST MONTH
WORK UNITS PER HOUR 7.15 6.35 6.25
PRODUCTION COST PER MO .88 .83 .95
SERVICE
1964 OBJECTIVE LAST MONTH NWS INDEX
PLANT MAINTAINED 98.5 99.1
CONTROLLED TRUNK 98.0 98.5
TRANSMISSION MAINTENANCE 97.4 98.3
PVT LINE TYPEWRITER 99.0 99.8 96.2
PVT LINE TELEPHONE 99.0 100.0 100.0
COMPOSITE INDEX 98.0 98.8

Reinforced Directory and Display Boards

H GLASS OR OPEN INDOOR BOARDS

Indoor-type boards are ideal for building entrances or displays! Choose from two types, ¾" letters included: **Glass Door** model has strong 1½" satin anodized aluminum frame with lift-off glass front, setscrew locking device, metal back, letter panel. **Open-Face** (not illus.) model has satin anodized 1" extruded aluminum frame with black changeable letter back. FOB Ill.

WxH** (in.)	Ltrs. Nos. Incl.	GLASS DOOR MODEL Stock No.	Lbs.	Net Ea.	OPEN FACE MODEL Stock No.	Lbs.	Net Ea.
12x18	200	43-063/7D	8	$ 43.50	43-053/8D	6	$ 19.50
18x24	300	43-064/5D	15	54.50	43-177/5D	8	29.95
24x30	400	43-065/2D	25	69.50	43-054/6D	12	45.50
24x36	500	43-066/0D	30	84.50	43-055/3D	13	51.00
30x36	600	43-067/8D	38	103.00	43-056/1D	17	69.00
30x48	750	———		———	43-057/9D	23	88.25
36x42	800	———		———	43-058/7D	24	90.50
48x36	900	43-068/6D	60	144.50	43-182/5D	27	114.00

**Reverse dimensions available—specify on order.

H

With glass door . . . or open face

ABCDE

MOLDED PLASTIC LETTERS, NUMBERS

"Quick change" design! Specify 30 white. FOB Ill.

(Red, yellow, green and blue available at additional cost.)

Stk. No.	Size	Net Ea.	Net Ea. (lots/200)
43-198/1DE	3/8"-1/2"-3/4"-1"	$.08	$.06
43-199/9DD	1½"	.10	.08
43-200/5DD	2"	.16	.12

$8.00 minimum on letters



Aluminum Framed Boards

E SMOOTH EASY-ERASE CHALKBOARD

Dura-tone writing surface with ¾" to 1" wide satin anodized aluminum frame, full length chalk tray. Plated hangers. Chalkboard: 12 green, 29 black. Specify color no.-name. FOB Ohio.

As Low As **$7.25**

Stock No.	Size	Wt.	Each	Each (lots/8)
43-017/3DA	18x24"	6	$ 7.74	$ 7.25
43-018/1DA	24x36"	8	13.13	12.18
43-019/9DA #	36x48"	15	16.47	15.32
43-020/7DA #	36x60"	26	36.71	33.04
43-021/5DA #	48x72"	41	46.64	41.97
43-026/4DA #	48x96"	54	58.60	52.74

Shipped motor frt. only

F STURDY NATURAL TAN CORK BOARDS

Satin anodized aluminum frame—no sharp corners. Fine grain natural tan cork surface. Plated hangers for concealed hang-ups. Fine-quality, heavy-gauge construction. FOB Ohio.

As Low As **$7.99**

Stock No.	Size	Wt.	Each	Each (lots/8)
43-027/2D	18x24"	6	$ 8.70	$ 7.99
43-028/0D	24x36"	7	10.67	9.92
43-029/8D #	36x48"	13	17.38	16.17
43-030/6D #	36x60"	19	41.33	37.51
43-031/4D #	48x72"	30	44.66	40.25
43-032/2D #	48x96"	37	59.16	52.33

Shipped motor frt. only

G COMBINATION CHALK-CORK BOARD

For posting pin-up cards or flyers . . . and writing chalk messages or instructions. 1" wide satin anodized frame—available in two sizes. FOB Ohio.

As Low As **$24.30**

Stock No.	Sizes	Wt.	List	Each
43-702/0D*	24x36"	8	$33.20	$24.30
43-703/8D	36x48"	14	51.00	38.25

*Shipped U.P.S.

Say It Colorfully on Easy Erasable Markerboards That Wipe Clean

Durable white surface with anodized aluminum framing, full length tray & box of 4 asstd. markers & eraser. FOB Ohio.

MELAMINE SURFACE—Lightweight, durable

Stk. No.	Size	Lbs.	Net Each	Ea. (lots/3)
43-806/9D	2'x3'	8	$ 17.59	$ 16.69
43-807/7D #	3'x4'	15	25.83	24.39
43-808/5D #	3'x5'	26	57.25	54.52
43-809/3D #	4'x5'	35	59.40	56.53
43-810/1D #	4'x6'	41	70.70	67.15
43-811/9D #	4'x8'	54	75.75	68.85
MAGNETIC SURFACE—Porcelain on steel, lifetime guarantee				
43-812/7D	2'x3'	19	$ 49.82	$ 47.38
43-813/5D #	3'x4'	39	79.99	76.98
43-814/3D #	4'x5'	79	126.95	120.60
43-815/0D #	4'x6'	87	144.42	137.22
43-816/8D #	4'x8'	110	185.55	176.27

Shipped motor frt. only

ERASABLE FELT-TIP MARKERS. Colors: 01 assorted, 02 red, 12 green, 18 blue, 29 black. Specify color number-and-name. FOB Ohio.
43-817/6DA—Wt. 1 lb. Each (box of 4).....$6.00

Acroprint Time Recorders . . . Accurate, Authoritative



WE SHIP UPS WHEN POSSIBLE

Electric and manual time recorders provide valuable time records. Uniform registration cards are always accurately punched. Both mount on wall, desk or platform. Print wheels available: 01 day, hour, minutes; 02 month, date, hour, minutes; 03 day, 0-23 hours, minutes in hundredths. Specify number and wheel type when ordering. FOB No. Carolina.

Stock Number	Type	Printing Edge	Shpg. Wt.	Net Each
43-518/0DX	Manual	Right Hand	13 lbs.	$197.55
43-519/8DX	Manual	Left Hand	13 lbs.	197.55
43-520/6DX	Electric	Right Hand	13 lbs.	219.00
43-521/4DX	Electric	Left Hand	13 lbs.	219.00

TIME CARDS for above. Box of 1000

Stock No.	Type	Box/1000
43-009/0D	Weekly payroll	$15.00
43-010/8D	2-week payroll	15.00
43-011/6D	Job Cost	15.00

As Low As $15.99



Quartz crystal movement offers exceptional accuracy.

IN STOCK IMMEDIATE SHIPPING

Commercial Wall Clocks

AC or Cordless

WE SHIP UPS WHEN POSSIBLE

C&H MEET OSHA REQUIREMENTS

A GROUNDED ELECTRIC SAFETY CLOCK

Meet OSHA requirements. Three-wire cord set has transparent plug for easy checking—no danger of electric shock. "Hugs" the wall. Easy-view white dial with black numerals, hands, red second hand. UL listed 115V. Accuracy: ± 3 sec./day.

43-630/3A—8½" dial, 10½" overall. Wt. 2 lbs.
Net ea. **$17.87.** Ea. (lots/3) **$16.98.** Ea. (lots/6) **$15.9**

43-516/4A—12" dial, 14⅛" overall. Wt. 3 lbs.
Net ea. **$19.92.** Ea. (lots/3) **$18.92.** Ea. (lots/6) **$17.9**

BATTERY-POWERED CORDLESS ELECTRIC CLOCK for use anywhere—needs no outlet, runs full year on flashlight battery. (Second hand not incl.) Accuracy: ± 5 min./mo.

43-533/9A—8½" dial, 10" overall. Wt. 2 lbs.
Net ea. **$21.80.** Ea. (lots/3) **$20.69.** Ea. (lots/6) **$19.6**

43-534/7A—12" dial, 14" overall. Wt. 3 lbs.
Net ea. **$25.72.** Ea. (lots/3) **$24.43** Ea. (lots/6) **$23.1**

B HIGH ACCURACY QUARTZ CLOCKS

Battery-operated clock has red sweep second hand, excep tional ± 2 min./yr. accuracy performance thanks to Quart crystal movement.

43-512/3A—8½" dial, 10" overall. Wt. 2 lbs.
Net ea. **$25.99.** Ea. (lots/3) **$24.70.** Ea. (lots/6) **$23.4**

43-513/1A—12" dial, 14" overall. Wt. 3 lbs.
Net ea. **$27.97.** Ea. (lots/3) **$26.57.** Ea. (lots/6) **$25.2**

CORDLESS OUTDOOR QUARTZ CLOCK (Not Shown)

Weatherproof. Hangs anywhere. Huge 15" diam. face with 1¾" numerals—can be read at 100'. Polished aluminum housing, sweep second hand. Operates 1-yr. on "D" battery.

43-818/4D—15" dial. Wt. 5 lbs. FOB N.J.
Net ea. **$31.80.** Ea. (lots/3) **$29.24.** Ea. (lots/6) **$26.9**

43-819/2D—12" size. Wt. 3½ lbs.
Net ea. **$27.15.** Ea. (lots/3) **$24.99.** Ea. (lots/6) **$23.1**

Telephone Enclosures Keep It Quiet and Neat—Mount on Any Wall



C



D

Install these enclosures in plant and office to allow phone conversations without disturbing others, without being disturbed by surrounding noises. Your body acts as the door—noise stays outside. You enjoy a zone of quiet—to hear and be heard, eliminate mistakes due to misuderstandings. Save time—no long trips to the office or other quiet place—handle calls on the spot! Save tempers—no shouting, no straining to understand. No maintenance—enclosures are rugged all welded steel. No doors, hardware or fans to maintain. Gray with white interior. FOB Wis.

C FOR MEDIUM NOISE LEVELS

For office corridor, store, lobby, dorm, restaurant—takes no floor space, 28x26x32" high.

46-033/7D—87 lbs. Net ea. **$260.00**

D FULL ACOUSTICAL PHONE BOOTH

Efficient in even the noisiest areas—factories, printing plants, shipping departments—yet it takes no floor space. Booth includes built-in fluorescent light, steel plate for mounting pay or wall phones. 36⅜x32x36" high.

46-034/5D—152 lbs. Net ea. **$488.00**

Full length acoustical booth available, contact dept. 42.

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

E

WE SHIP UPS WHEN POSSIBLE

Multi-Pocket Racks for Fast, Easy Selection of Time Cards and Job Tickets

F

IN STOCK IMMEDIATE SHIPPING

Safe, separated storage for time cards, job tickets, magazines and x-ray film . . . and hold them for instant selection! Item fits neatly in pocket with 1-1/16" to 1¾" of the top exposed. Sturdily constructed metal to take daily abuse, backs slotted for mounting.

(E) 12 or 24-Pocket Rack has 7¾" high, 5/16" deep pockets—12¾" wide full width, or 6¼" when divided into 24 units. Divider rods included. Rack measures 13-9/16x2-1/16x30" high. In stock.

Stock No.	Color	Wt.	List	Each	Ea. (lots/3)
43-088/4A	Gray	18 lbs.	$33.50	$26.32	$22.98
43-151/0A	Tan	18 lbs.	33.50	26.32	22.98

(F) 25-Pocket Rack is 5⅛x2x36" with 4¼x3/16x6" pockets.

Stock No.	Color	Wt.	List	Each	Ea. (lots/3)
43-376/3A	Gray	9 lbs.	$24.50	$20.15	$16.96
43-377/1A	Tan	9 lbs.	24.50	20.15	16.96

Cool, Energy Efficient Fluorescent Lighting

A SWING-ABOUT CLAMP-ON LAMP

Two fluorescent tubes provide glare-free light

ut light exactly where you need it—thanks to balanced sitioning, lamp adjusts to your lighting requirements. Long-sting enamel finish. Secure clamp fits drawing board, work ble, desk, etc. Arm extends 34". Uses two 15-watt fluorescent bes (not included). UL listed. Specify 27 gray, 29 black, or 22 ige.

6-104/6AA—List $69.35. Shpg. wt. 10 lbs.
a. **$53.77.** Ea. (lots/3) **$51.15.** Ea. (lots/6) **$48.25**

B FLUORESCENT "ROBOT" LAMP

Counter-balanced shade has automatic stops!

ovides light anywhere, instantly, dependably! Clamp-on base taches securely, boasts a convenience outlet for other pliances. Arm has 45" reach with automatic stops and nsion control—puts light directly on work area. Durable amel finish. Uses two 15-watt fluorescent lamps (not includ-l); includes convenience outlet. UL listed. Specify 27 gray, 29 ack or 22 beige.

6-100/4AA—List $73.00. Shpg. wt. 9 lbs.
a. **$57.32.** Ea. (lots/3) **$54.42.** Ea. (lots/6) **$51.39**

C AIR-COOLED ADJUSTABLE LAMP

Universal clamp—attaches to work table or desk

mpletely adjustable! Air cooled 6¼" diameter shade has hite enamel interior for greater illumination. Extends 5"—holds up to 100-watt bulb (not included). Attractively ished in gray enamel—looks smart in office or work area, st relatively little C-clamp base. UL listed.

6-101/2A—List $53.60. Wt. 5 lbs.
a. **$40.35.** Ea. (lots/3) **$38.63.** Ea. (lots/6) **$36.42**

Swing-About Magnifier-Lamp Enlarges and Illuminates

Fluorescent illumination plus a 5" diameter magnifying glass lens with powerful 12" focus. Three Diopter, produces 2 to 1 distortion-free magnification at 12". Complete flexibility; counter balanced for safe, easy adjustment. Sturdy all-metal construction with gray finish. Uses 22-watt circline lamp (not included). Convenient outlet. UL listed.

33" ARM REACH
***46-102/0A**—List $92.15. Shpg. wt. 10 lbs.
Ea. **$65.28.** Ea. (lots/3) **$61.36.**
Ea. (lots/6) **$54.79**

45" ARM REACH
***46-103/8A**—List $96.00. Wt. 10 lbs.
Ea. **$68.39.** Ea. (lots/3) **$63.14.**
Ea. (lots/6) **$57.27**

C&H MEETS OSHA REQUIREMENTS

Let C&H Help You Brighten Work Areas—Inexpensively!

D TWO-WAY FLEX CLAMP-ON LAMP

Shade swivels a full 360° for pinpoint lighting; uses 75-watt bulb (not included). 18" flex arm adjusts up and down. Bracket for wall or desk mounting. Charcoal finish stays new looking. Two-wire cord. UL listed. 3¼ lbs.

46-067/5A—Ea. **$16.88.**
Ea. (lots/4) **$15.75.** Ea. (lots/10) **$14.29**

E COOL FLEXIBLE WORK LAMP

Black enameled shade is ventilated to stay cool; heavy-duty flexible arm lets you direct light to work surface. Two-way clamp attaches to wall or clamps onto table surface. Easy on-off switch. Two-wire cord. UL listed. Wts.: 3, 4 lbs.

Stock Number	Arm	Net Each	Each (lots/4)	Each (lots/10)
46-070/9A	18"	$21.49	$20.20	$19.33
46-071/7A	24"	23.41	22.20	20.95

F BROWN GOOSENECK DESK LAMP

Permanently attached shade revolves 360°; flexible 11" arm, all metal shade, base, and neck. On-off switch. Two-wire cord. UL listed. Shpg. wt. 4 lbs.

46-069/1A—Net each **$20.39.**
Ea. (lots/4) **$19.09.** Ea. (lots/10) **$16.68**

*3-wire cord included

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

For Brighter, More Uniform, Glare-Free Lighting Choose This Adjustable Fluorescent & Incandescent Lamp

- **Closest thing to natural light**
- **Arm adjusts in all directions**
- **Fluorescent AND incandescent lighting**

Simulates the light of the sun. You get the light from a 60-watt incandescent lamp, 22-watt fluorescent circle lamp (not incl.). Both light simultaneously . . . instantly! 20% brighter, uniform light . . . and just where you need it thanks to the all-directional arm. 45" arm has perfect counter-balance—with tension control knobs for "spot" positioning. Air-vented 9" shade. Gray enamel finish. AC power factor. 10 lbs. UL listed.

***46-014/7A**—List $78.25. Ea. **$58.69.**
Ea. (lots/3) **$54.79.** Ea. (lots/6) **$50.60**

A SPACE-ORGANIZERS! CHECKERETTE COAT-HAT RACKS

Neatness for offices, factories, schools, clubs, restaurants. Rigidly constructed and finished in baked enamel with durable chrome-plated hanger bar. Glides protect floors, carpets (order casters and hangers separately). Colors: 27 gray, 12 green, or 23 tan. FOB Ill. Specify color number-name.

SINGLE-FACE ONE-BAR ONE-SHELF RACK

Stock No.	Lgth.	Width	Ht.	Hgr. Cap.	Lbs.	List	Each	Ea. (lots/3)
43-347/4DA	38⅝"	23"	60⅞"	18	49	$88.00	$71.79	$65.51
43-348/2DA	50⅝"	23"	60⅞"	24	53	93.50	78.62	72.07

DOUBLE-FACE TWO-BAR TWO-SHELF RACKS

43-349/0DA	38⅝"	23"	69⅜"	36	62	$122.10	$98.18	$91.62
43-350/8DA	50⅝"	23"	69⅜"	48	67	134.20	110.55	104.45

43-351/6D—Casters, add 1¾" to ht. Wt. 3 lbs. Set of 4 ..... $9.35

B SPACE-SAVING FLOOR MODEL CUSTOMER

Strong, stable, space-conserving rack looks expensive but isn't. Four double hooks hold wraps. Attractively chrome plated; four-leg base (21½" across) holds 1" steel tubing. Self-leveling nylon glides on feet assure good balance on any floor surface. Stands 69½" high—it's neat and unobtrusive Wt. 14 lbs. In-stock.

43-900/0A — List $26.65. Ea. **$24.38.** Ea. (lots/2) **$22.92**

Big Savings! Keep Entry Areas Neat, Attractive

SPACE-SAVING VALET II WALL-MOUNTED COAT RACK

Here's a neat way to make the most of your space. Rack mounts on wall—has two shelves for hats and parcels and hanger bar (with hangers!) for coats. It's 12¼" deep, 15¼" high. Colors: 27 gray, 22 beige, 12 green, 24 brown, 29 black. Specify color number-and-name. FOB Illinois.

Stock Number	Lgth. In.	Hgr. Incl.	Wt. Lbs.	List Price	Each	Each (lots/3)
43-343/3DA	25⅜"	8	18	$57.20	$48.00	$45.64
43-344/1DA	39⅜"	12	24	69.30	57.38	52.15
43-345/8DA	49⅜"	16	30	81.40	65.49	61.80
43-346/6DA	61⅜"	20	37	99.00	81.70	78.44



LOW-COST COAT RACK MOUNTS ON WALL OR DOOR

Brightly chrome plated rack is super convenient and compact. Ideal for lunchrooms and small offices—or anywhere space is at a premium. Choice of three or six double chrome plated hooks on 4" aluminum plate; mounting holes on 16" centers, use almost anywhere.

Stock Number	No. of Hooks	Size L x W x H	Wt. (lbs.)	List	Net Each	Each (lots/3)
43-531/3A	6	36 x 4 x 7"	3	$21.00	$18.59	$17.66
43-532/1A	3	18 x 4 x 7"	1½	11.75	10.77	10.23

BEAT INFLATION—BUY AT WHOLESALE FROM C&H AND SAVE

Improve Efficiency . . . Ecologizer Air Purifier-Freshener

- Absorbs odors
- Removes dust, pollen
- Eliminates smoke

Cleanses 3000 cu. ft. area quietly for about 5¢ a month. UL listed, 110V. Colors: 24 brown, 30 off-white. Measures 5"x9" high. Specify color.

41-884/8DA — 6 lbs. Net. ea. **$34.91**
Ea. (lots/3) **$32.81.** Ea. (lots/6) **$31.50**

41-885/5D — 3 month replacement filter. FOB Fla. Ea. **$3.21.** (lots/3) **$3.05.**
Each (lots/6) **$2.90**



Space-Saving Executive Coat-Hat Rack

Rich walnut laminated panel with two anodized aluminum knobs for hats, holders for walnut hangers — garments won't wrinkle because hooks are spaced. Fully assembled 18"x6"x3¾" deep for wall mounting. Wt. 3½ lbs. FOB Ill.

43-500/8D—Net ea. **$34.23.**
Each (lots/3) **$31.04.**
Each (lots/6) **$27.49**

Space-Saving Wall-Mounted Chrome Shelv

Strong and sleek to answ your storage needs attractive and economically. 18-ga. tub lar steel frames are finished heavy, bright chrome. Use t single shelf unit (C) for hats parcels, alone or with (D which includes hanger bar f coats, etc. Easy to mou FOB Ill.

(C) SINGLE SHELF FOR HATS OR GENERAL UTILITY

Stk. No.	Length	Wt. (lbs.)	List	Each	Ea. (lots/
43-501/6D	24"	4	$23.10	$19.73	$18.50
43-502/4D	36"	5	25.30	22.47	19.91
43-503/2D	48"	6	27.50	23.56	20.89

(D) SHELF WITH HANGER BAR FOR COATS

43-504/0D	24"	6	$27.50	$23.56	$20.89
43-505/7D	36"	7	30.80	25.95	23.21
43-506/5D	48"	8½	34.10	29.58	25.95

Key Control Systems Offer Quick and Easy Identification In Less Time





IN STOCK IMMEDIATE SHIPPING

As Low As **$30.30**

WE SHIP UPS WHEN POSSIBLE

Specify 23 tan or 27 gray.

- Slotted and numbered rack files key tag for instant I.D.
- Numbered snap-hook key tags
- "Out key" control tags for key accountability—tags are reusable
- Numbered key control charts cross reference lock location
- Locking welded steel case
- Gray or tan enamel finish
- Popular sizes are In-Stock (500-key and 600-key FOB Ill.)

Stk. No.	Capacity	HxWxD	Lbs.	List	Ea.	Ea. (lots/3)
43-169/2AA	30 keys	12"x8"x2½"	4	$36.50	$31.75	$30.30
43-636/0AA	40 keys	14⅛"x	8	46.50	41.30	38.58
43-168/4AA	60 keys	9⅛"x	9	64.50	57.78	54.59
43-637/8AA	80 keys	5⅛"	10	76.50	67.99	63.63
43-294/8AA	120 keys		20	119.50	102.42	96.76
43-362/3AA	180 keys	20½"x16½"	27	149.50	124.55	117.33
43-171/8AA	240 keys	x5⅛"	31	172.50	149.33	140.50
43-172/6AA	300 keys*	31"x16½"	43	222.50	193.70	182.99
43-173/4AA	400 keys*	x7½"	48	264.50	232.88	220.40
43-174/2DA	500 keys*		55	348.50	302.46	287.27
43-175/9DA	600 keys*		65	388.50	329.36	317.14

*Alpha-numeric cross reference 3"x5" index card guides included rather than chart.



Save Time with a Lyon Locking Key Cabinet

Efficient! Organized! Inexpensive way to keep keys handy, easy to find, out of the way! Each section has 96 hooks, each hook holds 1 to 3 keys. Blank labels supplied for all hooks. Steel cabinet has padlock, gray enamel finish . . . measures 18¼" wide, 34¼" high. Punched back for easy wall mounting. FOB Ill.

Stock Number	Key Cap.	Wt. Lbs.	Net Each	Each (lots/3)
52-199/7D	96	35	$ 83.35	$ 80.85
52-200/3D	192	42	94.05	91.23
52-201/1D	288	53	136.50	132.41
52-202/9D	384	58	146.80	142.40
52-203/7D	576	75	204.30	198.17

Office Time-Savers Cost Less At C&H Now



Premier Precision Trim Board

WE SHIP UPS WHEN POSSIBLE

As Low As **$15.98**

Sharp, clean cuts become a reality with this handy trim board in your office or store. Our low prices and wide selection of sizes make it a feasible investment whatever the size of your business! Top squaring guides assures uniform trim . . . morticed below the table surface to prevent paper from sliding under ruler. Safety spring and lock holds handle securely. All-metal ruler calibrated in 1/16". Pastel green. FOB Ill.

Stock Number	Size	Wt. Lbs.	List Price	Each	Each (lots/3)
43-059/5D	8"	4½	$ 18.95	$16.89	$15.98
43-060/3D	10"	5	23.45	20.25	19.31
43-034/8D	12"	9½	26.40	22.94	20.79
43-035/5D	15"	19	44.55	35.59	32.89
43-036/3D	18"	22	57.15	42.90	40.43
43-037/1D	24"	31½	83.95	63.53	57.75
43-038/9D	30"	40	127.60	93.26	82.95

Fold-Away Wall Desk Fits Anywhere

Strong steel desk mounts on wall, pulls down easily, folds to just 3" thick. Writing surface is 16"x20", back has sections for supplies. Sanitary, washable enamel finish. Colors: 12 green, 22 beige, 27 gray, 30 white, 34 walnut vinyl (add $3.50). Specify color number-name. Shpg. wt. 13 lbs. FOB Mo.

53-061/8DA—List $44.95.
Each **$39.20.** Ea. (lots/3) **$36.96**

Ideal for shipping and receiving areas, for hospitals, restaurants

16"x20" surface



IN STOCK IMMEDIATE SHIPPING

Pelouze Postage & Utility Scale

WE SHIP UPS WHEN POSSIBLE

Weighs packages up to 50 lbs. Easy to read dial face—marked with new parcel post rates. Ideal for UPS items as well as parcel post. Markings are in 2-oz. increments—hairline indicator allows exact reading to help save postage. Meets the needs of most office and shipping departments. Scale is 6½"x6½"x8½" high. In-Stock. Wt. 5 lbs.

43-261/7A—List $33.30.
Each **$29.94**

Like above, with 5 lb. capacity in ½ oz. increments. Rate panel for 1st and 3rd class, air mail, parcel post, priority mail by zone.

43-260/9A—List $32.20.
Each **$29.98**

IN STOCK IMMEDIATE SHIPPING

Only **$55.97**

13½"x10¾" x2¼" high

Memory Lock!

Pelouze Portable Utility Scale

Weighs up to 250 lbs. . . . yet it weighs only 8 lbs. Because it's close to the ground (only 2¼" high) you don't have to lift heavy items. Memory Lock lever locks the reading — when you remove the oversize or bulky package the weight is ready to read. Gray. 8 lbs.

43-262/5A—List $59.00.
Each **$55.97**

Shop-Vac® Industrial Wet/Dry Vacs with Double Filtration

All three vacs include metal accessories shown with (A)



FOAM FILTER SLEEVE for wet/dry.
45-594/9D—net ea. **$2.95**
ABESTOS FILTER KIT for 10-gal. Includes 2 bags, face mask.
45-595/6D—net ea. kit **$44.95**

A DELUXE EXTRA-CAPACITY INDUSTRIAL SHOP-VAC

Wet-dry models with powerful 2-stage bypass motor, automatic floa shut-off, coated steel drums for rust-resistant long life. Includes 12' long 1½" diam. crush-proof hose, 14" metal master head, heavy-duty vac cart 2-pc. chrome-plated metal interlocking wands, brush, rug squeegee, shoe inserts. FOB Pa.

Stk. No.	Gals.	Lbs.	List	Ea.	Ea. (lots/2)
45-837/2D	10	48	$259.95	$220.95	$203.45
45-838/0D	20	60	289.95	239.52	221.30

STAINLESS STEEL INDUSTRIAL SHOP-VAC (Not Shown)

Same as above but handles corrosive liquids;ideal for hospitals, labs hotels. FOB Pa.

Stk. No.	Gals.	Lbs.	List	Ea.	Ea. (lots/2)
45-839/8D	10	49	$319.95	$258.43	$241.85
45-840/6D	20	60	389.95	325.85	309.00

B EXTRA HEAVY-DUTY INDUSTRIAL SHOP-VAC

For wet or dry use. Powerful two-stage motor develops (peak) 2½-HP—powerful enough for any industrial application. Special sound insulation assures surprisingly quiet operation. Complete with accessories FOB Pa.

Stk. No.	Gals.	Lbs.	List	Ea.	Ea. (lots/2)
45-107/0D	10	60	$379.95	$319.85	$306.40
45-108/8D	20	67	409.95	339.95	323.30

C STAINLESS STEEL DELUXE SHOP-VAC

Same as model (B) but with longer-life stainless steel tank to accommodate corrosive liquids. FOB Pa.

Stk. No.	Gals.	Lbs.	List	Ea.	Ea. (lots/2)
45-841/4D	10	70	$449.95	$362.49	$336.63
45-842/2D	20	74	519.95	411.20	392.52

Sturdy, Serviceable Industrial 55-Gal. Vacs at Savings

Accessories included

Choose dry or wet/dry

D 55-GAL. DRY DUAL SHOP-VAC WITH TWO 2-STAGE MOTORS

Use as vac . . . or as blower. Separate controls for each motor. Vac develops 165 CFM. Comes with 6' long, 2½" diam. hose, two 20" extensions, square nozzle, 1¼" conversion unit, 55-gal drum.
45-111/2D—List $259.95. Wt. 65 lbs. FOB Pa. Ea. **$219.65.** Ea. (lots/2) **$207.78**
45-658/2D—Without drum. 20 lbs. Net ea. **$166.78.** Each (lots/2) **$158.10**

E DELUXE WET-DRY 55-GAL. VAC

One powerful 2-stage long-life ball-bearing motor develops 2½-HP, 110 CFM (100" water lift) Quiet operation. Includes drum, 12'x1½" crushproof hose, 6" metal master nozzle, 4-whee band dolly, drain plug, cartridge filter.
45-112/0D—Wt. 68 lbs. FOB Pa. Net ea. **$303.88.** Ea. (lots/2) **$282.75**
45-113/8D—Without drum or dolly. 29 lbs. Net ea. **$236.55.** Ea. (lots/2) **$221.16**

F ECONOMY 55-GAL. WET/DRY VAC WITH ACCESSORIES

Two 2-stage bypass motors—each develops 1.5-HP, 95 CFM (80" water lift). Complete with drum, clip-on casters, 12' long, 2½" hose, utility nozzle, reducer.
45-534/5D—Wt. 67 lbs. FOB Ill. Net each **$199.88.** Ea. (lots/2) **$189.98**
45-540/2D—Wet/dry head only. Wt. 25 lbs. Net ea. **$142.98.** Ea. (lots/2) **$134.50**

Maintenance-Free Air-Powered Vac Head for Wet or Dry

- **High volume pickup**
- **Develops approx. 300 CFM**
- **Eliminates explosive hazards**

Operates on 60 to 100 CFM of compressed air found in industrial plants, shipyards, etc. . . . develops a vacuum 3 times that of conventional motor-driven machines. Sucks up 2 gals. liquid per sec. FOB N.J.



No electricity—
No moving parts

WE SHIP UPS WHEN POSSIBLE

45-523/8D—Head for 55-gal. drum. 48 lbs. Net ea. $323.60
45-524/6D—Head for 30-gal. drum. 42 lbs. Net ea. 312.99
45-526/1D—Liquid shut-off (activated by full liquid) 32.00
45-527/9D—Vacuum hose, 2"x25', abrasive resistant 112.00
45-528/7D—2"x25' standard vacuum hose. Net ea. 72.00
45-529/5D—Wet/Dry floor tool with 4' extension handle 118.00
45-530/3D—2"x24" crevice tool. Net each 17.00

Maintenance-Free Air-Powered 15-Gal. Vac for Wet or Dry

- **Trouble-free operation**
- **Easy mobility for plant-wide cleanup**

Industrial quality wet or dry high-volume pick-up . . . requires only 20 CFM of compressed air, develops up to 120" water lift, approximately 225 CFM. Ideal where a heavy-duty trouble-free vacuum is needed but compressed air supply is not sufficient to operate a larger unit. Complete with 15-gal. wheel-mounted drum and accessories: internal filter, 12' of 1½" vacuum hose. floor tool, crevice tool, 10' of ½" air supply hose. FOB N.J. 75 lbs.
45-522/0D—Net ea. **$418.85**

1-1/4" and 2-1/2" Vacuum Cleaner Accessories In-Stock at C&H

6' HOSE—2½" dia. for replacement.
45-179/9A **$7.90**

6' FLEXIBLE HOSE—1¼" dia.; use with extension.
45-213/6A **$7.90**

CREVICE TOOL for 2½" hose.
45-183/1A **$4.50**
45-207/8A—For 1¼" hose. **$2.80**

ELBOW BRUSH for 1¼" hose.
45-205/2A **$3.60**
45-206/0A—For 2½" hose **$4.75**

TWO 20½" EXTENSIONS.
45-211/0A—For 1½" hose **$5.78**
45-212/8A—For 2½" hose. **$5.78**

TRIANGULAR NOZZLE.
45-208/6A—For 1¼ hose. **$2.20**
45-209/4A—For 2½" hose. **$4.50**

UTILITY NOZZLE picks up sawdust. For 2½" hose.
45-181/5A **$4.54**

CONVERSION UNIT — 2½" to 1¼" hose-to-hose coupling.
45-182/3A **$1.78**

DOUBLE MALE CONVERSION for 2½" to 1¼" size.
45-214/4A **$1.78**

12" WIDE FLOOR NOZZLE.
45-210/2A—For 1½" hose. **$5.65**
45-184/9A—2½" hose. **$6.95**

WALTON DURA-FILTER for wet-dry or dry vacs.
45-185/6A **$5.70**

CARTRIDGE FILTER BANDS for use over Dura-Filter above.
45-195/5A—Pkg. of 20 ..... **$4.90**

Heavy-Duty Vacs Speed Maintenance

- Industrial quality—1⅝-HP 810-watt motor runs cool thruout shift
- 85" water lift . . . extra heavy-duty 10' hose, hose coils on top
- 8-gallon size is 24"Hx16½"W—15-gallon is 28½Hx18½W



A EXTRA HEAVY-DUTY DRY VAC

Two stage flow-thru motor does a thorough job of picking up debris, dust, litter.

Stk. No.	Gal.	Lbs.	Net Ea.	Ea. (lots/2)
45-866/1D	8	40	$190.99	$177.89
45-867/9D	15	45	207.20	193.89

ACCESSORIES FOR (A) AND (B)

45-873/7D—Blower tool. Net each $6.45
45-874/5D—11" crevice tool. Net ea. $4.45
45-875/2D—Dust brush. Net each $7.20

B WET-DRY VAC ON CADDY

Two-stage bypass motor laps up liquids, whisks up debris. Easy tank emptying from bottom plug.

Stk. No.	Gal.	Lbs.	Net Ea.	Ea. (lots/2)
45-862/0D	8	48	$230.83	$217.65
45-863/8D	15	53	236.40	223.97

1½" METAL ATTACHMENT SETS

Includes 5' wand, 14" floor-carpet tool with felt insert for floors, bristles for concrete, squeege for wet areas.

45-868/7D—Set. Wt. 10 lbs. Net each set $64.72
45-869/5D—Without squeegee (for A) $57.83

WET OR DRY PICK-UP AT A LOW PRICE!

Accessories included

DUAL POW-R-VACS FOR WET/DRY PICK-UP

Complete with 1¼" accessories (wands, hose, floor tool, dolly, nozzle, and filter—20-gal. also has 2½"x6' hose, 2½" utility nozzle). Super-efficient washable cartridge filter delivers 500% greater airflow, eight times the effectiveness of cloth bags. Foolproof float-type shut-off, epoxy-lined tank, bottom drain plug. Powerful industrial by-pass motor.

Stk. No.	Gals.	Motor	Vac.	Lbs.	Net Ea.	Ea. (lots/3)
45-302/7A	5	1-stage	50"	20	$58.25	$54.59
45-303/5A	10	1-stage	50"	24	68.77	65.19
45-304/3A	20	2-stage	80"	36	99.88	94.34

45-305/0A—Washable cartridge filter. Net each $5.70
45-306/8A—Pkg./20 pre-filters fit over cartridge. Net ea. pkg. $4.98

Clean delicate and hard-to-reach machines

Portable Hand Vac for Cleaning Vehicles and Machines

As Low As **$66.75**

Ideal for cleaning air conditioning and heating vents, machinery, tools, workbenches, computers telex machines, stairs, vehicles . . . 1.1-HP motor creates over 100 CFM of pick-up power. Twice the power and dirt capacity of an average portable hand vac. Guaranteed unbreakable housing, comes with 3'x2½" hose, 2½" extension wands 2½" to 1¼" adapter, 2½"x6" square nozzle with brush, 2½" crevice tool. Comes with 2½" hose coupling and shoulder strap. UL listed.

45-403/3D—Net each **$71.88.**
Each (lots/3) $66.75

- Traps fine dust
- Reduces hazardous, unhealthy conditions
- Reduces maintenance costs
- Eliminates indoor pollution
- Saves you time, work, and money

Industrial "Dustman" Cleans Room or Attaches to Machine

Protect yourself and your employees . . . external cloth bag traps fine dust, reduces hazardous and unhealthy conditions, work areas stay completely dust-free when the "Dustman" is used as a room cleaner or when its attached to dust-producing blower unit. In addition to eliminating indoor pollution, the "Dustman" contributes significantly to lowering maintenance costs. Large 3" hose sucks in dust and air borne particles. Industrial quality machine develops 350 CFM, offers continuous duty dust removal. Includes 30-gallon drum. Wt. 51 lbs. FOB Pa.

45-402/5D—List $359.95.
Each **$302.35.** Each (lots/2) **$286.38**

Quick-Floor Cleaners

C OVAL STRUCTOLENE BUCKETS

Built to last! Guaranteed for 3 years. "Caution-Yellow" color oval buckets of moulded, one-peice thermoplastic. Won't fade, crack, dent or leak. Buckets follow along without hesitation—3" casters have ball bearings. 15¾" long, 12¼" wide.

45-629/3A—26-qt. (10" deep inside). 11 lbs. Ea. **$31.30.** Ea. (lots/3) **$29.69.** Ea. (lots/6) **$28.25**
45-630/1A—35 qt. (13¾" deep inside). 12 lbs. Ea. **$36.63.** Ea. (lots/3) **$34.80.** Ea. (lots/6) **$32.99**

D "SURE-SQUEEZE" WRINGER

Mop wringer speeds floor jobs . . . improves results! Extra heavy-duty construction, with 20 to 1 leverage for super efficiency. Giant 8½"x9"x 6¾" hopper accommodates 12 to 32 oz. mops. Reinforced steel band; electroplated rust-resistant finish.

45-628/5A—Net each **$29.98.** Wt. 15 lbs.
Each (lots/3) **$28.65.** Each (lots/6) **$26.95**

F.D.A. Approved

INDESTRUCTIBLE BRUSKE BRUSHES

- **Fully guaranteed. Lightweight**

Eliminates premature replacements due to broken handles or sagging bristles. Choice of three bristle types. **01 All Purpose** has flagged or exploded tips to sweep fine dust or oily, greasy refuse; **02 Coarse** has blend of stiff bristles for rough floors, extra heavy refuse, metal chips. **03 Medium** has blend of stiff and soft bristles for all-around use. Specify bristle type. Sold only in ctn. quantities; **order brush and handle separately.** FOB Ill.

Stock No.	Brush	Ctn.	Lbs.	Each	(lots/12)
45-966/9DXL	13"	6	8	$ 3.86	$ 3.64
45-942/0DXL	17"	6	12	4.25	3.96
45-943/8DXL	23"	4	8	5.13	4.81
45-965/1DX	29"	1	3	11.15	9.88
45-964/4DX	35"	1	4	12.15	10.87

45-603/8D—60" steel handle. Lightweight tubular design. Net ea. **$3.29.** Ea. (lots/12) **$2.89**



Heavy-Duty Rubber-Tired Mats for Shops, Factories, Laundries

Constructed of black rubber woven on non-corrosive rustproof spring steel wire. Insulates against hard, cold, wet, slippery floors. Highly resistant to water, steam heat, oil, and curling!

Edges stay flat

Stock Number	Size	Lbs.	Net Each	Each (lots/3)	Stock Number	Size	Lbs.	Net Each	Each (lots/3)
43-313/6D	20"x38"	17	$ 6.66	$ 5.98	43-317/7D	24"x72"	36	$21.54	$20.43
43-314/4D	24"x36"	18	9.98	9.49	43-318/5D	30"x60"	37	22.38	21.28
43-315/1D	24"x48"	24	13.31	12.64	43-319/3D	36"x60"	45	27.15	25.79
43-316/9D	24"x60"	30	17.45	16.56	43-320/1D	36"x72"	54	31.51	29.90

Insulates against cold!

WE SHIP UPS WHEN POSSIBLE

$5.98

Use Mats for More Comfort, Less Maintenance

As Low As $3.99 per ft.

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

All ends are safety rounded and finished

WE SHIP UPS WHEN POSSIBLE

Foot-Spun Stand-eze Mats for Super Cushioning

Non-absorbent all-vinyl mats ideal for restaurants, industrial plants, stores —wherever people stand or walk, even takes the abuse of spike heels. Top is corrugated for safety, core is highest grade 100% vinyl sponge with a non-porous surface. Resistant to oil, grease, chemicals, moisture. Lies flat . . . provides fatigue control at work stations; breakage, noise and wear control in aisles, entrances. Unaffected by temperature changes. Colors: 29 black, 24 brown, 27 gray. Specify color number and name.

Size	Thick	Wt.	Stock No.	Each	Lots/3
27"x36" mat	3/8"	3	43-357/3DA	$ 12.76	$ 11.98
27"x60" mat	3/8"	9	43-358/1DA	21.88	20.90
Full Roll, 36"x60'	1/4"	90	43-337/5DA	221.00	210.00
Full Roll, 48"x60'	1/4"	120	43-338/3DA	296.00	284.00
Custom cut, 36" w.	1/4"	1 1/2	43-339/1DAM	per ft. 3.99	----------
Custom cut, 48" w.	1/4"	2	43-340/9DAM	per ft. 5.41	----------

ALL MATS FOB TENN.

1/2" thick

Ideal where people stand for long periods as low as $10.37 per ft.

B

A

"Marbelized" Fatigue Mat in 6 Co

Resilient mat helps provide restful, relaxing support for bank cashiers, beau ticians, doctors, dentists, counter servicemen or women. Heavy-duty marbel ized rubber tile surface permanently bonded to resilient sponge. Colors: 03 red, 12 green, 27 gray, 29 black, 22 beige, or 24 brown. Specify color no. name. (on std. mat sizes).

Size	Wt. Lbs.	[A] SQUARE EDGED Stock No.		Net	[B] BEVELED EDGE Stock No.	Net
18"x30" mat	5	43-329/2DA	Each	$ 12.59	43-039/7DA	$ 15.8
18"x48" mat	9	43-330/0DA	Each	19.98	43-040/5DA	23.9
24"x36" mat	9	43-331/8DA	Each	19.98	43-041/3DA	23.9
36"x60" mat	22	43-332/6DA	Each	55.35	43-042/1DA	59.3
Full roll, 24"x60'	180	43-333/4DA	Roll	454.00	43-043/9DA	544.0
Full roll, 36"x60'	270	43-334/2DA	Roll	538.00	43-044/7DA	580.0
Custom cut, 24" w.*	3	43-335/9DAM	Lin. ft.	10.37	43-045/4DAM	13.4
Custom cut, 36" w.*	4 1/2	43-336/7DAM	Lin. ft.	12.35	43-046/2DAM	13.9

WE SHIP UPS WHEN POSSIBLE

Non-Slip WearWell Corrugated Rubber Matting in Rolls

as low as $6.79 per yd.

1/8" thick

Safe! Non-Slip! Traction-grip corrugated surface helps reduce accidents and help clean shoe bottoms—especially practical at building entrances or in heavy traffic aisles. Designed for durability and long service, too. Resists chemicals, water; won't curl, shrink or separate! Easy to clean. Black only. 1/8" thick.

Stock Number	W	Wt./ Yard	Net Ea. Yd.
CUT LENGTHS*			
43-354/0DM	24"	4 lbs.	$ 6.79*
43-355/7DM	36"	6 lbs.	9.90*
43-356/5DM	48"	8 lbs.	13.68*
FULL 50-YD. ROLLS			
43-295/5D	24"	217 lbs.	$257.25
43-296/3D	36"	325 lbs.	373.75
43-297/1D	48"	433 lbs.	498.00

*SPECIFY LENGTH DESIRED

FOR ORDERS ONLY Phone Toll Free 800-558-9966 For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



End Middle End



Interlocking Soft Rubber Runners

as low as $11.94

Practical soft runner mat with add-on sec tions that lock securely, zip apart as needed Ideal for schools, cafeterias, kitchens . . wherever people walk. Black 1/2" thick rubbe matting with surefoot ribbed surface, cross ribbed under construction for a sanitary buoyant surface. Specify 01 regular or 0 grease resistant.

Stock No.	Size	Type	Lbs.	(01) Net Ea.	(02) Net Ea.
43-321/9DX	28"x31"	Full	10	$11.94	$14.94
43-322/7DX	36"x31"	Full	12	15.24	18.61
43-323/5DX	28"x31"	End	10	11.94	14.94
43-325/0DX	36"x31"	End	12	15.24	18.61
43-324/3DX	28"x31"	Middle	10	11.94	14.94
43-326/8DX	36"x31"	Middle	12	15.24	18.61

Luxurious "Vinylon" Carpet for Indoors and Outdoors!

Use indoors or out

as low as $4.59 per ft.

Great looking! Cut pile nylon carpeting on pliable vinyl backing—cleans up easily, won't chip or crack. Use indoors or out in heavy traffic area. Colors: Tweed, 02 red-black, 18 blue-green, 29 black-white, 24 brown stripe. Specify color no. and name.

Custom Cut sizes on all style floor mats require full deposit on cash orders. Sorry, no returns on custom orders

Stock No.	Size	Lbs.	Each	(lots/3)
43-303/7DA	24"x36" mat	6	$ 9.13	$ 8.58
43-304/5DA	36"x48" mat	11	18.38	17.27
43-305/2DA	36"x60" mat	15	22.99	21.62
43-306/0DA	36"x72" mat	18	27.63	25.97
43-298/9DA	36"x96" mat	19	36.85	34.64
43-299/7DA	36"x120" mat	24	44.98	42.30
43-300/3DA	36"x140" mat	29	53.75	50.53
43-307/8DA	48"x72" mat	24	34.94	32.84
43-308/6DA	48"x96" mat	28	46.12	43.35
43-301/1DA	48"x120" mat	32	60.16	56.55
43-302/9DA	48"x144" mat	38	71.95	67.63
43-309/4DA	36"x60' roll	150	per roll	225.00
43-310/2DA	48"x60' roll	200	per roll	279.00
43-311/0DAM	36" w. cust.*	2 1/2	per lin. ft.	4.59
43-312/8DAM	48" w. cust.*	3 1/3	per lin. ft.	5.87

MODULAR DEKMAT® FOR INDUSTRIAL OR COMMERCIAL USE

Snaps and locks together without special tools

Use around machinery where water, grease, oil or leg fatigue is a problem

As Low As **$1.82** sq. ft.

WE SHIP UPS WHEN POSSIBLE

Over 10,700 gripping edges per sq. ft. provide traction

Resilient, slip-resistant, anti-fatigue matting is made of USDA-MID accepted materials and meets all FDA regulations. Raised interlocking modules, 5/8" high, elevate workers out of wet or slippery areas . . . open grid design allows dirt and foreign particles to drop through. Area underneath is aerated and well drained to eliminate mildew and odors. Polyethylene material resists corrosives, grease, acids, most chemicals . . . withstand freezing — **and** steam cleaning! No cutting or waste — these compact 3"x12" sections snap and lock together. Sold in cartons of 12 sq. ft. (carton consists of forty-eight 3"x12" sections). Black only. Wt. 12 lbs. FOB Mass.

43-507/3DP—Net ea. ctn. **$26.60.** Ea. (lots/4 ctns.) **$23.85**
Each (lots/8 ctns.) **$21.74**
Pkg./24 ft. beveled edging, 48 connectors, 8 corners. Wt. 5 lbs.
43-508/1DAP—Specify: 09 safety yellow or 30 white. Net ea. pkg. **$17.98**

Rugged, Resilient Floor Slats Clean Easily, Relieve Fatique

As Low As **$18.50** per slat

Easy to lock and unlock. Springy carpet-like slats . . . non-conductive and electrically shockproof.

Each Slat Supports Up to 1 Ton!

For factories, truck flooring, behind bar counters, for restaurant and hotel kitchens, in walk-in freezers, in and around cabanas, around swimming pools, in showers . . . and hundreds of other places you need a hygienic non-slip floor surface that's strong, non-absorbent. Molded of one piece high-strength polypropylene. Can easily be washed and sterilized. Won't absorb water. Unaffected by damp, salt water, most chemical solutions, and vermin. Each slat weighs less than 7 lbs. . . . supports a continuous weight of 1 ton. Each is 32" square, 1¼" high Colors: 06 orange, 27 gray. Specify color number-and-name. Sold in cartons of 6 slats. Wt. 42 lbs. per carton. FOB N.J.

43-591/7DAP—Each ctn. **$123.77.** Each ctn. (lots/3) **$111.00**
Floor Ramp for edge of mat, facilitates smooth passage of wheeled vehicles.
43-593/3D—FOB. N.J. Wt. 2 lbs. Net each **$10.60**

Flexible Matting of Strong Steel . . . Scrapes Shoes Clean of Dirt



As Low As **$13.35** 18"x30" size

Heavy-duty, rust-resistant steel mat constructed of galvanized strip steel. 3/8" high with 1"x1" openings. Ideal where traffic dirt is a major problem — sharp, scraping edges remove stubborn dirt. Reversible, easily rolled. FOB Tenn.

Stock Number	Size (in.)	Wt. (lbs.)	Net Each	Each (lots/3)
43-545/3D	18x30	6	$14.21	$13.35
43-546/1D	24x42	12	25.95	24.39
43-547/9D	30x48	16	37.72	35.45
43-548/7D	36x48	19	44.74	42.16
43-549/5D	36x60	24	56.14	52.77
43-550/3D	36x72	28	66.67	67.67
43-551/1D	40x84	37	85.97	80.81

As Low as **$8.04** per ft.

Open-Slot Counter Tred Meets USDA Sanitary Standards

Virtually indestructible! Non-skid protection in wet, slippery areas. Tough, durable matting of rubber and embedded fibers is 3/8" thick — ribbed underside and open slat design affords aeration and drainage. Approved by USDA to meet sanitary standards. Colors: 02 marbelized red/white, 29 black. FOB Tenn.

Type	Width	Lbs.	Grease-Resistant -Specify color Stk. No.	Grease-Resistant Net Ea.	All-Purpose Black only Stk. No.	All-Purpose Net Ea.
Full Roll approx. 40' lgth.	24"	140	43-670/9DA	$394.60	43-640/2D	$284.60
	36"	210	43-671/7DA	557.55	43-641/0D	421.75
	48"	280	43-672/5DA	732.15	43-642/8D	547.50
Cust. cut —specify lgth. in ft.	24"	3½	43-673/3DAM	$10.95/Ft.	43-643/6DM	$ 8.04/Ft.
	36"	5¼	43-674/1DAM	16.30/Ft.	43-644/4DM	12.10/Ft.
	48"	7	43-675/8DAM	21.86/Ft.	43-645/1DM	16.13/Ft.

MULTI-PURPOSE ADHESIVE-BACKED MATTING (not shown)
Diamond-hard mineral top in black. Clean, use instantly.

Stk. No.	Description	List	Each	Ea. (lots/3)
43-366/4DP	Box/50 — ea. 6"x24"	$168.00	$141.75/Bx.	$131.25/Bx.
43-367/2D	Roll — 6"Wx60"L	80.00	69.75/Roll	65.25/Roll

Non-Slip Switchboard Matting Prevents Electrical Shocks

Use around all high voltage electrical apparatus . . . fuse boxes, control panels, machinery

As Low As **$22.87** per yd.

40,000 volt dielectric strength 1/4" thick corrugated matting is cotton-impregnated rubber with eight 3/16" deep longitudinal corrugations per inch of width. Matting is non-skid thanks to fabric impression on bottom. Black only. FOB Tenn.

Stk. No.	Size	Wt.	Net Each
43-371/4DM	24"W—specify lgth.	10 lb.	$22.87/yd.
43-372/2DM	36"W—specify lgth.	15 lbs.	27.72/yd.
43-373/0DM	48"W—specify lgth.	20 lbs.	51.97/yd.
43-374/8D	24"Wx25 yds. long*	255 lbs.	$445.00
43-375/5D	36"Wx25 yds. long*	382 lbs.	539.00
43-378/9D	48"Wx25 yds. long*	509 lbs.	999.00

*Rolls may be in two pieces, no piece less than 10 yds. in lgth.

Heavy Traffic Vinyl Matting Traps Grease, Cuts Maintenance

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

As Low As **$27.55**

Yellow tapered safety edge (2" wide) all around helps to cut down on accidents. Links are 100% vinyl, ½" wide x ½ thick x 2" long. Spacing between links averages ½"; links are secured by 12-ga. galvanized steel wire on 1¼" center. Unaffected by extreme temperature changes.

Stk. No.	Size	Lbs.	Net Ea.	Ea. (lots/3)
43-379/7D	24"x36" mat	9	$ 28.98	$27.55
43-380/5D	36"x60" mat	22	72.65	68.99
43-381/3D	Full roll, 24"x30'	90	255.00	
43-382/1D	Full roll, 36"x30'	135	383.00	
43-383/9D	Full roll, 48"x30'	180	510.00	

FOB Tenn.



Big Value! Heavy Duty Structural Plastic Dome Top in Eye-Catching Colors

- **Fits 55-gal. drums—"attracts" litter**

Bright, attention-getting colors make this dome top hard to miss, even in public places. Thrifty, too—you utilize the 55-gal. containers you already have as the base. Top has self-closing door so odors and debris stay inside. Structural plastic won't dent, rust, or scratch. 24" top. Colors: 02 red, 06 orange, 09 yellow, 18 blue, 27 gray. Specify color number-and-name. Sold in multiples of 3; order only in multiples of 3. Wt. 23¼ lbs. FOB Mo. or Calif.

45-605/3DAL—Net ea. (lots/3) **$30.84.**
Each (lots/6) **$29.60**

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Galvanized Steel Dome Top Turns Any 55-Gal. Drum into a Fireproof Container

Here's a low-cost answer to litter control and fire protection. Extra-durable galvanized steel dome top fits on any 55-gallon container to turn it into a sturdy, safe receptacle for refuse . . . self-closing door assures the fire protection you want. Place enough of these throughout shop or plant to discourage costly litter clean-up! Inside diameter, 23¾"; 11⅜" high. Wt. 12 lbs. List $31.50

45-034/6A—Net each **$25.71.**
Ea. (lots/6) **$24.42.** Ea. (lots/12) **$23.20**

Galvanized Steel Dolly Makes Moving a 1-Man Job

Husky! Heavy-duty! Rolls on 3" neoprene casters with ball-bearing swivels. Takes 30 or 55 gallon drums—holds over 500 lbs. Dolly measures 21¼" in diameter, 5½" high. 30 gallon drums fit inside dolly, dolly fits under recessed bottom of 55 gallon drums. Easy-pull hitch. This labor-saving aid does the work of several men—and costs very little. Wt. 17 lbs. List $38.50

45-033/8A—Net each **$34.22.**
Ea. (lots/3) **$32.51.** Ea. (lots/6) **$30.88**



Double-Door Drum Top

- **Access from two sides—gets more litter**

Doors swing in to help catch all litter . . . reduce groundskeeping. 24" diam. top fits 55-gal. drums. Heavy steel, corrosion-resistant. Colors: 12 green, 30 white. Specify color no.-name. 13 lbs. FOB Pa.

45-135/1DA—List $41.80. Ea. **$29.68.**
Ea. (lots/3) **$28.57.**
Ea. (lots/6) **$26.93**

Top to Fit All Drums

- **Self-closing door. Rust-resistant enamel**

Turn old drums into litter receptacles. Colors: 30 white, 11 green, 02 red. Specify. FOB Pa.

Stock Number	Fits Drums	Top Diam.	Wt. (lbs.)	Net Each	Each (lots/6)
45-138/5DA	15 gal.	15"	5½	$18.85	$17.15
45-141/9DA	30 gal.	20"	8	23.11	21.11
45-142/7DA	55 gal.	24⅝"	12	24.30	22.11

C&H Helps Keep Your Litter Cost Down—Save Here, Now On Fine Quality Products!

C+H MEETS OSHA REQUIREMENTS

Save on All-Steel Waste Receptacles

A ROUND-TOP 36" HIGH CONTAINER

Self-closing stainless steel door—at convenient waist height—makes depositing litter very easy. 15-gal. galvanized liner. 15" diameter, 36" high, stainless steel base protects floors. Colors: 30 white, 02 red, 12 green, 18 blue, 22 beige. Specify color number and name. Wt. 25 lbs. FOB Pa.

45-120/3DA—List $62.91. Each **$46.35.**
Each (lots/3-5) **$39.89.** Each (lots/6) **$40.99**

WOODGRAIN VINYL over steel body with brown top.
45-127/8D—List $89.75. Each **$64.68.**
Each (lots/3-5) **$62.10.** Each (lots/6) **$59.03**

B HEAVY-DUTY STEEL RECEPTACLES

- **REMOVABLE GALVANIZED INNER LINERS**
- **NO-MAR STAINLESS STEEL FEET**
- **FIRE RESISTANT • DOUBLE DOORS**

Neat, attractive, tough—constructed with rounded corners, welded and ground joints for strength and smoothness. Double doors—each opens and closes independently, each is counter-balanced, no springs to break, assuring trouble-free service. Removable welded galvanized liners—watertight, rustproof, sanitary. Containers have solid, reinforced bottoms, acid-resistant enamel finish. FOB Pa.

COLORS: Available in 30 white for all models, 19 and 48 gal. also available in 12 green, 22 beige, 29 black

Stock Number	Capacity (gals.)	Dimensions Sq. x Ht.	Wt. (lbs.)	List Price	Each	Each (lots/3-5)	Each (lots/6)
*45-126/0D	6½	11½"x24¾"	24	$65.77	$48.33	$45.91	$43.79
*45-121/1D	14	11½"x41¼"	34	82.94	59.04	56.10	53.70
45-122/9DA	19	16"x35½"	42	92.93	65.63	62.36	59.24
45-124/5D	24	16"x41½"	47	102.00	71.96	68.57	65.51
45-123/7DA	48	21"x46"	79	169.34	117.26	111.84	106.84

* May Go UPS

Industrial Strength Waste Can Liners

Heavy-duty can liners save many manhours in clean-up, reduce danger of contamination when handling refuse . . . liners are burst-resistant 100% virgin polyethylene plastic that's leakproof to eliminate spills or mess. Choice of sizes and strengths to meet your needs — order from chart. Beige. FOB Il.

Stock Number	Mil Thickness	LxWxH (Inches)	Gal. Cap.	Liners Per Case	Net Each	Each (3-9)	Each (10+)
45-025/4DP	2.0	22x14x60	55	100	$34.99	$29.95	$25.95
45-010/6DP	1.5	23x17x48	40	125	29.99	24.95	22.95
45-007/2DP	2.0	23x10x40	33	250	45.99	38.95	35.95
45-006/4DP	1.5	23x10x40	33	250	39.99	33.95	29.95
45-005/6DP	2.0	16x14x37	30	250	37.99	32.95	28.95
45-004/9DP	1.5	16x14x37	30	250	33.99	29.95	25.95
45-003/1DP	1.0	15x9x33	15	500	37.99	32.95	28.95
45-002/3DP	1.0	15x9x24	10+	500	27.99	22.95	19.95
45-001/5DP	1.0	12x8x22	7+	1000	41.99	35.95	32.95
45-000/7DP	1.0	13x4x18	4+	1000	28.99	23.95	21.95





Leakproo
- Sanita
- Burs
resista

Neat Trash Handlers Save Clean-Up $$

Sanitary dome tops

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

Rubbermaid Tough "Brutes"

Tough plastic containers won't dent, rust, or break—even at sub-zero temperatures. Easy to clean smooth surfaces. Approved for food handling. Colors: 09 yellow, 27 gray, 30 white (10-gal. size not available in yellow). Specify color no.-name. Four sizes—order dome tops and duramold tough dollies separately. FOB Va.

Stk. No.	Description	Lbs.	Net Ea.	Quantity*	Each
45-885/1DA	10-gal. container	3	$11.20	In lots/6	$ 7.20
45-886/9DA	Lid for above	1	6.25	In lots/6	2.10
45-850/5DA	20-gal. container	6	16.53	In lots/6	10.49
45-660/8DA	Lid for above	2	7.15	In lots/6	2.54
45-851/3DA	32-gal. container	9	22.58	In lots/6	16.62
45-852/1DA	Lid for above	2	8.35	In lots/6	3.70
45-853/9DA	44-gal. container	18	30.68	In lots/4	24.64
45-854/7DA	Lid for above	2	10.40	In lots/4	7.10

*Save when buying in lot ctn. quantities.

DOME TOPS FIT "BRUTES" AND STANDARD DRUMS

Colors: 02 red, 06 orange, 18 blue, 27 gray. Sold only in lots of 2.

Stk. No.	Description	List	Ea. (lots/2)	Ea. (lots/6)
45-888/5DAL	32-gal.	$24.80	$20.79	$19.54
45-887/7DAL	44-gal. (or 55-gal. drum)	27.10	22.82	21.45

500-LB. CAPACITY DOLLIES for brutes

Stk. No.	Fit Containers	Lbs.	Net Ea.	Ea. (lots/2)	Ea. (lots/6)
45-428/0D	20, 32 and 44-gal.	18	$29.20	$26.54	$22.69

POLYLINERS with ties

Stk. No.	Fits Containers	Lbs.	Per Pkg.	Net Ea. Pkg.
45-455/3D	10 gal. size	23	500	$26.40
45-456/1D	20-gal. size	27½	300	35.75
45-457/9D	32-gal. size	42	300	42.38
45-469/4D	44-gal. size	36	200	36.86



Heavy-Duty "Swinger"

Tough, serviceable, corrosionproof . . . ideal for food service and vending area. Industrial quality, high-density polyethylene is guaranteed not to chip, crack or peel. Quiet, quickly cleaned. 25-gal. 16½"x16½" size—33½" high. Colors: 22 beige/bronze, 26 gray/dk. gray, 16 avocado/gold, 30 white/white. Specify color number-name. Wt. 15 lbs. FOB Mo. or Calif. Sold only in lots of 4.

45-198/9DAL—Ea. (lots/4) **$35.93**
Ea. (lots/12) **$30.97**
32-GALLON SIZE: 38½" high. Wt. 17½ lbs.
45-199/7DAL—EA. (lots/4) **$39.09**
Ea. (lots/12) **$33.79**

"Tip-Top" Container

Super-rigid body with super-sensitive top. No seams to hide odor-producing bacteria. 25-gal. size—16½"x16½"x31" high. Colors: 22 beige/bronze, 26 gray/dk. gray, 16 avocado/gold, 30 white/white. Specify color no.-name. 10 lbs. FOB Mo. Sold only in lots of 4.

45-200/3DAL—Ea. (lots/4) **$25.73**
Ea. (lots/12) **$22.65**
32-GALLON: 36" high. 12½ lbs.
45-201/1DAL—Ea. (lots/4) **$31.83**
Ea. (lots/12) **$28.65**

Save! Fine Quality Rubbermaid 56-Gal. "Glutton" Container



Choice of Tops



BASE ONLY—For indoor or outdoor use. Durable molded plastic construction in colorfast tough plastic — won't fade even in bright sunlight, won't dent, rust, or bend even in sub-zero termperatures. Base colors: 10 bronze, 30 oyster white. Specify color number-and-name. FOB Va. List $61.20.
45-849/7DA—Net ea. **$51.65.**
17 lbs. Ea. (lots/4) **$44.87**

THREE TOPS. Colors: 10 bronze, 02 red, 06 orange, 12 green. Specify color number-and-name. FOB Va.

(A) Hooded Top with Swinging Doors ofers outdoor weather protection plus the sanitation of swinging doors.
45-858/8DA—Net ea. **$53.99.**
17½ lbs. Ea. (lots/4) **$49.29**

(B) Hooded Top Without Doors for quick disposal . . . and outdoor protection.
45-860/4DA—Net ea. **$44.90.**
12¾ lbs. Ea. (lots/4) **$40.30**

(C) Swinging Door Top invites drop-in disposal, doors close automatically.
45-859/6DA—Net ea. **$33.71.**
10½ lbs. Ea. (lots/4) **$30.42**

Litter-Gitter Meets USDA Standards for Food and Chemicals

High-density polyethylene for hauling any waste (wet or dry). It's rustproof, non-toxic, easily cleaned with solvents or steam. Tank is mounted with bolts and lock nuts to heavy-gauge 1" tubular steel frame, zinc-plated to prevent rust. 1" lifting bar welded to bottom of frame takes work out of lifting or dumping. Materials used are FDA acceptable, and meet all USDA requirements. Tanks are 37"x28-5/16"x41"H. All tires are semi-pneumatic.

"Litter-Gitter"—360-lb. cap. two 12"x1¾" wheels, oil-less bearings. FOB Minn. 51 lbs.
1-478/2D—Net ea. **$138.83.** Ea. (lots/3) **$126.96.**
Hauler's Cart—460-lb. cap. 12"x3" wheels. 72 lbs.
1-479/0D—Net ea. **$176.37.** Ea. (lots/3) **$160.35.**
Snap-on Polyethylene Cover. Wt. 10 lbs.
1-480/8D—Net ea. **$12.47**

Colorful Steel Waste Containers for Indoors



Two self-closing steel doors hide unsightly trash, keep odors in. Vinyl bumpers protect both surroundings and receptacles from scratches. Heavy-gauge steel receptacles are fire-safe—tapered base is attractive anywhere. Order liners separately. Finished in durable baked enamels. Colors: 30 white, 27 metallic gray, 11 mist green, 10 antique gold, 08 cinnamon. Specify color. FOB Ohio.

Stock No.	Gals.	W x D x H	Lbs.	Net Ea.	Each (lots/3)
45-927/1DA	13	12½"x12½"x29½"	20	$47.94	$45.11
45-928/9DA	15	12½"x12½"x34½"	22	51.68	49.07
45-929/7DA	21	14"x14"x37½"	26	53.97	51.37
45-930/5DA	36	18"x18"x37½"	35	74.42	70.70

CHOICE OF LINERS: Heavy-duty rigid plastic is steam cleanable; disposable poly bags come in rolls.

Stock No.	Type	Fits	Lbs.	Net Price	Each (lots/3)	Each (lots/6)
45-931/3D	Rigid	13 gal.	3	Ea. $19.11	$17.91	$17.15
45-932/1D	Dispos.	13 gal.	7	100 24.43	....	....
45-933/9D	Rigid	15 gal.	4	Ea. 20.44	19.16	18.28
45-934/7D	Dispos.	15 gal.	7	100 24.43	....	....
45-935/4D	Rigid	21 gal.	5	Ea. 22.74	21.73	20.48
45-936/2D	Dispos.	21 gal.	8	100 25.66	....	....
45-937/0D	Rigid	36 gal.	6	Ea. 27.34	25.83	24.68
45-938/8D	Dispos.	36 gal.	13	100 36.68	....	....

Special prices on larger quantities

Wall Receptacles Save Space

IN STOCK IMMEDIATE SHIPPING

As Low As $4.55

A

B

As Low As $32.10

WE SHIP UPS WHEN POSSIBLE

C

As Low As $19.07



D

As Low As $28.01

E

As Low As $7.71

A WALL URN FOR SHOP, LOBBY

Douses smoking materials. White lettering on bright re container, 8″x5¼″x7″. Order in multiples of 6 onl 1½ lbs.
45-651/7AL—Net ea. (lots/6) **$5.82.** Ea. (lots/24) **$5.29.** Ea. (lots/48) **$4.55**

B STAINLESS STEEL URN

Trim, tapered look projects only 3½″ from wall. Finge tip control operates split bowl. Aluminum base.
45-192/2A—List $42.50. Wt. 3½ lbs.
Each **$34.52.** Each (lots/3) **$32.10**

C HALF-ROUND RECEPTACLE

Mount at waist height. Projects only 4″. Black finish removable receptacle. 6½″ high.
45-196/3A—List $22.50. Wt. 2 lbs.
Each **$20.51.** Each (lots/3) **$19.07**

D EX-CELL STURDY WALL URN

Aluminum with stay-bright stainless steel flip bowl Extends 9″ from wall, 6½″ entrance. List $36.00.
45-027/0A—Net each **$30.12.**
Wt. 5 lbs. Each (lots/3) **$28.0**

E MIDGET CLIP-ON ASH TRAY

Attaches where others can't—telephone booths, et Fingertip flick operates split bowl. Inner liner of rus proof steel. Exterior: specify 42 bronze or 41 chrom (add $.50) Wt. 1 lb. 2¾″ Ht. x 4⅛″ W.
45-191/4AX—Net each **$8.55.**
Each (lots/6) **$8.12.** Each (lots/12) **$7.7**

Attractive Floor Urns

WE SHIP UPS WHEN POSSIBLE

As Low As $11.09

As Low As $14.58

As Low As $12.49

IN STOCK IMMEDIATE SHIPPING

F

G

H

F SAND URN IN NON-RUST BLACK

Holds enough sand to squelch smoking materials . . . and collect litter too. Black crinkle finish, 22″ tall with 10″ removable aluminum tray
45-190/6A—Wt. 7 lbs. net each **$12.69.**
Each (lots/3) **$11.93.** Each (lots/6) **$11.09**

G DELUXE CHROME/CRINKLE URN

Sand urn is 10″ in diameter, 20″ high with attractive chrome removable sand tray. Colors: 29 black, 24 brown. Specify color.
45-194/8AA—Wt. 7 lbs. Net each **$16.16.**
Each (lots/3) **$15.35.** Each (lots/6) **$14.58**

H CHROME BASE SAND URN

Tin-coated furniture steel won't rust. Removable 10″ diam. chrome tray, wide base. 20″ high. 7 lbs.

Stock No.	Color	Net Ea.	Ea. (lots/3)	Ea. (lots/6)
45-219/3A	Black	$13.99	$13.29	$12.49
45-220/1A	Brown	13.99	13.29	12.49
45-221/9A	Green	13.99	13.29	12.49

J "SAFETY" SMOKE RECEPTACLE

Fire can't burn on interior . . . you get self-extinguishing automatic protection 24 hours a day. Safe, neat, and attractive. Nickel-plated grillguard over 11¾″ diameter, aluminum head, gray drum. 7 lbs. FOB ILL.

Stock Number	Cap. (gal).	Ht. (in.)	Net Each	Each (lots/3)	Each (lots/6)
46-758/9D	4½	14¼	$20.59	$19.91	$18.88
46-759/7D	6	17¾	21.89	20.96	19.93

FM APPROVED

CH MEETS OSHA REQUIREMENTS

As Low As $18.88

WE SHIP UPS WHEN POSSIBLE

- Baked enamel finish
- Strong and durable

J



1. 2. 3.

1. Fire starts and combustion vapors rise.
2. Baffle reverses flow.
3. Oxygen is cut off. Fire dies.

Fire-Preventing Receptacles Offer 24-Hour Protection in Shop, Office



FM Approved

Aluminum head

UL listed*

CH MEETS OSHA REQUIREMENTS

WE SHIP UPS WHEN POSSIBLE

1. Fire starts and combustion vapors rise
2. Baffle reverses flow
3. Oxygen is cut off. Fire dies.

Receptacles are designed to automatically smother both accidental and spontaneous fires . . . 24 hours a whether someone is in the building or not. Flames from matches and cigarettes are snuffed out in seconds containers and heads are FM approved; all models have steel drums finished in gray. FOB Ill.

Cap. (gals.)	I.S. Dimen. Diam. x Ht.	UL Appr.	COMPLETE STEEL RECEPTACLE Stock Number	Wt. (lbs.)	Net Each	Each (lots/3)	Each (lots/6)	COMP. RECEPTACLE W/ALUMINUM HEA Stock Number	Wt. (lbs.)	Net Each	Each (lots/3)	Eac (lots
4	11½″x14″	yes	46-512/0D	7	$30.74	$29.23	$27.73	46-810/8D	7	$27.96	$26.74	$25.
6	11½″x18″	yes	46-513/8D	9	33.04	31.44	29.71	46-811/6D	7	29.36	27.68	26.
12	14¾″x23″	yes	46-514/6D	14	44.25	42.06	39.73	46-812/4D	11	36.26	34.81	33.
15	14¾″x28″	yes	46-515/3D	18	52.96	50.33	47.69	46-813/2D	15	46.75	44.42	42.
30	19½″x32″	yes	46-516/1D	32	66.75	63.44	60.34	46-814/0D	28	63.70	60.50	57.
55	23¾″x38″	no	46-517/9D	46	80.11	75.91	71.18	46-815/7D	39	74.16	71.06	68.

*except 55 gal. size.

Capacity (gallons)	Fits Drums O.D.	STEEL HEAD ONLY Stock Number	Wt. (lbs.)	Net Each	Each (lots/3)	Each (lots/6)	ALUMINUM HEAD ONLY Stock Number	Wt. (lbs.)	Net Each	Each (lots/3)	Eac (lots
4 or 6	11¼″	46-518/7D	3	$22.50	$21.37	$20.30	46-816/5D	1	$14.98	$13.11	$12.
12 or 15	14½″	46-519/5D	5	26.99	25.65	24.39	46-817/3D	2	19.32	17.27	15.
30	19¼″	46-520/3D	9	31.50	29.92	28.42	46-818/1D	3	25.19	23.57	22.
55	23½″	46-521/1D	12	43.50	41.37	39.05	46-819/9D	5	34.34	32.10	30.

New Centrifugal Pro-Pump
With 3-HP 2-Cy. Engine for Long Life

Only **$235.43**

- Moves from job to job with ease
- Higher pressures for higher flows
- 8400 gph for construction, farms
- Rust and wear resistant throughout

LIGHT-WEIGHT . . . ONLY 41 LBS.

WE SHIP UPS WHEN POSSIBLE

Built to last longer with all Noryl™ liquid end components. 2" self-priming centrifugal pump is designed for efficiency, heavy ribbed strainer basket with see-thru posi-lock Lexan cover lets you know when to clean. . . . large seal is positioned to dissipate heat. Properly matched and balanced impeller, diffuser assure quiet running and priming. 2" inlet-outlet. Air-cooled Clinton single cylinder 2-cycle gasoline engine; 3-qt. fuel tank uses ½ pint of SAE motor oil per gal. 21¼"x13"x17". Wt. 41 lbs.
Stock No. **27-643/6A** Net ea. **$235.43**





Efficient, Totally Enclosed Electric Motors—for Full-Rated and Quiet Service!

Fan-Cooled 3-Ph. Motors. Electric gear motors operate in vertical, horizontal or wall mounted, indoors or out! Tough steel drop forged, machined gears. 220-440V., 3 ph., 60 cy. Order No. **21-426/2DDX**—Specify HP, RPM.

HP	RPM	Print	Net Ea.	HP	RPM	Print	Net Ea.	HP	RPM	Print	Net Ea.
1	20	1	$789.53		56, 68	10	$ 757.46				
	40, 45	2	591.16	2	84,				84, 100	24	$1512.60
	56	2	526.93		95, 125	11	705.67	7½	128	25	1357.20
	125, 155	3	510.96		190	11	653.56		230	25	1258.40
	210, 265,	3	487.46		20	12	$1581.67		350	26	1241.93
	350	3	477.59		32	13	1236.73		37	26	$2569.68
	20	4	$973.87	3	45	13	961.33		84	27	2038.49
	25	5	844.93		84	14	806.87	10	105	28	1821.77
1½	37	6	773.96		155	15	739.28		350, 550,		
	84	7	637.00		20, 27½	16	$2288.96			31	1395.89
	125	7	611.47		31	12	1744.60		Other sizes, RPM available, call (414) 271-2250		
	30, 35	8	$951.60	5	72, 90	19	1180.40				
2	39	9	844.23		125,	20	1080.76				
					190, 230	20	1064.85				

For print dimensions refer to chart below.

Print No.	ja	c	d	o	t	u	v	Wt. lbs.
1	10¼	24 11/32	5 29/32	10 5/32	1 15/32	1 5/8	3½	130
2	8 9/32	18 21/32	5 1/8	8 13/64	—	1¼	2½	62
3	6 1/16	15 23/32	4 23/32	7 51/64	—	7/8	1¾	46
4	11 7/16	27 17/64	6 11/16	10 15/16	2 1/16	1¾	3½	165
5	10¼	21 53/64	5 29/32	9½	1 47/64	1 5/8	3½	119
6	8 43/64	20 17/64	5 33/64	9 7/64	1 21/32	1 3/8	2¾	102
7	8 9/32	19 1/32	5 1/8	8 23/32	—	1¼	2½	80
8	11 7/16	26 5/64	6 11/16	10 15/16	2 1/16	1¾	3½	165
9	10¼	23 5/32	5 29/32	10 5/32	1 15/32	1 5/8	3½	119
10	8 43/64	21¾	5 33/64	9 49/64	1 15/32	1 3/8	2¾	102
11	8 9/32	20 33/64	5 1/8	9 3/8	1 17/32	1¼	2½	89
12	14 3/16	30 63/64	7 11/16	12 27/32	2 1/8	2¼	4½	275
13	14 3/16	29 45/64	7 11/16	11 15/16	1 31/32	2¼	4½	154
14	8 43/64	22 15/16	5 33/64	9 49/64	1 15/32	1 3/8	2¾	130
15	8 9/32	21 45/64	5 1/8	9 3/8	1 17/32	1¼	2½	99
16	16 5/32	38 3/64	8 9/32	13 7/16	2 1/64	2 5/8	5½	390
19	11 7/16	27 23/64	6 11/16	11 27/32	1 55/64	1¾	3½	198
20	10¼	25 5/8	5 29/32	11 1/16	1 55/64	1 5/8	3½	174
22	16 5/32	36 5/64	8 9/32	13 7/16	2 1/64	2 5/8	5½	390
24	12 5/8	30 39/64	7½	12 21/32	2 7/32	2	4⅛	267
25	11 7/16	28 61/64	6 11/16	11 27/32	1 55/64	1¾	3½	245
26	12 5/8	24 5/8	3 15/16	12¾	—	1¾	3½	227
27	14 3/16	34 35/64	7 11/16	12 27/32	2 1/8	2¼	4½	353
28	14 3/16	32 25/32	7 11/16	12 27/32	2 1/8	2¼	4½	324
30	11 7/16	30 59/64	6 11/16	11 27/32	1 55/64	1¾	3½	276
31	12 5/8	26 11/32	3 15/16	12¾	—	1¾	3½	234



Vortex Blowers

As Low As **$219.00**

- Pressure to 4 psig
- Vacuum to 7" HG
- Volume to 525 CFM

Compact, Lightweight, Simple Construction Provides a Low-Cost, Efficient, Easy Way to Create an Air Cushion in Paper Cutting, Agitation in Sewage, Suction in Silk Screening . . . and a Practical Method of Handling, Mixing, and Conveying Chemicals and Grains

Uses regenerative principle: impeller is mounted on motor shaft providing maintenance-free operation. No pulleys, belts, or gears — all parts are accurately machined, rotary parts are dynamically balanced for minimum vibration. An integral muffler is built into inlet-outlet ports for quiet operation. Air flow is smooth — no pulsations. Sealed bearings maintain oil-free air stream eliminating maintenance problems. Blowers have dozens of uses providing suction and pressure for aeration, bubbling, dental suction, cooling or venting electronics, pneumatic mailing equipment, packaging machinery, working with chemicals and grain in the textile industry, and for papermaking. UL recognition file E49389. Price includes connection flanges, thermal protector on single phase units, dual frequency (50,60 Hz) motors, triple voltage (200/230/460) for stock numbers 28-719/3D and 28-720/1D, pilot duty (Klixon) for three-phase units. FOB Conn.

Stock Number	Max. Static Press. H20	Max. Static Suction H20	Free Del. Flow CFM	Rated Performance H20 @ CFM	H.P.	Volts	Line Current Amps	L x W x H	Shpg. Wgt. Lbs.	Net Each
THREE PHASE-60 HZ										
28-975/1D	33.5	32.5	57.0	19.5 @ 28.3	0.44	230/460	1.0/0.5	7.87x10.24x9.92	24	$ 241.00
28-719/3D	46.0	44.0	69.0	25.0 @ 35.0	0.87	230/460	1.0/1.0	9.53x11.77x11.02	36	308.00
28-720/1D	51.0	46.0	97.0	32.0 @ 45.0	1.24	230/460	2.8/1.4	10.26x13.19x12.52	48	356.00
28-976/9D	73.0	64.0	160.0	50.0 @ 70.0	2.73	230/460	6.0/3.0	13.66x14.57x13.66	89	475.00
28-977/7D	88.0	84.0	212.0	87.0 @ 90.0	3.6	230/460	9.6/4.8	15.02x15.55x16.0	130	564.00
28-978/5D	90.0	80.0	235.0	55.0 @ 120.0	4.78	230/460	10/5	14.80x16.54x17.25	147	684.00
28-979/3D	90.0	86.0	340.0	88.0 @ 155.0	8.28	230/460	16.5/8.2	19.09x18.7 x20.98	248	1332.00
27-984/4D	105.0	95.0	525.0	80.0 @ 380.0	14.5	230/460	29.0/14.0	26.38x21.26x23.77	397	2237.00
SINGLE PHASE - 60 HX										
28-131/1D	26.5	26.5	26.5	15.5 @ 12.5	0.35	115	2.30	7.47x 8.19x 7.40	15	$219.00
28-724/3D	34.5	32.5	46.0	23.0 @ 18.0	0.34	115	2.7	8.65x 9.50x 8.97	19.8	237.00
28-725/0D	45.0	43.0	66.0	22.0 @ 35.0	0.95	230	3.1	10.06x11.02x 9.06	34	256.00
28-980/1D	45.0	43.0	65.0	32.0x33.0	1.37	230	6.2	10.75x12.5 x13.19	55	356.00
28-726/8D	48.0	46.0	105.0	33.0x45.0	1.37	230	4.5	11.56x12.52.10.04	47	386.00

YOU GET MORE FOR YOUR MONEY WHEN YOU BUY AT WHOLESALE FROM C&H!

Quality Hydraulic Units for Design, Replacement

YOU GET MORE FOR YOUR MONEY WHEN YOU BUY FROM C&H.

WE SHIP UPS WHEN POSSIBLE

Fine Quality Hydraulic Cylinders

2" TO 5" BORE—HEAVY DUTY FOR PRESSURES TO 2500 PSI

Double Action Tie Rod Design—O-Ring Seals Are Standard Throughout! Double Seal on Rod . . . Your Assurance of Long Life with Minimum Service!

- Chrome-Plated Case-Hardened Rod to Take Plenty of Hard Punishment!
- High Pressure Micro-Mirrored Barrels
- Clamp-Type Positive Lock Clevis on Shaft Thread

IN STOCK IMMEDIATE SHIPPING

PRESSURE CHART

Pump Pressure	Lbs. Push with 2,500	1,500	Various 1,000	Press. 500
2" Bore	7,851	4,711	3,141	1,570
2½" Bore	12,270	7,362	4,908	2,454
3" Bore	17,670	10,602	7,068	3,534
3½" Bore	24,051	14,431	9,621	4,810
4" Bore	31,412	18,848	12,566	6,282
5" Bore	49,083	29,451	19,635	9,816

SPECIFICATIONS

Bore	Rod Size	Pin Center to Pin Center*	Pin Size	Port Sizes
2"	1⅛"	20¼"	1"	⅜" NPT
2½"	1⅜"	20¼"	1"	½" NPT
3"	1¼"	20¼"	1"	½" NPT
3½"	1½"	20¼"	1"	½" NPT
4"	1½"	20¼"	1"	½" NPT
5"	1¾"	20¼"	1"	½" NPT

1¼" Pin Size above 8" stroke on 5" bore.

* For 8" stroke cylinders, for longer strokes, 2" to 4" bore add 10⅜" to length of stroke, for 5" bore add 12⅝" to length of stroke.

BORE	STROKE	8"	12"	16"	20"	24"	30"	36"	40"	48"
2"	Stock No.	27-010/8A	27-011/6A	27-012/4A	27-013/2A	27-014/0A	27-015/7A	27-016/5A	27-017/3A	27-018/1A
	Wt. Lbs.	18	23	25	27	31	37	43	47	55
	Net Ea.	$56.00	$59.98	$66.35	$72.55	$78.70	$88.00	$97.20	$103.35	$115.70
2½"	Stock No.	27-019/9A	27-020/7A	27-021/5A	27-022/3A	27-023/1A	27-024/9A	27-025/6A	27-026/4A	27-027/2A
	Wt. Lbs.	21	25	27	29	33	39	45	49	57
	Net Ea.	$60.00	$65.70	$72.64	$79.55	$86.55	$96.90	$107.35	$114.30	$128.20
3"	Stock No.	27-028/0A	27-029/8A	27-030/6A	27-031/4A	27-032/2A	27-033/0A	27-034/8A	27-035/5A	27-036/3A
	Wt. Lbs.	26	30	34	37	40	45	51	55	63
	Net Ea.	$67.80	$74.72	$83.65	$92.55	$101.36	$114.63	128.00	136.80	$154.55
3½"	Stock No.	27-037/1A	27-038/9A	27-039/7A	27-040/5A	27-041/3A	27-042/1A	27-043/9A	27-044/7A	27-045/4A
	Wt. Lbs.	35	39	42	45	50	56	62	66	74
	Net Ea.	$80.00	$86.45	$96.45	$106.45	$116.45	$131.55	$146.55	$156.60	$176.65
4"	Stock No.	27-046/2A	27-047/0A	27-048/8A	27-049/6A	27-050/4A	27-051/2A	27-052/0A	27-053/8A	27-054/6A
	Wt. Lbs.	41	45	50	55	64	72	81	86	94
	Net Ea.	$105.10	$117.45	$131.70	$146.00	$160.30	$181.65	$203.00	$217.30	$245.85
5"	Stock No.	27-055/3A	27-056/1A	27-057/9A	27-058/7A	27-059/5A	27-060/3A	27-061/1A	27-062/9A	27-063/7A
	Wt. Lbs.	49	54	60	65	77	83	90	94	102
	Net Ea.	$152.20	$171.00	$188.70	$206.45	$224.25	$250.80	277.25	$295.20	$330.65

Axial Piston Pump with Tank and Valve



- Volume to 7.9 GPM
- Operating valve
- Pressure to 2500 PSI

Piston pump can be driven in either direction. Control level is 4-way, changes to 3-way by installing a pipe plug. Also can operate as 4-way plus independent circuit. Delivers 1 GPM at 200 RPM to 7.9 GPM at 1800 RPM. 3.2 gal. oil tank. 1" shaft. 8"x8"x14⅜".

27-077/7A—60 lbs. Net each $354.55

Same but with 4.9 gal. tank. 10"x10"x12⅜".

27-078/5A—65 lbs. Net each $363.65

IN STOCK IMMEDIATE SHIPPING

BEAT INFLATION! BUY AT WHOLESALE FROM C&H



Monarch AC Electrical Hydraulic System

Warranted, thoroughly tested . . . for use on dockboards, machine guidance and control devices, material handling equipment. Complete with pump, AC 3450-rpm open drip-roof motor, ½-gal. reservoir. Built-in check and relief valves standard (order optional valves below). Bases included. Shpd. by truck.

DYNA-PACK HYDRAULIC PUMP SYSTEMS

Stock Number	HP	Motor Volt	Spec. Phase	psi	GPM	Wt. Lbs.	Net Each
27-321/9A	1	115/230	1	1000	1.83	45	$309.87
27-322/7A	1	230/460	3	1000	1.83	45	303.99
27-323/5A	1½	230/460	3	1500	1.22	55	347.83
27-324/3A	1½	115/230	1	1500	1.22	55	359.37
27-325/0A	2	230/460	3	1500	1.20	65	371.69

Pressures up to 3000 psi and 3GM—contact Dept. 27—

HYDRAULIC-SOLENOID VALVES, FITTINGS

Stock Number	Description All with fittings, tubes incl.	Wt. Lbs.	Net Each
27-326/8A	Hydraulic 3-way valve	2	$ 42.97
27-327/6A	Hydraulic 4-way valve	2	49.49
27-328/4A	Solenoid 4-way 115V valve	3	141.88
27-329/2A	Solenoid 4-way 220V valve	3	141.98

Efficient Gear Pump with Reservoir, Valve



- Pressure to 1500 PSI
- Large reservoir
- Volume to 20 GPM

Built-in three- or four-way control valve . . . just add or remove plug to adapt it. Adjustable relief valve to 1500 PSI. 1" diam. shaft—clock-wise rotation. ½" ports. Replaceable wear plates. Require less HP than comparable gear-type styles. 10 GPM, 4.9-gal. tank: 10x10x12¼" size.

27-080/1A—62 lbs. Net each $236.35

Same, but 20 GPM; 9.9-gal.; 24⅝"L.

27-081/9A—80 lbs. Net each $272.70

IN STOCK IMMEDIATE SHIPPING



A B Hydro-Power Package for ¼ to 1 HP

- Pump, reservoir and valve
- Fingertip control
- For cylinders

Complete unit consists of hydraulic gear pump with delivery up to 2½ GPM and up to 400 PSI—with shaft speeds to 1800 RPM, a 4-way directional control valve, .4-gal. reservoir. 5" diam., 8" long—weighs 10 lbs. Built-in pressure relief valve.

Key	Stk. No.	Item	Lbs.	Net Ea.
A	27-110/6A	Pump-Reservoir-Value	10	$90.65
B	27-111/4A	Cylinder—1½" bore, 6" stroke	4½	32.50
B	27-112/2A	Cylinder—1½" bore, 8" stroke	5	35.25
B	27-113/0A	Cylinder—1½" bore, 12" stroke	6	39.15

C MONARCH HYDRAULIC DYNA-JACK PUMP

Develops to 2000 lbs. pressure—has 90 cu. in. reservoir. Load is raised automatically with hydraulic pressure, lowered by release of pressure and gravity. Single-lever operation . . . built-in relief valve, oil filter. Pump volume: 1 GPM, 12 volt DC.

Stk. No.	Item	Lbs.	Net Each
27-092/6A	3-way—for single-act. cylind.	32	$172.89
27-093/4A	4-way—for double-act. cylind.	32	193.77

Direction Control Valve—Rated 20 GPM

WE SHIP UPS WHEN POSSIBLE

IN STOCK IMMEDIATE SHIPPING

- 20 GPM
- 2500 PSI

Single spool type control valve has externally adjustable relief valve while operating. Has spring return to neutral. ¾" NPTF flow ports, ½" NPTF cylinder ports. Includes control lever; body is tapped for convenient mounting. Hydraulically balanced spools are precision honed and plated. Rated 20 GPM. 2500 PSI.

4-WAY VALVE for double-action systems.

27-067/8A—

Net each **$42.35**

3-WAY VALVE for single-action systems.

27-068/6A—

Net each **$45.25**

OBERDORFER Pumps . . . the quality is built in!



Ideal for many applications . . . steam cleansing, sprinkling systems, condensate pumping, brine injection, disinfectant spraying, pressure lubrication, or any job that requires positive displacement and pressures to 100 psi. Gear pumps are self-priming with suction lifts to 20'. Pumps are capable of total heads to 100'. Heavy viscosity material can be pumped with these units by reducing the pump rpm and increasing the HP required in relation to the specific gravity. Pump bodies and gears are cast from a special bronze alloy to resist corrosion. Can be run from 400 to 1800 rpm with rotation in either direction.

A PEDESTAL MOUNT ROTARY GEAR PUMPS

- **Delivery in GPH from 90 to 1400**
- **Carbon bearings**
- **Stainless steel shafts are designed for a lifetime of use**

PERFORMANCE DATA

Gear Size	Pipe Size	Wt. Lbs.	Delivery in GPH @ 1725 rpm (water) 2 psi	HP	20 psi	HP	40 psi	HP	60 psi	HP	100 psi	HP
000	¼	3	126	1/6	119	1/6	111	1/6	101	1/6	90	¼
000	¼	4	244	¼	231	¼	219	⅓	206	⅓	182	½
000	⅜	7	435	⅓	420	½	405	¾	390	1	360	1½
000	½	8	633	½	610	¾	586	¾	563	1	517	2
000	¾	11	1191	¾	1169	1	1146	1½	1106	2	1080	3
000	1	17	1399	1	1376	1½	1361	2	1326	2	1278	3

Gear Size	WITHOUT RELIEF VALVE Stock No.	List	Net Ea.	WITH RELIEF VALVE Stock No.	List	Net Ea.
000	27-200/5A	$ 49.10	$ 38.98	27-206/2A	$ 56.90	$ 45.18
000	27-201/3A	54.10	42.97	27-207/0A	65.35	51.92
000	27-202/1A	85.40	67.82	27-208/8A	102.25	81.26
000	27-203/9A	90.85	72.21	27-209/6A	108.05	85.81
000	27-204/7A	121.00	96.12	27-210/4A	143.10	113.63
000	27-205/4A	130.40	103.57	27-211/2A	151.55	120.36

B CLOSE COUPLED GEAR PUMPS

eatures easy installation to NEMA 56 frame motors with included flange adapter. erforms same as pedestal pump with carbon bearings and stainless steel shafting. hpg. wts.: 5, 6 lbs.

Relief Valve	GEAR SIZE 1000 Stock No.	List	Each	GEAR SIZE 2000 Stock No.	List	Each
Without	27-212/0A	$69.95	$55.57	27-213/8A	$81.25	$64.56
With	27-214/6A	78.70	62.50	27-215/3A	92.65	73.57

HIGH CAPACITY GEAR PUMPS (Not Illustrated)

or tank transfer, irrigation, water supply, fire fighting or any task where large olumes of fluid are required. Volumes to 11,320 GPH and pressure to 150 psi. lf-lubricating carbon bearings. Shpg. wts.: 22, 26, 52 lbs.

Stock Number	Gear Size	Pipe Size	Data in GPH @ 1725 rpm 0 psi	HP	50 psi	HP	100 psi	HP	List Price	Each
-216/1A	11.000	1¼"	3,660	2	3,360	5½	3,020	8½	$312.70	$241.23
-217/9A	13.000	1½"	5,160	3½	5,040	8	4,860	12½	355.20	274.57
-218/7D	26,000	2"	10,320	7½	10,020	15	9,720	23	730.35	563.49

O.E.M. Pricing on all Oberdorfer Pumps available on request.

IN STOCK IMMEDIATE SHIPPING

The complete Oberdorfer line is available, many from stock. For additional information and prices, contact Dept. 27.



Self-Priming Centrifugal Pump

Centrifugal pump specially designed for pumping a variety of materials . . . from water to perchlorethylene for dry cleaning. Durable aluminum alloy housing and mechanical carbon face seal with special Buna parts for chemical compatibility. Pump impeller is threaded directly to stainless steel motor shaft supplied with ⅓-HP Jet pump motor. Silent, efficient, dependable unit is capable of 26 GPM and 15' suction lift. Performance chart is for perchlorethylene—approximately 20% greater with water. Overall size: 13¼" long, 5¾" wide, 8⅛" high. Pump, motor, included.

WE SHIP UPS WHEN POSSIBLE

Performance GPM Perchlorethylene

Total	0'	5'	10'
0	20		
5	19	17	
10	18	16	13
20	14	12	10
30	7	5	4

27-229/4A—List $186.60
Wt. 8 lbs. Each **$143.94**

Compact, Portable Transfer Pump

Save time, reduce waste! Pump oil directly from crankcase or oil reservoir, from drums or containers.



Efficient way to transfer diesel fuel to vehicles or to move a wide variety of other liquids or chemicals. Pumps 4 gpm at 100 psi maximum. Safe with gasoline, explosion-proof ½-HP motor offers speeds of 1750-rpm. 115V, AC. (Use only with dirt and abrasive free materials).
27-644/4D — Wt. 41 lbs. FOB N.Y. Net each **$297.98**

Pony Pump Saves Time and $$$

Weighs less than 8 lbs.

Pony pump has a chrome-plated solid brass body, full circle cam, four soft rubber feet, chromed handle. Continuous duty motors, stainless steel shafts. Self-priming with Nitrile impeller and seals resistant to oils, water, abrasion. With 12' hose, ¾" fittings, strainer.
AC MODEL with 6' UL-apprv. 3-conductor cord, plug. 8 lbs.
27-615/4D—List $61.52. Ea. **$46.75.**
Ea. (lots/3) **$43.48**
12V DC MODEL has alligator clips, cord for battery hook-up.
27-616/2D—List $81.02. Ea. **$59.95.**
Ea. (lots/3) **$56.88**



WE SHIP UPS WHEN POSSIBLE

Little Giant No-Korode Submersible Pump

Specially designed to withstand the effects of corrosive liquids, mild acids, alkalies, and machine tool coolants. Special seals and corrosion-resistant housing aids in heat dissipation. Has smooth inlet and ¼" male NPT outlet. 115V, 60 cy. Mfg. No. NK-2—measures 4 9/16"x5½"x 5 1/16".
27-607/1A—List $40.40. 7 lbs.
Each **$33.67**. Each (lots/6) **$31.44**

As Low As $31.44

IN STOCK—IMMEDIATE SHIPPING!

WE SHIP UPS WHEN POSSIBLE

Complete Pumper with Vacuum Attachment

IN STOCK IMMEDIATE SHIPPING

Puddle-gulper vacuum pumps out flooded basements, wet spots, puddles—right down to the last few drops. Shockproof, corrosion-resistant, dust-free . . . it has a built-in strainer that keeps foreign objects from being sucked in. Self-priming 8'-10' vertically, 25' horizontally—has ¾" threads, Buna-N flexible impeller that isn't harmed by abrasives and small solids. Thermal overload protected motor, 6' cord. 115V, AC.
27-701/2A—Wt. 8 lbs. List $59.95
Each **$45.27** Each (lots/3) **$43.87**

Rated at 360 gph

Trouble-Free Submersible Pump Works Hard—In Stock!

Offers continuous-duty service. BUNA-N seal is heavy-duty industrial quality. Corrosion-resistant high-impact plastic impeller has screened inlet. Quietly pumps down to 3/32" from the floor—requires only ½" water depth, weighs less than 10 lbs., measures only 7" in diam., 9½" high. Use with 1" pipe or garden hose. 1/6-HP motor is overload protected, 8' grounded cord.
27-702/0A—Wt. 9 lbs. List **$59.95**
Each **$47.48** Each (lots/3) **$45.94**
27-722/8A—Wt. 1 lb. Automatic switch for above unit. Net ea. **$17.94**
Each (lots/3) **$17.40**

Pump Shown with Automatic Switch

Ready to use . . . pumps over 1300 gph. Designed for trouble-free operation

WE SHIP UPS WHEN POSSIBLE

Submersile Sump Pumps Discharge Up to 3000 Gallons of Water Per Hour

SPMA Certified

IN STOCK IMMEDIATE SHIPPING

Dependable units with heavy-duty motor, screened top inlet, quiet clogproof impeller. Automatic "on" at 8¼" and "off" at 4⅝".
High Impact Propalene Unit. 1¼" discharge.
27-759/0A—Wt. 15 lbs. Net each **$82.47**
Rugged Cast Iron Unit. Wear resistant!
27-761/6A—Wt. 18 lbs. Net each **$86.67**

Quality Shop Tools Are Great Buys at C&H's Low Wholesale Prices



As Low As $214.69

Industrial Production Drill Presses with 4-Speed Controls

Four ball bearings plus a thrust bearing support spindles and spindle pulleys mean you get long wear and accuracy of .0005" or better. Extra thick column with ribbed core—carefully machined from a single cast piece to offer extra support, less vibration . . . keeps press quiet running, accurate. Large feed spindle reduces operator fatigue. Includes fully protective belt guard and on-off motor control switch, factory-wired (order below, left). All except 10" have adjustable table. Mtrs. included. FOB WA.

MODELS:	BENCH MODELS			FLOOR
Stock No.	24-189/3D	24-191/9A	24-192/7A	24-194/3D
Swing	10"	13"	13"	13"
Chuck	#1	#2½	Incl.	Incl.
Spindle Taper	JT #1	JT #6	MT #2	MT #2
Capacity	¼"	½"	⅝"	⅝"
Column Diam.	2⅜"	3⅛"	3⅛"	3⅛"
Surface Table	7¾" sq.	9¼" sq.	9¼"sq.	9¼" sq.
Max. Distance to table	10⅞"	18¼"	21½"	39¼"
Max. Distance to Base	14½"	23½"	26⅝"	48"
Spindle Trvl.	2⅜"	3⅛"	3⅛"	3⅛"
Table Travel	10⅞"	15"	16½"	39"
Spindle Speed	900, 1500, 2500, 4200	560, 950, 1600, 2650	500, 900, 1600, 2800	500, 900, 1600, 2800
Motor Req'd.	¼ HP	½ HP	½ HP	½ HP
Machine Ht.	26¾"	38¾"	44"	66½"
Floor Space	14¼x8¼"	10⅝x18¼"	10⅝x18¼"	13⅜x23g"
Shpg. Wt.	115 lbs.	185 lbs.	240 lbs.	280 lbs.
Net Each	$214.69	$253.70	$315.89	$505.90

1725 RPM MOTORS for presses.

Stock No.	HP	Ph.	Volt	Net Ea.
21-734/9A	¼	1	115	$47.26
21-736/4A	½	1	115	62.59

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

As Low As $199.87

Designed for rugged dependable service

1½ AND 2 TON MODELS IN STOCK FOR IMMEDIATE SHIPPING

Gator-Tooth 2-Way 3-Speed Metal-Cutting Band Saw



Capacity: 7"x12" Rectangular, 7" OD Round

An affordable portable with more power, more convenience . . . for more cutting jobs

Put this two-way band saw to work for you . . . ideal for plumbing and electrical contractors, repair shops, industrial and farm use. Converts quickly from a horizontal cut-off saw to a comfortable working height vertical band saw. Large 12" x 19" vertical work table and ⅝"x.032x93" blade make it practical in many situations. Other outstanding features include ½-HP motor, stand, wheels, adjustable cam follower, ball-bearing blade guides, angler swivel vise. Comes complete with full 1-year warranty. Shpg. wt. 133 lbs. FOB Mich.

27-642/8D—Net ea. $621.46. Ea. lots/2 ..... $602.88

BUY AT WHOLESALE FROM C&H YOU GET MORE FOR YOUR MONEY!

Heavy-Duty Service Jacks Designed for Safe Operation

Safe, durable, easy to operate models have strong steel side plates, swivel saddle, safety overload valves and heat-treated parts at maximum stress points for rugged dependable service. 1½-ton model has removable pump handle plus carrying handle; 2 thru 10-ton models have locking T-bar handles and foot pumps. FOB nearest warehouse: Cal., Geo., Penn., Tex., Wash., or Ill.

Stock Number	Ton Cap.	Ht. Min.	Ht. (in.) Max.	Over. Lgth.	Width (in.)	Lgth. (in.)	Wt. (lbs.)	Net Each	Each (lots/2)
24-618/1A	1½	4½"	15¾"	33½"	8¼"	34⅞"	66	$207.64	$199.87
24-619/9A	2	4⅜"	19⅝"	41⅜"	9¼"	44⅞"	132	264.76	256.80
24-620/7D	3	4¾"	22⅞"	49¼"	9⅞"	41⅜"	154	344.75	334.49
24-621/5D	5	6"	21⅞"	59⅞"	12"	48½"	275	508.92	493.66
24-622/3D	10	6"	22"	65"	14"	55½"	374	689.76	669.00

Full-line Product Catalog available free. Contact Dept. 6

American-Made Industrial Hydraulic Hand Jacks for Smooth Lifts

A

As Low As $21.60



WE SHIP UPS WHEN POSSIBLE

B

- 1½ ton to 100 ton capacities . . . all American made
- Tough, hardened steel extension screw for added height
- Pressure-tested malleable base for long lasting service

Heavy-duty hydraulic jacks of micro-finished steel. In 9 sizes—heights from a low of 7" to 18⅞"; plus extension screw for additional height. 50 and 100 ton models have 2-speed pumps with overload valves; all with ball joint, self-aligning pistons.

Key Ltr.	Stock Number	Ton Cap.	Low Ht.	Hyd. Lift	Screw Ext.	Total Ht.	Base Size Overall	Wt. Lbs.	Net Ea.
A	27-358/1A	1½	7"	5⅛"	2	14⅛"	2⅞x4⅜"	8	$ 21.60
A	27-359/9A	3	9"	6-9/16"	2	17-9/16"	3-5/16x5"	10	26.65
A	27-360/7A	5	9"	6½"	2	17½"	4x5⅝"	13	31.50
A	27-361/5A	8	9"	6-7/16"	3	18⅞"	4½x6-1/16"	16	37.85
A	27-362/3A	12	9"	6-1/16"	3	18-1/16"	4½x6-1/16"	20	47.35
B	27-363/1A	20	10"	6"	None	16"	6¼x5½"	37	84.30
B	27-280/7D*	30	11"	6¼"	None	17¼"	7x7"	65	261.80
B	27-281/5D*	50	12"	7"	None	19"	10x7½x2¼"	124	433.25
**	27-282/3D*	100	12"	6⅛"	None	18⅛"	12x9½x3"	225	847.85

*FOB Wis. **Not shown.

Hydraulic Presses for Every Application

Presses shown with optional winch and pressure gauge.

Hefty, Easy-Action Presses for Full Rated Performance in Commercial Applications

Safe! Sturdy! Reliable! Quality-engineered to provide full rated tonnage under the most demanding conditions. Frame is full ½" thick steel. Clean—no external springs. Ram rolls for instant centering on work, movable bed adjusts on 5" centers. Open ends accommodate very long shafts. Ram and pump remove easily to perform other jobs. Inside width: 28"; overall size: 36" wide, 18" deep, 64" high. Shipped from our Milwaukee factory.

10-TON HAND-OPERATED PRESS has sealed 2-speed hydraulic hand pump—no contamination. Exceptional strength, service at low cost. Wt. 325 lbs.
27-175/9W—List $1244.50. Each **$871.00**

10-TON ELECTRIC-DRIVEN PRESS. Rams travels full stroke in just 16 seconds! Effortless! Electric ½-HP, 1-phase motor offers 4 speeds. 3-way valve. 115 volt, 60 cycle. Wt. 390 lbs.
27-176/7W—List $2124.50. Each **$1487.00**

10-TON HAND-OPERATED PRESS on the same husky frame as the 30 ton. Single-acting pump quickly brings ram to full extension, provides maximum tonnage. 310 lbs.
27-300/3W—List $1040.00. Each **$728.00**

20-TON ELECTRIC DRIVEN PRESS with 4 speeds—ram reaches full extension in 12 seconds . . . then switches automatically to full power. ½-HP, 1-ph. 60-cy. with 3-position valve. 375 lbs.
27-301/1W—List $1936.00. Each **$1355.00**

Optional Equipment for 20 & 30 Ton Presses

PRESSURE GAUGE. 0 to 10,000 psi and 0 to 30 ton force. Shpg. wt. 3 lbs.
27-178/3W—Net each **$87.50**

PRESS WINCH. Hand winch mounted and connected with galvanized cable to work bed for easy raising and lowering. Wt. 12 lbs.
27-179/1W—Net each **$36.50**

Heavy-Duty 12-Ton Hydraulic Press

Amazing power performance from a press that can be considered portable! Weighs 220 lbs. Can be moved and repositioned. Practical for general shop work. Excellent for removing or installing U-joints, bearings, alternator pulleys, ball joints and many other comparable jobs. Constructed of heavy-duty 4" channel iron—durable reinforced bedplate can be adjusted from 6½" to 44" in 6" increments. Amazing versatility, too. Shipped KD from our warehouse. Wt. 220 lbs.
27-364/9A—Net each $313.00. Each (lots/3) **$289.50**





Save on Dake Arbor Presses

D SINGLE LEVERAGE ARBOR PRESS
For light production, assembly. 27-130 and 27-131 have solid sq. table; others have large opening, slotted plate.

E RATCHET-TYPE ARBOR PRESS
Lever may be used in best position. Counterweight for quick return after downstroke. Hand wheel advances ram to work. Automatic friction brake holds ram anywhere.

PEDESTALS

Stock Number	For Press	Wt. Lbs.	Net Each
27-135/3D	27-131	50	$122.00
27-136/1D	27-133	50	122.00
27-137/9D	27-134	80	150.00
27-142/9D	27-138	70	150.00

TAKE 1-3 TON CAPACITY

Key Ltr.	Stock Number	Approx. Ton Cap.	Max. Diam.	Work Arbor	Cap. Table	Over Plate	Leverage Ratio	Wt. Lbs.	Net Each
D*	27-130/4D	1	7		4¾		25-1	25	$108.00
D*	27-131/2D	1½	9		7¾		32-1	60	180.00
D	27-132/0D	1	7	1	5	4½	25-1	25	108.00
D	27-133/8D	1½	9	1	7¾	7⅛	32-1	60	180.00
D	27-134/6D	3	14	2	11½	10¾	36-1	70	280.00
E	27-138/7D	3	14	2	11½	10¾	48-1	70	375.00

*Does Not Have Table Plate.

For The Complete Dake Hydraulic Press Line, contact our Dept. 27.

Move Hot or Cold Air Anywhere with Efficient Circulators



Quiet, Convenient
PORTABLE BLOWER

A

Economical
SATELLITE CIRCULATOR

B

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

A WINDMAKER POWERFUL PORTABLE BLOWER

Moves a tremendous volume of air with an unusual quietness and economy thanks to its low blade speed and deep venturi. Heavy-duty motor end rests on 4" rubber tired wheels making it completely mobile . . . attached 18 ft. 3-wire grounded safety cord gives it added move-about versatility. Equipped with drip-proof motors or totally enclosed motors that are unaffected by greasy, oily, dusty, damp or corrosive locations. Has heavy safety guard in front and back to protect people, propeller and objects — fan guards meet Federal OSHA safety requirements. Equipped with four deep-pitched blades, deep spun venturi, heavy-duty ball bearings that never need oiling and belt drive engineered for 50% overload. In three sizes. FOB TX. Specify 01 drip proof or 02 totally enclosed.

Stock Number	Dimensions WxDxH	CFM 0" SP	Blade RPM	Wt. (lbs.)	List	Net Ea. Drip-Proof 01	List	Net Ea. Totally Enclosed 02
28-300/2DX	42"x42"x20"	11,500	385	127	$451.00	$346.92	$583.00	$448.46
28-301/0DX	48"x48"x20"	16,250	390	165	671.00	516.15	803.00	617.69
28-302/8DX	55"x55"x22"	21,300	345	246	803.00	617.69	885.50	681.15

B WINDMAKER CONVENIENT NEW SATELLITE CIRCULATOR

Convenient, efficient, energy-saving . . . ideal year around. Silent, super versatile units cool people in warm classrooms, shops, stores, libraries, homes, hospital rooms . . . help to circulate warm air in drafty garages, warehouses. Sturdy metal stand has wide base, convenient handle, and 8 ft. 3-wire grounded safety cord. 115 volt. FOB TX.

Stock Number	Blade Size	Motor RPM	HP	CFM	Shp. Wt. (lbs.)	List	Net Each
28-303/6D	10"	1550	1/70-2SP	1000	11	$ 66.00	$ 49.87
28-304/4D	12"	1550	1/25-2SP	1250	13	79.20	61.11
28-305/1D	14"	1550	1/25-2SP	1500	13	93.50	71.96
28-306/9D	17"	1050	1/12-3SP	2500	18	104.50	80.38
28-307/7D	20"	1050	1/12-3SP	3000	23	121.00	93.23
28-308/5D	24"	1050	1/6-3SP	1400	36	147.40	113.38


OVERALL COOLING EFFICIENCY!
Wall model mounts anywhere
UL LISTED
Ceiling model is ideal for spot cooling
Floor model adjusts from 5 to 8 feet
Counter model on wide well-balanced base
Non-tip base needs no anchoring to floor

Now—Increase Productivity, Save Time

Oscillating and Non-Oscillating Two-Speed Air Circulators

Move Large Volumes of Air Quietly, Efficiently

- Heavy duty concentrated cooling is efficiently provided by these safely an ruggedly constructed ventilation units.
- Pedestal, wall and ceiling mounted models have been designed for heav duty industrial applications where high velocity "spot" cooling is required.
- Totally enclosed motors, OSHA safety guard, and heavy duty automotiv type blades are standard features on these units.

Ideally suited to wide area circulation and cooling in places where low decibel ratings are important: industrial plants, waiting rooms, display rooms, hospitals, institutions, stores, public offices. Unique highly polished cast aluminum contoured blades move large volumes of air smoothly and quietly—choice of 24" and 30". Safely and ruggedly designed with 2-pc. super-safety guards that disassemble for cleaning. Totally enclosed two-speed motors are powerful capacitor type with ball bearings especial designed for air circulators—all are lubricat for life ¼-HP single phase 115V (1100/8 RPM). Oscillating models adjust to cover are from 0° to 45° or 90°. Floor and counter mode have wide, non-tip bases. Floor models adjust height from 5' to 8', measured from floor to f center—also adjust for 15° up or down stream. Handsomely finished in chrome a black. All UL listed. FOB Wis.

NON-OSCILLATING CIRCULATORS (4 Blades)

24" UNITS 5600/4200 CFM					30" UNITS 6450/4550 CFM				
Stock Number	Model Type	Cord Lgth.	Wt. (lbs.)	Net Each	Stock Number	Model Type	Cord Lgth.	Wt. (lbs.)	Net Each
28-400/0D	Floor*	18'	63	$259.78	28-410/9D	Floor*	18'	72	$265.6
28-401/8D	Wall	12'	45	217.46	28-411/7D	Wall	12'	54	223.47
28-402/6D	Ceiling	12'	39	209.00	28-412/5D	Ceiling	12'	48	214.9
28-403/4D	I-Beam	18'	48	218.31	28-413/3D	I-Beam	18'	57	224.2

*Floor model adjusts 4½ ft. to 7 ft.

OSCILLATING AIR CIRCULATORS (3 Blades)

24" UNITS 5000/3600 CFM					30" UNITS 7000/5100 CFM				
Stock Number	Model Type	Cord Lgth.	Wt. (lbs.)	Net Each	Stock Number	Model Type	Cord Lgth.	Wt. (lbs.)	Net Each
28-875/3D	Floor	15'	84	$480.33	28-897/7D	Floor	15'	93	$506.29
28-876/1D	Counter	9'	61	432.67	28-898/5D	Counter	9'	70	458.34
28-878/7D	Wall	9'	58	427.26	28-899/3D	Wall	9'	67	452.83
28-879/5D	I-Beam	9'	58	434.50	28-902/5D	I-Beam	9'	67	460.17

*Floor model adjusts 5 ft. to 8 ft.

Venturi-Frame Exhaust Fans

A DIRECT DRIVE EXHAUST FAN

Heavy-duty steel fan frame of superior quality —carefully engineered metal is spun to close tolerances to increase flow with no additional increase in power consumption . . . a true Venturi frame. New high-capacity design with a 60 cycle, 115 volt, single-phase motor—prelubricated. Three-wing aluminum blade. Assembled, ready to use.

Stock Number	Blade Diam.	Exh. CFM	Outside Dimen.	Wt. Lbs.	Net Each
28-053/7A	16"	3800	20x20"	32	$ 68.95
28-054/5A	18"	4400	22x22"	34	74.50
28-055/2A	20"	4500	24x24"	37	108.67
28-056/0A	24"	5500	30x30"	40	115.21

B BELT-DRIVE EXHAUST FAN

For installations requiring high volumes or extra-quiet operation. Heavy-duty steel frame—deep pitch, 4-wing steel fan blade. Spun venturi frame is a simplified design for maximum air flow, with 60 cycle, 115 volt, single-phase motor—prelubricated. Assembled, ready to use.

Stock Number	Dia.	Exhaust CFM	Outside Dimen.	Wt. Lbs.	Net Each
28-057/8A	30"	9,000	36x36"	75	$239.76
28-058/6A	36"	10,700	42x42"	90	254.64
28-059/4A	42"	13,400	48x48"	105	303.72
28-060/2A	48"	20,200	54x54"	125	316.29

C LOW-COST FAN SHUTTERS

For exhaust and attic fans, plus blowers. Aluminum vanes with felted edges connected to tie-rod, assures full uniform 85° opening automatically when fan is on. Tie-rod and bracket placed inside of louvers. Deep shroud steel frame has 1⅝" flange painted gray. 2⅜" thick.

Fan Size	Stock Number	Wt. Lbs.	Net Each	Fan Size	Stock Number	Wt. Lbs.	Net Each
10"	28-146/9A	4	$12.18	24"	28-041/2A	15	$25.28
12"	28-147/7A	5	13.58	30"	28-042/0A	19	37.96
16"	28-038/8A	9	17.62	36"	28-043/8A	31	57.75
18"	28-039/6A	10	19.22	42"	28-044/6A	38	68.25
20"	28-040/4A	12	21.05	48"	28-045/3A	46	79.80

D SPRAY BOOTH EXHAUST FAN

Non-static cast aluminum fan blade is driven with enclosed V-belt—designed to meet UL and insurance specifications. Drive assembly is extra heavy-duty, totally enclosed ball bearing. Heavy-gauge welded steel body. Required opening ½" wider than the diameter of blade. Ducts are 12" and 13" deep. With belt and pulleys—⅝" bore. 18 in. fan requires ½ HP motor, 24 in. fan requires 1 HP motor. Shipping weights 53, 70 lbs.

Stock Number	Fan Dia.	CFM Air Delivery at 1725 RPM 0"	¼"	⅜"	½"	¾"	Net Each
28-046/1A	18"	4050	3450	3100	2750	1100	$124.55
28-047/9A	24"	7800	6900	6275	5650	2850	142.00

Same as above, but with motor included.

18" DIAM. FAN WITH ½-HP MOTOR

Stock No.	Volts	Type Frame	Wt.	Net Ea.
28-048/7A	115/230	Cap. Open	75 lbs.	$202.50
28-049/5A	115	Split Expl.	81 lbs.	305.00
28-050/3A	220/440	3-Ph. Open	75 lbs.	224.50

24" DIAM. FAN WITH 1-HP MOTOR

28-051/1A	115/230	Cap. Open	110 lbs.	$277.50
28-052/9A	220/440	3-Ph. Open	110 lbs.	265.00



A

IN STOCK
IMMEDIATE SHIPPING



B



C



D

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Long-Life Fans for Barns, Industry

BEAT INFLATION! BUY AT WHOLESALE FROM C+H

IN STOCK
IMMEDIATE SHIPPING

F

E AUTOMATIC VENTILATOR

Automatic fan keeps your barn at a constant temperature . . . protects any area from sudden temperature changes, provides a better and healthier place for you to work. Thermostat adjusts from 30° to 120°. All models are equipped with thermal overload protectors, new type balanced louvers, hinged with brass rivets and bushings, heavy rustproof plated guard, storm guard and protective hood. Heavy-duty motor is totally enclosed. Blades of heavy aluminum.

Stock Number	Fan Size	RPM	CFM at ⅛" Static	Wall Opening	Wt. Lbs.	Net Each
28-061/0A	12"	1500	512	13x13"	25	$ 92.10
28-063/6A	16"	1725	1578	17x17"	40	123.25
28-064/4A	20"	1725	2500	21x21"	50	136.37
28-065/1A	24"	1725	3364	25x25"	60	177.89



E



F REVERSIBLE VENTILATING FAN

Made for all-purpose farm, industry and home use. Completely reversible —use as a vent or an exhaust fan as conditions may warrant. Reverses in a jiffy by simply turning fan in outer frame . . . equipped with heavy-duty automatic lock for positive action locking.

Complete with motor, guard, protective hood and thermostat for easy automatic cooling—adjusts from 30° to 120°.

Stock Number	Fan Size	RPM	HP	CFM at ⅛" Static	Wall Open.	Wt. Lbs.	Net Each
28-066/9A	16"	1725	¼	1700	20x20"	50	$164.00
28-067/7A	20"	1725	¼	3000	24x24"	60	181.46
28-068/5A	24"	1725	⅓	3500	28x28"	70	248.77

Fans above operate on 110 volts, 60 cycles, AC.

C&H FANS ARE FULLY GUARANTEED FOR 12 MONTHS UNDER NORMAL USE!

THERMOSTATICALLY CONTROLLED
Has 16-coil hydraulic-filled copper tube sensing element. Dust and moisture resistant switch has enclosed contact point. Two mounting flanges.

PROTECTIVE STORM HOOD
Heavy galvanized sheet metal with full 90° angle for complete coverage.

Reduce in-Plant Pollution, Cut Maintenance Costs



Save $$$! Our Dust Collectors Fit *Your* Drums

Provide a better work environment. Dust collectors fit drums and/or containers you already own! Quiet-operating, self-contained units have permanently lubricated TEFC ball-bearing motors—can be operated continuously. Safe, spark-proof cast aluminum construction with powerful self-cleaning radial blade. No exposed moving parts! Units can be moved from machine to machine on standard drum dollies. Smaller units for light duty grinding, woodworking, buffing and polishing jobs, the larger for two to three wheels, large saws, planers, and up to two sanders. 115/230/1-Ph. or 230/460/3-Ph. FOB Ill.

Key	Stock Number 1-Phase	Stock Number 3-Phase	Motor HP	Max. CFM	Max. S.P.	Max. Hose Velocity	Bag Area in Sq. Ft.	DBA @ 5 Ft.	Hose Size	Fits Drum	St. (lbs.)	Each
A	28-609/6D	28-909/0D	⅓	355	3"	6824	10.6	76	3"x60"	20 or 24	32	$310.15
A	28-610/4D*	28-910/8D	½	450	7"	5160	10.6	78	4"x60"	20 or 24	48	348.92
B	28-611/2D*	28-911/6D	1	700	4½"	5131	10.6	83	5"x60"	55	72	468.00
B	28-612/0D*	28-912/4D	1½	875	6½"	4455	19.0	76	6"x60"	55	85	589.50
B	28-613/8D	28-913/2D	2	1100	8½"	5600	19.0	85	6"x60"	55	97	643.50
C		28-614/6D	3	1300	10"	6619	19.0	84	6"x60"	55	113	670.00
D		28-974/4D	3	1300	10"	6619	50.0	84	6"x60"	55	113	742.50

*Other voltages and special motors available, contact Dept. 28.

C&H Fume Exhausters Stop Indoor Air Pollution From Soldering, Welding, Brazing

MAKE IN-PLANT AIR MORE BREATHABLE . . . It's an Exhaust . . . or a Powerful Blower

As Low As $334.39


FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250
BEAT INFLATION! BUY AT WHOLESALE FROM C+H

- **Ventilation in manholes, sewers, tanks, closed areas**
- **Cools overloaded motors, generators, compressors**
- **Versatile—mount permanently or place on dolly FOB Ill.**

Pays for itself by increasing production: removes smoke so operator has better vision, removes heat and fumes to minimize operator fatigue, protects workers from occupational diseases! Mounted on a "universal" frame for out-of-the-way wall mounting—fumes can be piped outside building to meet state regulations. Unit may be placed on table, floor, or on hand truck or dolly for portability. It's 20x20x16", with 10' hose, steel nozzle and discharge elbow. Continuous-duty motor is totally enclosed, permanently lubricated; ball-bearing design with thermal overload. 115/230 volt, 60 cycles single-phase or 230/460 3-phase. *Explosion proof available upon request.

Stock Number 1-Phase	Stock Number 3-Phase	HP	RPM	Air Delivery in CFM	DBA @ 5 Ft.	Hose Size	Velocity F.P.M.	Shpg. Wt. (lbs.)	Each
28-615/3A	28-915/7D	½	3450	370	80	4"x120"	4242	60	$334.39
28-616/1A	28-916/5D	1	3450	485	87	5"x120"	3555	74	436.15
28-617/9D	28-917/3D	1½	3450	630	83	5"x120"	3840	89	547.62
28-618/7D	28-918/1D	2	3450	800	88	5"x120"	4875	95	567.47

Extra pick-up stations and special motors available. Contact Dept. 28.



D SQUARE STEEL NOZZLE

28-619/5D	3" hose, 4"x4". Net ea.	$10.37
28-620/3D	4" hose, 5"x5". Net ea.	11.24
28-621/1D	5" hose, 6"x6". Net ea.	14.29
28-622/9D	6" hose, 7"x7". Net ea.	20.72
28-699/7D	8" hose, 8"x8". Net ea.	21.39

E SIDE INTAKE STEEL NOZZLE

28-623/7D	3" hose, 3"x5". Net ea.	$10.37
28-624/5D	4" hose, 4"x8". Net ea.	12.35
28-625/2D	5" hose, 5"x8". Net ea.	14.29
28-626/0D	6" hose, 6"x9". Net ea.	20.83

F ROUND STEEL NOZZLE

28-627/8D	3" hose, 2½" diam. Net ea.	$ 9.69
28-628/6D	4" hose, 3½" diam. Net ea.	10.23
28-629/4D	5" hose, 4½" diam. Net ea.	11.54
28-630/2D	6" hose, 5½" diam. Net ea.	20.78

G FLAT STEEL NOZZLE

28-631/0D	3" hose, 7"x1". Net ea.	$10.38
28-632/8D	4" hose, 8"x1½". Net ea.	11.19
28-637/7D	5" hose, 10"x2". Net ea.	12.77
28-638/5D	6" hose, 12"x2½". Net ea.	19.92

HOSE CLAMPS (Not Shown)

28-639/3D	3" clamp. Net ea.	$2.30
28-662/5D	4" clamp. Net ea.	3.10
28-663/3D	5" clamp. Net ea.	3.70
28-664/1D	6" clamp. Net ea.	3.90
28-674/0D	8" clamp. Net ea.	5.30

COMPLETE HOSE KITS (Not Shown)

With 60" hose, connector, 2 clamps.

28-633/6D	3" hose kit. Net ea.	$22.57
28-634/4D	4" hose kit. Net ea.	25.47
28-635/1D	5" hose kit. Net ea.	27.50
28-636/9D	6" hose kit. Net ea.	28.77
28-675/7D	8" hose kit. Net ea.	31.67

HOSE CONNECTOR SLEEVES (Not Shown)

28-676/5D	3" size. Net each	$3.73
28-677/3D	4" size. Net each	3.94
28-678/1D	5" size. Net each	4.19
28-679/9D	6" size. Net each	4.77
28-680/7D	8" size. Net each	5.19

"Y" BRANCHES FOR 2 HOSES

28-687/2D	4"x3"x3" Y-connecter. Net ea.	$15.16
28-688/0D	5"x3"x3" Y-connector. Net ea.	15.34
28-689/8D	5"x4"x4" Y-connector. Net ea.	15.57
28-690/6D	6"x3"x3" Y-connector. Net ea.	15.89
28-691/4D	6"x4"x4" Y-connector. Net ea.	16.27
28-692/2D	6"x5"x5" Y-connector. Net ea.	17.74
28-693/0D	8"x5"x5" Y-connector. Net ea.	19.88

HOSE REDUCERS (Not Shown)

28-681/5D	4" to 3" reducer. Net ea.	$ 8.75
28-684/9D	6" to 4" reducer. Net ea.	10.27
28-685/6D	6" to 5" reducer. Net ea.	11.45
28-686/4D	8" to 6" reducer. Net ea.	12.78

Super Flex Hose

Lightweight, flexible, economical for fume removal and ventilation, for use with dust collectors, for lightweight materials. Black vinyl on fiberglass over vinyl-coated galvanized steel wire helix takes temperatures 0° to 250°F. No elbows needed! Sold in lengths from 5' to 50', order in 5' increments only. Specify length in feet.

Stk. No.	Hose Diam.	Net Per Foot
28-694/8DM	3"	$1.96
28-695/5DM	4"	2.56
28-696/3DM	5"	2.95
28-697/1DM	6"	3.74
28-698/9DM	8"	4.84

NOTE: Minimum parts order, $30.00 . . . if ordered separately.

C & H — FOR OVER FORTY YEARS ON-TIME DELIVERY PLUS CUSTOMER SATISFACTION.

C&H Prices Help You Meet Industrial Safety Standards!

Create a Better Work Environment for Employees, a Cleaner, Less Damaging Atmosphere for Equipment

Portable Filtered Fume Exhauster

Arm & Hose not included in price. See below for arm, facing page for hose.

- **Inexpensive replacement filter**
- **1300 CFM**
- **¾ HP motor quiet hi-volume air mover**
- **5" heavy-duty wheels**

Super-efficient portable filtered smoke and fume exhauster comes complete with counter-balanced swinging arm that moves in any direction, measures 10' long to reach into hard-to-reach areas. Only 2' wide by 4' long and 2' high . . . this handy unit is fully portable, rolls anywhere in your plant on large 5" all rubber heavy-duty wheels (all four swivel). High efficiency forward curve wheel volume air blower moves 1300 CFM into an air chamber where it is allowed to lose velocity and pass through the larger 24"x24"x12" filter — this low-cost, efficient filter is designed for throw-away convenience (order replacements below). Front frame hinged for easy replacing. ¾-HP 115/230 one-phase motor (also available 230/460 3-phase — write Dept. 28 for prices).

This thoroughly dependable exhauster can serve many areas in your plant thanks to its portability and ability to get at problem areas that are inaccessible to others. Wt. 211 lbs. FOB III.

28-822/5D—Net each **$979.00**

REPLACEMENT FILTERS for above. Keep a supply on hand.

28-824/1D—Wt. 1 lb. FOB III. Net each **$40.56**

28-825/8D—Wt. 5 lbs. FOB III. Box of 5. Ea. box **$161.84**

See Below For Arms.

Portable Cabineted Dust Collector Works Anywhere—Safely

Low-cost, trouble-free, portable. Heavy-duty 22-ga. painted sheet steel cabinet has easy to empty clean-out drawer with large holding capacity. Includes dust bag (order extras below) and 5' of hose. Single-phase unit shipped wired and assembled, ready to use. Power unit is mounted on fibration-elimination pad. Continuous duty, TEFC motor standard. FOB III.

HP	Hose Diam.	Wt. (lbs.)	Max. CFM	Max. SP	DBA @ 5'	Single-ph. 115/230V Stk. No.	Single-ph. 115/230V Net Ea.	3-ph. 230/460V Stk. No.	3-ph. 230/460V Net Ea.
20" SQ. CABINET, 40" HIGH									
½	3"	95	450	7"	78	28-991/8D	560.15	28-993/4D	560.15
24" SQ. CABINET, 53" HIGH									
1	5"	150	700	4¼"	81	28-821/7D	$773.46	28-823/3D	$718.21
1½	6"	170	875	6½"	75	28-831/6D	906.27	28-833/2D	901.14
2	6"	180	1100	8¼"	82	28-841/5D	957.64	28-8431D	952.77
3	6"	195	1300	10"	84	Not Available		28-853/0D	967.31

Replacement Dust Bags

Bags are 90% efficient in filtering particles of 10 microns or larger. They fit any open end 55-gal. steel drum or 20-24 gal. waste container

Stk. No.	Size Capacity	For Motors	Net Each
28-986/8D	10.6 sq. ft.	⅓-½ HP	$15.00
28-987/6D	15 sq. ft.	1 HP	25.34
28-988/4D	19 sq. ft.	1½-3 HP	32.30
28-989/2D	50 sq. ft.	Oversize 1½-2-3 HP	72.69

Fume Exhauster, Blower

- **Exhausts toxic fumes, smoke**
- **Blows cool, refreshing air into tanks, vats**
- **Easy to set up, anywhere**
- **Rustproof, sparkproof!**
- **Stable, strong tripod legs**

As Low As **$345.21**

Traps injurious fumes, smoke and heat at their source—and carries them away from the machine operator. Also can ventilate manholes, tanks, airplane wings, cool overloaded motors, generators—or even spot cool! Unit is rustproof and sparkproof—of heavy cast aluminum. Screens meet OSHA requirements. Available with 1 phase or 3 phase open dripproof or totally enclosed fan cooled motors. Specify: 01—115/230V-1-ph. ODP; 02—230/460V-3-ph. ODP; 03—115/230V-1-ph. TEFC or 04—230/460V-3-ph. TEFC. For TEFC motors, add $35.00 to net price.

Hose not included

Order hose and nozzle on facing page.

Stock Number	HP	RPM	Capacity (CFM) Hose Lgth. No Hose	10'	20'	30'	40'	50'	Inlet Outlet	Lbs.	Each
28-702/9DXV	¼	1750	493	409	397	386	371	356	6"	44	$345.21
28-703/7DXV	½	3450	424	400	393	385	373	361	5"	56	402.36
28-704/5DXV	¾	1750	1573	1296	1196	1103	1032	962	8"	74	557.31
28-705/2DXV	1	3450	934	847	826	805	784	762	6"	74	479.76
28-706/0DXV	1½	3450	1066	826	805	784	764	744	6"	58	513.69

Explosion proof motors available, contact Dept. 28.

Industrial Quality Hose Holding Arms — Insures Exact Nozzle Positioning



Strong 14-ga. steel arms with 1" sq. steel tubing and 7" discs of 14-ga. steel. Base is 6" square, 10-ga. steel. Each arm includes 2 or 3 nylon bands for positioning hose.

SPRING-LOADED ARMS. Counter-balanced arm is ideal where exact positioning and versatility are needed. Can be finely adjusted while work continues; 16 different positions. Rotates 360°. rotates 360°. FOB III.

ADJUSTABLE FIXED ARM. For light or heavy loads . . . a pin easily moved into openings in the disc holds the arm in 16 different positions. Rotates 360°. Economical and adjustable.

LGTH.	SPRING LOADED ARMS Stk. No.	Lbs.	Net Ea.	ADJUSTABLE FIXED ARMS Stk. No.	Lbs.	Net Ea.
5'	28-994/2D	12	$161.53	28-748/2D	16	$ 93.84
7½'	28-995/9D	23	173.84			
10'	28-996/7D	27	207.88	27-979/4D	22	120.00

TRINCO DRY-BLAST



Master Dryblaster with 3 Front and 2 Side Openings

Three affixed rubber gloves, big 48″x24″ work area, double windows, three 48″x13″ lid-type front openings, and two 17″x16″ side openings . . . make this an exceptional choice. Rugged 14-ga. welded steel cabinet has double floor, fluorescent lighting, large 12″x24″ safety glass window with quick change frame, gun with Tungsten carbide nozzle. 48″x24″x23″ high interior outfitted with air pressure regulator and gauge, safety valve. Hopper trap door makes media changing easier. Foot valve for easy control of blasting. Enclosed dust collector. Overall size: 52″x25″x64″ high. FOB Mich.

26-333/5D—Wt. 420 lbs. Net each **$925.00**

Portable Pressure Blast Equipment

- Fast, easy
- ASME constructed
- Ready to go



Pressure blasting is three times faster than suction blasting. Save time, save materials, save labor . . . these job-rated abrasive blasters handle everything from touch-up cleaning to big commercial jobs. They strip away rust and old paint, reach hard-to-reach places, roll just about anywhere on big rubber-on-steel wheels. 125-lb. working pressure ASME constructed units have concave top—eliminates need for funnel. Units come complete with trin-flo mixing valve, couplings, inlet, choke and exhaust valves, pressure gauges, moisture separator, pressure relief valve, Tungsten carbide nozzle on gun, canvas hood. All FOB Mich.

Type A—Light duty for garages, stations
Type B—Semi-production and property maintenance
Type C—Heavyweight commercial blasting

Stock Number	26-988/6D	26-989/4D	26-990/2D	26-991/0D
Type	A	B	B	C
Sand Capacity	100 lbs.	250 lbs.	450 lbs.	650 lbs.
CFM Reqd. at 100 PSI	25	45	81	81
Min. Compressor Recd.	5 HP	10 HP	25 HP	25 HP
Hose I.D.	½″	¾″	¾″	1″
Hose Length	25′	25′	50′	50′
Piping	½″	1″	1¼″	1¼″
Height	37″	44″	51″	57″
Diameter	12″	18″	20″	24″
Wheel Diameter	6″	10″	10″	10″
Shpg. Wt.	75 lbs.	170 lbs.	210 lbs.	400 lbs.
Net Each	$590.00	$890.00	$1085.00	$1520.00

Complete OSHA package units available, contact Department 26.

Cabinet Replacement Parts

TUNGSTEN CARBIDE NOZZLE

Replacement nozzle for blast cabinets. Keep a spare on hand to eliminate downtime.

9/16″ O.D. NOZZLE
26-335/0A—Net each $17.85

¾″ O.D. NOZZLE standard on all models.
26-905/0A—Net each $19.95

HEAVYWEIGHT BLASTING GLOVES

Rugged, dependable replacement gloves fit all of the units above—keep extras on hand. Sold in pairs only. Shpg. wt. 1 lb.
26-857/3A—Net each pair $19.00

C&H Saves You Money On Abrasives You Need

C&H wholesale prices can make the difference in economical abrasive blaster operation! Take advantage of these low prices . . . keep a supply of these money-saving abrasives on hand, stock up now. Abrasives are sold in 50-lb. boxes.

Trin-Mix #4—Mixture of beads and oxide to give fine micro-inch finish. Removes heat treat discoloration from tools, molds and precision parts. Provides a finish similar to a wet blast.
26-337/6D—Net ea. box **$28.50**

Trin-Beads—Spherical shaped glass beads that leave a bright finish on brass, aluminum and stainless steel. Available in heavy, medium, or light.
26-338/4D—Heavy. Net ea. **$22.50**
26-339/2D—Medium. Net ea. **$22.50**
26-340/0D—Light. Net ea. **$22.50**

Trin-Blast—Aluminum oxide is best for general blasting and finishes to medium fine. Available in coarse, medium, and medium fine finishes.
26-341/8D—Coarse. Net ea. **$28.50**
26-342/6D—Medium. Net ea. **$31.50**
26-343/4D—Med. F. Net ea. **$31.50**

HERE'S A TIME, WORK AND MONEY SAVER!

Master 42″x24″ Split-Level Dryblaster with 300 CFM Abrasive Separator

$1500.00 complete



Designed for high production work! Exceptionally efficient design . . . flip-top 42″x24″ door opening for fast, easy loading, one side door, 11″x11″, for individual pieces. Fluorescent lighting eliminates shadows and minimizes energy consumption. Rugged 14 ga. welded steel cabinet has double floor—⅛″ expanded steel and carbon screen—for longer life. Heavyweight rubber gloves are affixed, large 12″x24″ safety glass window ensures excellent visibility, wing nuts loosen to allow easy window change. Cabinet interior is 42″x24″x25″ high, with pressure regulator and gauge, safety valve. Tungsten carbide nozzle lasts longer' won't clog easily. 600 CFM abrasive separator/reclaimer for continuous operation. Floor valve blasting control for easy control. Cabinet is 47″ wide, 65″ high, 38″ deep—50″ deep completely open.

26-987/8D—Wt. 470 lbs.
FOB Mich. Net each **$1500.00**

Most Dryblast Cabinets Operate at 80 PSI . . . and require a 5-HP compressor

TRINCO DRY-BLAST

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



Most Popular Master Dryblaster

- **36" x 24" work area with fluorescent lighting**

Cleaning, deburring, decorating, deflashing, etching need no longer be the tedious job it once was . . . one sweep of the gun nozzle removes scale, corrosion, old paint in minutes. Ruggedly built 14-ga. welded steel cabinet has heavyweight rubber gloves, front opening lid (36"x13"), and side door (17"x11"), easy change 12"x24" window frame and double floor of ⅛" expandex steel plus carbon screen. Long-life Tungsten carbide nozzle, air pressure regulator and gauge, safety valve. Inside dimensions are 24"x36"x23" high; Overall size 24"x38"x64" high. Includes dust separator.

26-332/7D—Wt. 315 lbs. FOB Mich.
Net each **$795.00**



Dryblast Cabinet for the Economy-Minded Users

- **Provides large blasting area at low cost!**

When price is the determining factor, the standard model dryblast cabinet is for you! Built to traditionally high standards, theses more than pay for themselves in a year, in time saved. Two sizes to choose from . . . to etch, finish, hone, peen, clean, and deburr quickly and efficiently. Rugged 14-ga. steel welded cabinet has double floor, heavyweight rubber gloves. Tungsten carbide nozzle, easy-change window frame that loosens by turning a few wing nuts. Hopper trap door for easy media change. Floor valve assures easy, accurate blasting control; ⅛" expandex steel and carbon screen cabinet floor provide long life. Includes incandescent lighting, gun, rubber gloves. FOB Mich.

Stock Number	26-330/1D	26-331/9D
Inside Depth	18"	20"
Inside Width	24"	30"
Inside Height	23"	23"
Overall Depth	20"	22"
Overall Width	26"	32"
Overall Height	62"	62"
Door-Lid Type	24"x13"	30"x13"
Shpg. Wt.	210 lbs.	225 lbs.
Net Each	$625.00	$695.00

MASTER SPLIT-LEVEL CABINETS
As Low As
$1175.00

Master Split-Level . . . The Ultimate In Easy Loading, Large Capacity

- **Better work distribution for better control**

Spring-loaded flip-top ovens completely to receive large parts from fork lifts or overhead hoists. Parts can also be loaded through 11"x11" side door. Rubber blasting gloves, affixed to dryblaster with rubber grommets, assures a protected reach. Rugged 14-ga. heavy-duty welded steel unit has double floor, easy-change window frame with large 12"x24" safety glass. Fluorescent lighting eliminates shadows and minimizes energy consumption. Has Tungsten carbide nozzle, air pressure regulator and gauge, safety valve, and dust collector. FOB Mich.

Stock Number	26-910/0D	26-334/3D	26-986/0D
Work area	48"x24"	40"x40"	48"x48"
Inside Depth	24"	40"	48"
Inside Width	48"	40"	48"
Inside Height	31"	31"	31"
Overall Depth	50"	66"	74"
OA Depth-open	56"	71"	77"
Overall Width	50"	42"	50"
Overall Height	71"	71"	71"
Door-Flip top	48"x24"	40"x40"	48"x48"
Shpg. Wt.	420 lbs.	450 lbs.	585 lbs.
Net Each	$1175.00	$1425.00	$1745.00

Have a Special Blasting Requirement?



Custom built split-level dryblast cabinets are available to meet every need. Quotations available. Contact our Department 26.

32-OZ. CAPACITY — a full quart of liquids for big jobs

HANDY 6-OZ. for spot jobs; lubricants, etc.

IN STOCK
IMMEDIATE SHIPPING

WE SHIP UPS WHEN POSSIBLE

Portable, Rechargeable Liquid Sprayers

- **Easy Steps: Fill, Pressure, and Spray**
- **Spray all light liquids and industrial coatings**

Don't let mechanical limitations slow down your operations! These easy acting portable sprayers go where the work is! Perform dependably—rated for 200 psi. All metal construction with spring-loaded trigger, 6-oz. size has convertible nozzle, adapts from mist jet to pin stream. 32-oz. has two nozzles for mist spray or jet stream. **Corrosion resistant interiors.**

Stock Number	Finish	Wt. (lbs.)	Net Each	Each (lots/3)
A 6-OZ. CAPACITY				
26-683/3A	Enamel	1	$11.25	$ 9.99
26-684/1A	Chrome	1	12.80	11.39
B 32-OZ. CAPACITY				
26-382/2A	Chrome	3	$29.29	$26.07
26-383/0A	Enamel	3	20.27	18.05

NOZZLE EXTENSIONS

Stock No.	Description	Fits	Net Ea.
26-685/8A	Rigid 6" size	B	$2.58
26-686/6A	Flexible 12" size	B	3.48
26-687/4A	Rigid 3" size	A	2.28

The complete Milwaukee sprayer line is available. Contact Dept. 26.

Blast Cleaning Cabinets for Wet or Dry Blasting



Bench Top Model

A



B

Wet or Dry Blasting

C

Large Parts Blasting

For Removing Heat Treat Oxidation, Flux, Corrosion, Paint . . . For Etching Glass, Plastics, Metals . . . For Cleaning Molds, Tools . . . For Preparing Surfaces

Durable, reinforced fiberglass blast cleaning cabinets meet a host of needs in machine shops, motor repair shops, labs, welding and brazing shops, marinas, tool and dye shops. The super-strong reinforced fiberglass construction offers strength, corrosion-resistance, and durability . . . interior walls are coated with neoprene rubber for abrasion resistance. Comes complete with blast gun with two pick-up assemblies — one for wet blasting, one for dry. Blast gun can be installed in fixed position freeing both hands if desired. Cabinet has protected interior light and viewing port; comes with rubber gloves and ring clamps and foot valve. Operating pressure is 35 to 85 PSI. It is recommended that compressor pressure switch be set at 80 On, 110 Off. Cabinet light operates on 115V, 1-ph., 60 hz. FOB FL.

Key Ltr.	A	B	C
Stk. No.	26-121/4D	26-122/2D	26-123/0D
Dry Blast	Yes	Yes	Yes
Wet Blast	No	Yes	Yes
Air Inlet	1/4"	3/8"	3/8"
CFM Reqd.	3-10	5-15	5-15
Length	24"	24"	42"
Depth	22"	22"	22"
Height	24"	56"	56"
Shpg. Wt.	45 lbs.	60 lbs.	110 lbs.
Net Each	$395.00	$495.00	$650.00

NOTE: For vacuums to be used or dust collectors please see index under vacuums. Accepts standard 2½" hose.

Save on Speedy Sand Blaster

As Low As **$39.95**

Remove Rust, Scale, Corrosion, Paint and Graffiti from Metal, Plastic, Concrete, Stone, Brick, and Glass.
Easier, quicker than sanding, wire-brushing, chipping, chemicals! Has comfortable 2-finger pistol grip, adjustable feed control, allows just the right amount of abrasive to do the job. Has 5/64" air jet with 7/64" hardened steel nozzle—includes quart-size aluminum canister and one extra 7/64" steel nozzle. Use with 1/3-HP or larger compressor—needs 2.5 CFM air @ 30PSI. Wt. 3 lbs.
26-965/4A—Net ea. **$44.50.**
Ea. (lots/3) **$39.95**
FACE SHIELD HOOD Recommended for use with abrasives.
26-966/2A—Net ea. **$6.50.**
Ea. (lots/3) **$5.85**

Portable Sand Blasters at Affordable Prices



D

IN STOCK IMMEDIATE SHIPPING

WE SHIP UPS WHEN POSSIBLE

As Low As **$53.95**

SAVE TIME, WORK, MONEY— ON ANY JOB!

- **REMOVE rust, grime, paint, corrosion, scale, chemicals**
- **CLEAN welds, castings, molds, concrete, textured surfaces**
- **TREAT curved surfaces, voids, angles as easily as flat areas**
- **PREPARE metals for welding, any surface for finishing**
- **MAINTAIN car, truck, bus fleets in your own plant**

D ECONOMICAL SANDY JET SAND BLASTER

More power, better control! Lightweight, heavy-duty power gun has fingertip trigger control for easy handling . . . operates on 70 to 225 lbs. air pressure. Permits reuse of abrasives. Holds 50 lbs. Complete with face shield, operator hood, two extra 1/4" nozzles, one 1/8" air jet, and Allen wrench.
26-344/2A—Wt. 13 lbs. Net each **$58.50.** Each (lots/3) **$53.95**

E ROLL-ABOUT D-90 ABRASIVE BLASTER

Rolls to and from any job! Rugged, easy-handling blast gun has fingertip control trigger. Operates on 50 to 200 lbs. air pressure. Uses silica or any hard sand, nut shells, metal shot, aluminum oxide, etc. Container holds 90 lbs. Comes complete with 10' hose, face shield, hood, two extra 5/16" nozzles, one 5/32" air jet, and Allen wrench. Ideal for at-site operation.
26-345/9A—Wt. 27 lbs. Net each **$74.20.** Each (lots/3) **$68.95**

REPLACEMENT and OPTIONAL JETS and NOZZLES for above
Jets should be exactly ½ the size of the nozzles. Nozzles wear 3 to 1 over jets.

	Size	CFM	Mat'l.	Stk. No.	Net Each
Air Jets	5/64"	7	Steel	26-346/7A	$ 1.12
	1/8"	15	Steel	26-347/5A	1.12
	5/32"	20	Steel	26-348/3A	1.12
Nozzles	13/64"	7	Steel	26-349/1A	1.68
	1/4"	15	Steel	26-350/9A	1.68
	1/4"	15	Ceramic	26-351/7A	2.80
	5/16"	20	Steel	26-352/5A	1.68
Blasting Guns	Replacement Gun for 26-344/2A (D)			26-503/3A	$31.75
	Replacement Gun for 26-345/9A (E)			26-502/5A	31.75

For Portable Air Compressors, See Page 262

IN STOCK IMMEDIATE SHIPPING

E

As Low As **$68.95**

Hose Reels for Air, Water, Welding



As Low As **$41.80**

Retractable reel — snagproof from all angles. For pressures to 300 PSI. Swivel assembly with double O-ring seals to assure leakproof operation. Mounting bracket fits on or under counter, on wall or overhead. 11½"x5"x11½"H.

26-859/9A — Wt. 9 lbs.
Net each **$44.95**
Each (lots/3) **$41.80**

New! Improved Hose Reels with Heavy-Duty Hose Guide Arm, Reel Support, Rewind Springs

Stores hose neatly, prevents wear. Mounts on wall or ceiling. Double-O rings seal swivel, assure leakproof performance. Pressure rating to 300 PSI. Ratchet engages after hose is withdrawn to relieve work strain; rewind spring is fully enclosed and replaceable. Guide arm directs hose to work area—designed for the least friction, minimum wear. Heavy-gauge steel, heavy-duty bearings.

Stock Number	Hose Lgth.	Hose Size I.D.	Hose Size O.D.	Overall Size H	Overall Size L	Overall Size W	Wt. (lbs.)	Net Each	Each (lots/3)
26-648/6A	25'	1/4"	1/2"	14 3/4"	13 3/4"	8 1/16"	31	$111.07	$103.30
26-937/3A	35'	1/4"	1/2"	14 3/4"	13 3/4"	8 1/16"	34	119.00	110.67
26-938/1A	50'	1/4"	1/2"	19 11/16"	18 5/8"	8 1/16"	46	144.79	134.66
26-939/9A	65'	1/4"	1/2"	21 15/16"	20 7/16"	8 9/16"	61	204.29	189.99
26-650/2A	25'	3/8"	5/8"	14 3/4"	13 3/4"	8 11/16"	34	$120.00	$111.60
26-651/0A	35'	3/8"	5/8"	19 11/16"	18 5/8"	8 11/16"	48	146.77	136.50
26-940/7A	50'	3/8"	5/8"	19 11/16"	18 5/8"	8 11/16"	49	155.70	144.80
26-941/5A	65'	3/8"	5/8"	21 15/16"	20 7/16"	9 3/16"	65	223.13	207.51
26-652/8A	25'	1/2"	13/16"	19 11/16"	18 5/8"	9 7/16"	42	$143.80	$133.74
26-942/3A	35'	1/2"	13/16"	19 11/16"	18 5/8"	9 7/16"	43	185.45	172.47
26-659/3A	50'	1/2"	13/16"	19 11/16"	18 5/8"	9 7/16"	55	209.24	194.59
26-943/1A	25'	3/4"	1"	21 15/16"	20 7/16"	10 5/16"	59	$245.94	$228.73

NPT fittings are the same as the hose I.D.





Heavy-Duty Non-Sparking UL-Listed Welding Reels

Oxygen-acetylene dual hose — two full-flow aluminum bodies swiveling on common brass spool eliminate danger of sparking. Provides the maximum in orifice separation for greater safety. ¼" I.D. hose stays tangle-free, are easily serviced. Completely enclosed to resist dirt and rust; hose stops and rewind are controlled from nozzle end. Heavy-duty reel, leakproof joint with double-seal O-rings.

Stock Number	Hose Lgth.	Hose Size I.D.	Hose Size O.D.	Overall Size H	Overall Size L	Overall Size W	Wt. (lbs.)	Net Each	Each (lots/3)
21-622/6A	25'	1/4"	1/2"	19 5/8"	19 1/4"	8 1/8"	42	$169.17	$157.33
21-621/8A	35'	1/4"	1/2"	19 5/8"	19 1/4"	8 1/8"	45	177.50	165.08
21-606/9A	50'	1/4"	1/2"	21 9/16"	21 1/16"	8 5/8"	63	237.00	220.41

Large-Capacity Hose Reels for Long Life

BEAT INFLATION! BUY AT WHOLESALE FROM C•H

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Hand Crank Rewind Reels Suitable For Applications to 180°

Swivel joint assembly reel has full flow unrestricted internal plumbing. For uses up to 300 PSI. Locking pin assembly fastens drum in position to prevent unwinding of reel. Direct action rewind crank is on operator's right, swivel on left. Heavy cast-iron brackets. Hose not included. FOB Calif.



OPTIONAL 4-ROLLER BALL-BEARING HOSE GUIDE (as pictured on reel at far right). Adds 4" to ht., 8 lbs. to wt. Mounted, available only with reel order.
26-964/7D—Net each.....$87.98

Stock Number	Hose Size* I.D.	Hose Size* O.D.	Max. Hose Lgth.	Standard Swivel	Overall Size H	Overall Size L	Overall Size W	Wt. (lbs.)	Net Each
26-952/2D	1/4"	5/8"	150'	90° Brass	25 1/8"	24"	20 1/4"	98	$215.00
26-953/0D	1/4"	5/8"	275'	90° Brass	25 1/8"	24"	24 1/4"	102	215.00
26-954/8D	3/8"	3/4"	135'	90° Brass	25 1/8"	24"	20 1/4"	98	215.00
26-955/5D	3/8"	3/4"	220'	90° Brass	25 1/8"	24"	24 1/4"	102	215.00
26-956/3D	1/2"	7/8"	110'	90° Brass	25 1/8"	24"	20 1/4"	98	215.00
26-957/1D	1/2"	7/8"	195'	90° Brass	25 1/8"	24"	24 1/4"	102	215.00
26-958/9D	3/4"	1 9/32"	65'	Strt. Alum.	25 1/8"	24"	21 1/4"	98	215.00
26-959/7D	3/4"	1 9/32"	115'	Strt. Alum.	25 1/8"	24"	25 1/4"	102	215.00
26-960/5D	1"	1 9/16"	45'	Strt. Alum.	25 1/8"	24"	21 1/4"	98	245.00
26-961/3D	1"	1 9/16"	95'	Strt. Alum.	25 1/8"	24"	25 1/4"	102	245.00

*Hose is not included with reel.
Note: A flexible connection must be used between swivel joint and inlet piping.



Spring Rewind Reel with Hose Guide for Applications to 180° Pressures to 300 PSI

Stores hose neatly. Four-roller ball-bearing hose guide for friction-free action in all directions. Sealed swivel with double O-rings—leak-proof. Fully enclosed rewind spring. Heavy-gauge steel; reel drums rotate on oil-impregnated heavy-duty bearings. Hose not incl. FOB Calif.

You Get More For Your Money When You Buy From C&H!

Stock Number	Hose Size* I.D.	Hose Size* O.D.	Max. Hose Lgth.	Standard Swivel	Overall Size H	Overall Size L	Overall Size W	Wt. (lbs.)	Net Each
26-944/9D	1/4"	5/8"	100'	90° Brass	29 1/8"	24"	18"	150	$368.35
26-945/6D	3/8"	3/4"	100'	90° Brass	29 1/8"	24"	18"	150	368.35
26-946/4D	1/2"	7/8"	100'	90° Brass	29 1/8"	24"	22"	154	368.35
26-947/2D	3/4"	1 9/32"	60'	Strt. Alum.	29 1/8"	24"	19"	150	368.35
26-948/0D	1"	1 9/16"	35'	Strt. Alum.	29 1/8"	24"	19"	150	394.85
26-949/8D	1"	1 9/16"	70'	Strt. Alum.	29 1/8"	24"	23"	154	394.85

*Hose is not included with reel.
Note: A flexible connection must be used between swivel joint and inlet piping.

Airless Sprayers Save Money

Economy-Priced Sprayer Offers Professional Results

Trouble-free pump handles most off-the-shelf latex without thinning! Paints 3 times faster than a roller . . . 9 times faster than brush!

As Low As **$309.50**

Delivers up to ⅓-gal. of paint per min! Produces 2600 psi max. pressure! UL-appr. ⅓ HP TEFC 115V-1 ph.-60 hz motor draws 8.4 amps with 8′ grounded cord. Single knob controls both priming and pressure. Handy 6½″x7½″ spray gun has trigger guard and lock, safety tip, 15′ of hose — .015″ orifice sprays 50° pattern. Unit is smooth, quiet, easy to clean up, less waste because there's a minimum of overspray. Flexible bypass tube recirculates paint when not actually spraying, maintains smooth flowing paint. 40-mesh siphon filter before pump. Built to last, all parts exposed to wear are super-hard tungsten carbide or ceramic; tubular steel stand is 20″x20″x24″ high, steady legs fit over 1 or 5-gal. bucket.

26-997/7A—List $415.00. Wt. 44 lbs.
Each **$327.00** Each (lots/2) **$309.50**

WE SHIP UPS WHEN POSSIBLE

IN STOCK IMMEDIATE SHIPPING

Strong Wheeled Cart

Safe, easy way to transport and position your airless paint spraying system. Wheeled cart is neat and sturdy, easy to maneuver and manage. Big tires roll smoothly, tubular handle lets you get a grip on the equipment. Shipped KD—easy set up for everyone.

26-915/9A—List $87.00. Ea. **$56.95.** Ea. (lots/2) **$52.50**

INDUSTRIAL QUALITY Explosion-proof totally enclosed ½-HP motor. . . meets OSHA specifications

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Heavy-Duty Paint Sprayer Quality-Made to Satisfy the Professional

Two-Wheeled Cart for easy moving . . . saves time

As Low As **$519.50**

Heavy-duty construction throughout results in the kind of performance professionals expect of their equipment . . . two-wheeled cart facilities mobility from job to job. Sprayer delivers ⅓ gpm — ½-HP explosion proof 115V-1 ph.-60 hz. motor draws 8.2 amps. Powerful pump can handle most off the shelf latex, unit handles up to 5-gal. paint pail — gives one-coat professional coverage with minimum overspary. Airless puts paint where you want it with a consistent uniform spray pattern — it's faster than a brush or roller, less tiring, easier to clean up. Heavy-duty tungsten carbide valves and rustproof heavy-duty double roll bearings assure long-life, industrial performance. Includes 25′ of ¼″ high pressure hose, safety gun with tip-guard and .015″x50° tip. Flexible tube has strainer to avoid clogging. 57 lbs.

26-998/5A—List $696.00. Ea. **$549.95.**
Each (lots/3) **$519.50**

Airless Painting Made Easier with C&H Value-Priced Accessories

AIRLESS SPRAY TIPS

.009″ Orifice with 40°, 7″ spray pattern . . . for light bodied materials such as lacquers. For small areas.
26-886/2A—List $16.95. Ea. **$14.95**
.015″ Orifice with 50°, 10″ spray pattern . . . for finer finish, more uniform coverage with latex or oil paint.
26-100/8A—List $16.95. Ea. **$14.95**
.018″ Orifice with 65°, 13″ spray pattern for large area work, faster application of latex and oil paints.
26-887/0A—List $16.95. Ea. **$14.95**



ROTO-CLEAN ATTACHMENT

Blows out clogged tips; attaches to nozzle. Requires special tip (order from chart below).
26-105/7A—Net each **$33.25**

ROTO-CLEAN TIPS

26-101/6A—.009″ orifice. Ea. **$20.65**
26-102/4A—.015″ orifice. Ea. **$20.65**
26-103/2A—.018″ orifice. Ea. **$20.65**

HIGH PRESSURE HOSE

Hose is ¼″ diam. with connector, 25′ long. Wt. 4 lbs.
26-912/6A—List $48.75.
Ea. **$38.85.** Ea. (lots/3) **$35.75**

SUCTION TUBE SCREENS

40-mesh replacement screens for bottom of suction tube. Pkg./2.
26-104/0A—Net ea. pkg. **$3.20**

SWIVEL CONNECTOR

Attaches between hose and spray gun; helps eliminating hose twisting.
26-108/1A—Net each **$13.25**



IN-LINE FILTER

Reduces tip clogging. Attaches to inlet port of spray gun. Complete with 100 mesh screen.
26-106/5A—Net each **$16.65**
Replacement 100-mesh filter screens.
26-107/3A—Net ea. pkg/3 ..... **$3.70**

New Titan-Tip Airless Spray Tip

Titan tip guard replaces standard retaining nut

Only **$44.95**

- **For latex and enamels**
- **011″ to .026″ orifice**
- **Adjustable pattern**
- **Quickly cleans itself**
- **Tough tungsten carbide**

Save time and expense of buying and changing gun nozzles — adjustable self-cleaning airless tip with super strength unbreakable p.n fits all popular airless guns without an adapter. Width of spray pattern adjusts in variable steps from 4″ to 22″, reduces paint cost by concentrating spray on product. Settings can be adjusted repeatedly and accurately without spitting. Adapts to fine finished and feathered edge work with complete atomization, sprays latex and enamel paint. Carbide tip prevents wear. 3500 psi max. press.
26-007/5A—List $49.95. Each **$44.95**

TITAN TIP GUARD FOR AIRLESS GUNS

Stk. No.	Fits these spray guns:	Net Ea.
26-008/3A	Spray Tech, Steward-Warner, Alemite, Aro, Spraying Systems, Woostter, Ransped, Hero, Amspray Liberator	$9.60
26-009/1A	Spee-Flo, DeVilbiss, JGB, Sears, Nordson, Campbell-Hausfeld	9.60

Amspray "Liberator" Compact Portable Electric Airless Sprayer Offers Speed and Reliability

Perfect for the professional painter. New, improved design combines the super light universal motor proven through years on hand tools . . . and the super dependable piston pump resulting in a sprayer far more compact than most diaphragm designs and more dependable. Ideal for new construction or maintenance . . . offers better siphon ability, volume of .5 gpm at 2000 psig . . . lighter total weight for portability without sacrificing ruggedness . . . easy maintenance and parts replacement to minimize downtime. ¾-HP 10-amp. 110-V single phase motor with automatic overload protection. Double-acting piston pump has long stroke for sure priming, super dependability. New, conveniently styled tubular steel cart with big 10" wheels; comes with 50' airless spray hose, .017" airless spray tip. Shpg. wt. 42 lbs.

26-010/9A—List $1350.00. Ea. ... **$1163.00**

Complete Only **$1163.00**

Pump can be tilted back so paint inlet can be rolled over 5-gal. pail.



Inlet is immersed directly into paint when pail is in place.



With pail handle hung on mounting unit, unit can be used, moved.

Cart tilts back for moving to another location . . . self-leveling.

Save! Air-Operated Spray Guns

As Low As **$69.19**

C PRODUCTION GUN

Quality design for long, trouble-free use. Heavy-duty gun has external mix with siphon feed, non-bleeder design boasts precision fluid and pattern controls for better, faster, more professional spray results. Use with 1 to 2 HP compressor. 40 to 70 PSI, 5 to 12 CFM. Now comes **complete with 1-qt. quick-change canister.** Wt. 5 lbs.

26-212/1A—Net Each **$69.19**



D CONVERTIBLE GUN

Three-way gun adapts to your spraying requirements. Use as bleeder or non-bleeder gun with internal pressure feed or operate it on external siphon. Adjustable air and fluid controls. 25-50 PSI, 2½ to 5 CFM for ¾ to 2 HP compressors. Has 1-qt. cup. It's amazingly versatile at a low price. 2½ lbs.

26-217/0A—List $43.95. Each **$36.65**

As Low As **$36.65**

E PRODUCTION GUN

Handles all types of materials . . . you cut down your equipment investment, you're always sure of being "ready to shoot." Use with siphon feed cup (1-qt. aluminum cup included) . . . or with gravity pail. It's one of the finest, uses 7 CFM @ 50 PSI with 1 to 1½ HP compressor. A consistent performer. Wt. 2½ lbs.

26-214/7A—Net each **$65.80**

Same as above but without cup. 1½ lbs.

26-215/4A—Net each **$49.97**

Canister for use with gun above. 1 lb.

26-216/2A—Net each **$19.97**

As Low As **$65.80**

2½ Gallon Industrial Material Tank

Seamless, easily cleaned tank holds 2½ gallons of paint, offers features you want for easier maintenance.

Heavy-gauge steel tank with pressure regulator, gauge. Big 8½" top holds 1-gal. can; straight sides, rounded bottom, one-piece construction for easy cleaning. Cast iron cover with safety valve clamps secured with five wing nuts. Comes complete with 10' lengths of air and material hose. Shpg. wt. 16 lbs.

26-380/6A—List $103.95 Each $83.85

Same, less regulator and gauge. 15 lbs.

26-381/4A—List $86.95 Each $69.95

Save on Hoses for Most Material Tanks

As low as **$7.95**

IN STOCK IMMEDIATE SHIPPING

WE SHIP UPS WHEN POSSIBLE

⅜" I.D. MATERIAL HOSE With ⅜" Fitting		
Lgth. Feet	Stock Number	Net Each
15	26-451/5A	$18.95
25	26-452/3A	26.95
¼" I.D. AIR HOSE With ¼" Fitting		
Lgth. Feet	Stock Number	Net Each
10	26-453/1A	$7.95
15	26-454/9A	9.95
25	26-455/6A	13.95

How to Select the Spray Gun to Meet Your Needs

BLEEDER TYPE . . . for compressors without air tanks. Air blows continuously through the gun. The trigger controls only the paint flow.

NON-BLEEDER TYPE . . . for compressors with air tanks and pressure regulators. The trigger controls both the air and the paint supply.

PRESSURE FEED . . . for fast coverage, heavy-bodied materials and slow-drying finishes. Air forces material from airtight cup or tank and atomizes it at the air cap.

SIPHON FEED . . . for finest atomization of lacquers where extra fine finish is desired. Suction draws material into air stream from vented tank or cup. Must use with external mix air cap.

INTERNAL MIX NOZZLE . . . is best suited for use with heavy-bodied materials and pressure feed guns. It mixes the air and paint inside the nozzle.

EXTERNAL MIX NOZZLE . . . use with siphon feed guns for fast drying enamels, lacquers; with pressure feed guns for latex paints. Paint and air flow separately mix just outside nozzle.

IN STOCK
IMMEDIATE SHIPPING

Save At C&H Now



A
As Low As
$64.25
CP-734

CP-772

B
WE SHIP UPS WHEN POSSIBLE
As Low As
$249.95



C
CP-720

E



D
CP-828

Choice of 4 sets . . . all in strong steel case for protection

A POWERFUL ½" AIR WRENCH

Chicago Pneumatic Model 734. Meets high standards of performance demanded by craftsmen and trade shops, yet priced for the occasional user. Dyna-Pact clutch provides higher torque, more power per pound. 275 ft./lb. at 100 PSI. Perfectly balanced, easy to handle. Takes ⅜" hose, ¼" air inlet. 9/16" bolt capacity.
26-913/4A—List $89.95. Ea. **$69.25.** Ea. (lots/3) **$64.25**

B HIGH TORQUE ¾" WRENCH

Chicago Pneumatic Model 772. Engineered with single blow double cam clutch. 5000-RPM free speed air motor delivers more power per pound. Low 7½ CFM air consumption. Has built-in air regulator. 700 ft./lb. at 100 PSI. ¼" air inlet, ⅜" hose. 10¼ lbs.
26-914/2A—List $349.95. Ea. **$269.50.** Ea. (lots/3) **$249.95**

C COMPACT ⅜" AIR WRENCH

Gets into tight places, removes and replaces small fasteners quickly. 75 ft./lb torque @ 100 PSI. 2½ CFM average air consumption. Butterfly throttle for instant forward-reverse without changing grip. ¼" inlet, 5/16" hose. **Chicago Pneumatic CP-720.** 2¼ lbs.
26-909/2A—List $124.95. **$99.95.** Ea. (lots/3) **$93.25**

D SPEED-RATCHET WRENCH

Remarkably versatile ⅜" wrench designed for easier handling, better control. Positive grip housing ribs provide easy handling even for oil-coated hands. Powerful—with 50 ft./lb. torque. Quick 1500-RPM rundown, improved ratchet head for durability. ⅜" square drive, consumes average of 4 SCFM air. 10" long with ¼" NPTF, 5/16" air hose size. Wt. 2½ lbs.
26-970/4A—List $74.95. Ea. **$62.45.** Ea. (lots/3) **$57.66**

E SAVE ON IMPACT-SOCKET SETS

½" Drive Impact Sockets: Eight 6 pt. sockets, 7/16" to ⅞" sizes. In steel case. 2½ lbs.
47-642/4A—Net ea. set **$16.75.** Ea. (lots/3) **$14.95**

¾" Drive Impact Sockets: Eight 6 pt. sockets from 1" to 1½". In steel case. Wt. 4 lbs.
47-643/2A—Net ea. **$44.50.** Ea. (lots/3) **$41.10**

⅜" Drive Impact Sockets: Eight 6 pt. sockets from 5/16" size to ¾" size. In steel case. 1 lb.
47-640/3A—Net ea. **$13.00.** Ea. (lots/3) **$11.85**

⅜" Drive Metric Socket Set: Ten 6 pt. metric sockets from 8mm to 19mm in steel case. 1½ lbs.
47-641/6A—Net ea. **$16.50.** Ea. (lots/3) **$15.00**

F



As Low As
$32.90

H
As Low As
$51.50
CP-864

K
CP-865S

J
CP-866

CP-767
G
WE SHIP UPS WHEN POSSIBLE

Save on Famous-Name Sanders, Drills

F HI-SPEED SANDER-DRILL

Newly designed with nylon handle. Top-rated dependable air tool has vibration free motor with trigger control valve allowing variable speeds to 22,000 rpm load free. Ideal for touch-ups, featheredging, sanding flat and contoured surfaces. Takes 6" pad. Converts to high-speed drill with ¼" Jacobs chuck. Quality-made with ¼" inlet, ⅜" hose. A double-duty tool, ideal for light duty applications. 2½ lbs.
26-979/5A—List $43.90.
Ea. **$35.65.** Ea. (lots/3) **$32.90**

G STRAIGHT LINE SANDER

The easy way to a smooth finish demanded in professional applications. Easy to use . . . Vibration-free with steel cylinder liner and steel rack for long, trouble-free service. Molded-edge pad has smooth working surface for streak-free sanding — 2¾"x17½" paper size. 3000 powerful strokes per minute. 8 SCFM—5/16" min. hose size, ¼" NPTF. 6¼ lbs.
26-969/6A—List $89.95.
Ea. **$69.25.** Ea. (lots/3) .. **$64.25**

H 6" DIAM. AIR SANDER

Exceptionally well-balanced tool works as orbital or rotary sander—assures a professional touch, no swirl marks or gouges. Smooth, comfortable operation—10,000-RPM free speed, built-in air regulator varies speed to suit the job. Steel end plates assure long tool life, circular exhaust diffuses air flow. 50 to 75 PSI recommended air pressure. CP-864 with pad. ⅜" I.D. hose size recommended. Wt. 4 lbs.
26-890/4A—List $66.95.
Ea. **$55.79.** Ea. (lots/3) **$51.50**

J NO-SWIRL ORBITAL SANDER

Rugged, dynamically balanced sander assures vibration-free operation. 8000-RPM free speed. Muffled rear exhaust assures quiet operation. 3/16" orbital stroke. Ball-bearing construction for long life. Positive paper locking clips; takes 3⅔"x9" paper. This Chicago Pneumatic CP-866 has 50 to 75 recommended PSI and ⅜" hose size. Wt. 4¾ lbs.
26-866/4A—List $79.95
Ea. **$63.50.** Ea. (lots/3) **$59.95**

K VARIABLE SPEED SANDER

Vertical-style Chicago Pneumatic CP-865S has extra heavy-duty gearing for longer life. Tough 1-HP motor has variable power control—permits everything from delicate featheredging to fullspeed grinding. 5000-RPM free speed with anti-friction ball-bearing, 7" phenolic pad. Takes ⅜" hose. 4½ lbs.
26-891/2A—List $179.95.
Ea. **$138.45.** Ea. (lots/3) .. **$128.55**

IN STOCK IMMEDIATE SHIPPING

Save on Top Quality Industrial Air Tools

A As Low As $69.20 CP-788



B As Low As $33.31 CP-710

As Low As $142.85 CP-788H

D

C As Low As $262.25 GA-7



E

F As Low As $74.65 CP-860

As Low As $103.15 F-25

A STALL-FREE ⅜" AIR DRILL

Chicago Pneumatic CP-788 air drill has full ball and needle bearings. Built-in air regulator, 4 CFM average air consumption. ½-HP motor develops 2750-RPM free speed. Precision Jacobs ⅜" drill chuck. Only 6½" long. Uses ⅜" I.D. hose. 2 lbs.

26-995/1A — List $89.95
Ea. **$74.95** Ea. (lots/3) **$69.20**

B AIR HAMMER, RETAINER

Delivers 58 hard-hitting blows per second . . . for riveting, chiseling, shearing, driving, and punching. Quick changer retainer lets you add attachments quickly. Chicago Pneumatic CP-710. 3½ lbs.

26-894/6A—Net each **$35.69.**
Each (lots/3) **$33.31**

Needle Scaler removes debris from irregular surfaces, saves many manhours.

26-647/8A — List $65.00. Ea **$52.50**

C 7" ANGLE GRINDER

Powerful ball-bearing 7000-RPM motor along with compact design offers excellent weight to power ratio. Comes with throttle safety lever, torque drive speed governor and speed regulating valve. 7" wheel capacity, ⅝" x 11 spindle thread. ⅜" NPT inlet, ½" hose; 90 PSI recommended.

26-895/3A — Net ea. **$281.50**
Wt. 7 lbs. Each (lots/3) **$262.25**

GRINDING DISCS (Not Shown)

Depressed center, type 27, grinding wheels are ¼" thick, tough aluminum oxide abrasive reinforced with fiberglass cloth. 25 grits as required by ASA safety code 87.1. Sold in lots of 10 only.

With ⅝"-11-Threaded Hub

Stock Number	Diam. (in.)	Max. (RPM)	Net Ea. (lots/10)	Each (100+)	Each (1000+)
26-975/3AL	7	7750	$3.80	$3.42	$3.00
26-976/1AL	9	8000	5.45	4.91	4.42

D COMPACT ½" AIR DRILL

Convenient, lightweight — easy to handle, fits tight quarters. Quiet — exhausted air is routed through the handle and diffused away from work area. Heavy-duty ½-HP air motor won't stall — has 500 RPM free speed. ½" Jacobs 3-jaw chuck, key. Speed control with adjustable teasing action trigger. consumes 4 SCFM air, 7¼" long — ¼" air inlet, ⅜" hose.

26-972/0A — List $199.95.
3¾ lbs. Ea. **$154.85.**
Ea. (lots/3) **$142.85**

E REAR EXHAUST GRINDER

Weighs only 20 oz., delivers vibration-free 22,000 RPM. This Chicago Pneumatic CP-860R die grinder with exhaust in the rear to direct air flow away from work area. Air motor with speed regulator delivers over ½-HP. All ball bearings, steel end plates. Collet size: ¼". 13/16" side to center. Measures 5¾" long. Shpg. wt. 1½ lbs.

26-867/2A — List $99.95.
Ea. **$79.95.** Ea. (lots/3) **$74.65**

Exhaust System includes 6' whip hose, 5' exhaust overhose, attachment ferrule. Wt. 1 lb.

26-868/0A — List $24.95.
Ea. **$22.55.** Ea. (lots/3) **$20.55**

F WELD FLUX CHIPPER

Heavy-duty industrial quality tool delivers 4000 blows per minute without wasted effort. Lever throttle allows one hand use. Quickly removes welding slag and spatter, heavy rust, old paint, and masonry. ¼" inlet, 8" length. 3 lbs.

26-500/9A — Net ea. **$112.50**
Each (lots/3) **$103.15**

Replacement Chisel for above.
26-703/9A — Net each **$7.45**

Lightweight Hose-Line Oiler



Choice of ¼" or ⅜" NPT sizes . . . this foolproof, trouble-free hose line oiler is constructed of aluminum with a ¼-ounce reservoir holding enough lubricant for an 8-hour shift on an average hand-held small production line air tool or stapling gun. It can be filled when air pressure is on. Produces a fine oil mist—flow rating is 22 scfm at 100 psig at 4 psi differential (maximum is 250 psig and 200°F temperature). Constructed for carefree use—no adjustments to tamper with, no bowl to clean or replace. 2⅞" long.

Stock No.	Inlet	Outlet	Net Each
26-377/2A	⅜"FPT	⅜"MPT	$9.50
26-376/4A	¼"FPT	¼"FPT	9.50

s Low As $1.95

High-Grade Air Tool Lubricant

Specially formulated high grade lubricating oil for air tools, cylinders, and air line lubricators. Lubricates and rustproofs at the same time. Keeps all tools running smoothly. Easy-pour spout on 16-oz. can allows easy filling of all size units. Economical one-gallon size for fast refills and large oiling operations. 8 lbs.

26-980/3A — 16 oz. Net ea. **$2.40**
Ea. (lots/6) ..... **2.18** Ea. (lots/12) **1.95**

26-981/1A — 1 gal. Net ea. **$10.65**
Ea. (lots of 4) **9.68**

Big Savings!

Merit Abrasive Test Kits



Snap-On Disc Kit

Quick-change snap-cam fastener secures disc to holder. They won't snag or tear, they remove stock fast with less loading and glazing. And they eliminate shredding, prevent fly off when operating at high speeds. Aluminum oxide resin bond recommended for most applications. Ideal for blending light welds, removing machine marks. Kit has 150 discs, 50 each in 1", 2", 3" diam. with 3 holders.

26-993/6A—Net ea. **$32.95**

Mini Grind-O-Flex Kit

Tiny, fast-cutting, highly resilient wheels deliver a smooth polish-grind action on flat, contoured or intricate surfaces. Save hours of hand work. Kit contains 10 wheels in assorted sizes from 1" diameter to 3" diameter in assorted width and grit sizes with ¼" chuck adapter. Aluminum oxide resin bond. Maximum RPM of 18,000 recommended.

26-992/8A—Net ea. **$24.15**

Grind-O-Flex Kit

Flexible coated abrasive flap wheels blend surfaces on metal, plastic, wood, most other materials. Use aluminum oxide resin or glue bond depending upon surface. Five wheels—three 6", one 4", one 3½"—with mounting adapter kit and bushings. Gives you the kind of finish you want on irregular or contoured surfaces without gouging or digging. Coated abrasive flaps form a resilient smoothing surface as wheel rotates.

26-994/4A—Net ea. **$32.95**

Save on Continuous-Duty Industrial Motors

1800-RPM Heavy-Duty Open Drip-Proof Motor 3-Phase



WE SHIP UPS WHEN POSSIBLE

Fully Warranted — American Made

IN STOCK IMMEDIATE SHIPPING

As Low As **$67.58**

Special Purchase
Sensational Low Prices
Save Now!

- Motors rotate in either direction!
- Moisture-resistant double impregnated windings
- Ruggedly built with rigid cast iron frames

Big savings on superior quality three-phase motors! "No finer motor made" . . . these heavy-duty 1800-RPM open drip-proof motors with hi-overload capacity. Double impregnated windings on stator to resist moisture, drip-proof enclosure for use in more places. Class B insulated squirrel cage is 60 cycle NEMA 40°C ambient. 1 through 25 HP, 230/460 volt. Manufacturer's 1-year warranty. Top-quality design . . . boasts simple but rugged construction. A terrific value offering long service and special low prices . . . save at C&H!

Stock Number	HP	Frame	Net Each
21-001/3A	1	143T	$ 67.58
21-003/9A	1½	145T	74.80
21-005/4A	2	145T	81.96
21-007/0A	3	182T	107.76
21-009/6A	5	184T	121.58
21-011/2A	7½	213T	175.29
21-013/8A	10	215T	204.12
21-015/3A	15	254T	283.37
21-017/9A	20	256T	349.87
21-019/5A	25	284T	416.29

NEMA MOTOR FRAME DIMENSIONAL DATA



Frame	D	E	F	U	V
143T	3½	2¾	2	⅞	2¼
145T	3½	2¾	2½	⅞	2¼
182T	4½	3¾	2¼	1⅛	2¾
184T	4½	3¾	2¾	1⅛	2¾
213T	5¼	4¼	2¾	1⅜	3½
215T	5¼	4¼	3½	1⅜	3½
254T	6¼	5	4½	1⅝	4⅝
256T	6¼	5	5	1⅝	4⅝
284T	7	5½	4¾	1⅞	5⅜
284TS	7	5½	4¾	1⅝	3

Single Phase 1800-RPM Open Drip-Proof Motors



WE SHIP UPS WHEN POSSIBLE

IN STOCK IMMEDIATE SHIPPING

As Low As **$81.36**

Fully Warranted American Made

Special Low Prices For Extra Savings
Buy Now!

High-quality motors designed for general purpose use. All have capacitor starting with induction run, squirrel cage design. Motors are designed for direct-on-the-line starting; starting torque and currents are strictly in accordance with NEMA standards. Strong centrifugal switch disconnects auxiliary start winding and capacitor from line as motor accelerates to full operating speed. Machine wound coils assure longer life and better performance. 1-HP through 3-HP motors operated on 115/230 volts, 60 cycles, 5-HP operates on 230 volts only. Take advantage of C&H's outstanding prices on these high-quality single phase open drip-proof motors.

Stk. No.	HP	Frame	Voltage	Net Ea.
21-357/9A	1	143T	115/230	$ 81.36
21-359/5A	1½	145T	115/230	102.48
21-361/1A	2	182T	115/230	155.31
21-363/7A	3	184T	115/230	193.51
21-365/2A	5	184T	230	294.57

Level and Pad Machines—For Better Performance

IN STOCK IMMEDIATE SHIPPING

LEVEL-RITE MACHINERY MOUNT

For light equipment

Cast steel self-contained leveling mounts with Unisorb felt to control vibration. Machines run smoother, quieter at top speeds, last longer, need fewer repairs. Mounts are unaffected by oils. Bolt levels mount, lock nut secures it.

FOR LIGHT EQUIPMENT such as business and duplicating machines, air conditioner pumps, light manufacturing.

Stk. No.	Capacity	Pad Size	Bolt Size	Net Ea.
24-487/1A	200 lbs.	2⅛" Dia.	5/16"x4"	$8.47
24-488/9A	500 lbs.	3½" Dia.	⅜"x4"	9.87



For heavy-duty application

FOR HEAVY-DUTY APPLICATION, PRECISION EQUIPMENT.

Stock Number	Cap./Mount max. load	Mount in.	Bolt in.	Min. Ht.	Max. Thickness	Net Each
24-656/1A	750 lbs.	3½x5½	½	1¾"	2⅝"	$16.79
24-657/9A	1,200 lbs.	3½x5½	⅝	1¾"	2⅝"	20.35
24-658/7A	2,000 lbs.	3½x5½	⅝	1¾"	2⅝"	22.66
24-659/5A	3,000 lbs.	5x8	¾	2"	4"	26.84
24-660/3A	5,000 lbs.	5x8	¾	2"	4"	35.93
24-661/1A	7,500 lbs.	5x8	1	2"	4"	38.58
24-662/9A	12,000 lbs.	5x8	1	2"	4"	49.50

LEVEL-RITE U-SERIES accepts machine leveling screw.

Stock Number	Cap. per Mount	Mount in.	Min. Ht.	Net Each
24-663/7A	500 lbs.	3x3	1"	$ 8.33
24-664/5A	900 lbs.	3x3	1"	19.96
24-665/2A	1,600 lbs.	4x4	1"	14.61
24-666/0A	2,700 lbs.	3x3	1"	21.19
24-667/8A	3,600 lbs.	6x6	1½"	21.15
24-668/6A	4,800 lbs.	4x4	1"	19.39
24-669/4A	10,000 lbs.	6x6	1½"	27.08

Level-Rite U-Series

VIBRATION ISOLATION & ANCHORING PADS

Time-tested wool felt resists most industrial chemicals, oils, moisture. Type H pads are 1-50 psi, Type E are heavy-duty, 50-100 psi, Type D are super duty 100-300 psi.

PLAIN PADS—Must be cemented to machine foot and floor

Style	3'x5' Sheets Stk. No.	3'x5' Sheets Net Ea.	2½'x3' Sheets Stk. No.	2½'x3' Sheets Net Ea.	Cut To Size Stk. No.	Cut To Size Per Sq. Ft.
H-¼"	24-670/2A	$ 97.65	24-680/1A	$ 78.75	24-690/0A	$10.15
H-½"	24-671/0A	150.30	24-681/9A	102.00	24-691/8A	13.65
E-½"	24-672/8A	249.15	24-682/7A	151.80	24-692/6A	20.24
E-1"	24-673/6A	480.60	24-683/5A	267.53	24-693/4A	35.67
D-½"	24-674/4A	331.95	24-684/3A	193.20	24-694/2A	25.76
D-1"	24-675/1A	559.05	24-685/0A	306.83	24-695/9A	40.91

NYLON-BOUND PADS—Automatically bond floor and machine foot.

HB-½"	24-676/9A	$204.75	24-686/8A	$129.68	24-696/7A	$17.29
EB-½"	24-677/7A	303.45	24-687/6A	179.03	24-697/5A	23.87
EB-1"	24-678/5A	535.05	24-688/4A	294.83	24-698/3A	39.31
DB-½"	24-679/3A	386.40	24-689/2A	220.05	24-699/1A	29.40

CEMENT FOR PLAIN PADS: 24-032/5A—1-gal. can $19.40
24-033/3A—1-qt. can 6.47

HOW TO SELECT THE PROPER PAD

1. Divide total weight of machine by number of supporting legs.
2. Divide load per leg by bearing contact area on floor in sq. in. to get load in psi.
3. Select pad type based on psi e.g., if 79 psi, choose Type E or EB.
4. Pad should be ½" larger all around than the size of the foot it supports.

Quality Engineered Air Compressors At Factory-Direct Wholesale Prices

Save Without Sacrificing Quality or Service. C&H Assembles High Performance Air Compressors Using the Best Components In the Industry. You Get Long Life, Low Maintenance . . . And When Necessary, Nationwide Service and Parts Replacement



Design integrity plus custom capabilities are your assurance of dependable compressor performance. Depend on C&H to do the job better.

Sales Engineers dedicated to insuring your satisfaction and ready to solve your individual air problems are available by calling 800-558-9966. In Wisconsin, call 271-2250 collect.



Quality Assurance specifications of the highest standards result in compressors that meet and exceed the operating requirements of others.



Careful Craftsmenship performed by dedicated specialists in the air industry is your assurance of day-to-day reliability and long-term service.



Factory-Tested by skilled craftsmen . . . these fully inspected, prewired compressors are checked and rechecked to eliminate the possibility of design or human error.

Coast-to-Coast Service through a network of nationwide depots. Parts for the quality components in C&H compressors are availble almost everywhere.

Selecting the Correct Compressor . . . in 6 Simple Steps

1. Determine Compressor Type. Based on your PSI needs, determine if you need a single-stage (generally for 0 to 80 PSI) or 2-stage (generally, 80 to 250 PSI).

2. Determine Air Consumption. Make a list of tools and equipment requiring a continuous flow of compressed air and a separate list of tools and equipment using intermittent air (25% use factor).

3. Determine Compressor Horsepower. Add the CFM required from both lists (use 25% of intermittent total figure), add in another 15% to 25% for system variable and future needs, and divide this total by four to determine approximate horsepower.

4. Determine Tank Size. Choose a small receiver for installations where storage is not important, demand is infrequent, or where constant speed controls are used. Use a large receiver for installations where large flow of short duration is needed, steady flow demands longer running and longer resting periods on start-stop control, minimum pressure variations are important, and drier cooler air is required.

5. Determine Control Type. Start-stop (pressure switch) control, constant speed control, or dual control. Refer to guide below.

6. Select Your Actual Compressor from the information you compiled.

Note: For assistance in sizing the correct compressor to your application, call our Sales Engineers toll-free at 800-558-9966. In Wisconsin, call collect 414/271-2250.

EASY AIR COMPRESSOR REFERENCE GUIDE

CFM — Cubic Ft. per Min. A measure of a compressor's capacity and of the air flow requirement of air-driven devices. Compressors have two ratings — Displacement CFM and Free Air CFM. Air-driven devices are rated in Free Air CFM.

Displacement CFM is calculated by multiplying the volume of the pump cylinder(s) by the pump speed in RPM (on 2-stage pumps take volume only of low-pressure cylinders). This rating does not take into consideration efficiency of air pump.

Free Air CFM is the actual air delivery of a compressor, as measured when discharged to atmospheric pressure.

Pressure (PSI) — Measures in Pounds Per Sq. In. the force exerted by the compressed air.

Air Pump (compressor head) is the part of the compressor that compresses the air.

Single-Stage type compressor is for applications requiring air at 100 PSI or less. Has one or more cylinders, all discharging directly into the tank.

Two-Stage type compressor for applications requiring air at 100-175 PSI. Has two or more cylinders in series. The first cylinder compresses air into the second cylinder, which then compresses it further and pumps it into the tank.

Intercooler — A length of tubing, often with fins, connecting the low and high pressure cylinders of a two-stage compressor pump. It is used to dissipate some of the heat generated in compression, improving pump performance and life.

Intake Filter — A foam pad or other filtering material mounted on the pump air intake, to prevent airborne contaminants from entering the pump and reducing piston and cylinder life. To remain efficient, it must be serviced regularly.

Air Tank (Receiver) — Stores air compressed by pump for peak loads or intermittent use. Isolates pump pressure pulsation. There are three types: ASME Standard (UM type), ASME National Board (U Type), and Non-Code tanks.

ASME Standard (UM type) tank is made and tested in accordance with American Society of Mechanical Engineers standards. ASME certificate of compliance is furnished with each tank.

ASME National Board (U type) Tank is made, tested, inspected, and registered to meet standards of ASME. A certificate is supplied with each tank to indicate compliance and show registry number. The ASME certificate is required by law in many cities and states to pass safety codes. It assures that (1) code approval materials are used, (2) steel plate is without defects and is the specified thickness (3) proper welding techniques are employed by experienced operators (4) openings and supports are the correct size, and (5) tank has passed rigid tests. ASME tanks must be used where OSHA compliance is required.

Non-Code Tanks do not meet ASME standards. They are widely used on small compressors in locations where compliance with OSHA and similar standards is not required.

Tank Pressure Controls — Three types are used: Pressure switch control, Constant speed control, and dual control.

Pressure Switch Control starts and stops the compressor as pressure falls and rises in the tank. It is generally used on compressors for intermittent duty where air usage is less than 50% of compressor capacity.

Constant Speed Control releases (unloads) excess pressure while compressor operates continuously. It is used in applications where air usage is continuous or maximum air usage exceeds varying air demands. Allows compressors to be used efficiently in all applications.

Dual Control allows the selection of either constant speed or start-stop operation to fit varying air demands. Allows compressors to be used efficiently in all applications.

Check Valve allows air to flow one way only — from pump to tank. When compressor stops, this valve closes, preventing loss of air from tank.

Safety or Relief Valve vents tank if excess pressure builds up. For safety, a relief valve must be used on all compressors. ASME stamped and sealed safety valves must be used on all ASME tanks.

Unloaders — There are two basic types: Head unloaders and Constant speed unloaders.

Head Unloaders open the air discharge line between pump and tank whenever the pump stops, relieving the pressure to make re-starting easier. A check valve prevents loss of air from the tank. There are three types of head unloaders: (1) Centrifugal type has speed-activated valve that closes as compressor comes up to speed and open when compressor stops; (2) Pressure switch unloader works together with pressure switch — opens valve to vent air whenever switch stops compressor, closes valve when switch re-starts unit; (3) Combination unloader and check valve senses lack of air flow as pump stops and relieves pressure in discharge line. As pump starts, vent closes and check valve reopens.

Constant Speed Unloaders allow pump to operate unloaded (running but not compressing air) when tank pressure reaches pre-set level. It's used on continuous run compressors. There are two types: (1) Pilot valve unloader holds pump intake valve open when pre-set pressure is reached; (2) Continuous run unloader vents pump discharge line to open air whenever tank pressure reaches pre-set level. Also acts as check valve.

AIR COMPRESSOR ACCESSORIES

Magnetic Starter is an electrically operated switch used to control the compressor motor and provide thermal protection. Activated by pressure switch.

Automatic Tank Drain Valve — Installed at bottom of tank — opens briefly during each pumping cycle to release moisture condensed from the air.

Belt Guard. Metal or plastic shield around pump flywheel, belt and motor sheave to prevent hands or clothing from getting caught in moving parts. Recommended for all installations. Necessary for OSHA compliance.

Low-Oil Level Shutdown Switch. Installed in compressor crankcase and wired to magnetic motor starter.

AIR SYSTEM COMPONENTS

Filters. Connect into air line to trap solid or liquid particles that can cause damage.

Pressure Regulator. An adjustable valve used to reduce air pressure from tank level to that required by air-using equipment and to maintain it automatically. May be installed at the tank or at the connection for the air-operated equipment.

Lubricator. A device for constant feeding of oil mist into the air stream for lubrication of air-powered equipment or tools (not used for spraying).

Air Cleaning Equipment. Air taken from the atmosphere by the compressor also contains many impurities including water vapor, dust, oil, smoke. These contaminants can cause rapid wear, clogging and malfunctioning of air tools, cylinders and valves. The follwing types of air cleaning equipment will help insure the efficient performance of air-operated equipment:

Aftercoolers remove water vapor from the compressed air by lowering the temperature of the air and causing the water vapor to condense into droplets for easy removal. They can be piped between the pump and tank on the air compressor. There are two types: Watercooled uses water to cool the compressed air; Aircooled uses the ambient air to cool the compressed air.

Refrigerated Air Dryers reduce the compressed air temperatures as low as 35°F to remove greater amounts of water than aftercoolers. Inlet air temperature should not exceed 120°F. Piping dryers closer to the work allows for cooling only that portion of air needed. Air or water cooled aftercoolers may be used to precool compressed air before it enters the dryer.

Separator/Drain Trap. Normally located downstream from aftercoolers to remove condensed water, contaminants.

Savings on Heavy-Duty Compressors

FULLY WARRANTED NEW 1980 MODELS!

FOR ORDERS ONLY Phone Toll Free 800-558-9966 For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Industrial 3-HP Two-Stage Air Compressors



As Low As **$938.00**

- 1800 RPM open drip proof motor
- Kellogg-American 325 TV cast iron compressor pump

Superior self-contained air system with more features you want for more efficiency, maintenance . . . years of quiet, troublefree service. Heavy-duty cast-iron pump operates at low RPM to prolong service life; centrifugal unloaders automatically provide no-load starts. High efficiency multiple wafer-type valves have removable seats; tapered roller main bearings support counter-balanced crankshaft at both ends. Air-cooled intercooler has high air flow capacity, less pressure drop. Positive ring-flo lubrication feeds oil to every wearing surface. Combination filter-silencer improves efficiency, quiet.

1800-RPM open drip proof motors built to meet or exceed NEMA specifications. ASME National Board Code approved air receivers have 200 PSI working pressures, come with 0-300 PSI pressure gauge, tank drain, service valves. Automatic start-stop controls with pressure switch factory-set at 125-150. OSHA belt guard included. FOB Milwaukee, WI.

SPECIFICATIONS AND PERFORMANCE CHART FOR 3 HP COMPRESSORS	Operating Pres.	Pump	Piston Displ.	Free Air
	100 psig	890 RPM	16.9 CFM	12.5 CFM
	125 psig	836 RPM	16.0 CFM	11.7 CFM
	150 psig	836 RPM	16.0 CFM	11.6 CFM
	175 psig	800 RPM	15.3 CFM	11.2 CFM
	200 psig	760 RPM	14.5 CFM	10.5 CFM

Stock Number	HP	Tank Style	Motor Ph.	Motor Voltage 60 Hz.	Overall Dimensions L	W	H	Shpg. Wt. (lbs.)	List Price	Net Price
MOUNTED ON 60-GALLON ASME NATIONAL BOARD TANK										
20-035/2WT(01)	3	Horiz.	1	230	52	26	48	623	$2150.00	$994.00
20-035/2WT(02)	3	Horiz.	3	230/460	52	26	48	600	1881.00	938.00
MOUNTED ON 80-GALLON ASME NATIONAL BOARD TANK										
20-036/0WT(01)	3	Horiz.	1	230	67	26	49	686	$2257.00	$1028.
20-036/0WT(02)	3	Horiz.	3	230/460	67	26	49	663	1988.00	972.
MOUNTED ON HEAVY STEEL BASE ONLY (NO TANK) Includes pump, motor, base, V-belt drive, centrifugal unloader, pressure switch, check valve, and discharge manifold.										
20-035/2WT(05)	3	—	1	230	30	19	28	423	$1819.00	$797.
20-035/2WT(06)	3	—	3	230/460	30	19	28	400	1550.00	741.

MODIFICATIONS AND ACCESSORIES

Description	Order No.	Add
3 HP unit, mounted on 60-gallon vertical tank	SPECIFY	$ 15.00
3 HP unit mounted on 80-gallon vertical tank	SPECIFY	24.00
230V 3-ph. magnetic starter, mtd., wired	20-048/5W	106.75
460V 3-ph. magnetic starter, mtd., wired	20-338/0W	106.75
220V 1-ph. magnetic starter, mtd., wired	20-334/9W	104.75
Low-oil shutdown switch, mounted	20-363/8W	82.75
Automatic compressor tank drain, mounted	20-285/3W	49.95
Constant speed control, mounted	20-051/9W	62.10
Dual control, mounted	20-802/5W	41.50



Heavy-Duty Industrial 5-HP Air Compressor

- Kellogg-American 335TV cast iron compressor pump

Superior self-contained air system offers continuous duty performance and reliability. Heavy-duty cast iron pump operates at low rpm to prolong compressor life; centrifugal unloader automatically provides no-load starts. Filter-silencer is effective in offering air filtration and noise reduction. Pump has tapered roller main bearings, air-cooled intercooler has high airflow capacity to reduce pressure drop. Positive ring-flo lubrication force-feeds oil. Compressor is outfitted with fully enclosed belt guard, 1800-RPM open drip-proof motor built to meet or exceed NEMA specifications. ASME National Board code approved air receivers have 200 PSI working pressure with 0-300 pressure gauge, tank drain, ASME-approved safety valves. Unit has automatic start-stop controls with pressure switch set at 125-150 PSI. FOB Milwaukee.

SPECIFICATION AND PERFORMANCE CHART FOR 5-HP COMPRESSORS	Operating Pres.	Pump	Piston Displ.	Free Air
	100 psig	810 RPM	24.9 CFM	20.0 CFM
	125 psig	770 RPM	23.7 CFM	18.1 CFM
	150 psig	730 RPM	22.4 CFM	17.2 CFM
	175 psig	770 RPM	21.8 CFM	17.0 CFM
	200 psig	693 RPM	21.3 CFM	16.9 CFM

Stock Number	HP	Tank Style	Motor Ph.	Motor Voltage 60 Hz.	Overall Dimensions L	W	H	Shpg. Wt. (lbs.)	List Price	Net Each
MOUNTED ON 60-GALLON ASME NATIONAL BOARD TANK										
20-038/6WT(01)	5	Horiz.	1	230	52	26	43	654	$2567.00	$1112.
20-038/6WT(02)	5	Horiz.	3	230/460	52	26	43	625	2042.00	1020.
MOUNTED ON 80-GALLON ASME NATIONAL BOARD TANK										
20-039/4WT(01)	5	Horiz.	1	230	67	26	44	737	$2669.00	$1152.
20-039/4WT(02)	5	Horiz.	3	230/460	67	26	44	688	2150.00	1059.
MOUNTED ON HEAVY STEEL BASE ONLY (NO TANK) Includes pump, motor, base, V-belt drive, centrifugal unloader, pressure switch, check valve, and discharge manifold.										
20-038/6WT(05)	5	—	1	230	30	19	23	454	$2240.00	$903.
20-038/6WT(06)	5	—	3	230/460	30	19	23	425	1706.00	810.

MODIFICATIONS AND ACCESSORIES

Description	Order No.	Add
5 HP unit mounted on 60-gallon vertical tank	SPECIFY	$ 15.00
5 HP unit mounted on 80-gallon vertical tank	SPECIFY	24.00
230V 3-ph. magnetic starter, mtd., wired	20-339/8W	119.50
460V 3-ph. magnetic starter, mtd., wired	20-340/6W	106.75
220V 1-ph. magnetic starter, mtd., wired	20-335/6W	125.00
Low-oil shutdown switch, mounted	20-363/8W	82.75
Automatic compressor tank drain, mounted	20-285/3W	49.95
Constant speed control, mounted	20-051/9W	62.10
Dual control, mounted	20-802/5W	41.50

C&H Recommended Compressor Accessories



Level-Rite Vibration Mounts At Savings

Eliminates the need for bolting compressor to the floor. Level-Rite mounts stop vibration transmission to the floor and surrounding work areas. Accurately levels compressor on uneven floors for correct operation. Shipped unmounted.

Stk. No.	For HP	No. in Set	Net Each
20-591/4A	1 to 5HP	4	Ea./Set....$ 39.48
20-592/2A	5 to 25 HP	4	Ea./Set.... 67.16
20-593/0A	30 to 100 HP	6	Ea./Set.... 122.10

Absorbs up to 85% of transmitted vibration

Flexible Lines for your Compressor

Metal hose installed between compressor unit and pipe line prevents vibration from being transmitted throughout the entire system. Alignment stresses are eliminated. Male pipe thread connections. Specify exact length desired when ordering. Shipped unmounted.

Pipe Size	Std. Lgth.	BRONZE ALLOY Stock No.	Net Ea.	Extra Per In.
1/2"	10"	26-109/9AM	$15.65	$1.02
3/4"	11"	26-110/7AM	22.65	1.58
1"	12"	26-111/5AM	28.45	1.94
1 1/4"	13"	26-112/3AM	37.70	2.46
1 1/2"	14"	26-113/1AM	48.95	3.24
2"	15"	26-114/9AM	68.80	4.10

Industrial 2-Stage Air Compressors At Savings

Heavy-Duty 7½-HP Air Compressor for Demanding Jobs

As Low As

$1433.00



Heavy-Duty 10-HP Compressor for Continuous Duty

Model 452TV
Kellogg-American
Compressor Pump

As Low As

$1555.00

Superbly balanced compressor pumps assure low vibration, high efficiency, long life! Aluminum cylinders are bonded by special process to hardened steel cylinder walls assuring maximum heat dissipation. Thin finned intercoolers provide low operating temperatures. Domed pistons and low-lift Swedish steel valves produce more air. 1800-RPM open drip-proof motors meet or exceed NEMA specifications. ASME-code approved air recievers have 200 PSI working pressures, with 0-300 PSI gauge, tank drain, service valves. Automatic start-stop controls are pre-set at 125-150 PSI. Complete with ASME safety valve, intake-filter silencer. All factory pre-wired, lubricated, tested and inspected before shipment. OSHA belt guard included. Fully warranted. FOB Milwaukee, WI.

SPECIFICATIONS AND PERFORMANCE CHART FOR 7½-HP COMPRESSOR	HP	Operating Pressure PSIG	Pump RPM	CFM Displ.	CFM Free Air
	7½	100	757	44.1	37.0
	7½	125	711	41.5	34.5
	7½	150	670	39.1	32.1
	7½	200	587	34.2	27.6

MOUNTED ON 80-GALLON ASME NATIONAL BOARD TANK

Stock Number	HP	Tank Style	Motor Ph	Motor Voltage 60 Hz	Overall Dimensions L	W	H	Shpg. Wt. (lbs.)	List Price	Net Each
20-101/2WT(02)	7½	Horiz.	3	230/460	67″	26″	49″	910	$3233	$1433.00
20-101/2WT(04)	7½	Vert.	3	230/460	45″	27″	77″	929	3310	1467.50

MOUNTED ON 120-GALLON ASME NATIONAL BOARD TANK

20-102/0WT(02)	7½	Horiz.	3	230/460	74″	33″	55″	1150	$3474	$1534.50
20-102/0WT(04)	7½	Vert.	3	230/460	45″	32″	75″	1169	3554	1554.00

MOUNTED ON HEAVY STEEL BASE (NO TANK)
Includes pump, motor, V-belt drive, centrifugal unloader, pressure switch, check valve, discharge manifold, steel base plate. Belt guard standard.

20-101/2WT(06)	7½	—	3	230/460	44″	24″	29″	647	$2817	$1215.00

Endurance-tested for 10,000 hrs. with no appreciable wear on valves or rings . . . and oil consumption of only 2 qts. Based on normal 40-hr. work week this amounts to almost 5 yrs. of trouble-free service. Heavy-duty cast-iron pump has centrifugal unloaders for automatic no-load starts. Multiple wafer-type valves with removable seats, tapered roller main bearings support counter-balanced crankshaft at both ends. Air-cooled intercoolers reduce pressure drop. Combination filter-silencer for efficient air filtration, noise reduction. Positive ring-flo lubrication force-feeds oil, minimizes maintenance. 1800-RPM open drop-proof motor, automatic start-stop controls (factory set at 125-150 PSI), 200 PSI ASME air receiver with 0-300 PSI air pressure gauge, safety valves, tank drain. OSHA belt guard. FOB Milwaukee.

SPECIFICATIONS AND PERFORMANCE CHART FOR 10-HP COMPRESSOR	HP	Operating Pressure PSIG	Pump RPM	CFM Displ.	CFM Free Air
	10	100	846	52.1	40.0
	10	125	788	48.4	38.0
	10	150	788	48.4	37.6
	10	175	730	44.4	35.2
	10	200	675	44.4	34.4

MOUNTED ON 80-GALLON ASME NATIONAL BOARD TANK

Stock Number	HP	Tank Style	Motor Ph.	Motor Voltage 60 HZ	Overall Dimensions L	W	H	Shpg Wt. (lbs.)	List Price	Each
20-104/6WT(02)	10	Horiz.	3	230/460	67″	25″	45″	945	$3953	$1555.00
20-104/6WT(04)	10	Vert.	3	230/460	39″	26″	73″	964	3996	1572.00

MOUNTED ON 120-GALLON ASME NATIONAL BOARD TANK

20-105/3WT(02)	10	Horiz.	3	230/460	74″	33″	51″	1145	$4221	$1665.00
20-105/3WT(04)	10	Vert.	3	230/460	39″	32″	72″	1160	4267	1689.00

MOUNTED ON HEAVY STEEL BASE (NO TANK)
Includes pump, motor, V-belt drive, centrifugal unloader, pressure switch, check valv discharge manifold, steel base plate. Belt guard standard.

20-104/6WT(06)	10	—	3	240/460	44″	24″	26″	682	$3087	$1330.50

MODIFICATIONS AND ACCESSORIES

Description	Order No.	Add
230V 3-ph. magnetic starter, mtd. and wired	20-107/9W	$119.50
460V 3-ph. magnetic starter, mtd. and wired	20-341/4W	119.00
Low-oil shutdown switch, mounted	20-363/8W	82.75
Automatic compressor tank drain, mounted	20-285/3W	49.95
Constant speed control, mounted	20-110/3W	89.50
Dual control, mounted	20-802/5W	41.50

MODIFICATIONS AND ACCESSORIES

Description	Order No.	Add
230V 3-ph. magnetic starter, mounted and wired	20-342/2W	$143.00
460V 3-ph. magnetic starter, mtd. and wired	20-343/0W	119.50
Low-oil shutdown switch, mounted	20-363/8W	82.75
Automatic compressor tank drain, mounted	20-285/3W	49.95
Constant speed control, mounted	20-110/3W	89.50
Dual control, mounted	20-802/5W	41.50



C&H Air Compressor Accessories

Automatic Magnetic Motor Starters

Better safe than sorry! Magnetic across-the-line type starters are needed for automatic start-stop and dual-control compressors having 5-HP and larger single phase motors and all those with 3-phase motors. Starters protect against thermal overload and under-voltage . . . and against 3-ph. motors single phasing. Switches are UL rated in NEMA Type I drip-proof enclosures.

	SINGLE PHASE				3-PHASE			
	110 Volt		220 Volt		230/200V*		460 Volt	
HP	Stk. No.	Net Ea.	Stk. No.	Net Ea.	Stk. No.	Net Ea.	Stk. No.	Net Ea.
1½-2	20-333/1W	$104.25	20-030/3W	$ 95.75	20-336/4W	$106.75	20-337/2W	$ 95.00
3	20-047/7W	125.50	20-334/9W	104.75	20-048/5W	106.75	20-338/0W	106.75
5			20-335/6W	125.00	20-339/8W	119.50	20-340/6W	106.75
7½					20-107/9W	119.50	20-341/4W	119.00
10					20-342/2W	143.00	20-343/0W	119.50
15*					20-117/8W	189.50	20-118/6W	156.75
20*					20-344/5W	240.50	20-345/5W	186.50
25					20-346/3W	293.00	20-347/1W	186.50

FURNAS

*For 200V starter please order next higher HP 230V unit.

15 to 25 HP 2-Stage Compressors



Continuous-Duty Tough Industrial Air Compressor

15-HP
As Low As
$3129.00

SAVE UP TO 54%

Tireless performance 24 hours a day, 7 days a week, 52 weeks a year makes this quality built air compressor with K-A 462TV compressor pump the ideal choice for tough industrical applications. Fully warranted for 1 year, these continous duty compressors have ASME-rated air receivers, built and inspected to Dept. of Commerce standards for working pressure to 200 PSI. Standard pressure setting is 125 PSI on, 150 PSI off . . . easily adjusts to 200 PSI. All models are equipped with automatic start-stop controls.

Heavy-duty cast-iron pumps with centrifugal unloaders automatically provide no-load starts. Low RPM prolongs pump life . . . multiple water-type valves with removable seats assure high efficiency. Tapered roller main bearings support counter-balanced crankshaft at both ends. High capacity intercooler is air-cooled to reduce pressure drop, positive ring-flo lubrication force-feeds oil to minimize maintenance and upkeep.

Equipped with 1800-RPM open drop-proof motors from famous manufacturers, all meet or exceed NEMA specifications. All are 230/460 V, 3-phase. Compressors are finished in blue acrylic enamel and come complete with ASME approved safety valves, intake filter-silencers. Air receivers have easy access tank drain and service valves; belt guard to meet OSHA requirements included on all compressors. FOB Milwaukee, WI.

SPECIFICATION AND PERFORMANCE CHART FOR 15-20-25HP COMPRESSORS

HP	Operating Pressure PSIG	Pump RPM	CFM Displ.	CFM Free Air
15	100	595	81.6	64.0
15	125	560	76.8	61.0
15	150	545	75.0	58.0
15	175	525	72.4	55.0
15	200	506	69.6	52.5
20	100	744	102.4	80.4
20	125	712	98.0	77.4
20	150	693	95.2	74.5
20	175	672	92.6	71.6
20	200	656	90.1	69.0
25	175	775	106.5	83.0

MOUNTED ON 120-GAL. ASME NATIONAL BOARD TANK

Stock Number	HP	Overall Dimensions L	W	H	Shpg. Wt. (lbs.)	List Price	Each
20-111/1WT(02)	15	74	32	63	1760	$5370.00	$3129.00
20-113/7WT(02)	20	74	32	63	1780	6568.00	3193.00
20-429/7WT(02)	25	74	32	63	1800	7081.00	3257.00

MOUNTED ON 200-GAL. ASME NATIONAL BOARD TANK

20-427/1WT(02)	15	78	38	69	2410	$5692.00	$3282.00
20-428/9WT(02)	20	78	38	69	2430	6926.00	3374.00
20-116/0WT(02)	25	78	38	69	2450	7438.00	3438.00

MODIFICATIONS AND ACCESSORIES

Description	Order No.	Add
15-HP 230V 3-ph. magnetic starter, mtd., wired	20-117/8W	$189.50
15-HP 460V 3-ph. magnetic starter, mtd., wired	20-118/6W	156.75
20-HP 230V 3-ph. magnetic starter, mtd., wired	20-344/8W	240.50
20-HP 460V 3-ph. magnetic starter, mtd., wired	20-345/5W	186.50
25-HP 230V 3-ph. magnetic starter, mtd., wired	20-346/3W	293.00
25-HP 460V 3-ph. magnetic starter, mtd., wired	20-347/1W	186.50
Low oil control, mounted	20-363/8W	82.75
Automatic compressor tank drain, mounted	20-285/3W	49.95
Constant speed control, mounted	20-121/0W	136.00
Dual control, mounted	20-802/5W	41.50

Base-Mounted 15 to 25 HP Continuous-Duty Compressors to Meet Special Requirements

Same quality features as units above, but without air receivers . . . ideal for use as add-on units, for charging sprinkler systems, for installations requiring tank to be remotely located. Base-mounted compressors consist of heavy-duty cast-iron compressor pump, 1800-RPM open drop-proof motor, V-belt drive, starting unloader, pressure switch, check valve, discharge manifold, belt guard. Mounted on heavy steel baseplate with 230/460V, 3-phase motor. Full 1-year warranty. FOB Milwaukee, WI.

Stock Number	HP	Overall Dimensions L	W	H	Shpg. Wt. (lbs.)	List Price	Each
20-111/1WT(06)	15	60	30	41	1448	$4690.00	$2852.00
20-113/7WT(06)	20	60	30	41	1468	5812.00	2916.00
20-429/7WT(06)	25	60	30	41	1488	6323.00	2980.00

Note: 3 Welded steel cross-legs included for easy 6-point bolt down installation.

To accessorize please see listings under tank mounted units above.

25-HP
As Low As
$2980.00
—SAVE—
$3343.00



FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Recommended Air Compressor Accessories

Convenient Start-Stop Switch



Mounted in cover of magnetic starter . . . start-stop switch provides on-the spot convenience to shut unit off while servicing unit. Saves times, helps to avoid costly accidents by making it convenient to shut compressor off when needed. Mounting included. A small price to pay for an extra measure of safety.

20-351/3W—Net each **$29.95**

Hour Meter Aids Maintenance



Mount this accurate hour meter on compressor to record its operating time . . . helps you to meet maintenance schedules on time. Saves money because better maintenance cuts downtime. (Includes mounting.)

For 110-volt compressors.
20-352/1W—Net each **$45.50**
For 220-volt compressors.
20-353/9W—Net each **$46.75**

Plant-Size Air Compressors—Up to 200 HP



C&H's Top-Rated 25-HP and 30-HP Compressors Centralize Your Air System Economically

Packaged piston-type air compressor saves space, assures a dependable supply of air. This complete, convenient to install unit meets the air needs of an active plant. Air cooled aftercooler assures drier air. Unit is designed to conserve on costly water consumption, requires no extensive foundation. Kellogg-American K-25 heavy-duty two-stage pump offers efficient, long-life cooling, produces pressure to 175 PSI — specify maximum pressure desired. 1800-RPM open drip-proof motor assures dependable power. Has 120-gallon ASME rated tank, air line separator and drain trap, fully enclosed all-metal belt guard, magnetic starter. Specify 230 volt or 460 volt 3-phase motor. FOB Milwaukee.

Stock Number	HP	CFM Displ.	CFM Del.	Press.	Volt.	Dimensions H x L x W	Approx. Wt.	Net Each
20-759/7WT	25	129	110	110	230	73x73x39"	3000 #	$7156.00
20-760/5WT	25	129	110	110	460	73x73x39"	3000 #	7156.00
20-761/3WT	30	142	122.6	110	230	74x74x39"	3100 #	7219.00
20-754/8WT	30	142	122.6	110	460	74x73x39"	3100 #	7219.00

Also available as conventional base-mount, with or without remote receiver.



Kellogg-American Hydrovane Compressors—Available At C&H

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Consider the advantages of the hydrovane design . . . it's the most highly developed type of oil-sealed rotary compressor offering big air power in a small package. Kellogg-American Hydrovanes are available base or tank mounted in 2 to 50 HP models. Contact the Compressor Sales Department for more information. Here are just a few of the values:

- 87% volumetrically efficient
- Whisper-quiet and vibration-free
- No connecting rods or crankshaft
- No pistons or valves to stick
- Built-in pressure gauge, oil filter
- Automatic control and safety valve



Kellogg-American Rotary Screw-Type Compressors

50-HP
As Low As
$11,860.00
460V 3-ph. 60 hz

25-HP
As Low As
$6541.00
460V 3-ph. 60 hz

- Noise levels under Welsh-Healy requirements!
- Air or water cooled—2-yr. registered warranty

MOST COMPATIBLE COMPRESSOR on the market today! Has only two rotating parts so it's free from the vibration and pulsation of other compressors. Noise is further reduced by an insulated cabinet. Cool operation is assured by completely oil-flooded and filtered lubrication . . . Carbon and sludge formations are kept to a minimum.

COMPLETE! READY TO INSTALL . . . only two connections are required; electricity and airline. No special foundation is needed. Compressor is designed for 24-hr. continuous service at rated pressure with constant efficiency.

TYPE: 01 air cooled or 02 water cooled. Specify cooling type and number when ordering.

HP	Free Air CFM	db	Dimensions (inches) L	W	H	Shpg. Wt. (lbs.)	PRICES INCLUDE FULL CHARGE OF SYNTHETIC OIL 200V, 3 ph., 60 cy. Stk. No.	Net Ea.	230V, 3 ph., 60 cy. Stk. No.	Net Ea.	460V, 3 ph., 60 cy. Stk. No.	Net Ea.
15	55.1	81	45	30	36	900	20-618/5DX	$5129.00	20-626/8DX	$5054.00	20-634/2DX	$5054.00
20	77.5	82	45	30	36	960	20-619/3DX	5904.00	20-627/6DX	5825.00	20-635/9DX	5677.00
25	95.2	77	55	30	36	1120	20-620/1DX	6668.00	20-628/4DX	6668.00	20-636/7DX	6541.00
30	110	81	55	30	36	1240	20-621/9DX	7397.00	20-629/2DX	7194.00	20-637/5DX	7085.00
40	180	80	63	49	53	2440	20-622/7DX	10,133.00	20-630/0DX	9984.00	20-638/3DX	9846.00
50	225	81	63	49	53	2490	20-623/5DX	12,823.00	20-631/8DX	12,136.00	20-639/1DX	11,860.00
60	265	82	63	49	53	2760	20-624/3DX	13,615.00	20-632/6DX	13,448.00	20-640/9DX	13,127.00
75	340	86	63	49	53	3100	20-641/7DX	460V, 3 ph., 60 01 air cooled	$16,429.00	460V, 3 ph., 60 02 water cooled	$15,494.00	
100	475*	79	96	56	68	5150	20-653/2DX		19,562.00		18,345.00	
125	602*	82	96	56	68	5250	20-654/0DX		22,729.00		20,633.00	
150	712*	83	96	56	68	5500	20-655/7DX		24,440.00		22,156.00	
200	970*	83	96	56	68	5700	20-656/5DX		29,584.00		26,538.00	

Rated at 100 PSI. Maximum working pressure is 125 psig.
*Capacity figures based on 110 psig pressure, models for 125 psig working pressure available at same price.

INCLUDES: High temperature automatic safety switch, magnetic motor starter switch with overload and low voltage protection, low voltage control transformer and control panel with control selector switch, air pressure gauge, oil pressure gauge, power-on indicator light and high temperature shutdown indicator light. Intake filter silencer, full flow oil filter with replaceable element and ball bearing motor.

Super Buys on 15-20-25 HP Air Compressors High Quality at Low Prices



Fully tested, completely assembled compressors offer exceptionally fine performance. Automatic start-stop controls included with pressure switch factory-set at 125-150 PSI. ASME code approved air receivers have 200 PSI working pressures, each comes with 0-300 PSI pressure gauge, tank drain and service valve. Two-stage pumps are engineered for operating efficiency . . . multiple unamated aluminum cylinders have cast iron liners offering 375% more cooling surface. Domed upper cylinder allows use of large diameter valves with low lift, lightning action. Positive start unloading keeps compressor unloaded until it reaches normal speed and oil circulation. Motors are 1800-RPM open drip-proof 230/460 volt 3-ph. built to meet or exceed NEMA specifications. Comes with ASME safety valve, intake-filter silencer. Compressors are factory prewired, lubricated, tested, and inspected. FOB Milwaukee, WI.

- Parts Are Available Anywhere In the U.S.A
- Warranted One Full Year

Stock Number	HP	No. of Cyl.	CFM Displ.	CFM* Deliv.	Size (In.) L	W	H	RPM	Wt. (lbs.)	List Price	Each
MOUNTED ON 120-GAL. ASME NATIONAL BOARD TANK											
20-308/3W	15	2	61.5	53.7	76	30	58	770	1075	$5040.00	$2591.50
20-309/1W	20	4	93.0	77.6	76	30	56	665	1158	6099.00	2972.00
20-310/9W	25	4	109.4	91.0	76	30	56	770	1210	6441.00	3033.00
MOUNTED ON 200-GAL. ASME NATIONAL BOARD TANK											
20-436/2W	15	2	61.5	53.7	80	34	63	770	1540	$5495.00	$2744.00
20-437/0W	20	4	93.0	77.6	80	34	61	665	1623	6555.00	3143.00
20-438/8W	25	4	109.4	91.0	80	34	61	770	1675	6905.00	3190.00

*Rated at 175 PSI.

25 HP As Low As **$3033.00**

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

MODIFICATIONS AND ACCESSORIES

Description	Order No.	
15-HP 230V 3-ph. magnetic starter, mtd. and wired	20-117/8W	$189.50
15-HP 460V 3-ph. magnetic starter, mtd. and wired	20-118/6W	156.75
20-HP 230V 3-ph. magnetic starter, mtd. and wired	20-344/8W	240.50
20-HP 460V 3-ph. magnetic starter, mtd. and wired	20-345/5W	186.50
25-HP 230V 3-ph. magnetic starter, mtd. and wired	20-346/3W	293.00
25-HP 460V 3-ph. magnetic starter, mtd. and wired	20-347/1W	186.50
Low-oil shutdown switch, mounted	20-363/8W	82.75
Automatic compressor tank drain, mounted	20-285/3W	49.95
Constant speed control, mounted	20-121/0W	136.00
Dual control, mounted	20-802/5W	41.50

Base-Mounted 15-20-25 Air Compressors Save Space Without Impairing Efficiency



3 heavy steel crossfeet included for easy 6 point bolt down.

Same quality features as units above, but without air receivers . . . ideal for use as add-on units, for charging sprinkler systems, for installations requiring tank to be remotely located. Base-mounted compressors consist of heavy-duty cast-iron compressor pump, 1800-RPM open drop-proof motor, V-belt drive, starting unloader, pressure switch, check valve, discharge manifold, belt guard. Mounted on heavy steel baseplate with 230/460V, 3-phase motor. Full 1-year warranty. FOB Milwaukee, WI.

Stock Number	HP	No. Of Cylind.	Overall Size L	W	H	Wt. (lbs.)	List Price	Each
20-308/3W (06)	15	2	60"	30"	38"	775	$4130.00	$2272.50
20-309/1W (06)	20	4	60"	30"	36"	858	5189.00	2685.00
20-310/9W (06)	25	4	60"	30"	36"	910	5531.00	2728.00

For modifications and Accessories please see listings above.

C&H Compressor Features For Better Performance

Pressure Switch (Start-Stop)

Helps prolong compressor life. Start-stop control starts and stops the compressor as pressure falls and rises in the tank. It's generally used on compressors for intermittent duty where air usage is less than 50% of the compressors capacity. Included as standard equipment on most C&H compressors.

Constant Speed Control

Releases (unloads) excess pressure while compressor operates continuously. Recommended when all or most of your compressor's air requirements are of a steady nature. Also recommended whenever the air requirement is 50% or more of the free air delivery. Order when you order your compressor.

Dual Control

Combines stop-start and constant speed . . . allows compressors to be used efficiently in all applications . . . the former operates when usage is low, the latter when a large percentage of compressor output is needed. Can be switched instantly to meet demand. On electric models only — order when you order your compressor.

2-Stage Compressors At Factory-Direct Savings

- High Quality Compressor Pump
- 1800-RPM open drip-proof motor
- Multiple Matched Machined V-belt
- Centrifugal unloader
- Shockproof air gauge
- ASME safety valves
- Intake filter-silencer

10HP
As Low As
$1546.00



FULLY WARRANTED NEW 1980 MODELS!

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



- Kellogg-American heavy-duty 340TV compressor pump
- Low RPM helps to prolong pump life
- High-capacity air-cooled intercooler

Shown with optional magnetic starter and constant speed control

7½HP
As Low As
$1379.50

C&H 10-HP 2-Stage Air Compressor Combines Stamina and Savings

Superbly balanced air compressor combines low vibration, high efficiency, long life! Aluminum cylinders are bonded by special process to hardened steel cylinder walls assuring maximum heat dissipation. Thin finned intercoolers provide low operating temperatures. Domed pistons and low-lift Swedish steel valves produce more air. 1800-RPM open drip-proof motors meet or exceed NEMA specifications. ASME-code approved air receivers have 200 PSI working pressures, with 0-300 PSI gauge, tank drain, service valves. Automatic start-stop controls are pre-set at 125-150 PSI. Complete with ASME safety valve, intake-filter silencer. All factory pre-wired, lubricated, tested and inspected before shipment. OSHA belt guard included. Fully warranted. FOB Milwaukee, WI.

SPECIFICATIONS AND PERFORMANCE CHART FOR 10-HP COMPRESSOR	Operating Pressure PSIG	Pump RPM	CFM Displ.	CFM Free Air
	100	877	51.1	42.9
	125	846	49.3	41.1
	150	794	46.2	38.0
	200	718	41.8	33.8

MOUNTED ON 80-GALLON ASME NATIONAL BOARD TANK

Stock Number	HP	Tank Style	Motor Ph.	Motor Voltage 60 hz.	Overall Dimensions L	W	H	Shpg. Wt. (lbs.)	List Price	Each
20-277/0W (02)	10	Horiz.	3	230/460	67″	26″	51″	810	$3728.	$1546.00
20-277/0W (04)	10	Vert.	3	230/460	39″	26″	79″	829	3728.	1582.00
MOUNTED ON 120-GALLON ASME NATIONAL BOARD TANK										
20-435/4W (02)	10	Horiz.	3	230/460	74″	31″	56″	967	$3970.	$1619.00
20-435/4W (04)	10	Vert.	3	230/460	39″	32″	78″	982	3970.	1644.00
MOUNTED ON HEAVY STEEL BASE PLATE (no tank) Includes pump, motor, V-belt drive, centrifugal unloader, pressure switch, check valve, discharge manifold, steel baseplate, and belt guard.										
20-277/0W (06)	10	—	3	230/460	44″	26″	31″	550	$3071.	$1301.00

MODIFICATIONS AND ACCESSORIES

Description	Order No.	Add
230V 3-ph. magnetic motor starter, mtd. and wired	20-342/2W	$143.00
460V 3-ph. magnetic motor starter, mtd. and wired	20-343/0W	119.50
Low-oil shutdown switch, mounted	20-363/8W	82.75
Automatic compressor tank drain, mounted	20-285/3W	49.95
Constant speed control, mounted	20-110/3W	89.50
Dual control, mounted	20-802/5W	41.50

C&H 7½-HP 2-Stage 2-Cylinder Air Compressors Offer Low-Cost, Long Service

Built for continuous duty year-round service with a life expectancy of 25 years or more . . . performance-tested units assure trouble-free life. Tapered roller main bearings support the counter-balanced crankshaft at both ends. Centrifugal unloaders automatically provide no-load starts. Multiple wafer-type valves with removable seats assure high efficiency. Air receivers are ASME National Board Code approved for 200 PSI working pressures. Combination filter-silencer assures efficient air filtration and noise reduction. Positive ring-flo lubrication force feeds the oil to minimize maintenance and upkeep.

ASME-rated tank. 625-RPM at 175 PSI. CFM displacement is 32.9, CFM delivery at 175 PSI is 25.8. 1800-RPM motor operates on 230/460 volts, 60 cy., 3-phase. FOB Milwaukee.

MOUNTED ON 80-GALLON ASME NATIONAL BOARD TANK

Stock Number	HP	Tank Style	Motor Ph.	Motor Voltage 60 Hz.	Overall Dimensions L	W	H	Shpg. Wt. (lbs.)	List Price	Each
20-278/8W (02)	7½	Horiz.	3	230/460	67″	26″	50″	910	$3356.	$1379.50
20-278/8W (04)	7½	Vert.	3	230/460	39″	26″	78″	929	3356.	1398.00
MOUNTED ON 120-GALLON ASME NATIONAL BOARD TANK										
20-420/6W (02)	7½	Horiz.	3	230/460	74″	31″	55″	1067	$3698.	$1468.00
20-420/6W (04)	7½	Vert.	3	230/460	39″	32″	77″	1082	3698.	1491.00
MOUNTED ON HEAVY STEEL BASE (no tank) Includes pump, motor, V-belt drive, centrifugal unloader, pressure switch, check valve, discharge manifold, steel baseplate, and belt guard.										
20-278/8W (06)	7½	—	3	230/460	44″	24″	31″	560	$2822.	$1179.00

MODIFICATIONS AND ACCESSORIES

Description	Order No.	Add
230V 3-ph. magnetic starter, mtd. and wired	20-107/9W	$119.50
460V 3-ph. magnetic starter, mtd. and wired	20-341/4W	119.00
Low-oil shutdown switch, mounted	20-363/8W	82.75
Automatic compressor tank drain, mounted	20-285/3W	49.95
Constant speed control, mounted	20-110/3W	89.50
Dual control, mounted	20-802/5W	41.50

C&H's Recommended Air Compressor Accessories



Low-Oil Shutdown Switch for Safety

Completely shuts down compressor and motor when oil runs low . . . positive protection because compressor cannot be started again until oil is filled and manual reset button is activated. An important safety feature that could save you important dollars in avoiding repairs.

20-363/8W—Net ea. **$82.75**

Price includes mounting.

Automatic Compressor Tank Drain

Self-cycling (10 PSI differential in air pressure moves valve each cycle) — automatically removes condensed water, impurities. Hose line may be attached to water drain. No need for daily draining of receiver. Screen in inlet. Mounted on compressor.

20-285/3W—Net each **$49.95**

Y-Strainer for easy cleaning of large particles without removing auto drain. Expertly mounted.

20-354/7W—Net each **$16.95**

Two-Cylinder Two-Stage 3-HP and 5-HP Air Compressors with Choice of Vertical or Horizontal Air Receivers

Efficient Air System Mounted on Horizontal Tanks—Choice of 60 or 80 Gal.

3-HP
As Low As
$917.00

5-HP
As Low As
$929.50

- High efficiency compressor pumps
- Domed pistons and low-lift Swedish steel valves
- Operating pressures to 200 PSI • 1 or 3-ph. motors

Carefully engineered pumps provide consistent performance. Thin finned intercoolers provide low operating temperatures and increased efficiency. Both sizes feature matched weight pistons to reduce vibration, large diameter counter-balanced crankshaft, no-load starting with centrifugal unloader. Aluminum cylinders bonded to hardened steel cylinder walls for heat dissipation.

Stock Number	HP	Phase *	Pump RPM @ 175 PSI	CFM Displ.	CFM Deliv.	Overall DIMENSIONS L	W	H	Shpg. Wt. (lbs.)	List Price	Net Each
Mounted on 60 Gallon ASME National Board Tank											
20-274/7WT(01)	3	1	470	13.4	10.8	52	26	47	540	$2017.00	$ 973.00
20-274/7WT(02)	3	3	470	13.4	10.8	52	26	47	510	1860.00	917.00
20-276/2WT(01)	5	1	766	22.3	18.0	52	26	47	608	2367.00	1033.00
20-276/2WT(02)	5	3	766	22.3	18.0	52	26	47	578	1966.00	929.50
Mounted on 80 Gallon ASME National Board Tank											
20-430/5WT(01)	3	1	470	13.4	10.8	67	26	47	603	$2139.00	$1007.00
20-430/5WT(02)	3	3	470	13.4	10.8	67	26	47	573	1982.00	951.00
20-432/1WT(01)	5	1	766	22.3	18.0	67	26	47	671	2487.00	1067.00
20-432/1WT(02)	5	3	766	22.3	18.0	67	26	47	641	2086.00	977.00

*Single phase motors supplied 220V.-1ph.-60 Hz.; three phase motors supplied 230/460V.-3ph.-60 Hz.

MODIFICATION AND ACCESSORIES FOR COMPRESSORS ABOVE

Description	Order No.	Add
3 HP, 230V 3-ph. magnetic starter, mtd., wired	20-048/5W	$106.75
3 HP, 460V 3-ph. magnetic starter, mtd., wired	20-338/0W	106.75
3 HP, 220V 1-ph. magnetic starter, mtd., wired	20-334/9W	104.75
5 HP, 230V 3-ph. magnetic starter, mtd., wired	20-339/8W	119.50
5 HP, 460V 3-ph. magnetic starter, mtd., wired	20-340/6W	106.75
5 HP, 220V 1-ph. magnetic starter, mtd., wired	20-335/6W	125.00
Low-oil shutdown switch, mounted	20-363/8W	82.75
Automatic compressor tank drain, mounted	20-285/3W	49.95
Constant speed control, mounted	20-051/9W	62.10
Dual control, mounted	20-802/5W	41.50

Low-Vibration Air Compressors Mounted on Long-Life Vertical Tank

3-HP
As Low As
$917.00

- High performance pump
- 1800-RPM open drip-proof motor
- ASME approved safety valves

Carefully engineered pumps provide consistent, first-rate performance. Aluminum cylinders bonded to hardened steel cylinder walls maximize heat dissipation. Thin finned intercoolers provide low operating temperatures. Domed pistons and low-lift Swedish steel valves assure dependability. 1800-RPM open drip-proof motors are built to meet or exceed NEMA specifications. ASME code approved air receivers have 200 PSI operating pressures, pressure gauge with 0-300 PSI register, tank drain, service valves. Complete with automatic start-stop controls (pressure switch is factory set at 125-150 PSI), ASME safety valve, intake-filter silencer. Compressors are factory pre-wired, lubricated, tested, and inspected.

MOUNTED ON 60-GALLON ASME NATIONAL BOARD VERTICAL TANK

Stock Number	HP	PH.*	Pump RPM @ 175 PSI	CFM Displ.	CFM Deliv.	Overall (inches) L	W	H	Shpg. Wt. (lbs.)	List Price	Net Each
20-274/7WT(03)	3	1	470	13.4	10.8	36	24	72	560	$2017.	$ 973.00
20-274/7WT(04)	3	3	470	13.4	10.8	36	24	72	530	1860.	917.00
20-276/2WT(03)	5	1	766	22.3	18.0	36	24	72	628	2367.	1033.00
20-276/2WT(04)	5	3	766	22.3	18.0	36	24	72	598	1966.	929.50

MOUNTED ON 80-GALLON ASME NATIONAL BOARD VERTICAL TANK

20-430/5WT(03)	3	1	470	13.4	10.8	36	28	72	623	$2139.	$1026.00
20-430/5WT(04)	3	3	470	13.4	10.8	36	28	72	593	1982.	971.00
20-432/1WT(03)	5	1	766	22.3	18.0	36	28	72	691	2487.	1086.00
20-432/1WT(04)	5	3	766	22.3	18.0	36	28	72	661	2086.	997.00

*Single phase motors, supplied 220 volt-1-phase-60Hz; three-phase motors supplied 230/460-3-phase, 60 Hz. Other voltages available, contact Department 20.

MODIFICATION AND ACCESSORIES FOR COMPRESSORS ABOVE

Description	Order No.	Add
3 HP, 230V 3-ph. magnetic starter, mtd., wired	20-048/5W	$106.75
3 HP, 460V 3-ph. magnetic starter, mtd., wired	20-338/0W	106.75
3 HP, 220V 1-ph. magnetic starter, mtd., wired	20-334/9W	104.75
5 HP, 230V 3-ph. magnetic starter, mtd., wired	20-339/8W	119.50
5 HP, 460V 3-ph. magnetic starter, mtd., wired	20-340/6W	106.75
5 HP, 220V 1-ph. magnetic starter, mtd., wired	20-335/6W	125.00
Low-oil shutdown switch, mounted	20-363/8W	82.75
Automatic compressor tank drain, mounted	20-285/3W	49.95
Constant speed control, mounted	20-051/9W	62.10
Dual control, mounted	20-802/5W	41.50

Save on Automatic Magnetic Motor Starters

Don't take chances . . . protect single and three-phase motors against thermal overload and under-voltage . . . and protect 3-phase motors against single phasing! Magnetic across-the-line type starters are required for automatic start-stop and dual-control compressors with 5 HP and larger single-phase motors and for all three-phase motors. Switches are UL-rated in NEMA Type 1 drip-proof enclosures. Prices include mounting.

	SINGLE PHASE				3-PHASE			
	110 Volt		220 Volt		230/200V*		460 Volt	
HP	Stk. No.	Net Ea.	Stk. No.	Net Ea.	Stk. No.	Net Ea.	Stk. No.	Net Ea.
1½-2	20-333/1W	$104.25	20-030/3W	$ 95.75	20-336/4W	$106.75	20-337/2W	$ 95.00
3	20-047/7W	125.50	20-334/9W	104.75	20-048/5W	106.75	20-338/0W	106.75
5			20-335/6W	125.00	20-339/8W	119.50	20-340/6W	106.75
7½					20-107/9W	119.50	20-341/4W	119.00
10					20-342/2W	143.00	20-343/0W	119.50
15*					20-117/9W	189.50	20-118/6W	156.75
20*					20-344/8W	240.50	20-345/5W	186.50
25					20-346/3W	293.00	20-347/1W	186.50

FURNAS

*For 200V starter please order next higher HP 230V unit.

Heavy-Duty Compressors Save

FULLY WARRANTED NEW 1980 MODELS!

Industrial 2-Stage Air Compressor for Heavy-Duty Jobs

2-HP
As Low As
$869.00

- Kellogg-American cast iron pumps
- 1800 RPM open drip-proof motor
- ASME 200 PSI air receivers
- Automatic start-stop controls



Heavy-duty cast iron pumps with centrifugal unloaders for no-load starts, lower RPM, and longer life. Ring-flo lubrication force feeds oil to every wearing surface. Combination filter-silencer assures efficient air filtration and noise reduction. 1800-RPM open drip proof motors built to meet or exceed NEMA specifications. ASME National Board Code approved air receivers have 200 PSI working pressures 0-300 PSI pressure gauge. Automatic start-stop controls, factory-set at 125-150 PSI. OSHA belt guard included. FOB Milwaukee, WI.

SPECIFICATIONS AND PERFORMANCE CHART FOR 1½, and 2 HP	HP	Oper. Pressure PSIG	Pump RPM	CFM Displ.	Free Air Del.
	1½	80	643	9.3	7.2
	1½	125	569	8.2	6.3
	1½	200	500	7.2	5.3
	2	90-125	783	11.3	8.3
	2	140-175	705	10.0	7.4

MOUNTED ON 60-GALLON ASME NATIONAL BOARD TANK

Stock Number	HP	Tank Style	Motor Ph.	Motor Voltage 60 Hz.	Overall Dimensions L	W	H	Shpg. Wt. (lbs.)	List Price	Net Each
20-018/8WT(01)	1½	Horiz.	1	230	52	24	40	497	$1451.00	$889.
20-018/8WT(02)	1½	Horiz.	3	230/460	52	24	40	485	1401.00	853.
20-407/3WT(01)	2	Horiz.	1	230	52	24	45	565	$2022.00	$919.
20-407/3WT(02)	2	Horiz.	3	230/460	52	24	45	550	1828.00	869.

MOUNTED ON HEAVY STEEL BASE (NO TANK)
Includes pump, motor, V-belt drive, centrifugal unloader, pressure switch, check valve, discharge manifold, steel base plate.

20-018/8WT(05)	1½	—	1	230	30	17	19	297	$1091.00	$673.
20-018/8WT(06)	1½	—	3	230/460	30	17	19	285	1041.00	638.
20-407/3WT(05)	2	—	1	230	30	18	24	365	$1676.00	$720.
20-407/3WT(06)	2	—	3	230/460	30	18	24	350	1497.00	571.

MODIFICATIONS AND ACCESSORIES

Description	Stk. No.	Add
For 60-gallon vertical tank	Specify on your order.	$ 15.00
For 80-gallon horizontal tank		35.00
For 80-gallon vertical tank		59.00
Automatic compressor tank drain, mounted	20-285/3W	$ 49.95
1½ or 2 HP, 110V 1-ph. magnetic motor starter*	20-333/1W	104.25
1½ or 2 HP 220V 1-ph. magnetic motor starter*	20-030/3W	95.75
1½ or 2 HP 230V 3-ph. magnetic motor starter*	20-336/4W	106.75
1½ or 2 HP 460V 3-ph. magnetic motor starter*	20-337/2W	95.00

*Mounted and wired

Low-Cost High Efficiency Air Compressors

1HP
As Low As
$557.00
1-1½-2HP

Job-rated for full volume at 175 ps working pressure—intermittent pres sure to 200 psi. Start-stop control have pressure switch set at 120-15 psi. ASME receivers have drain valv and service valve. 2" stroke. Intak filter-silencers have removabl elements. National brand 1800-rpm electric motors are open drip-proo type with V-belt drive. Belt guar standard.

SPECIFICATIONS AND PERFORMANCE CHART FOR 1, 1½, and 2 HP	HP	Oper. Pressure PSIG	PUMP RPM	CFM Displ.	FREE Air Deliv.
	1	140-175	780	4.9	3.8
	1½	140-175	565	7.1	5.4
	2	140-175	720	9.0	6.7

MOUNTED ON 30-GALLON ASME NATIONAL BOARD TANK

Stock Number	HP	Tank Style	Motor Ph.	Motor Voltage 60 Hz.	Overall (Inches) L	W	H	Wt. (lbs.)	List Price	Net Each
20-643/3WT(01)	1	Horiz.	1	115/230	41	19	31	190	$1054.	$569.00
20-643/3WT(02)	1	Horiz.	3	230/460	41	19	31	180	1071.	557.00
20-643/3WT(03)	1	Vert.	1	115/230	24	20	52	186	1054.	598.00
20-643/3WT(04)	1	Vert.	3	230/460	24	20	52	182	1071.	586.00
20-644/1WT(01)	1½	Horiz.	1	115/230	41	19	33	194	$1265.	$635.00
20-644/1WT(02)	1½	Horiz.	3	230/460	41	19	33	184	1305.	599.00
20-644/1WT(03)	1½	Vert.	1	115/230	24	20	54	190	1265.	664.00
20-644/1WT(04)	1½	Vert.	3	230/460	24	20	54	186	1305.	629.00
20-645/8WT(01)	2	Horiz.	1	115/230	41	19	33	196	$1495.	$673.00
20-645/8WT(02)	2	Horiz.	3	230/460	41	19	33	186	1418.	609.00
20-645/8WT(03)	2	Vert.	1	115/230	24	20	54	192	1495.	688.00
20-645/8WT(04)	2	Vert.	3	230/460	24	20	54	188	1418.	638.00

MOUNTED ON HEAVY DUTY STEEL BASE (No Tank). Includes pump, motor V-belt drive, centrifugal unloader, pressure switch, check valve, discharge manifold, steel baseplate, and belt guard.

20-643/3WT(05)	1	—	1	115/230	30	17	15	130	$ 752.	$453.00
20-643/3WT(06)	1	—	3	230/460	30	17	15	120	769.	441.00
20-644/1WT(05)	1½	—	1	115/230	30	18	17	134	$ 963.	$516.00
20-644/1WT(06)	1½	—	3	230/460	30	18	17	124	1003.	482.00
20-645/8WT(05)	2	—	1	115/230	30	18	17	136	$1193.	$539.00
20-645/8WT(06)	2	—	3	230/460	30	18	17	126	1116.	489.00

ACCESSORIES FOR YOUR 1-1½-2 HP COMPRESSORS

Description	Order No.	Add
1-1½-2 HP 110V 1-ph. magnetic starter, mtd., wired	20-333/1W	$104.25
1-1½-2 HP 220V 1-ph. magnetic starter, mtd., wired	20-030/3W	95.75
1-1½-2 HP 230V 3-ph. magnetic starter, mtd., wired	20-336/4W	106.75
1-1½-2 HP 460V 3-ph. magnetic starter, mtd., wired	20-337/2W	95.00

C&H's Recommended Accessories for Your Compressor

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



Water-Cooled Aftercooler

AFTERCOOLER MOUNTED ON YOUR COMPRESSOR

Assures clean, cool compressed air. Efficient tube shell design—with high-strength steel shell and brass tubings. Brings air temperature down to 10-15° above cooling water, thus condensing water vapor held in compressed air. With fixed tubes, baffle plates.

Stk. No.	Pipe Size	Fits Compressors	Lbs.	Net Ea.
20-364/6W	1"	1-10 HP	50	$147.70
20-365/3W	2"	15-25 HP	100	177.00

ELECTRIC SOLENOID WATER SHUTOFF

Automatically turns off water supply when compressor is not running. Saves water consumption, eliminates off-time manual shutdown.

20-375/2W—For 110v. Wt. 2 lbs. Net each (includes mounting) $33.15
20-376/0W—For 220v. Wt. 2 lbs. Net each (includes mounting) 33.15

WATER MODULATING VALVE

Senses the temperature of the discharged air and modulates the amount of water to keep temperature of air constant. Conserves water.

20-377/8W—Net each (includes mounting) $92.00

High Volume Single-Stage Air Compressors

Precision Industrial Compressor

For Paint Spraying, Tire Inflation, and Lubrication

Performance Rating at 100 PSI		
HP	CFM Displ.	CFM Deliv.
1½	8.0	4.3
2	12.1	6.8

1½ HP
As Low As
$521.00



Extra Heavy-Duty Industrial Air Compressors

For Body Shops, Laundries, and Lithographers

3HP
As Low As
$999.00

Precision built for exacting performance in paint spraying, tire inflating, lubricating . . . these heavy-duty compressors have high-starting torque electric motors for constant start-and-stop service! The perfect answer for applications requiring 100 lbs. of pressure or less. Unloader allows easiest starting. Units have ASME-rated safety valves, pressure gauge and ½" NPT outlet. Your choice of horizontal or vertical ASME-rated 30-gal. tanks. See Options Available. All shipped from our Milwaukee warehouse. 1½-HP compressor has 2-cylinder V-type pump, 2-HP has 3-cylinder W-type pump.

MOUNTED ON 30-GALLON ASME NATIONAL BOARD TANK

Stock Number	HP	Tank Style	Motor Ph.	Motor Voltage 60 Hz.	Overall (inches) L	W	H	Wt. (lbs.)	Price	Each
20-443/8WT(01)	1½	Horiz.	1	115/230	41	19	33	194	$1085.	$556.00
20-443/8WT(02)	1½	Horiz.	3	230/460	41	19	33	184	1047.	521.00
20-443/8WT(03)	1½	Vert.	1	115/230	24	20	54	190	1085.	579.00
20-443/8WT(04)	1½	Vert.	3	230/460	24	20	54	186	1047.	545.00
20-616/9WT(01)	2	Horiz.	1	115/230	41	19	33	196	$1353.	$662.00
20-616/9WT(02)	2	Horiz.	3	230/460	41	19	33	186	1277.	613.00
20-616/9WT(03)	2	Vert.	1	115/230	24	20	54	192	1353.	682.00
20-616/9WT(04)	2	Vert.	3	230/460	24	20	54	188	1277.	633.00

MOUNTED ON HEAVY DUTY STEEL BASE (No Tank). Includes pump, motor, V-belt drive, centrifugal unloader, pressure switch, check valve, discharge manifold, steel baseplate, and belt guard.

20-443/8WT(05)	1½	—	1	115/230	30	18	17	134	$783.	$524.00
20-443/8WT(06)	1½	—	3	230/460	30	18	17	124	745.	398.00
20-616/9WT(05	2	—	1	115/230	30	18	17	136	$1051.	$539.00
20-616/9WT(06)	2	—	3	230/460	30	18	17	126	975.	490.00

ACCESSORIES FOR 1½-HP and 2-HP COMPRESSORS

Description	Order No.	Add. . .
110V 1-ph. magnetic starter, mtd., wired	20-333/1W	$104.25
220V 1-ph. magnetic starter, mtd., wired	20-030/3W	95.75
230V 3-ph. magnetic starter, mtd., wired	20-336/4W	106.75
460V 3-ph. magnetic starter, mtd., wired	20-337/2W	95.00

Dauntless performers . . . you get higher volume of air at lower pressures than 2-stage units! Easily adjustable pressure switch—set at 125 psi. Remarkable single-stage extra heavy-duty units are equipped with roller bearing pumps . . . standard equipment includes pump, ball-bearing motors, ASME-labeled tanks, V-belt drive, pressure gauge, ASME safety valve, drain valve, outlet valve, intake filters and pressure switch. All with heavy cast-iron construction, stainless steel inlet and outlet valves accessible from top of compressor. Roller main bearings are splash lubricated. All shipped from our Milwaukee warehouse.

MOUNTED ON 80-GALLON ASME NATIONAL BOARD TANK

Stock Number	HP	Performance CFM Displ.	Performance CFM Deliv.	Motor Ph.	Motor Voltage 60 Hz.	Overall (inches) L	W	H	Shpg. Wt. (lbs.)	List Price	Net Each
20-059/2WT(01)	3	16.8	10.5	1	220	67	26	47	545	$2270.00	$1056.00
20-059/2WT(02)	3	16.8	10.5	3	230/460	67	26	47	525	2113.00	999.00
20-060/0WT(01)	5	27.6	17.7	1	220	67	26	47	633	$2487.00	$1116.00
20-060/0WT(02)	5	27.6	17.7	3	230/460	67	26	47	613	2217.00	1029.00
20-064/2WT(02)	7½	43.2	24.8	3	230/460	67	26	49	772	$3411.00	$1479.00
20-065/9WT(02)	10	54.4	32.6	3	230/460	67	26	49	790	3906.00	1515.00

ACCESSORIES FOR YOUR 3 to 10 HP SINGLE STAGE COMPRESSOR

Description	Order No.	Add
For 80-gallon vertical tank mounting	Specify	$ 24.00
3-HP, 220V 1-ph. magnetic starter, mtd., wired	20-334/9W	104.75
3-HP, 230V 3-ph. magnetic starter, mtd., wired	20-048/5W	106.75
3-HP, 460V 3-ph. magnetic starter, mtd., wired	20-338/0W	106.75
5-HP, 220V 1-ph. magnetic starter, mtd., wired	20-335/6W	125.00
5-HP, 230V 3-ph. magnetic starter, mtd., wired	20-339/8W	119.50
5-HP, 460V 3-ph. magnetic starter, mtd., wired	20-340/6W	106.75
7½-HP, 230V 3-ph. magnetic starter, mtd., wired	20-107/9W	119.50
7½-HP, 460V 3-ph. magnetic starter, mtd., wired	20-341/4W	119.00
10-HP, 230V 3-ph. magnetic starter, mtd., wired	20-342/2W	143.00
10-HP, 460V 3-ph. magnetic starter, mtd., wired	20-343/0W	119.50
Low-oil shutdown switch, mounted	20-363/8W	82.75
Automatic compressor tank drain, mounted	20-285/3W	49.95
Constant speed control for 3 and 5 HP, mounted	20-051/9W	62.10
Constant speed control for 7½ and 10 HP, mounted	20-110/3W	89.50
Dual control, mounted	20-802/5W	41.50

C&H Recommended Accessories for Your Compressor



Cast Semi-Steel Separator for Steam or Compressed Air Systems

For steam and compressed air lines having operating pressures of 150 PSI or less and temperatures of 450°F or less. Simultaneously removes oil and moisture . . . air is guided by baffle plates into centrifugal motion and then reverses in seeking the outlet. Dependable, utilizes an expansion system — no moving parts to wear out! Keeps maintenance costs low. Price includes mounting.

Stk. No.	Pipe Size	Shpg. Wt.	Net Ea.
20-370/3W	¾"	13 lbs.	$ 78.50
20-371/1W	1¼"	18 lbs.	99.95
20-372/9W	2"	32 lbs.	158.50

Mounted Automatic Drain Trap

One size fits all separators . . . helps you make your compressor as efficient as it can be. Rustproof stainless steel inner workings for long service, no worry about corrosion. ¾" pipe size. A small price to pay for the efficiency and ease it adds to your air system.
Wt. 8 lbs.
20-374/5W—Net each **$44.50**



C&H Baker's Dozen Compressor Special



All 13 ITEMS
Now Only
$498.50
$936.21 Value

Special Value for the small industrial shop, independent auto body or auto service center . . . regularly sells for $595.04

1. 1½-HP compressor with AC motor and 20-gal. tank

Plus All These Accessories:

9. ½" Drive Socket Set
10. ⅜" Drive Socket Set
11. Set of 9 Couplers/Plugs
12. 15' of Air Hose
13. Tire Chuck

Complete compressor outfit with tools and accessories at 46% off list price. Don't miss this C&H exclusive. Here's, what you get: (1) 1½-HP air compress with 110V 1-ph AC electric motor with safety belt guard, 80/100 psi pressure switch, 2 cylinder pump (6.9 CFM @40 psi, 5.7 CFM @100 psi), 20-gal. tank; (2) Chicago pneumatic ½" drive impact wrench (model CP732) with ¼" air inlet, 190 ft. lbs. ultimate torque @100 psi; (3) Chicago Pneumatic ⅜" Speed-Ratchet Wrench with 50 ft. lbs. torque, quick 150 RPM rundown and ¼" air hose size; (4) Chicago Pneumatic Air hammer, with retainer (model CP710) delivers 58 blows per second; (5) Florida Pneumatic hi-speed sander-drill with variable speeds to 22,000 rpm no-load. ¼" Jacobs chuck, takes 6" pad, ⅜" air hose (FP 2000); (6) Convertible three-way spray gun with adjustable air and fluid controls — 25-50 psi, 2½ to 5 CFM. Includes 1-qt. cup; (7) Heavy-duty blo-gun with safety lever, extra-large side hook for hang-up, inlet pressure of 150 psi, maximum nozzle pressure of 30 psi; (8) Air tool lubricant for air tools, cylinders, lubricators. Rustproofs, too. Easy-pour spout on 16-oz. can; (9) ½" Drive socket set has eight 6 pt. sockets (7/16", ½", 9/16", ⅝", 11/16", ¾", 13/16", ⅞") in steel case; (10) ⅜" Drive socket set with eight 6 pt. sockets from 5/16" to ¾" in steel case; (11) Set of 9 assorted quick disconnect couplers and plugs for easy tool interchange; (12) 15' of air hose (13) Tire chuck. Complete, ready to use!

20-898/3A—List $936.21. Reg. sell $595.04. Now **$498.50**



Save! Single-Stage Air Compressors for Shop, Plant, Garage

Power air tools . . . save time, trouble

Spray paints an even, consistent job

Improve Overall Productivity Save Time, Work, and Money!

Complete with single-phase AC electric motor or 4-HP gas engine, 15' of 250 PSI air hose and protective belt guard. Air cooled compressor has overload protected motor, automatic pressure switch set at 80/100 PSI, 15' of hose and tire inflator. On big easy-moving semi-pneumatic tires. Gas-powered Briggs & Stratton engine has constant speed control. All have belt guard included.

SINGLE-STAGE—NON-ASME-CODED TANKS

Stock Number	HP	40 PSI Deliv.	100 PSI Deliv.	No. Cyl.	Tank (gal.)	Shpg. (lbs.)	List Price	Net Each
20-720/9A	½	2.0	1.6	1	7.5	75	$294.00	$161.50
20-721/7A	¾	3.2	2.4	1	7.5	83	330.00	181.50
20-722/5A	1	4.1	3.3	1	12	95	451.00	248.00
20-723/3A	1½	6.9	5.7	2	20	130	591.00	324.00
20-700/1A	2**	8.0	6.9	2	20	140	604.00	331.00
20-701/9A	4*	6.3	5.0	2	20	130	706.00	388.00

SINGLE-STAGE COMPRESSOR—ASME CODE TANK†

(Ark., N.J., Ore., Mass. and Calif. require ASME tanks.)

Stock Number	HP	40 PSI Deliv.	100 PSI Deliv.	No. Cyl.	Tank (gal.)	Shpg. (lbs.)	List Price	Net Each
20-704/3A	1	5.8	4.8	2	12	115	$609.00	$335.00
20-705/0A	1½	6.9	5.7	2	12	140	615.00	349.00
20-712/6A	2**	8.0	6.9	2	12	145	633.00	362.00

*Gas-powered. **Wired 230V.
†15' air hose and chuck not included on ASME models.

Porto-Tank Oil-Less Air Compressor Complete with Sprayer



- **Small enough to fit in car trunk**
- **Inexpensive enough to be practical**

Convenient-to-use. Delivers a constant, steady supply of clean air. Ideal for spraying paints, insecticides, for use in dental offices, repair shops, factories. Multi-use spray gun has internal or external mix, siphon or pressure feed. Has easy-action two-finger pistol trigger for precise control and more comfort. Oil-less diaphragm-type compressor delivers 2.4 cu. ft. per min. at 30 lb.; air displacement is 4.2 CFM. Automatic pressure switch starts motor when tank pressure drops below 30 lbs. pressure. Has permanently sealed ball bearings, built-in ⅓-HP 115-volt motor. 15' air hose and tire chuck. Compressor stows in car trunk. Wt. 44 lbs.

26-897/9A—List $202.95. Ea. **$166.50.** Ea. (lots/2). **$149.50**

Oil-Less ⅓-HP Hi-Capacity Compressor



- **2½ cu. ft. of air per min. at 35 lbs.**
- **1-pc. nylon diaphragm**
- **Seal ball bearings**

As Low As **$109.25**

Powerful, compact compressor meets your needs for clean, high-capacity air delivery. Air displacement is 4.2 CFM. Compressor has rugged 1-pc. nylon Bun-N diaphragm, factory-set safety valve to release at 45 lbs., permanently sealed ball bearings that never need lubrication. only 6"x11"x9½"; 115-volt. Wt. 29 lbs.

26-896/1A — List $152.95. Ea. **$121.45.** Ea. (lots/2) **$109.25**

Twin-Tank Portable Air Compressor on Wheelbarrow Base



Truly portable!
Wheels anywhere!
Semi-pneumatic tires
For nailing, stapling
For spray painting
Anti-vibration pads



As Low As
$451.00

Dependable, easy to use . . . easily portable. Twin 4-gallon air tanks on tip-resistant wheelbarrow style base with heavy-duty semi-pneumatic wheels and rubber grip handles. Heavy-duty pump produces pressures up to 150 PSI. Equipped with ASME safety valve, constant speed unloader, tank gauge, and outlet valve. Gas models have throttle control to save on wear and tear. All have corner pads to prevent "walking," reduce vibration. 48"Lx19"Wx29"H units, engineered to meet OSHA requirements for safety. Enclosed steel belt guard.

Stock Number	HP—Type	Power—Engine	Displ. CFM	CFM@ 100 psi	Pump RPM	Wt. (lbs.)	Net Each
20-504/7W	1 Elec.	115/230V	6.3	3.9	532	155	$451.00
20-505/4W	1½ Elec.	115/230V	9.2	6.2	765	160	483.00
20-508/8W	2 Elec.	115/230V	11.2	6.9	900	175	507.00
20-507/0W	4 Gas	Kohler	11.2	6.9	900	165	$565.00
20-506/2W	5 Gas	Briggs	11.2	6.9	900	165	498.00
20-509/6W	6¼ Gas	Kohler	18.2	12.6	970	205	724.00

REGULATOR AND GAUGE can be factory mounted. Package includes ⅜" NPT line pressure regulator with gauge mounted on outlet port between handles for protection.
20-803/3W—Net each **$23.19**

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

2-Stage Take-Along Air Compressor Mounts Easily on Truck or Trailer

- **Ideal in the field . . . for truck, tractor tire service**
- **Load-less starts with positive acting centrifugal unloaders**
- **ASME-code tanks and fully enclosed belt guard**

5HP ONLY
$1029.00

10HP ONLY
$1311.00

SAVE UP TO 51%



Oversize heavy-duty 4-cycle gas engines plus idling device helps insure engine's longevity. Invaluable wherever electric power is not available . . . compressors are designed to fit in bed of service truck or on standard ¼-ton pick-up truck, provide the air for hammers, impact wrenches, spray guns anywhere . . . at construction site, on farm, on the road. Constant speed head unloaders have pilot valve set at 130-150 psi. Pneumatic throttle control automatically slows down engine during non-pumping cycle. Intake filter-silencers have removable elements. Quality engineered with drop-forged crankshaft set in Timken tapered roller bearings. Ring-Flo lubrication system, replaceable valves for fast, easy field service. ASME-rated 30-gal. tank with safety valve, tank drain, check valve. Fully enclosed belt guard.

Stock Number	HP	Engine	Elec. Start*	Displ. CFM	Free Air	Wt. (lbs.)	List Price	Each
20-533/6W	5	Briggs & Stratton	No	11.9	9	380	$1949.00	$1029.00
20-536/9W	10	Kohler	Yes	27	19	450	2348.00	1311.00
20-650/8W	14	Kohler	Yes	36	28.8	575	3501.00	1697.00

*Battery not included on electric start units.

Specialty Compressors to Meet a Variety of Air Needs

Save on Oil-Less Air Compressor



MOTOR/PUMP
As Low As
$236.60

TANK MOUNTED
As Low As
$526.90

- **Oil-less air for pneumatic actuating cylinders, electro-pneumatic devices**
- **Protects instrument air fluidics, reduces air tool maintenance**

Oil-less compressors are indispensable for those situations that cannot tolerate oil normally present in lubricated compressed air systems. Oil-less compressors offer cool discharge air temperatures, quiet operation, and reduced air pulsation thanks to their unique chamber design. Perfect choice for food and dairy machinery, for pneumatic controls and instrumentation. Continuous-duty compressors have high-torque, heavy-duty motors with long-life valve assemblies and cast-iron cylinder sleeves. Smooth operating, permanently lubricated sealed bearings. All 1-phase electric motors are equipped with internal thermal protection — ¼, ⅓, ½ and ¾-HP units are 115 volt; 1 and 1½-HP models are designed for 230 volts. All have pressures to 175 PSIG. 30-gallon ASME tank-mounted units include the compressor, pressure switch, ASME safety valve, manual drain valve, and pressure gauge.

Max. Pres.	HP	CFM Displ.	CFM* Deliv.	PUMP/MOTOR UNIT Stock No.	Lbs.	Net Ea.	TANK-MOUNTED UNIT Stock No.	Lbs.	Net Ea.
50 PSI	¼	2.5	1.7	20-168/1W	36	$236.60	20-185/5W	151	$526.90
	⅓	4.3	3.2	20-170/7W	45	274.75	20-187/1W	160	564.75
	½	5.2	4.2	20-171/5D	50	306.80	20-188/9W	165	596.80
	¾	7.3	5.9	20-172/3W	98	565.00	20-189/7W	213	855.00
	1	9.8	8.0	20-173/1W	106	666.50	20-190/5W	221	956.50
100 PSI	⅓	2.6	1.2	20-174/9W	43	$241.00	20-191/3W	158	$531.00
	½	3.2	1.65	20-175/6W	47	281.75	20-192/1W	162	571.75
	¾	4.3	2.35	20-176/4W	52	311.15	20-193/9W	167	601.15
	1	6.2	3.1	20-177/2W	98	565.00	20-194/7W	213	855.00
	1½	8.6	5.5	20-178/0W	106	644.00	20-195/4W	221	934.00
175 PSI	⅓	1.4	1.0	20-179/8W	47	$307.75	20-196/2W	162	$597.75
	½	1.8	1.5	20-180/6W	51	326.75	20-197/0W	166	616.75
	¾	2.4	2.1	20-181/4W	56	371.80	20-198/8W	171	661.80
	1	3.2	2.5	20-182/2W	101	631.00	20-199/6W	216	921.00
	1½	4.6	4.05	20-183/0W	108	732.35	20-200/2W	223	1022.35

*CFM delivered is calculated at maximum pressure.

Industrial Vacuum Pumps

Built for Continuous Duty Use



BELT DRIVE
7.5 to 200 CFM

BELT DRIVE
5 to 250 CFM

DIRECT-DRIVE
2-STAGE
1.5 to 75 CFM

Positive Displacement Rotary Oil-Seal Pumps

1mm and 38mm models carry a 2-year warranty. All boast time-tested superior engineering . . . efficient, simple compensating . . . performance actually improves with use. Pump volume is almost equal to its displacement until near its ultimate. Pumps are vibration-free inherently balanced—no special mounting is needed.

Standard Equipment Includes:

1/10th Micron Models—Direct drive motor-pump, intake nipple, 3-wire cord, oil and gas ballast

1MM and 38MM Models—Pump, oil reclaimer, motor, V-belt drive, steel base, automatic lubricator

20-Inch Models—Pump, motor, V-belt drive, steel base, automatic oilers

20-Inch Pumps Only—Pump with oilers

MAXIMUM VACUUM FOR CONTINUOUS DUTY										
Displ. CFM	29.999 in. hg. (1/10th MICRON) HP	Stock Number Net Each	29.96 in. hg. (1 MM) HP	Stock Number Net Each	28.50 in. hg. (38 MM) HP	Stock Number Net Each	20 in. hg. PUMP/MOTOR HP	Stock Number Net Each	20 in. hg. PUMP ONLY HP	Stock Number Net Each
1.5 CFM	⅓	20-660/7D $389.00	¼	20-661/5D $317.00						
5 CFM			¾	20-662/3D $672.00						
7.5 CFM	¾	20-663/1D $745.00					½	20-689/6W $399.00		20-686/2A $257.00
10 CFM			1	20-664/9W $794.00	1	20-665/6W $697.00				
20 CFM	2	20-666/4D $1383.00	2	20-667/2W $1231.00	2	20-668/0W $873.00	1½	20-690/4W $596.00		20-687/8A $337.00
30 CFM			3	20-669/8W $1523.00			1½	20-691/2W $748.00		20-688/8A $459.00
50 CFM					3	20-671/4W $1491.00	3	20-695/3W $885.00		20-670/6A $499.00
75 CFM	5	20-672/2D $3250.00	5	20-673/0W $2399.00	5					
100 CFM							5	20-692/0W $1269.00		

Low-Profile Portable Compressors

As Low As
$499.95



Pressures up to 125 PSI—each unit has regulator and gauge.

Single-stage heavy-duty compressors powered by ball-bearing low-start current AC electric motors or 4-cycle gas engines . . . perfect for power stapling, nailing guns, paint spraying, lubricating, and inflating tires. Constant speed control assures loadless starts. Pumps have roller main bearings, close-grain cast-iron bodies, splash lubrication, high efficiency valves. Each has 4-gal. underslung tank, removable T-handle, belt guard, regulator, gauge.

Stock Number	HP	Displ. CFM	Free Air CFM	Pump RPM	Size (in.) LxWxH	Wt. (lbs.)	List Price	Net Each
20-558/3W	1	7.7	4.4	560	38x20x22	108	$ 909.00	$499.95
20-559/1W	1½*	10.1	5.7	735	38x20x22	130	933.65	513.50
20-560/9W	2**	11.2	6.4	820	38x20x23	145	1028.00	565.50
20-562/5W	5-Gas	11.2	6.5	820	34x18x23	120	998.00	549.00

*110V-220V, wired for 110V. **220V only.

Heavy-Duty Mini Compressors





IN STOCK
IMMEDIATE SHIPPING

As Low As
$309.50

Heavy-duty cast-iron compressors are powered by low-starting current ball-bearing NEMA designed electric motor or Briggs & Stratton gas engine — mounted on 4-gallon air receivers and outfitted with totally enclosed belt guards to OSHA standards. Pumps boast industry-tested disc-style valves, aluminum alloy connecting rods with extra-large bearings. 125 PSI maximum pressure — for tacking, stapling, spary painting, small tools.

Stock Number	HP	Displ. CFM	Free Air CFM	Pump RPM	Size (in.) LxWxH	Wt. (lbs.)	List Price	Net Each
20-612/8W	½	3.0	1.85	745	23x12x20	60	$566.00	$311.50
20-613/6W	¾	3.6	2.2	894	23x12x20	67	582.00	319.95
20-614/4W	2-Gas	3.6	2.2	894	23x12x21½	69	563.00	309.50

With one-piece base and sheet steel belt guard as pictured on electric units.

C&H "Specializes in Specialties" — for your custom air requirements contact our sales engineers for design assistance and price quotations.

ASME-Rated Tanks with X-Ray Welds for Longer Life



Choice of Vertical or Horizontal Tanks

Durability plus . . . immediate availability. These quality-engineered tanks are in stock for immediate shipping. Horizontal and vertical types, built to exacting specifications. Automatic welds are x-ray controlled for strength and uniformity. Correct heat-treating relieves all welding stresses. Completed receivers are individually tested and inspected before shipment. Fittings and openings are checked for clean threads and accurate location.

Tough prime coat is applied to exterior surfaces after they have been thoroughly cleaned . . . tanks are resistant to rust, corrosion and abrasion. Your assurance of longer life.

NEW ASME PRESSURE VESSEL CODE:

Effective January 1, 1979, Regulations covering the manufacture of vessels built to ASME code require that the vessel be built for use with a specific model compressor pump and a particular horsepower motor only.

As of January 1, 1979, the enforcement of ASME code section VG22 requires that air receivers sold as separate components be sold without platforms and must be used as remote tanks only.

Welding to vessels sold without platforms voids the tank warranty and is a violation of ASME regulations.

When purchasing a pressure vessel to replace a tank that currently has a compressor, pump with motor mounted on it, it is recommended that the platform be cut off your present unit and you set it next to the new tank, or on a shelf mounted above it.

Portable Air Tanks

As Low As $29.15

WE SHIP UPS WHEN POSSIBLE

Save space with these compactly designed air tanks. Four foot long hose stores around jumbo protective handles. Tanks are lightweight, easy to handle, guaranteed air-tight; have 250-lb. working pressure with 300-lb. gauge and safety valve. Tire inflating chuck and blo-gun nozzle ready for instant, on-the-spot, use. In choice of two sizes.

(D) 7.5-GAL. AIR TANK. Wt. 15 lbs.
22-620/9A—Net ea. **$37.00.**
Each (lots/3) **$33.95**

(E) 3.5-GAL. AIR TANK. Wt. 7 lbs.
22-619/1A—Net ea. **$31.60.**
Each (lots/3) **$29.15**



Automatic Drain Valves

IN STOCK IMMEDIATE SHIPPING

WE SHIP UPS WHEN POSSIBLE

Low-cost way to make your air system operate at optimum efficiency. This automatic unit will drain your air system periodically thus reducing tank corrosion and downstream equipment failures. No floats, magnets, buckets, pistons, solenoids to fuss with . . . no need for field adjustments. Valve automatically adjusts to the load, for systems up to 100-HP. An efficient economy measure. Wt. 1½ lbs.
22-027/7A—Net each **$28.15**

A ASME HORIZONTAL AIR RECEIVERS WITH AND WITHOUT PLATFORM

Stock No.	Cap. Gals.	Wk. Pr. PSI	Nominal Dimensions in Inches: Dia.	TL	HT		Legs: E	F	NPT Openings: G	H	J	K	L	M	Shpg. Wt. Lbs.	Net Each
*22-028/5A	4	150	6	23			None				½	¼	½		8	$22.50
22-621/7W	30	200	16	38	19⅝	Without Platform	15	22	¾		½	¼	¾		120	130.79
22-622/5W	60	200	20	48	24⅜		18½	26		½	½	¼	1		200	222.37
22-623/3W	80	200	20	63	24¾		18½	36		¾	¾	½	1		263	248.37
22-624/1W	123	200	24	72	30¾		24	42		1	1	½	1½	1	420	362.95
22-625/8W	200	200	30	72	35½		30	41		1	2	¾	1½	1	628	568.27

TANK WITH PLATFORM MOUNTED

Stock No.	Cap. Gals.	Wk. Pr. PSI	Nominal Dimensions in Inches: Dia.	TL	HT	Platform: A	B	C	D	Legs: E	F	NPT Openings: G	H	J	K	L	M	Shpg. Wt. Lbs.	Net Each
22-008/7W	30	200	16	38	19⅝	28½	12			15	22	¾		½	¼	¾		97	$166.85
22-009/5W	60	200	20	48	24⅜	28½	11½			18½	26		½	½	¼	1		210	268.57
22-010/3W	80	200	20	63	24¾	38	12½			18½	36		¾	¾	½	1		263	323.58
22-012/9W	123	200	24	72	30¾	48	17¼	26¾	21¼	24	42		1	1	½	1½	1	420	449.87
22-013/7W	200	200	30	72	35½	48	17¼	26¾	21¼	30	41		1	2	¾	1½	1	628	674.70

*Tank is non-code.

B ASME VERTICAL AIR RECEIVERS WITH OR WITHOUT PLATFORM

22-626/6W	30	165	16	38	43¼	Without Platform		19	¼	¼	¾	¼			93	$139.63
22-627/4W	60	200	20	48	52½			23	1	¼	½	¼		1	204	201.76
22-628/2W	80	200	24	48	53			25½	1		¼	½	¾	¼	282	267.49

TANK WITH PLATFORM MOUNTED

22-014/5W	30	165	16	38	43¼	22½	7¼	11¼	11¼		19	¼	¼	¾	¼			93	$183.45
22-015/2W	60	200	20	48	52½	26	13	13	13		23	1	¼	½	¼		1	204	250.75
22-016/0W	80	200	24	48	53	34	12	17	17		25½	1		¼	½	¾	¼	282	318.00

C INDUSTRIAL VERTICAL ASME AIR RECEIVERS

Stock No.	A.S.M.E. Symbol Number	Cap. in Gals.	Diam. in Inches	Lgth. in Feet	Working Pres. in Lbs.	Nominal Vol. Cubic Feet	Safety Valves—No. Req'd & Diameter in Inches: No.	Diam.	Diam. of Inlet & Discharge Openings in Inches		Approx. Wt. in Lbs.	Net Each
22-017/8D	R3	75	18	6	150	11	1	1	3	S	176	$308.75
22-018/6D	R4	125	24	6	125	19	1	1½	4	S	290	400.80
22-019/4W	Spl.	200	30	6	200	27	1	1½	2	S	500	493.15
22-020/2D	R5	235	30	7	125	34	1	2	6	S	500	591.95
22-021/0D	R6	400	36	8	125	57	1	2½	6	S	740	762.90
22-022/8D	R7	660	42	10	125	94	1	3	6	S	1225	1721.00
22-023/6D	R8	1040	48	12	125	144	2	3	8	F	1650	2694.00

Larger size air receivers, quantity prices available . . . write Dept. 22

Kellogg-American Compressor Pumps

IN STOCK IMMEDIATE SHIPPING

Direct from Factory At C&H Low Wholesale Prices!

Two-stage models from ¾-HP to 25-HP . . . precision engineered for quiet operation, long life for everything from small hand tools and paint sprayers to big industrial equipment. Head design permits removing valves without disconnecting cooler or removing cylinder head. Saves time. Lowers maintenance costs. Cuts downtime. All have flywheel, intake filter-silencer—centrifugal unloader where needed. Crankcases are totally enclosed . . . all are equipped with tapered roller bearings. You can depend on Kellogg-American for continuous duty service . . . and C&H for savings!


A ¾-1-1½ HP

B 1-1½-2 HP 3-5 HP


C 3 HP


D 3-5 HP


E 7½-10 HP


F 7½-10 HP


G 15-20-25 HP

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Outstanding Features for High Performance



Key Ltr.	Stock Number	HP Range	Note	RPM	Operating Range Pressure	Displacement	Model Type**	Shpg. Wt.	List Price	Each
A	20-246/5A 20-247/3A	¾-1-1½ ¾-1-1½		400-1025 400-1025	50-175 50-175	3.3- 8.0 3.3- 8.0	311TV 311TVX	55 lbs. 55 lbs.	$479.00 560.00	$407.15 476.00
B	20-248/1A 20-249/9A	1-1½-2 1-1½-2		340-900 340-900	50-250 50-250	4.9- 13.0 4.9- 13.0	321TV 321TVX	120 lbs. 123 lbs.	689.00 828.00	585.65 703.80
C	20-250/7A 20-251/5A	3 3		340-900 340-900	50-250 50-250	6.5- 17.0 6.5- 17.0	325TV 325TVX	150 lbs. 155 lbs.	709.00 840.00	602.65 714.00
D	20-252/3A 20-253/1A	3-5 3-5		400-900 400-900	50-175 50-175	13.9- 25.0 13.9- 25.0	335TV 335TVX	165 lbs. 168 lbs.	750.00 856.00	637.50 727.60
B	20-462/8A 20-463/6A	3-5 3-5		340-800 340-800	50-250 50-250	14.0- 32.8 14.0- 32.8	332TV 332TVX	200 lbs. 205 lbs.	918.00 1003.00	780.30 852.55
E	20-256/4A 20-257/2A	7½-10 7½-10		400-900 400-900	50-250 50-250	27.5- 62.0 27.5- 62.0	352TV 352TVX	520 lbs. 525 lbs.	1753.00 1887.00	1490.05 1603.95
F	20-258/0A 20-259/8A	7½-10 7½-10		600-900 600-900	50-175 50-175	38.0- 52.0 38.0- 52.0	452TV 452TVX	235 lbs. 240 lbs.	1523.00 1614.00	1294.55 1371.90
G	20-260/6A 20-261/4A	15-20-25 15-20-25	1 2	400-900 400-900	50-250 50-250	55.0-124.0 55.0-124.0	A462TV A462TVX	795 lbs. 804 lbs.	3444.00 3580.00	2927.40 3043.00

**TV type includes pump with centrifugal unloader, V-groove flywheel and filter silencer.
TVX type includes above with constant speed control.
NOTE: 1. Includes aftercooler, flange adapter, check valve. 2. Includes aftercooler, flange adapter, check valve, constant speed unloader.



Kellogg-American K-Line Heavy-Duty Compressor Pumps Offer 2-Way Cooling

only **$4269.55**

A breakthrough in air compressor pump design. Two-fan Vortex cooling — cools from both ends, eliminates hot spots! Quality engineered with pneumatic inlet valve regulation, Ring-flo lubrication, Timken tapered roller main bearings, replaceable precision steel-backed babbitted connecting rod bearings. Finest 3-pc. oil control ring design reduces oil consumption. Compressors have pneumatic pilot and constant speed inlet unloader with pilot line air filter and manual start unloader. 845 lbs.

20-262/2A—$5023.00.
Each **$4269.55**



PERFORMANCE CHART —
Size 6" (2) x 3⅝" (2) x 5" Stroke

Piston Displ.	Shaft Speed	Perf. CFM at Rated Pressures (lbs. per sq. in. gauge pressure)						Motor
(CFM)	(RPM)	60	80	100	110	125	175	HP
129	785	112	111	110	110	109	—	25
106	650	—	—	—	—	—	87	25
142	870	125	124	123	123	122.6	—	30
129	785	—	—	—	—	—	105	30

Complete Line of Kellogg-American Heavy-Duty Industrial K-Line Pumps Available. Please contact Dept. 20.

High-Quality 2-Stage Pumps at Big Savings

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250



- Domed Cylinders
- Swedish Steel Valves

C 15 HP

A 3-5 HP

- Centrifugal Unloader
- Copper Finned Intercoolers

B 7½-10 HP

D 20-25 HP

High quality pumps designed for efficiency . . . your assurance of better compressor performance. Pumps combine high efficiency, cool operation and engineering excellence. Efficient domed cylinders increase cooling and house low-lift Swedish steel valves — aluminum cylinders with cast iron liners offer 375% more cooling area. Other quality features include impact and splash action lubrication, centrifugal unloader that's governor controlled. Copper finned intercooler for cool running operation. The counter-balanced crankshaft is rugged ductile iron with tapered roller bearings. Bores and strokes match horsepower. Choice of types: SS — standard pump for start-stop operation or CS — Pump with head unloaders for constant speed.

ey r.	Stock Number	HP Range	Type *	RPM Range	Oper. Pres. Range	Displ. Range at 100 PSI	Shpg. Wt.	List Price	Net Each
	20-815/7A	3-5	SS	445-919	50-200	12.9-26.8	115 lbs.	$886.00	$531.60
	20-816/5A	3-5	CS	445-919	50-200	12.9-26.8	118 lbs.	997.00	598.20
	20-830/6A	7½-10	SS	587-877	50-200	34.2-51.1	228 lbs.	$1889.00	$1133.40
	20-831/4A	7½-10	CS	587-877	50-200	34.2-51.1	235 lbs.	2070.00	1242.00
	20-840/5A	15	SS	770-990	50-200	61.5-79.0	336 lbs.	$3024.00	$1814.40
	20-841/3A	15	CS	770-990	50-200	61.5-79.0	340 lbs.	3163.00	1897.80
	20-870/2A	20-25	SS	655-990	50-200	93.0-140.0	450 lbs.	$3757.00	$2254.20
	20-871/0A	20-25	CS	655-990	50-200	93.0-140.0	456 lbs.	3936.00	2361.60

*SS — Standard pump for start-stop operation; CS — Pump with head unloaders for constant speed

Single Stage Compressor Pumps — to 125 PSI



E ½-¾-1 HP

IN STOCK IMMEDIATE SHIPPING

F 1-1½-2 HP

G 5 HP

H 10 HP

(E) Single Cylinder with 2" stroke. Wt. 23 lbs.

Stk. No.	Bore	HP	CFM Displ.	List	Each
20-500/5A	2⅜"	½-¾	3.7	$178.00	$106.80
20-501/3A	2⅝"	¾-1	5	194.00	116.40

(F) Two Cylinder with 2" stroke. Wt. 36 lbs.

Stk. No.	Bore	HP	CFM Displ.	List	Each
20-502/1A	2⅜"	1-1½	8	$310.00	$186.00
20-503/9A	2⅝"	2	9.7	333.00	199.80

G Two-Cylinder—3¾" bore, 3" stroke. Tapered roller bearings. Centrifugal unloader. 3-HP—18 CFM, 460 rpm. 5-HP—30 CFM, 770 rpm.
20-283/8A—List $1053.00.145 lbs **$631.80**

H Four-Cylinder—3¾" bore, 3" stroke. Tapered roller bearings. Centrifugal unloader. 7½-HP displaces 45 CFM, 775 rpm; 10-HP—55 CFM, 845 rpm.
20-284/6A—List $2074.00. 345 lbs. **$1244.40**

Quality-Made Components Assure Longer Compressor Life . . . Fewer Service Problems

Big Savings on Safety Valves

WE SHIP UPS WHEN POSSIBLE



J

J PRESSURE SWITCHES

50-150 PSI for maximum 2-HP on single phase, 3-HP on 3-phase with unloader.
22-613/4A—With unloader **$17.69**
Without unloader.
22-614/2A—Net each **$14.13**
50-250 PSI pressure range for maximum 2-HP on 110V or 220V single phase. Has unloader.
22-004/6A—Net each **$31.45**
Without unloader.
22-003/8A—Net each **$23.24**

Tank Safety Valves in Two Styles

K L M N

K RING-TYPE SAFETY VALVE

Conform to ASME code requirements; have manual relief rings. Add $1.00 for other settings 60 to 250 lbs. Specify setting.
22-089/7AX —¼ NPT 125 PSI. Net each .....**$ 8.65**
22-148/1AX —¼ NPT 165 PSI. Net each **8.65**
22-149/9AX —¼ NPT 200 PSI. Net each **8.65**
22-090/5AX —½ NPT 200 PSI. Net each **12.95**

L LEVER-TYPE SAFETY VALVE

Mass. code safety valves are stamped and sealed. ¼" to 1" are set for 200 PSI, 1¼" to 3" set for 125 PSI. Add $1.50 for other settings 60 to 250 lbs.; add $3.00 for 60 to 300 lbs. settings on 3" valves. Specify setting.

Stock No.	Size	Each	Stock No.	Size	Each
22-091/3AX	¼" NPT	$19.98	22-096/2AX	1½" NPT	$ 79.65
22-092/1AX	⅜" NPT	19.98	22-097/0AX	2" NPT	121.85
22-093/9AX	½" NPT	23.75	22-098/8AX	2½" NPT	223.35
22-094/7AX	¾" NPT	29.58	22-099/6AX	3" NPT	351.80
22-095/4AX	1¼" NPT	68.70			

M HORIZONTAL VALVES

Spring-loaded dash pot-type check valves for pipe or tube fittings on inlet and outlet. Made of cast brass complying with ASME.
22-082/2A —¾x¾". Net each.....**$ 28.96**
22-083/0A —1x1". Net each..... **44.00**
22-084/8A —1¼x1¼". Net each..... **57.00**
22-085/5A —1½x1½". Net each..... **57.00**
22-086/3A —2x2". Net each..... **121.00**
In-Line for attaching unloader line.
22-087/1A —½x½". Net each.....**$12.95**
22-157/2A —¾x¾". Net each..... **16.50**

N VERTICAL-HORIZONTAL VALVES

Valves screw directly into air receivers. Made of brass with Teflon valve disc for quiet operation.

Stk. No.	Size	Net Ea.	Stk. No.	Size	Net Ea.
22-068/1A	⅜x½"	$ 9.00	22-072/3A	1x1"	$23.70
22-069/9A	½x¾"	12.54	22-073/1A	1¼x1¼"	43.36
22-070/7A	¾x¾"	12.82	22-074/9A	1½x1½"	57.78
22-071/5A	¾x1"	21.36			

Has ⅛" outlet for use with pressure unloader.

Stk. No.	Size	Net Ea.	Stk. No.	Size	Net Ea.
22-075/6A	⅜x½"	$10.36	22-079/8A	1x1"	$23.98
22-076/4A	½x¾"	13.84	22-080/6A	1¼x1¼"	44.84
22-077/2A	¾x¾"	14.24	22-081/4A	1½1x½"	58.36
22-078/0A	¾x1"	22.04			

All threads NPT.

Save! Compressed Air Dryers Wholesale Priced at C&H!



16 Sizes
As Low As
$363.50

Refrigerant-Type Dryers for Instant Dry Air Economically

5 CFM to 125 CFM SIZES
IN STOCK FOR IMMEDIATE SHIPPING

INSTRUMENTATION
1. Refrigeration analyzer gauge
3. Power on light (amber)
4. High temp. light (red)
5. On-off switch
6. Air inlet temperature

Dryer-Than-Desert Air

Dryer Dew Pt.	Line Pressure	Atmospheric Dew Pt.	Atmospheric Rel. Humid.
50°	100	2°	4.7%
50°	175	—8°	2.8%
35°	100	—10°	2.0%
35°	175	—22°	1.0%

Now — Get More For Your Money at C&H!

Get at the source of the problem! Aftercoolers and receivers cut the heat, some water and a little oil and dirt . . . but the remaining contaminants are the expensive troublemakers, with water the biggest enemy! Water wipes out lubricants used in air tools causing premature wear, rust, and of course, increases maintenance costs.

Refrigerant-type compressed air dryers solve the problem. Hot moist air from an air compressor receiver enters an air-to-air heat exchanger where it is precooled with the outgoing cool air. This precooled air then enters a refrigerant to air heat exchanger and is chilled to 35° to 50° dew points—the termperature at which moisture can condense.

C&H dryers provide instant dry air easily, economically . . . nothing extra to buy, no constant tending! Built-in controls and instruments assure trouble-free operation—at a glance! Even if adverse conditions are present. Maximum operating pressure: 200 PSIG. Atmospheric dew points: @ 100 —PSIG, 12°F; @ 175 PSIG, —22°F.

Units with "D" in stock number, FOB Wis. Units with "A" in stock number shipped from our Milw. warehouse. Specify voltage/phase.

Many sizes in stock for immediate shipping

Stock Number	Instruments	HP	SCFM Cap. 38°*	SCFM Cap. 50°*	Air Connection	Dimensions L x W x H (inches)	Power Supply	Wt. (lbs.)	Net Each
22-036/8A	1, 3	⅛	5	6	⅜ NPT (F)	16½x14x11½	115-1-60	50	$363.50
22-132/5A	1, 3	⅛	10	12	¾ NPT (F)	16½x14x11½	115-1-60	50	382.50
22-037/6A	1, 3	⅛	15	18	¾ NPT (F)	16½x14x11½	115-1-60	50	459.00
22-133/3A	1, 3	⅛	25	30	½ NPT (F)	22x16x19	115-1-60	80	676.50
22-038/4A	1, 3	¼	35	42	½ NPT (F)	22x16x19	115-1-60	110	913.50
22-039/2A	1, 3	⅛	50	60	¾ NPT (F)	22x16x19	115-1-60	120	1209.00
22-040/0A	1, 3, 5	½	75	90	1 NPT (F)	32x23x32	115-1-60	180	1359.00
22-134/1A	1, 3, 5	½	100	120	1 NPT (F)	32x23x32	115-1-60	190	1478.00
22-041/8A	1, 3, 5	¾	125	150	1 NPT (F)	32x23x32	115-1-60	205	1776.50
22-135/8D	1, 3, 5	1½	150	180	1½ NPT (F)	32x23x32	208/230-3-60	270	2290.00
22-136/6D	1, 3, 5	1½	175	210	1½ NPT (F)	32x23x32	208/230-3-60	275	2421.00
22-042/6D	1, 3-6	1½	250	300	2 NPT (F)	38x31x44	208/230-3-60	500	3163.50
22-043/4D	1, 3-6	2	400	480	2 NPT (F)	39x31x44	208/230-3-60	700	4774.00
22-044/2D	1, 3-6	3	500	600	2 NPT (F)	39x31x44	208/230-3-60	800	5459.00
22-137/4D	1, 3-6	3	600	720	3 NPT (M)	53x33x45	208/230-3-60	1000	6254.50
22-045/9D	1, 3-6	5	750	900	3 NPT (M)	53x33x45	208/230-3-60	1200	6674.00

*Capacities rated at 100 psi inlet pressure 100° inlet temperature; and 100° ambient air temperature.

How Dry Should Compressed Air Be?

Because dryness is relative, how dry the compressed air you use should be depends on the ambient in your plant. In all instances, the compressed air you use should be dry enough to prevent oil and moisture sludge formation.

The moisture content of your compressed air depends on pressure and temperature. The lower the pressure, the more moisture it will hold . . . and the colder the temperature, the less moisture it will hold.

What Is Dewpoint?

Dewpoint is the saturation temperature corresponding to the humidity ratio and pressure of an existing moist air state. Or, stated another way, dewpoint is that temperature where the moisture will condense once the air has been cooled to a certain temperature. That temperature becomes its dewpoint.

No additional moisture will condense unless the air is cooled below that dewpoint temperature.

Refrigerated Air Dryers Are Self-Contained . . . Easy to Install

No wasted time or manpower. Merely connect the air lines and connect unit to electrical outlet. In a matter of minutes, you'll enjoy instrument-quality clean dry compressed air. Controls on C&H Air Dryers have been factory-set to give you years of trouble-free service. All carry a standard 1-year warranty.

Correct Compressor Accessories Save You Money!

Remove water and oil from compressed air . . . and you'll reduce maintenance problems, save time and money, and eliminate downtime.



Here's An Example of Typical —And Ideal Dry Air Installation

Compressed air is 7 to 12 times as contaminated as the air you breathe; it contains heat, oil, dirt particles and water in the form of vapor. Unless these contaminants are removed, they are piped through the system to cause havoc in machines, instruments, tools.

A well-designed installation consists of compressor, compressed air aftercooler, separator and drain . . . followed by compressed air receiver with drain. Receiver outlet should be piped directly to compressed air dryer thru bypass manifold. Air leaving dryer goes to plant air system.

Save on Aftercoolers, Separators, Drain Traps

Efficient Water-Cooled Aftercooler Yours For Less Now at C&H!

Tube shell design boasts a high-strength steel shell with brass tubing for long life, carefree use. Tubes are fixed to eliminate leakage and pressure drop. Baffle plates produce circular water flow patterns giving maximum cooling to the brass tubes. Aftercooler helps to bring air temperature down to 10° to 15° above temperature of the cooling water, thus condensing the water vapor held in the compressed air. For maximum cleaning, use aftercooler in combination with a separator to remove oil and dirt particles along with the water. FOB Milwaukee.



Stock Number	HP	CFM *	Tube Diam.	Pipe Size	Flange Size Diam.	Flange Size Bolt	O.A. Tube Length	Water Inlet/Outlet	Wt. (lbs.)	Net Each
22-108/5A	1-10	53	2⅛"	1" NPT	—	—	23¾"	½" NPTF	10	$125.50
22-109/3A	15-25	92	2⅛"	2" NPT	—	—	42"	½" NPTF	14	150.50
22-110/1A	30-40	162	3⅛"	—	7½"	6"	50"	½" NPTF	36	286.75
22-111/9A	50-60	243	5⅛"	—	10"	8½"	50"	¾" NPTF	82	748.50
22-112/7A	75	373	6⅛"	—	11"	9½"	50"	1" NPTF	118	846.00
22-113/5A	100	465	6⅛"	—	11"	9½"	72"	1" NPTF	151	919.00

*CFM at 125 PSI

Aftercoolers Actually Reduce the Cost of Compressed Air

Air discharged from a compressor is hot and holds water and oil in the form of vapor. Using this air without aftercooling is the cause of poor spray paint jobs and cabinet finishes, rapid tool and machinery wear, and other problems. As long as the water and oil remain suspended as vapor, neither air receivers nor air line filters can separate it from the air. Aftercoolers cool the air and condense vapors into water "droplets" which can be separated.

C&H Efficient Air-Cooled Aftercoolers Save Expensive Water and Costly Piping . . . Help Your Compressor to Work Better More Economically



- **Aftercooler cools air from compressor**
- **Motor drives high-volume fan . . . use indoors or outdoors**

Aftercoolers Provide the Most Important First Step in Removal of Moisture from Compressed Air Lines—They Cool the Hot Air from the Compressor and Condense the Entrained Water Vapor Into Easily Removed Liquid Form!

Save with our highly efficient air-cooled aftercoolers . . . 115 volt 1-phase electric motors drive high volume fans that cool the compressed air to within 5 to 20 degrees fahrenheit of the ambient. Degree of cooling depends on how close air flow is to aftercooler capacity. Designed for indoor or outdoor installation, these aftercoolers are most effective when located 10' or less from compressor discharge. Locate in coolest location with good air circulation. All equipped with OSHA-type fan guards.

CFM @100 PSIG	Width	Depth	Ht.	Wt. (lbs.)	Stock Number	Net Each
30	25"	14"	36"	85	22-604/3A	$276.00
45	29"	14"	38"	95	22-605/0A	299.00
65	31"	16"	42"	120	22-606/8A	357.50
110	33"	16"	44"	130	22-607/6A	481.00
155	39"	16"	50"	170	22-608/4A	579.75
215	65"	20"	44"	225	22-609/2D	940.00
365	65"	20"	44"	260	22-610/0D	1019.00
540	68"	20"	48"	315	22-611/8D	1304.00

Additional Models Available To 4000 CFM

TOUGH SEMI-STEEL AIR SEPARATOR

- **Dependable, no moving parts to wear out**
- **Simultaneously removes oil and moisture**

Cast semi-steel for steam and compressed air lines having operating pressures of 150 PSI or less, temperatures of less than 450°F. Utilizes an expansion system—no moving parts! Air is guided by baffle plates into centrifugal motion, air then reverses in seeking the outlet . . . simultaneously, oil and moisture are condensated out.

Stock No.	Pipe Size	CFM	Lbs.	Net Each
22-062/4A	¾"	55	13	$66.75
22-063/2A	1¼"	100	18	84.95
22-064/0A	2"	250	32	134.75
22-065/7A	3"	700	77	321.00
22-066/5A	4" flanged ends	1000	125	581.00

AUTOMATIC DRAIN TRAP

WE SHIP UPS WHEN POSSIBLE

- **One size fits all separators**
- **Stainless steel lasts and lasts**

Make sure your compressor is as efficient as you can make it. One size fits all separators shown. Rustproof stainless steel inner-workings for long service. ¾" pipe size.

22-067/3A—Wt. 8 lbs.

Net each **$37.85**



WILKERSON — Protect Air Tools with Top-Quality FRL's

ALL UNITS IN STOCK FOR IMMEDIATE SHIPPING

WE SHIP UPS WHEN POSSIBLE



Save with C&H Wholesale Prices

SELF-RELIEVING REGULATORS MAINTAIN STEADY PRESSURES

Pressure range from 5 to 125 psig—to maintain high air flow with steady pressure control and minimal pressure drop. Units are provided with ¼" gauge ports on both front and back. Maximum inlet pressure 300 psig; maximum operating temperature 200°F. Order gauge separately below chart.

Stock Number	Pipe Size	Approx. Ht.	Approx. Width	Wt. (lbs.)	List Price	Net Each	Each (lots/12)
26-830/0A	¼"	5½"	2½"	1½	$11.40	$ 9.92	$ 9.35
26-831/8A	⅜"	5½"	2½"	2	11.40	9.92	9.35
26-832/6A	½"	7⅜"	3"	3	16.20	14.09	13.29
26-833/4A	¾"	7⅜"	3"	6	20.00	17.40	16.40
26-873/0A	1"	9¼"	4¾"	7	31.50	27.41	25.83

¼" NPT Back-Mounted Gauge for above. Wt. ¼ lb.
26-834/2A—Net ea. $3.63. Ea. (lots/12) $3.27

HEAVY-DUTY DRAIN FILTERS REMOVE WATER, OIL and DIRT

High quality drain filters come standard with Wilkerson's exclusive "Whirl-Flo" baffling system; they remove water, oil and dirt particles. Feature 5 micron rated reusable filter element, quick disconnect clamp ring, transparent plastic bowl and metal bowl guard. Max. pressure, 150 psig; max. temperature, 125°F.

AUTOMATIC DRAIN FILTER with fully enclosed float-type drain — automatic at pressures 20-150 psig.

Stock Number	Pipe Size	Approx. Ht.	Approx. Width	Wt. (lbs.)	List Price	Net Each	Each (lots/12)
26-835/9A	⅛"	6⅛"	2¾"	2½	$25.50	$22.19	$20.91
26-836/7A	¼"	6⅛"	2¾"	2½	25.50	22.19	20.91
26-837/5A	⅜"	7⅞"	3½"	4	30.00	26.10	24.60
26-838/3A	½"	10"	4⅞"	6	46.50	40.46	38.13
26-872/2A	1"	10"	4⅞"	6	46.50	40.46	38.13
MANUAL DRAIN FILTER—same but manual flex drain.							
26-839/1A	⅛"	6⅛"	2¾"	2½	$15.00	$13.05	$12.30
26-840/9A	¼"	6⅛"	2¾"	2½	15.00	13.05	12.30
26-841/7A	⅜"	7⅞"	3½"	4	19.50	16.97	15.99
26-842/5A	½"	10"	4⅞"	6	36.00	31.32	29.52
26-871/4A	1"	10"	4⅞"	6	36.00	31.32	29.52

For other sizes, pressures and special OEM pricing, contact Dept. 26.

Miniature Combination Filter-Regulator-Lubricator . . . with Wilkerson Dependability



All the advantages of Wilkerson high performance filters, regulators and lubricators have been built into these ¼" miniature consolidation models—for use in tight places and on multiple drop lines. Self-relieving regulator has pressure range of 5 to 125 psig, with front and back ⅛" gauge ports. Filter features "Whirl-Flo" baffle system with reusable 5 micron rated element, 1 oz. capacity and manual drain. Lubricator has patented Flo-Guide Oil-to-Air mixer with 1 oz. capacity bowl (bowl must be removed for filling). All fit ¼" NPT pipe. Maximum pressure and temperature ratings are: regulator, 300 psig; 180°F—filter and lubricator, 150 psig, 125°F. Gauge reads 0-200 psi. Combination comes with gauge; on filter/regulator and regulator, gauge must e ordered separately.

Stock Number	Description	Approx. Ht.	Approx. Width	Wt. (lbs.)	List Price	Net Each	Each (lots/12)
26-824/3A	Comb./gau.	5½"	3½"	1	$33.95	$29.54	$27.84
26-825/0A	Filter only	3⅝"	1½"	½	9.00	7.83	7.38
26-826/8A	Lubricator	4⅝"	1½"	½	13.20	11.49	10.83
26-827/6A	Filt.-Reg.	5½"	1½"	¾	17.00	14.79	13.94
26-828/4A	Regulator	3"	1½"	½	6.80	5.92	5.58
26-829/2A	Gauge—⅛"	1½"	1⅜"	....	3.75	3.27	3.08

ECONOMIST AIR LINE LUBRICATOR

Wilkerson drip-type lubricator is equipped with the patented Flo-Guide system which maintains a constant oil to air ratio regardless of change in air flow. Equipped with quick-disconnect clamp ring for easy bowl removal (cannot be removed while pressurized). Easily filled from either side through large centrally located port without turning off line pressure. Transparent bowl with metal bowl guard. Max. pressure 150 psig; max. temperature 125°F.

Stock Number	Pipe Size	Approx. Ht.	Approx. Width	Wt. (lbs.)	List Price	Net Each	Each (lots/12)
26-843/3A	⅛"	7⅛"	2⅝"	2	$18.00	$15.66	$14.76
26-844/1A	¼"	7⅛"	2⅝"	2	18.00	15.66	14.76
26-845/8A	⅜"	8⅛"	3⅝"	3	21.00	18.27	17.22
26-846/6A	½"	11"	4⅝"	4	35.00	30.45	28.70
26-870/6A	1"	11"	4⅝"	6	35.00	30.45	28.70

ALL UNITS IN STOCK—IMMEDIATE SHIPPING

WE SHIP UPS WHEN POSSIBLE

IN STOCK IMMEDIATE SHIPPING

BIKINI Unitized Filter-Regulator-Lubricator for Safety and Serviceability

3-IN-1 PROTECTION

- It's a filter!
- It's a regulator!
- And a lubricator!
- More compact

Metal case acts as permanent bowl guard



Entire units removes for servicing



Fits 4 pipe sizes



No plumbing to disconnect

Complete pneumatic protection! Features Wilkerson's famous high performance features: Whirl-Flo baffle and 5 micron-rated filter element with permanent molded on gaskets. Self-relieving regulator has large balanced valve for superior flow and regulation characteristics. Maximum pressure and temperature ratings are 150 psig and 125°F. Lubricator has patented Flo-Guide which maintains a constant air to oil ratio regardless of changes in air flow. Has large, centrally located fill port, easy oil adjustment plus filtered flexible siphon tube and can be filled without shutting off air pressure. Unit can be removed from air line without disturbing pipe connections. Brackets must be ordered separately. 11 lbs.

26-916/7A—List $55.00. Ea. $47.85. Ea. (lots/3) $45.10

MOUNTING BRACKETS FOR BIKINI FILTER-REGULATOR-LUBRICATOR

Brackets come complete with set of two mounting brackets, screws and seals. Unitized Bikini can be removed from air line for servicing or replacing without disturbing the mounting bracket pipe connections. ½ lb. each.

Stock No.	Pipe	Net Ea.	Ea. (lts/3)
26-880/5A	¼" NPT	$4.00	$3.65
26-881/3A	⅜" NPT	4.00	3.65
26-882/1A	½" NPT	4.00	3.65
26-883/9A	¾" NPT	4.00	3.65

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

Piggy-Back Filter Regulator

Complete with Pressure Gauge

Two-way protection for your pneumatic equipment—cleanable, surface-type 5-micron filter has quick-disconnect bowl for rapid servicing without tools, Flex-Drain petcock for fast, easy draining even in hard-to-reach places. Balanced valve regulator assures excellent control, holds secondary pressures accurately in static or flow condition . . . maximum inlet pressure to 150 PSIG, temperature to 125°F. Two ¼" gauge ports, 0-160 PSI gauge. 2 lbs.

Stock No.	NPT	List	Each	Ea. (lots/12)
26-920/9A	¼"	$29.95	$26.06	$24.56
26-921/7A	⅜"	29.95	26.06	24.56
26-922/5A	½"	30.95	26.93	25.38

Complete with pressure gauge.

THE COMPLETE WILKERSON LINE IS AVAILABLE. CONTACT DEPT. 26.

MICROalescer Coalescing Filters Remove Petroleum-Base Oils in Compressed Air Systems . . . Improve Efficiency

WILKERSON



For Contamination-Free Air, Choose Coalescing Filters

Wilkerson coalescing filters remove oil aerosols, solid contaminats, and oil vapors from compressed air systems using petroleum-base lubricated compressors. Don't take chances, use coalescing filters because fine mist oil and water aerosols can't be trapped by ordinary filter elements or mechanical means. They will inevitably coalesce (join together) while flowing through the system and aerosols not removed will collect at orifices, pressure regulators, nozzles, and other areas where air turbulence causes impingement and accumulation. These aerosols and oil vapors must be removed. Wilkerson Type C coalescing filters, along with Type D, are designed to remove virtually all contaminants by means of a fiborous, microborosilicate bed in the filter element. This fiberous bed is composed of the precise size and angle of fibers with the correct depth of bed in a carefully controlled pack density . . . this is your assurance of maximum efficiency with minimal pressure drop. Wilkerson coalescing filters are available for airflows ranging from 12.5 to 190 scfm. The contamination-free air they deliver is 400,000 times cleaner than normal industrial ambient air. By selecting properly, you can filter compressed air to instrument-air quality using Wilkerson MICROalescer filters.

Type A Filter

has a 5-micron-rated surface-type reusable element designed to remove solid contaminants and bulk liquids. It can be used alone when 5-micron filter capabilities are desired or as a pre-filter for Type C elements to extend their service life.

Type C Filter

has a 0.03-micron-rated coalescing-type element that is 99.99998% efficient in removing oil aerosols and solid particles. The Type C Filter should be installed after a Type A Filter to prevent rapid build-up of solid contaminants.

Type D Filter

uses an absorption type element for removing oil vapors, oil-associated odors, and nearly 100% of any remaining solid contaminants. Its powdered activated charcoal is in a fibrous microborosilicate layer providing high ratio of charcoal-filtering surface to filter-element area. Use with Type C Filter.

MAXIMUM OPERATING TEMPERATURE, 125°F—MAXIMUM OPERATING PRESSURE, 150 PSIG

...e ...e T	Type A* Stock Number	Air Flow (SCFM)	List Price	Each	Type C+ Stock Number	Air Flow (SCFM)	List Price	Each	Type D+ Stock Number	Air Flow (SCFM)	List Price	Each
⅛"	26-135/4A	54	$25.50	$22.10	26-929/0A	12.5	$38.00	$33.03	—	—	—	—
¼"	26-874/8A	58	38.00	29.10	26-930/8A	16	44.50	38.72	26-115/6A	16	$38.00	$33.06
⅜"	26-875/5A	89	38.00	29.10	26-931/6A	39	58.50	50.90	26-116/4A	39	54.00	46.98
½"	26-137/0A	108	38.00	29.10	26-932/4A	61	78.50	81.34	26-117/2A	61	68.00	59.16
¾"	26-872/2A	290	46.50	40.46	26-933/2A	120	130.50	121.37	26-118/0A	120	125.00	108.75
1¼"	26-936/5A	1008	175.00	152.25	26-934/0A	190	230.50	200.54	26-119/8A	190	232.00	201.84

Type A micron filters are flowrated at 90 psig inlet pressure and a 5-psi drop. To maintain rated efficiency, change filter element when pressure differential has increase to 20 psig (1, 4 bars).

Types C and D filter are rated at 90 psig inlet pressure with a 1.5 psi pressure drop at 70°F across the filter element. Maximum recommended pressure drop across filter is 10 psi. To maintain rated efficiency, rated temperature and pressure differential must not be exceeded.

WHEN ORDERING MICROALESCER FILTERS, DO NOT CHOOSE BY PIPE SIZE. MAKE SELECTION BY FLOW RATE AND OPERATING PRESSURE ONLY

Differential Pressure Gauge for C and D Filters

Don't take chances with clogged or improperly functioning filters. This differential pressure gauge indicates pressure drop across each filter thus signalling the need for cleaning or replacing the filters. Designed for use with Type C and D filters. Single dial face makes reading fast, accurate.

26-935/7A—
Net each **$20.88**



Clean-Air Filters Trap Dirt and Oil

Positive-acting filters can be replaced easily. Filtering material is contained in non-absorbent bags. Individual bags can be replaced. Tempered clear plastic allows you to monitor filter condition. Elements even absorb oil!

Filters Are Essential . . .

Food Processing requires both chemically and biologically clean air. Provides agitation of materials under process, or moving flours, sugar and cereals. Industries' No. 1 choice.

Chemical Processing . . . paint pigments, talc, all bulk materials where water could cause clogging or chemical reaction.

Bottling Companies . . . provides air free of agents, allowing biological or bacterial growths. Leaking compressor oil demands filter protection.

Air Tools . . . When broken down for repair, the black "gunk" usually found is the combination of burned hydrocarbons and water. Filters protect against passing oil.

Spray Paint and product finishing jobs require oil-free air to insure elimination of "wall eyes" or "holidays".

Compressed Air Cylinders in air-conditioning, fluidic applications and air operated control equipment, even aircraft.

COMPRESSOR AIR LINE FILTERS

Stock Number	CFM	Body Type	Wt. (lbs.)	Net Each	REPLACEMENTS (pkg. of 4) 1-year supply Stk. No.	Ea. Set/4
6-384/8A	20	Seamless alum.	3	$78.35	26-392/1AP	$22.40
6-385/5A		Clear plastic	4	78.35		
6-386/3A	60	Seamless alum.	14	$227.50	26-393/9AP	$32.60
6-387/1A		Clear plastic	11	$227.50		
6-388/9A	100	Seamless alum.	21	$323.75	26-394/7AP	$47.00
6-389/7A		Clear plastic	18	323.75		
6-390/5A	200	Seamless alum.	31	$402.50	26-395/4AP	$116.60
6-391/3A		Clear plastic	27	402.50		

Unconditionally Guaranteed

Guaranteed to remove all liquid oil, oil vapors or hydrocarbons. Dirt and contaminants will be held to 5 microns and pressure drop will be minimal or filter may be returned to us within 60 days of invoice.

Compressed Air Velocity Fuse Protects Operator

Safety regulations require safety device at source of supply for all hoses exceeding ½" I.D. This fuse meets Dept. of Labor safety regulations for construction as stated in Fed. Register vol. 36, no. 15.
Large Quantity Users!
Write Dept. 26 for special quantity prices

Specifically designed for use on compressed air lines leading to pneumatic tools—protect against whipping air hoses caused by a suddenly disconnected fitting or severing of hose when under pressure. Valve automatically slams shut when flow of air exceeds setting of valve. Constructed of aluminum with Delrin stem, stainless steel spring.

Stock Number	Pipe Size I.D. x Lgth.	Closing Flow (inlet press. PSIG) 25	50	90	125	150	200	250	Net Each	Each (lots/3)
26-610/6A	⅜"x3½"	29	38	48	56	60	69	76	$ 7.40	$ 6.94
26-611/4A	½"x3½"	50	65	80	90	100	115	125	7.40	6.94
26-612/2A	¾"x5"	140	175	225	260	280	320	360	12.05	11.19

Automatic Tank Drain with Puncture-Proof Float

Cellular rubber float actuates drain mechanism as liquid rises in bowl

Drains at the rate of 80 gph at 70 psig, operates bxetween 20 and 175 psig. Has quick-disconnect clamp ring, 5-oz. capacity transparent plastic bowl (200 psig maximum pressure, 130°F maximum temperature) and metal bowl guard. Pipe threads are ½" NPT on drain inlet, ⅛" NPT port in the cover for use as vent line connector or extra drain inlet.

26-799/7A—Net each **$21.32**

C&H MEETS OSHA REQUIREMENTS

Air Equipment Saves Labor and Energy



A BLO-GUN WITH HANG-UP HOOK

New heavy-duty safety-lever design. Extra-large side hook allows easier "hang-up" without scraping knuckles. Inlet pressure, 150 PSI; maximum nozzle pressure, 30 PSI. Meets OSHA standards.
Shpg. wt. ½ lb.
26-678/3A—Net each **$5.87.**
Ea. (lots/5) **$5.39.** Ea. (lots/10) **$4.97**



(A) and (B) are classified by Underwriters' Laboratories, Inc. Vital where Federal supply contracts are involved.

B INDUSTRIAL SAFETY BLO-GUN

Long 4" heavy brass extension with approved by-pass safety nozzle. Four safety bypass holes. Discharges same volume as full-flo blo-gun, but maintains required nozzle pressure of 30 PSI, inlet pressure of 150 PSI. UL listed.
26-458/0A—List $7.10. Ea. **$6.36.**
Ea. (lots/5-9) **$5.85.** Ea. (lots 10 +) **$5.38**

As Low As **$5.62**

C VOLUME SAFETY BLO-GUN

Special venturi holes in extension tube increase air volume approximately 5 times that of conventional blo-guns—yet maintains 30 PSI required nozzle pressure, 150 PSI inlet pressure. Air can escape if end is blocked. UL listed.
26-459/8A—List $7.73. Ea. **$6.59.**
Ea. (lots/5-9) **$6.09.** Ea. (lots 10 +) **$5.62**



D SIPHON SPRAY BLO-GUN KIT

Easy action! Attach air line and siphon tube . . . run tube to reservoir of water or solvent . . . unit is ready to use! Degrease engines, rustproof tools, clean walls, etc. With 8' of tubing.
26-457/2A—List $10.95. Ea. **$9.59.**
Each (lots of 5) **$8.83**

As Low As **$4.74**



E PRECISION LEVER BLO-GUN

Positive lever control. Hundreds of automotive and industrial uses — ideal for large or small plants, airports, garages, ¼" NPT. Precision made.
26-680/9A—Net ea. **$5.15.** Ea. (lots 5 +) **$4.74**

F STREAMLINED BUTTON BLO-GUN

Indispensable for cleaning fuel and oil lines, air cleaners, car interiors . . . for drying out wet ignition systems and spark plugs . . . for blowing out dirt, metal chips, filings, etc. ¼" NPT.
26-679/1A—Net ea. **$3.59.** Ea. (lots 5 +) **$3.31**

Attaches to Air Line . . .

only **$48.55** in quantity

IN STOCK IMMEDIATE SHIPPING

Powerful "60" Air-Vac

SAFE! NON-SPARK ALUMINUM BODY OPERATES ON COMPRESSED AIR . . . NO ELECTRICITY!

Lightweight Air-Vac cleans with complete safety . . . attaches to existing air lines. Quickly whisks away dust, dirt, lint, chips, grindings, sand, anything up to ½" in size! Efficient and powerful—it vacuums instead of blows! Provides maximum suction power, yet operates on standard air lines with 60-150 lbs. pressure (compressor not included). Aluminum body is 24" long—comes with dust bag and 5" nozzle. Shpg. wt. 2 lbs.
26-253/5A—Net ea. **$52.35.**
Each (lots/3) **$48.55**
Extra Dust Bag. 10"x12".
26-899/5A—Net ea. $8.20
Extra Dust Bag. 12"x24".
26-900/1A—Net ea. $12.75



"60" AIR-VAC ATTACHMENTS

Get into bins, hard to reach places . . . set includes plastic crevice tool, round rubber brush, 20" long wand. 1 lb.
26-254/3A—Net each set **$11.98**

Pneumatic Muffler Helps Cut Noise

IN STOCK IMMEDIATE SHIPPING



Efficient, economical way to eliminate objectionable noise from air-operated equipment . . . without sacrificing air tool efficiency. Radial flow assures noise muffling without retarding normal flow of exhaust air. Muffler reduces exhaust velocity but maintains full air volume. Connects to exhaust port of air tools.

Stock No.	Pipe	Lgth.	Net Ea.	Ea. (lots/5)
26-244/4A	⅛"	3"	$ 2.75	$ 2.57
26-245/1A	¼"	4"	3.30	3.07
26-246/9A	⅜"	4¾"	4.95	4.61
26-247/7A	½"	5½"	5.50	5.13
26-248/5A	¾"	6¾"	6.95	6.47
26-249/3A	1"	8"	8.05	7.50
26-250/1A	1¼"	10"	9.25	8.61
26-251/9A	1½"	13¼"	14.05	13.08
26-252/7A	2"	18¼"	17.45	16.24

GENERAL SERVICE SOLENOID VALVES—UL LISTED

ALL UNITS IN STOCK FOR IMMEDIATE SHIPPING

IN STOCK IMMEDIATE SHIPPING

- **Available in 120 volt, 230 volt and 480 volt**
- **Only 2 moving parts—no diaphragm, no linkages**
- **Unbreakable piston rings**
- **Only bronze and stainless in contact with fluids**
- **Cushioned closing—no damaging hammer**
- **Normally closed**

Fully automatic two-way packless piston valves are pilot operated. Unbreakable Teflon piston rings with stainless steel expander to last with little trouble. Heavy-duty bronze bodies with epoxy molded coils for high temperature resistance. Specially designed for operation with air, water, light oil (not heavier than #2 fuel oil) and steam. Requires minimum air pressure differential of 5 PSI across valve for operation. For horizontal installation only.

Air		Water		Lt. Oil #2		Steam		Max.
Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Temp.
10	125 PSI	10	125	10	100	10	15	250°F

Pipe Size	Stock No.	Volts	Wts.	Each	Ea. lots/
½"	26-229/5A	120V	4 lbs.	$39.60	$35.64
	26-230/3A	240V		39.60	35.64
	26-231/1A	480V		41.80	37.62
¾"	26-232/9A	120V	6 lbs.	$44.00	$39.60
	26-233/7A	240V		44.00	39.60
	26-234/5A	480V		46.00	41.40
1"	26-235/2A	120V	7 lbs.	$66.00	$59.40
	26-236/0A	240V		66.00	59.40
	26-237/8A	480V		68.20	61.38
1¼"	26-238/6A	120V	8 lbs.	$94.60	$85.14
	26-239/4A	240V		94.60	85.14
	26-240/2A	480V		96.60	86.94
1½"	26-241/0A	120V	10 lbs.	$138.60	$124.74
	26-242/8A	240V		138.60	124.74
	26-243/6A	480V		140.80	126.72

EXTRA COILS
26-616/3A—120V/60C $15.4
26-617/1A—240V/60C 15.4
26-618/9A—480V/60C 17.6

IN STOCK IMMEDIATE SHIPPING

Air Line Accessories at C&H Low Prices!

WE SHIP UPS WHEN POSSIBLE

Flexible Metal Hose in Bronze Alloy or Stainless Steel — In Stock, Order Now!

For conveying gases and liquids, high pressure and high temperatures! Controls vibration—normal vibrations of machine are not transmitted through the system. Absorbs expansion—no heating and cooling pipe length changes. Alignment stresses are eliminated. Both ends have male pipe threads. Specify exact length desired.

Pipe	Std.	BRONZE ALLOY			STAINLESS STEEL		
Size	Lgth.	Stock No.	Net Ea.	Extra Per In.	Stock No.	Net Ea.	Extra Per In.
½"	10"	26-309/5AM	$15.65	$1.02	26-318/6AM	$19.24	$1.28
¾"	11"	26-310/3AM	22.65	1.58	26-319/4AM	25.15	1.48
1"	12"	26-311/1AM	28.45	1.94	26-320/2AM	30.75	1.92
1¼"	13"	26-312/9AM	37.70	2.46	26-321/0AM	36.35	2.28
1½"	14"	26-313/7AM	48.95	3.24	26-322/8AM	41.90	2.56
2"	15"	26-314/5AM	68.80	4.10	26-323/6AM	53.85	3.26
2½"	16"	26-315/2AM	91.25	4.66	26-324/4AM	74.30	4.22
3"	17"	26-316/0AM	123.50	6.18	26-325/1AM	98.55	5.30
4"	19"	26-317/8AM	251.80	10.40	26-326/9AM	134.50	7.06

Larger Lengths Available. Write Dept. 26.

Quick-Change Couplers for Hoses ¼"-¾"

These 3-ball and 5-ball type fittings interchange with all makes of 3 and 5 series couplers. Each is made of hardened steel; push back sleeve performs connecting and disconnecting. Ball contacts allow hose to swivel.



THREADED FEMALE SOCKETS



THREADED FEMALE PLUGS

Stock Number	Thread Size	Net Each	Each Lots/10	Stock Number	Thread Size	Net Each	Each Lots/10
5-271/7A	⅛" FPT	$2.18	$1.96	26-276/6A	⅛" FPT	$ .51	$ .46
5-272/5A	¼" FPT	2.07	1.86	26-277/4A	¼" FPT	.58	.52
5-273/3A	⅜" FPT	2.43	2.18	26-278/2A	⅜" FPT	.92	.82
5-274/1A	½" FPT	5.18	4.66	26-279/0A	½" FPT	1.43	1.28
5-275/8A	¾" FPT	5.98	5.38	26-280/8A	¾" FPT	3.06	2.76

THREADED MALE SOCKETS



THREADED MALE PLUGS

Stock Number	Thread Size	Net Each	Each Lots/10	Stock Number	Thread Size	Net Each	Each Lots/10
5-281/6A	⅛" MPT	$2.27	$2.04	26-288/1A	⅛" MPT	$ .53	$ .48
5-282/4A	¼" MPT	2.16	1.94	26-289/9A	¼" MPT	.49	.44
5-283/2A	⅜" MPT	2.43	2.18	26-290/7A	⅜" MPT	.69	.62
5-286/5A	½" MPT	5.05	4.54	26-293/1A	½" MPT	1.27	1.14
5-287/3A	¾" MPT	5.54	4.98	26-294/9A	¾" MPT	2.27	2.04



SOLID BRASS THREADED MALE HOSE BARBS



SOLID BRASS THREADED FEMALE HOSE BARBS

Sold Only in Lots of 10

Stock Number	Thread Size	Hose I.D.	Each Lots/10	Each Lots/50	Stock Number	Thread Size	Hose I.D.	Each Lots/10	Each Lots/50
5-297/2A	⅛"	⅛"	$ .49	$ .45	26-301/2A	⅛"	⅛"	$ .49	$ .45
5-298/0A	¼"	¼"	.59	.54	26-302/0A	¼"	¼"	.59	.54
5-299/8A	⅜"	⅜"	.85	.79	26-303/8A	⅜"	⅜"	.85	.79
5-300/4A	½"	½"	1.29	1.19	26-304/6A	½"	½"	1.29	1.19

Interchangeable Couplers Save $$$

Interchange with Aro

A

Interchange with Lincoln

B

A	Stk. No.	Type	Interchange/Aro	Each	Lots/10
¼" NPT SERIES	26-566/0A	Female coupl.	210	$2.25	$2.02
	26-567/8A	Male plug	A-2608	.56	.50
	26-568/6A	Female plug	A-2609	.60	.54
B	**Stk. No.**	**Type**	**Interchange/Lincoln**	**Each**	**Lots/10**
¼" NPT SERIES	26-569/4A	Female coupl.	815	$2.96	$2.66
	26-570/2A	Male plug	11659	.80	.72
	26-571/0A	Female plug	11661	.92	.82

Self-storing . . . recoils to 1/30th of working lgth.

For hand tools

Overhead use

Promote safety

Re-coil Nylon Air Hose

Extruded and formed nylon air hose is helically coiled. It extends easily to desired working length—never any pull back. Self-storing—after use "springs back" to original coiled shape. Working length is 95% of nominal length—coils to 1/30th of working length. Working pressure to 200 PSI. 4 to 1 safety factor. No oil absorption. 2% max. water absorption. Swivel fitting on one end.

¼" I.D. ¼" NPT			⅜" I.D. ⅜" NPT			½" I.D. ½" NPT		
Stk. No.	Lgth.	Net Ea.	Stk. No.	Lgth.	Net Ea.	Stk. No.	Lgth.	Net Ea.
26-259/2A	12'	$ 6.08	26-263/4A	12'	$10.30	26-267/5A	12'	$14.92
26-260/0A	25'	8.92	26-264/2A	25'	14.94	26-268/3A	25'	23.08
26-261/8A	50'	15.44	26-265/9A	50'	26.18	26-269/1A	50'	38.28
26-262/6A	100'	28.84	26-266/7A	100'	45.80	26-270/9A	100'	69.66

Repair Kit for Hose and Tubing

CONTAINS 250 CLAMPS

FOR 5/16" O.D. AND UP PIPE OR HOSE

Sturdy metal kit. Ideal for shop, field installation, and similar uses. Contains 50 each: 7/16", ½", 9/16", and ⅝" standard "O" clamps; 25 each: ¾" and ⅞" standard "O" clamps; standard pincers.

26-296/4A—7 lbs. Net each kit **$46.50**

Sold in packages of 100. Order the number of packages desired.

26-626/2AP—5/16"	$8.50	26-625/4AP—⅝"	$10.50
26-627/0AP—7/16"	8.90	26-630/4AP—¾"	10.90
26-628/8AP—½"	9.25	26-631/2AP—⅞"	11.25
26-629/6AP—9/16"	9.75	26-632/0AP—1"	12.50

WORM GEAR HOSE CLAMPS

Finest! With stainless steel band, saddle, housing; plated hex screw. Micro-Seal clamp. Sold only in lots/10

Stk. No.	I.D.	Each Lots/10	Each Lots/100
26-554/6AL	⅛"	$.46	$.44
26-555/3AL	¼-⅜"	.46	.44
26-556/1AL	5/16-½"	.52	.49
26-557/9AL	⅜-⅝"	.52	.49
26-558/7AL	⅝-¾"	.52	.49
26-559/5AL	¾-1"	.52	.49
26-606/4AL	1-1¼"	.54	.51
26-607/2AL	1¼-1½"	.54	.51

Excellent for all conducting applications except paint





STURDY AIR HOSE

Heavy-duty, abrasion-resistant, high tensile construction. Oil-proof cover. Maximum working pressure, 250 PSI. Rigid male NPT fittings on both ends.

¼" I.D. Hose—¼" NPT			
Stk. No.	Lgth.	Lbs.	Net Ea.
26-656/9A	10'	1¾	$ 5.16
26-327/7A	15'	3	7.40
26-328/5A	25'	4½	10.82
26-329/3A	50'	9	19.25
⅜" I.D. Hose—⅜" NPT			
26-681/7A	25'	4½	$12.96
26-682/5A	50'	20	24.95

VINYL BRAIDED HOSE

All polyvinyl chloride hose with single rayon-nylon braid. Tough, flame-resistant; —20° to 180°F operating temperatures. Resistant to most alkalies, acids, petroleum products. Working pressure: ⅛"=375; ¼"=300; ⅜"=225; ½"=200; ¾"=175; 1"=125; 1½"=90.

Stk. No.	I.D.	O.D.	Net/Ft.	100' +
26-305/3A	⅛"	5/16"	$ .16	$ .14
26-306/1A	¼"	½"	.28	.25
26-307/9A	⅜"	⅝"	.38	.35
26-308/7A	½"	13/16"	.48	.44
26-580/1A	¾"	1"	1.08	.99
26-581/9A	1"	1¼"	1.30	1.20
26-582/7A	1½"	2"	1.94	1.76

NEW

C&H Q.S.C.
QUICK SHIP COMPRESSORS

- Quality Made
- Warranted
- Fully Tested
- Nationwide Parts & Service

Exclusive C&H Savings

On the World's Best Compressors

EXTRA BONUS!
QUICK SHIP COMPRESSOR
MAGNETIC MOTOR STARTER
MOUNTED and WIRED

Only C&H can offer these expertly engineered, quality made compressors at factory-direct savings! Don't miss this opportunity to save on completely assembled, fully factory-tested compressors designed for continuous duty service. C&H compressors can meet all your air requirements . . . there's a size for powering impact wrenches, for spray painting, for drill presses . . . there's a type for construction work, for dental offices or precision instruments. All are built by caring conscientious craftsman to meet your air needs efficiently and economically.

Nationally known motor manufacturers supply the 1800-RPM motors which are built to meet or exeed NEMA specifications. Units are equipped with centrifugal unloaders, high performance pumps, and automatic start-stop controls with pressure switch factory-set at 125-150 PSI.

Make no mistake about C&H quick ship compressor quality . . . all are factory prewired, lubricated, tested and inspected before shipment . . . all include magnetic motor starters and all steel fully enclosed belt guards. All are protected against rust by blue acrylic enamel.

Dollar for dollar, C&H compressors are your best buy in air whether you're a large industrial user, the owner of a family farm, a professional office, a garage mechanic or a building contractor. Parts and service are available throughout the United States if necessary. Buy with confidence at C&H . . . you know these are the world's greatest compressors at the world's most competitive prices.

C&H Q.S.C.
QUICK SHIP COMPRESSORS

Reliable 5-HP 2-Cylinder 2-Stage Air Compressors Specially Low Priced at C&H

As Low As **$1049.00**

Guaranteed Shipment within 2 working days or we pay the freight!

- Time-saver in all applications
- Balanced for low vibration, high efficiency
- Magnetic motor starter, mounted and wired
- Choice of one-phase or 3-phase motors

Consistent performance makes this carefully engineered air compressor a valuable assest in service station, garage, farm, or shop. Thin finned intercoolers provide the low operating temperature that results in long life and lasting efficiency. A wise investment! Unit is 52″x26″x47″ H.

High quality compressor pump has aluminum cylinders bonded to hardened steel cylinder walls for maximum heat dissipation. Domed pistons, and low-lift Swedish steel valves improve operation.

1800-RPM open drip-proof motors are built to meet or exceed NEMA specifications. Compressor has multiple matched set V-belts, fully enclosed all metal belt guard.

60-Gallon ASME code approved tanks have 200 PSI working pressures, 0-300 PSI pressure gauge, tank drain, service valves. Centrifugal unloader prolongs unit's life.

Automatic start-stop controls are factory set at 125-150 PSI. Outfitted with intake filter-silencer. Compressors are factory prewired, lubricated, tested, and inspected before shipment. FOB Milwaukee.

Stk. No.	Phase	Voltage	Lbs.	List	Each
20-464/4WT (01)	1	230V	608	$2558.00	$1158.00
20-464/4WT(02)	3	Specify 230V or 460V	578	2157.00	1049.00

PERFORMANCE CHART

Operating Pressure	Pump RPM	Piston Displ.	Free Air Del.
100 psig	919	26.8 CFM	21.6 CFM
125 psig	849	24.7 CFM	20.6 CFM
150 psig	803	23.4 CFM	19.1 CFM
200 psig	732	21.3 CFM	16.9 CFM

C&H Q.S.C. QUICK SHIP COMPRESSORS

Guaranteed Shipment within 2 working days or we pay the freight



Unit Delivers 21.5 CFM at 150 PSI.

Two-Stage Take-Along Air compressor for Truck or Trailer Mounting

SAVE OVER **44%** only **$1311.00**

Oversize heavy-duty 10-HP 4-cycle engine plus idling device helps insure engine longevity, electric start insures instant service. Positive-acting centrifugal unloaders assure load-less starts. Pneumatic throttle control automatically slows down engine during non-pumping cycle. Intake filter-silencers have removable elements. Two-cylinder compressor pump has 27.0 CFM displacement, 21.5 CFM free air delivery. Pump operates at 668-rpm. Engineered with drop-forged crankshaft set in Timken tapered roller bearings, Ring-Flo lubrication system, replaceable valves for fast, easy field service. ASME rated 30-gallon tank with safety valve, tank drain, check valve. Fully enclosed belt guard. 44"Lx18"Wx44"H. Battery not included. Wt. 450 lbs.

20-471/9WT — List $2348.00 Each **$1311.00**

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls — Dial 414-271-2250

New C&H Q.S.C. Delivery Program

C&H Q.S.C. QUICK SHIP COMPRESSORS

Place An Order for Any C&H Compressor on the Q.S.C. Program . . . and We Guarantee That the Compressor Will Be on Its Way to You Within 2 Working Days or C&H Will Pay the Freight. Depend on C&H to Deliver.

Guaranteed Shipment within 2 working days or we pay the freight!

Top-Rated 15-HP Compressor With 120-Gallon ASME Tank for Dependable Performance

complete **$2781.00**

$189.50 Value Magnetic Motor Starter included. Fully enclosed all-metal belt guard is standard equipment on this tough 2-cylinder, 2-stage compressor. Features 61.5 CFM displacement and 53.7 CFM air delivery at 175 psi. Has automatic start-stop controls, pressure switch factory-set at 125-150 psi. Air receiver has 200 psi working pressure, comes with 0-300 psi pressure gauge, tank drain, service valve. Quality engineered with multiple unamated aluminum cylinders, cast-iron liners for 375% more cooling surface. Domed upper cylinder, positive start unloading, 1800-rpm open drip-proof 3-phase motor built to meet or exceed NEMA specifications. Has intake-silencer. Warranteed one full year, parts available nationally. Measures 76" long, 30" wide, 58" high. Specify 230 volt or 460 volt when ordering. Shpg. wt. 1075 lbs.

20-470/WT (02) — List $5358.00. ..... **$2781.00**

C&H Q.S.C. QUICK SHIP COMPRESSORS

Guaranteed shipment within 2 working days or we pay the freight!



Dependable 2-HP 2-Stage Air Compressor Combines Low Cost, High Efficiency

SAVE OVER 53% complete $768.50

$95.75 Value Magnetic Motor Starter, Mounted and Wired. Fully enclosed all-metal belt guard is standard equipment. This 3-cylinder two-stage air compressor is job-rated for full volume at 175 psi working pressure, intermittent pressure to 200 psi. ASME-rated 30-gallon horizontal tank has drain valve and service valve; start-stop controls have pressure switch set at 120-150 psi. Intake filter silencer has removable element. 2-HP open drip-proof motor, 220 volt 1-phase, 1800-rpm. Compressor runs at 720 rpm with 9.0 CFM displacement, 6.7 CFM free air delivery, at 140-175 psi. Compressor is 41" long, 19" wide, 33" high. Shpg. wt. 206 lbs.

20-468/5WT (01)—List $1641.00. Each **$768.50**

FOR ORDERS ONLY
Phone Toll Free
800-558-9966
For Other Customer Service and Wisconsin Calls – Dial 414-271-2250

New C&H Q.S.C. Delivery Program

C&H Q.S.C. QUICK SHIP COMPRESSORS

Place An Order for Any C&H Compressor on the Q.S.C. Program . . . and We Guarantee That the Compressor Will Be on Its Way to You Within 2 Working Days or C&H Will Pay the Freight. Depend on C&H to Deliver.

Guaranteed shipment within 2 working days or we pay the freight!



High-Volume 3-HP 1-Ph. Single-Stage Compressor on 60-Gallon ASME Tank

complete $993.25

$104.75 Value Magnetic Motor Starter, Mounted and Wired. Fully enclosed all-metal belt guard included. Complete, ready to perform with dependability and economy . . . perfect for paint spraying, tire inflating, lubricating. High-starting torque electric motor meets the demands of constant start-stop service on jobs requiring less than 125 lbs. of pressure. Unloader assures easy starting; 3-HP 220-volt 1-phase motor assures long service. 4-cylinder single stage pump is rated for pressure to 150 psi intermittent, 125 psi continuous use. At 100 psi, compressor runs at 840 rpm with 21.3 CFM displacement, 13.0 CFM free air delivery. Mounted on 60-gallon ASME horizontal tank with safety valves, pressure gauge, ½" NPT outlet. Compressor measures 52" long, 26" wide, 47" high.
Shpg. wt. 458 lbs.

20-469/3WT (01)—List $2163.00. Each **$993.25**

Shipment within 2 working days Guaranteed!

C&H Q.S.C. QUICK SHIP COMPRESSORS

C&H 10-HP Industrial 2-Stage Air Compressor Priced for Big Savings

- **Complete with magnetic motor starter**
- **Super efficient domed pistons, low-lift valves**
- **Balanced design for low vibration, long life**
- **No-load starting with automatic start-stop**

PRICE INCLUDES MAGNETIC MOTOR STARTER VALUED AT $143.00—MOUNTED *and* WIRED—READY FOR OPERATION



Only **$1689.00**

Dependable performance in demanding situations. Aluminum cylinders bonded to hardened steel cylinder walls assure maximum heat dissipation; thin-finned intercoolers, domed pistons and low-lift Swedish steel valves combine for consistent compressed air output . . . it runs cooler, longer. Proven impact-type controlled lubrication combines advantages of force feed with the simplicity of splash-type systems. Crankcase has large capacity with visual oil level gauge. Intake filter-silencers have cleanable elements.

1800-RPM open drip-proof motor, built to meet or exceed NEMA specifications. Magnetic motor starters are mounted and wired.

80-Gallon ASME Code Approved air receiver has 200 PSI working pressure. At 175 PSI, pump rpm is 730, CFM displacement is 42.6 and CFM delivery is 35.1. Tank has 0-300 PSI pressure guage, tank drain, service valves. Centrifugal unloader prolongs motor life. Pressure switch is factory set at 125-150 PSI for automatic start-stop operation.

Fully enclosed all metal belt guard. Compressor is factory prewired, lubricated, tested and inspected. Unit is 67" L x 26" W x 51" H overall. Painted in blue acrylic enamel. Three-phase motor — please specify 230V 60 cy or 460V cy. Wt. 810 lbs. FOB Milwaukee.

20-466/9W(02)—List $3981.00. Each **$1689.00**

PERFORMANCE CHART

Operating Pressure	Pump RPM	Piston Displ.	Free Air Delivered
100 psig	877	51.1 CFM	42.9 CFM
125 psig	846	49.3 CFM	41.1 CFM
150 psig	749	46.2 CFM	38.0 CFM
200 psig	718	41.8 CFM	33.8 CFM



Save on C&H 7½-HP 2-Stage 4-Cylinder Air Compressor

C&H Q.S.C. QUICK SHIP COMPRESSORS

Shipment within 2 working days Guaranteed!

only **$1499.00**

MAGNETIC MOTOR STARTER WORTH $119.50 MOUNTED and WIRED—READY FOR OPERATION



- **Heavy-duty cast-iron pump with low RPM**
- **High capacity air cooled intercooler**
- **Magnetic motor starter, mounted & wired**
- **Centrifugal unloader for no-load starts**

Built for continuous duty year round service with a life expectancy of 25 years or more! Performance tested for trouble-free life; tapered roller main bearings support the counter-balanced crankshaft at both ends. Multiple wafer-type valves with removable seats for high efficiency.

Combination Filter-silencer assures efficient air filtration and noise reduction. Has positive ring-flo lubrication. 1800-RPM open drip-proof motor meets or exceeds NEMA specifications.

80-Gallon Air Tank is ASME National Board code approved for 200 PSI working pressure with 0-300 PSI air pressure gauge, automatic start-stop controls preset at 125-150 PSI. At 100 PSI, compressor operates at 735 RPM with 36.6 CFM displacement and 28.8 CFM free air delivered; at 175 PSI, compressor operates at 625 RPM with 32.9 CFM displacement and 25.8 CFM free air delivery. Has ASME safety valve, tank drain, service valves.

Complete with fully enclosed belt guard. Overall size is 67"Lx 26"W x 50"H and finished in long-life blue acrylic enamel. Unit is prewired, lubricated, tested and inspected before shipment. Three-phase 60-cy. motor available with 230 voltage or 460 voltage — specify. Shpg. wt. 910 lbs. FOB Milwaukee.

20-465/1W(02)—List $3681.00. Each **$1499.00**

New C&H Q. S. C. PROGRAM

C&H Q.S.C. QUICK SHIP COMPRESSORS

Introducing: C&H Quick Ship Compressor Program. . . . Place an Order for Any C&H Compressor on the Q.S.C. PROGRAM and We Guarantee that the Compressor Will Be on Its Way to You Within 2 working days or C&H Will Pay the Freight. You Can Depend on C&H For Better, Faster Service.



C&H Name Brand Air Compressors At 52% Off!

25-HP only $3326

PRICE INCLUDES MAGNETIC MOTOR STARTER — VALUED AT $293.00 — MOUNTED AND WIRED — READY FOR OPERATION

YOU SAVE $3609

- **Factory-Direct Savings**
- **Rugged 2-Stage 4-Cylinder Unit**
- **Warranted One Full Year**
- **Fully Tested, Completely Assembled**
- **Complete with Magnetic Starter**

Famous 2-Stage 4-cylinder air compressor, quality engineered to do the job better. Endurance-tested and warranted for one full year, it offers consistent, first-rate performance, high efficiency, long life.

Efficient Pump design boasts multiple unamated aluminum cyliners with cast iron liners for 375% more cooling surface. Cylinder walls are 30% harder for longer life; domed upper cylinders allow you to use large diameter valves with low lift, lightning action. No head gaskets or heat storage flanges. 360° cooling maintains lower intercooler and cylinder temperatures.

Magnetic motor starter, completely mounted and wired, is included. 1800-RPM open drip-proof motor is built to meet or exceed NEMA specifications. Positive starting unloading keeps compressor unloaded until it reaches normal speed and oil circulation is established

120-Gallon ASME code National Board approved air tank has 200 PSI working pressure with shockproof 0-300 PSI pressure gauge, tank drain, service valve. AT 175 PSI, compressor runs at 770 rpm with 109.4 CFM air displacement and 91.0 CFM free air delivery.

Automatic start-stop control with pressure switch factory-set at 125-150 PSI. Has ASME safety valve, intake-filter silencer. Factory prewired, lubricated, tested, and inspected — painted with blue acrylic enamel. Unit is 76"L x 30"W x 56"H. Three-phase 60-cycle motor — specify 230 volt or 460 volt. FOB Milwaukee.

20-467/7W(02)—List $6935.00. Wt. 1210 lbs. Each **$3326.00**

PHONE IN YOUR ORDERS
TOLL-FREE 800-558-9966

For Other Customer Service and Wisconsin Calls Dial 414-271-2250

C&H Trained Sales Personnel Will Take Your Order and Have It Processed Promptly

ADDRESSEE PLEASE NOTE: If individual is no longe you, please give this catalog to his successor. Thank yo

SPECIAL VALUES FOR BUYERS OF:

- ☐ Warehouse Equipment
- ☐ Maintenance Supplies
- ☐ Office Equipment
- ☐ Air Compressors
- ☐ Safety Aids
- ☐ Material Handling

C&H TELEX 26-697

C&H DISTRIBUTORS, INC.
484-9 S Fifth Street
Milwaukee Wisconsin 53204

BULK RATE
U. S. POSTAGE
PAID
Waterloo, Wis.
Permit No. 20

C R WHEELER PLTENGR
MONARCH MACHINE TOOL
615 N OAK AVE
SIDNEY OHIO 45365